

# Government of India Ministry of Earth Sciences India Meteorological Department



Press Release Date: 19<sup>th</sup> November, 2025 Time of Issue: 1310 hours IST

Subject: (i) Cold wave to severe cold wave conditions very likely to continue to prevail over some parts of West Madhya Pradesh on 20<sup>th</sup> and Cold wave conditions at isolated parts on 21<sup>st</sup>; over Madhya Maharashtra, East Madhya Pradesh and Telangana on 20<sup>th</sup> November.

(ii) Heavy to very heavy rainfall very likely over Andaman & Nicobar Islands on 21st November. Heavy rainfall very likely over Tamil Nadu during 19th -25th; Kerala & Mahe on 19th & during 21st -24th; Lakshadweep on 19th; Coastal Andhra Pradesh & Yanam, Rayalaseema on 25th; Andaman & Nicobar Islands on during 19th -23rd November.

#### Realised weather during past 24 hours ending at 0830 hours IST of today, the 19th November, 2025:

- **Extremely Heavy rainfall (≥21 cm) at isolated places with heavy to very heavy rainfall (7-20 cm)** at few places over Tamil Nadu.
- \* Heavy to Very heavy rainfall (7-20 cm) observed at isolated places over Kerala & Lakshadweep.
- **Cold wave to severe cold wave conditions** prevailed over many pockets of Madhya Maharashtra; at few places over West Madhya Pradesh; **cold wave conditions prevailed** isolated pockets of East Madhya Pradesh & Telangana.
- Dense Fog (50-200 m) conditions: at isolated places of Odisha.
- **Shallow to Moderate fog conditions:** at isolated places over Assam, Meghalaya, Tripura, Himachal Pradesh.

### Weather Systems, Forecast and Warnings (refer to ANNEXURE I & II):

- Yesterday's Low-Pressure area over Comorin area & neighbourhood lay over Lakshadweep Islands & adjoining Maldives area at 0830 hrs IST of today, the 19<sup>th</sup> November 2025. The associated cyclonic circulation extends upto middle tropospheric levels. It is likely to move slowly west-northwestwards during next 24 hours.
- A **cyclonic circulation** lay over Southwest Bay of Bengal & neighbourhood in the lower tropospheric level.
- ❖ A **low Pressure** area is likely to form over Southeast Bay of Bengal around 22nd November 2025. Thereafter, it is very likely to move west-northwestwards and intensify into a depression over central parts of south Bay of Bengal around 24<sup>th</sup> November 2025. Thereafter, it will very likely to continue to move west-northwestwards and intensify further over southwest Bay of Bengal during subsequent 48 hours.

### Under the influence of these systems, the following weather is likely:

- Light to moderate rainfall/thunderstorm at many/some places with **isolated heavy rainfall** very likely over Tamil Nadu during 19<sup>th</sup> -25<sup>th</sup>; Kerala & Mahe on 19<sup>th</sup> & during 21<sup>st</sup> 24<sup>th</sup>; Lakshadweep on 19<sup>th</sup>; Coastal Andhra Pradesh & Yanam, Rayalaseema on 25<sup>th</sup>; Andaman & Nicobar Islands on during 19<sup>th</sup> -23<sup>rd</sup> November; with isolated **very Heavy rainfall** over Andaman & Nicobar Islands on 21<sup>st</sup> November.
- Thunderstorm with lightning very likely over Tamil Nadu during 19th -23rd; Kerala & Mahe on 19th & during 21st -23rd; Lakshadweep on 19th; Coastal Andhra Pradesh & Yanam and Rayalaseema during 21st -23rd November.

### Temperature Conditions during past 24 hours till 0830 hours IST of today:

❖ Minimum temperatures are in the range of less than 6°C at many places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad; at few places over Himachal Pradesh; in the range of 7-10°C at many places over Punjab, East Rajasthan; at a few places over Haryana Chandigarh & Delhi, Madhya Pradesh; at isolated places over West Rajasthan. The lowest minimum temperature of 5.5°C is reported at Sikar (East Rajasthan) over the plains of India.

Minimum Temperature were markedly below normal (-5.1°C or less) at few places over West Madhya Pradesh, Madhya Maharashtra, Vidarbha; at isolated places over East Rajasthan, Saurashtra & Kutch, East Madhya Pradesh, Marathawada, Telangana & Chhattisgarh. (refer to ANNEXURE IV)

### Forecast of temperature and cold wave & cold day warnings:

- ❖ Gradual rise in minimum temperature likely by 2-4<sup>0</sup>C likely over Central India during next 5 days and no large change thereafter.
- No significant change in minimum temperature likely over plains of northwest India during next 6-7 days.
- ❖ Gradual rise in minimum temperature likely by 2-4°C over Maharashtra for next 5 days & 2-3°C over Gujarat for next 4 days and no large change thereafter.
- \* Rise in minimum temperature likely by 2-3°C over East India during next 2 days and no significant change thereafter.
- ❖ Cold wave to severe cold wave conditions very likely to continue to prevail over some parts of West Madhya Pradesh on 20<sup>th</sup> and Cold wave conditions at isolated parts on 21<sup>st</sup>; over Madhya Maharashtra, East Madhya Pradesh and Telangana on 20<sup>th</sup> November.

#### **Fisherman Warning:**

Fishermen are advised not to venture into the following areas during 19th November to 24th November:

Arabian Sea:

Along and off south Kerala coast, over Lakshadweep, Maldives, Comorin areas on 19th November.

#### **Bay of Bengal:**

Over Gulf of Mannar on  $19^{th}$  November; over Andaman Sea during  $19^{th}$  to  $24^{th}$  November; some parts of southeast Bay of Bengal during  $19^{th}$  to  $21^{st}$  November, many parts of southeast Bay of Bengal on  $21^{st}$  November; Over southeast Bay of Bengal on  $22^{nd}$ ,  $23^{rd}$  November; few parts of eastcentral Bay of Bengal on  $19^{th}$  and  $20^{th}$  November; some parts of southwest Bay of Bengal on  $23^{rd}$  November, many parts of southwest Bay of Bengal on  $23^{rd}$  November.

### ii) Weather conditions and forecast over Delhi/NCR during 19th -22nd November, 2025 (ANNEXURE III)

### For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all india forcast bulletin.php

For District wise warnings refer: <a href="https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php">https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php</a>

For Fishermen warning refer https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php

### Significant rainfall recorded (in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today):


- ❖ Tamil Nadu: Oothu (dist Tirunelveli) 23, Nalumukku (dist Tirunelveli) 21, Kakkachi (dist Tirunelveli) 19, Manjolai (dist Tirunelveli) 18, Ayikudi (dist Tenkasi) 14, Thenkasi (dist Tenkasi) 13, Tenkasi AWS (dist Tenkasi) 12, Kayalpattinam (dist Thoothukudi), Shencottah (dist Tenkasi) 10 each, Satankulam (dist Thoothukudi) 9, Tiruchendur (dist Thoothukudi), Tarangambadi (dist Mayiladuthurai) 8, Gundar Dam (dist Tenkasi), Ambasamudram (dist Tirunelveli), Papanasam (dist Tirunelveli), Palayamkottai (dist Tirunelveli), Cheranmahadevi (dist Tirunelveli), Tirunelveli AWS (dist Tirunelveli), Ramanadhi Dam Section (dist Tenkasi) 7 each.
- ❖ Kerala & Mahe: Kumarakom (Kottayam district) 19, Kayamkulam (Alappuzha district) 12, Kayamkulam\_agri (Alappuzha district) & Mattanchery (Ernakulam district) 11 each, Vaikom (Kottayam district) 10, NAS Kochi (Ernakulam district) & Ernakulam South 9 each, Cherthala (Alappuzha district) & Palluruthy (Ernakulam district) 8 each, Konni (Pathanamthitta district), Mavelikkara (Alappuzha district), Piravam (Ernakulam district), Thycauttussery (Alapuzha district) & Choondy (Ernakulam district) 7 each.
- **Lakshadweep:** Kavaratti 10.


# **ANNEXURE I**


Table-1								
_	7 Days Rainfall Forecast 19- Nov 20- Nov 21- Nov 22- Nov 23- Nov 24- Nov 25- Nov							
S.No.	Subdivision							
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	
1		1/18	WS	WS	Wa	WS	17/8	FWS
2	ARUNACHAL PRADESH	DRY		- representation	The second second second	- In the latest section of	-	DRY
	ASSAM & MEHGHALAYA	DRY			DRY	DRY		DRY
-	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	ISOL			DRY	DRY	DRY	DRY
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	DRY	ISOL			ISOL	ISOL	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY		DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA, CHANDIGARH & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJRAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY		DRY	DRY
23		DRY	DRY	DRY	ISOL	ISOL	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	ISOL	ISOL	ISOL	DRY
25	MARATHWADA	DRY	DRY	DRY	DRY			DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY		DRY
27	CHHATTISGARH	DRY	DRY	DRY	DRY		and the second	DRY
28	COASTAL ANDHRA PRADESH	ISOL		Annual Property and Publishers and P	ISOL	ISOL	Annual State of State	SCT
29	The state of the s	DRY	-		ISOL	ISOL		ISOL
-	RAYALASEEMA	ISOL	ISOL	THE RESERVE OF THE PERSON NAMED IN	SCT	SCT	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	FWS
31	TAMILNADU & PUDUCHERRY	SCT	ISOL		SCT	SCT		FWS
32	COSTAL KARNATAKA	ISOL	DRY		ISOL	SCT		ISOL
33		DRY	DRY		ISOL	ISOL	SCT	ISOL
	SOUTH INTERIOR KARNATAKA	ISOL	DRY		AND RESIDENCE PROPERTY.	SCT		ISOL
	KERALA AND MAHE	SCT	SCT		FWS			SCT
_	LAKSHADWEEP	VAN-	FWS		Name and Address of the		The second second	SCT


• As the lead period increases forecast accuracy decrease.

## **ANNEXURE II**









- Action may be taken based on ORANGE AND REDCOLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

### Weather forecast over Delhi/NCR during 19th to 22nd November 2025

#### **Past Weather:**

There has been a slight rise in minimum temperature by 1 °C and a fall in maximum temperature by 1 °C during the past 24 hours over Delhi. The maximum and minimum temperatures over Delhi were around 24 to 26 °C and 10 to 11 °C respectively. The minimum temperatures are below normal (-1.6 to -3.0 °C) at most places & near normal (-1.5 to 1.5 °C) at isolated places over Delhi. The maximum temperatures were appreciably below normal (-3.1 to -5.0 °C) at isolated places & near normal (-1.5 to 1.5 °C) at most places over Delhi. Mainly clear sky conditions with predominant surface wind from the westerly direction with a wind speed up to 12 kmph prevailed during the past 24 hours. Mainly clear sky conditions with calm wind in early morning hours, and continued to prevail over the region in the forenoon today.


#### Weather Forecast:


**19.11.2025**: Mainly clear sky. Mist/Haze during the night. The maximum temperatures are likely to be in the range of 25 to 27°C. The maximum temperature is likely to be below normal (-0.8 to -2.8°C) over the region. The predominant surface wind is likely to be from a variable direction with a wind speed of up to 06 kmph during the afternoon hours. The wind speed will decrease, becoming less than 03 kmph from the north direction during the evening and night.

**20.11.2025**: Mainly clear sky. Shallow fog at most places and moderate fog at isolated places during the morning hours. The maximum and minimum temperatures over Delhi are likely to be in the range of 26 to 28°C and 10 to 12°C respectively. The minimum temperatures will be below normal (-0.3 to -2.3°C) and the maximum temperature will be below normal (-0.2 to -1.8°C) over Delhi. The predominant surface wind is likely to be calm in the early morning hours. The wind speed will gradually increase, reaching up to 05 kmph from the north direction in the afternoon. The wind speed will decrease, becoming less than 05 kmph from the northeast direction during the evening and night.

**21.11.2025**: Mainly clear sky. Shallow fog at most places and moderate fog at isolated places during morning hours. The maximum and minimum temperatures over Delhi are likely to be in the range of 26 to 28°C and 10 to 12°C respectively. The minimum temperatures will be below normal (-0.3 to -2.3°C) and the maximum temperature will be below normal (-1.8 to - 0.2°C) over Delhi. The predominant surface wind is likely to be calm in the early morning hours and gradually increase to up to 05 kmph during the morning hours. The predominant surface wind is likely to be from the northwest direction with calm wind as it gradually increases, reaching up to 05 kmph during the afternoon. The wind speed will decrease, becoming less than 05 kmph from the north direction during the evening and night.

**22.11.2025**: Mainly clear sky. Shallow fog during morning hours. The maximum and minimum temperatures over Delhi are likely to be in the range of 25 to 27°C and 09 to 11°C respectively. The minimum temperatures will be below normal (-0.3 to -2.3°C) and the maximum temperature will be below normal (-0.2 to -1.7°C) over Delhi. The predominant surface wind is likely to be calm in the early morning hours and gradually increase to up to 05 kmph during the morning hours. The predominant surface wind is likely to be from the northwest and will gradually increase, reaching up to 10 kmph during the afternoon. The wind speed will decrease, becoming less than 05 kmph from the northeast direction during the evening and night.





### Impact & Action Suggested due to

❖ Isolated **very Heavy rainfall likely** over Andaman & Nicobar Islands on 21st November.

### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- > Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- ➤ Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- > Damage to horticulture and standing crops in some areas due to inundation.
- ➤ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

## **Action Suggested**

- ➤ Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- ➤ Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

### Impact expected due to Cold Day/Severe Cold day conditions:

**Cold wave to severe cold wave** likely to prevail over West Madhya Pradesh on 20th November.

#### **Impact Expected:**

- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- ❖ Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- \* Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

### **Action suggested:**

- ❖ Wear several layers of loose fitting, light weight; warm woollen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm Woolen clothing rather than one layer of heavy cloth.
- ❖ Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- ❖ If the affected skin area turns black, immediately consult a doctor.
- ❖ Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- ❖ Take safety measures while using electrical and gas heating devices.
- **\*** Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- Protect livestock from cold weather.

### Agromet advisories for likely impact of Heavy Rainfall

### Agromet advisories for likely impact of Heavy Rainfall

- In **Tamil Nadu**, keep the harvested produce of rice and groundnut crops in safe places. Drain out excess rain water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, cinnamon and black pepper. Provide support to banana plants with wooden poles to prevent them from falling.
- ➤ In **Kerala**, drain out excess rain water from fields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana plants to prevent falling due to heavy rainfall and strong winds.
- In **Andaman and Nicobar Islands**, store the harvested produce of rice in well-covered elevated places to prevent moisture damage. Harvest matured vegetables to avoid damage and provide support to banana, papaya and other tall crops with stakes to prevent lodging. Avoid sowing of pulses and oilseed crops during heavy rainfall. Protect young seedlings in nursery using temporary rain shelters or plastic covers.

#### **Livestock / Fishery**

- ➤ Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.
- > Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

### Agromet advisories for likely impact of Thunderstorm / Gusty Winds

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

#### Agromet advisories for likely impact of Cold Waves / Low Temperatures

➤ In Madhya Pradesh, Madhya Maharashtra and Telangana, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature. Cover banana bunches with 6% perforated plastic bags for protection from low temperatures.

### **Livestock / Poultry**

- > Keep cattle inside the sheds during night and provide dry bedding to protect them from cold.
- ➤ Keep the chicks warm by providing artificial light in the poultry sheds.

#### **Legends & abbreviations:**

- **♦ Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- Obsy: Observatory; Automatic Weather Station; ARG: Automatic Rain Gauge; dist: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.
- \* Region wise classification of meteorological Sub-Divisions:
  - Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
  - Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
  - **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
  - Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
  - **West India:** Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
  - South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



#### राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# **LEGENDS**



### SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	ons Category		% Stations	Cate	gory		
76-100	Widespread (WS/Most Places)		26-50	Scattered (SCT/A Few Places)			
51-75	Fairly Widesp	read (FWS/Many Places)	1-25	isolated (ISOL)			
Fog		Heavy Snow	Cold Wave	COLOUR CO	COLOUR CODED WARNING No Warning (No Action)		
		-	#	No Warni			
Heavy Rain		<b>⊜</b> Dust Storm	Cold Day	Watch (B	Watch (Be Aware)		
Very Heavy Rain		+ Heat Wave	Ground Fro	Alert (Be	Alert (Be Prepared To Take Action)		
Extremely	Heavy Rain	+ Warm Night		Warning	Warning (Take Action)		
<b>.</b>	0 1:-ba-:	+ Hot Day	Hot Day		bilistic Forecast		
Thunder & Lightning		4		Terms	Probability of Occurrence (%		
Hailstorm	1	Hot & Humid		Unlikely Likely Very Likely	< 25 25 - 50 50 - 75		
Dust Raising Winds Strong Surface W			ds	Most Likely	> 75		





	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.8 to 204.4 mm/cm*
Kanir Snow	Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.  Severe Heat Wave: When actual maximum temperature ≥47°C
	( c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.  (a). Based on departure  Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Coldina	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave: When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
NAME OF TAXABLE PARTY.	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal 4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
120	Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50-200 metres
	Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground
riost	Air temperature ≤4°C ( over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
	Moderate: Wind speed 52-61 kmph
Squall	Severe: Wind speed 62-87 kmph
	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2,5-6 metre  High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
	The Control of the Co
	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)  Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Cyclone	