



Government of India
Ministry of Earth Sciences
India Meteorological Department



Press Release

Date: 24th September 2026

Time of Issue: 1320 hours IST

Subject: Under the influence of Deep Depression over north coastal Andhra Pradesh & adjoining south Odisha, heavy to very heavy rainfall at a few places with extremely heavy rainfall at isolated places very likely over south interior Odisha and south Chhattisgarh on 24th September.

Realised weather during past 24 hours ending at 0830 hours IST of today, the 24th September, 2026:

- ❖ **Extremely heavy rainfall (≥ 21 cm)** has been recorded over Coastal Andhra Pradesh.
- ❖ **Very Heavy rainfall (12-20 cm)** has been recorded over Andaman & Nicobar Islands, Odisha, Jharkhand, Coastal & South Interior Karnataka and Telangana.
- ❖ **Heavy rainfall (7-11 cm)** has been recorded over Gangetic West Bengal, Sikkim, Chhattisgarh and Goa.

Withdrawal of southwest Monsoon:

- ❖ The line of withdrawal of Southwest Monsoon continues to pass through 32.5°N/72.5°E, Gurdaspur, Chandigarh, Muzaffarnagar, Aligarh, Dholpur, Udaipur, Deesa, Naliya and 23.0°N/67.8°E.

Weather Systems, Forecast and Warnings (Annexure II & III):

- ❖ The **Deep Depression** over north coastal Andhra Pradesh, moved northwestwards with a speed of 07 kmph during past 06 hours and lay centred at 0830 hrs IST of today, 24th September 2026 over north coastal Andhra Pradesh & adjoining south Odisha near latitude 18.5°N and longitude 83.5 °E, about 70 km west-northwest of Kalingapatnam (Andhra Pradesh), 80 km south-southeast of Rayagada (Odisha), 90 km east-southeast of Koraput (Odisha) and 170 km east-southeast of Jagdalpur (Chhattisgarh). It is very likely to move north-northwestwards and weaken gradually into a Depression around evening of today, the 24th September. Thereafter it is very likely to continue to move north-northwestwards and weaken gradually during subsequent 24 hours.
- ❖ The **Western Disturbance** as a trough in middle tropospheric levels runs roughly along Long. 80°E to the north of Lat. 22°N at 7.6km above mean sea level.

Under the influence of above systems, the following weather is likely:

Northwest India:

- ❖ **Fairly Widespread to Widespread** rainfall accompanied with thunderstorm & lightning likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 28th-30th September; Himachal Pradesh during 27th-28th September; Uttarakhand during 26th-28th September.
- ❖ **Fairly Widespread to Widespread** rainfall accompanied with thunderstorm & lightning likely over West Uttar Pradesh on 26th September; East Uttar Pradesh during 24th-26th September.
- ❖ **Isolated to Scattered** rainfall accompanied with thunderstorm & lightning likely over rest parts of northwest India.
- ❖ Isolated **heavy rainfall** likely over Himachal Pradesh on 26th September and on 28th September; Uttarakhand on 25th September and on 28th September; West Uttar Pradesh during 25th-27th September; East Uttar Pradesh on 24th September and on 27th September with isolated **very heavy rainfall** also likely over Himachal Pradesh and Uttarakhand on 27th September; East Uttar Pradesh during 25th-26th September.
- ❖ Isolated **extremely heavy rainfall** likely over Uttarakhand on 26th September.
- ❖ Strong Surface Winds likely over Uttar Pradesh during 24th-27th September.

Central India:

- ❖ **Isolated to Scattered** rainfall accompanied with thunderstorm & lightning likely over West Madhya Pradesh during 24th-25th September and during 27th-30th September; East Madhya Pradesh and Vidarbha during 28th-30th September; Chhattisgarh during 29th-30th September.

- ❖ **Fairly Widespread to Widespread** rainfall accompanied with thunderstorm & lightning likely over West Madhya Pradesh on 26th September; East Madhya Pradesh and Vidarbha during 24th-27th September; Chhattisgarh during 24th-28th September.
- ❖ Isolated **heavy rainfall** likely over West Madhya Pradesh on 25th September and on 27th September; East Madhya Pradesh on 24th September and on 27th September; Chhattisgarh and Vidarbha on 26th September with isolated **very heavy rainfall** also likely over West Madhya Pradesh on 26th September; East Madhya Pradesh during 25th-26th September; Vidarbha during 24th-25th September; Chhattisgarh on 25th September.
- ❖ Isolated **extremely heavy rainfall** likely over Chhattisgarh on 24th September.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Chhattisgarh during 24th-25th September.

East India:

- ❖ **Fairly Widespread to Widespread** rainfall accompanied with thunderstorm & lightning likely over Andaman & Nicobar Islands during 24th-29th September; Bihar, Gangetic West Bengal, Jharkhand, Odisha and Sub-Himalayan West Bengal & Sikkim during 24th-26th September.
- ❖ **Isolated to Scattered** rainfall accompanied with thunderstorm & lightning likely over Andaman & Nicobar Islands on 30th September; Bihar, Gangetic West Bengal, Jharkhand, Odisha and Sub-Himalayan West Bengal & Sikkim during 27th-30th September.
- ❖ Isolated **heavy rainfall** likely over Andaman & Nicobar Islands on 24th September; Odisha and Sub-Himalayan West Bengal & Sikkim on 26th September; Gangetic West Bengal and Jharkhand on 25th September; Bihar during 25th-26th September with isolated **very heavy rainfall** also likely over Sub-Himalayan West Bengal & Sikkim during 24th-25th September; Bihar, Gangetic West Bengal and Jharkhand on 24th September; Odisha on 25th September.
- ❖ Isolated **extremely heavy rainfall** likely over Odisha on 24th September.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Bihar and Odisha on 24th September.

Northeast India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Arunachal Pradesh on 24th September and on 28th September; Assam & Meghalaya during 24th-28th September; Nagaland, Manipur, Mizoram & Tripura on 24th September and on 27th September.
- ❖ **Isolated to Scattered** rainfall likely over Arunachal Pradesh during 25th-27th September and during 29th-30th September; Assam & Meghalaya during 29th-30th September; Nagaland, Manipur, Mizoram & Tripura during 25th-26th September and during 28th-30th September.
- ❖ Isolated **thunderstorm & lightning** likely over Arunachal Pradesh during 24th-25th September; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 24th-26th September.
- ❖ Isolated **heavy rainfall** likely over Arunachal Pradesh on 29th September; Assam & Meghalaya during 24th-25th September and on 28th September; Nagaland, Manipur, Mizoram & Tripura on 24th September and during 28th-29th September.

West India:

- ❖ **Isolated to Scattered** rainfall likely over Gujarat Region, Konkan & Goa, Madhya Maharashtra and Marathawada during 24th-30th September; Saurashtra & Kutch during 24th-25th September.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Konkan & Goa on 24th September; Madhya Maharashtra and Marathawada during 24th-26th September.
- ❖ Strong Surface Winds likely over Madhya Maharashtra and Marathawada during 24th-26th September.

South Peninsular India:

- ❖ **Isolated to Scattered** rainfall likely over Rayalaseema and Tamil Nadu, Puducherry & Karaikal during 24th-30th September; Kerala & Mahe and Lakshadweep during 27th-30th September; Coastal Karnataka during 26th-29th September; North Interior Karnataka and Telangana during 25th-30th September; South Interior Karnataka during 24th-28th September; Coastal Andhra Pradesh & Yanam during 26th-30th September.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Kerala & Mahe and Lakshadweep during 24th-26th September; Coastal Karnataka during 24th-25th September and on 30th September; North Interior Karnataka and Telangana on 24th September; South Interior Karnataka during 29th-30th September; Coastal Andhra Pradesh & Yanam during 24th-25th September.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Coastal Andhra Pradesh & Yanam on 25th September; Rayalaseema and Telangana on 24th September, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe during 24th-26th September; Coastal Karnataka, North Interior Karnataka and South Interior Karnataka on 24th September; Coastal Andhra Pradesh & Yanam during 26th-28th September; Rayalaseema during 25th-28th September; Telangana during 25th-26th September.

- ❖ Isolated **heavy rainfall** likely over Kerala & Mahe during 24th-25th September; Coastal Karnataka, North Interior Karnataka and South Interior Karnataka on 24th September; Coastal Andhra Pradesh & Yanam and Telangana on 25th September with isolated **very heavy rainfall** also likely over Coastal Andhra Pradesh & Yanam and Telangana on 24th September.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Coastal Andhra Pradesh & Yanam on 24th September.
- ❖ Strong Surface Winds likely over Coastal Karnataka, North Interior Karnataka and South Interior Karnataka on 24th September; Coastal Andhra Pradesh & Yanam and Rayalaseema during 24th-28th September.

Wind warning:

- ❖ Squally wind with speed reaching 55-65 kmph gusting to 75 kmph is prevailing over Westcentral and adjoining Northwest Bay of Bengal & along and off south Odisha-north Andhra Pradesh & Yanam coasts and likely to continue till noon and become 50-60 kmph gusting to 70 kmph in the evening of today, the 24th September. It is likely to become 45-55 kmph gusting to 65kmph from midnight of today, 24th September till morning of 25th September and decrease gradually thereafter.
- ❖ Squally wind with speed reaching 55-65 kmph gusting to 75 kmph is prevailing over coastal districts of north Andhra Pradesh & adjoining east Telangana, south Odisha and south Chhattisgarh and likely to continue till noon and becoming 50-60 kmph gusting to 70 kmph in the evening of today, the 24th September. It is likely to become 45-55 kmph gusting to 65kmph from midnight of today, 24th September till morning of 25th September and decrease gradually thereafter.
- ❖ Squally wind speed reaching 45-55 kmph gusting to 65 kmph is likely over the districts of northwest Odisha, north Chhattisgarh and southwest Jharkhand from 24th evening till 25th evening and decrease gradually thereafter.
- ❖ Squally wind speed reaching 45-55 kmph gusting to 65 kmph is likely over adjoining areas of North and South Bay of Bengal till evening of today, the 24rd September.
- ❖ Squally wind with speed reaching 40-50 kmph gusting to 60 kmph is likely along & off West Bengal and south Andhra Pradesh & Yanam coasts till evening of today, the 24rd September.

Sea condition:

- ❖ Very Rough to rough sea condition is prevailing over westcentral & northwest Bay of Bengal till noon and likely to become rough from evening of today, the 24th September till morning of 25th September and improve gradually thereafter.
- ❖ Very Rough to rough sea condition is prevailing along & off north Andhra Pradesh-Odisha-West Bengal coasts till noon and likely to become rough from evening of today, the 24th September till morning of 25th September and improve gradually thereafter.
- ❖ Rough sea condition is likely over adjoining areas of southwest Bay of Bengal till 24th September evening and gradually improve thereafter.

Fishermen warnings:

Fishermen are advised not to venture into

- ❖ Westcentral & adjoining northwest & southwest Bay of Bengal and along & off Andhra Pradesh-Odisha-West Bengal coasts till morning of 25th September.

Weather conditions and forecast over Delhi/NCR during next 4 days (Annexure IV)

For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all_india_forecast_bulletin.php

For District wise warnings refer: <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

For Fishermen warning refer <https://rsmcnewdelhi.imd.gov.in/fishermenwarning.php>

Significant rainfall recorded (≥ 7 cm) (from 0830 hours IST of yesterday to 0830 hours IST of today over different Meteorological Subdivision):

Coastal Andhra Pradesh & Yanam: Visakhapatnam (dist Vishakhapatnam) 28; Visakhapatnam AP (dist Vishakhapatnam) 20; Koyyalagudem (dist Eluru) 16; Peddapuram (dist Kakinada), Bheemunipatnam (dist Vishakhapatnam), Kakinada (dist Kakinada) 15 Each; Vijayawada AP (dist Ntr District), Yanam (dist Yanam), Gudivada (dist Krishna) 14 Each; Rajahmundry (dist East Godavari), Avanigada (dist Krishna), Ranastalam (dist Srikakulam), Merakamudidam (dist Vizianagaram), Dowleshwaram (dist East Godavari), Tiruvuru (dist Ntr District) 13 Each; Pathapatnam (dist Srikakulam), Srungavarapukota (dist Vizianagaram), Amalapuram (dist B R Ambedkar Konaseema), Cheepurupalle (dist Vizianagaram), Tanuku (dist West Godavari), Tekkali (dist Srikakulam), Garividi (dist Vizianagaram) 12 Each; Polavaram (dist Eluru), Prathipadu (dist Kakinada), Nellimarla (dist Vizianagaram), Chodavaram (dist Anakapalli), Kaikalur (dist Eluru), Therlam (dist Vizianagaram) 11 Each; Gajapathinagaram (dist Vizianagaram), Pusapatirega (dist Vizianagaram), Tadepalligudem (dist West Godavari), Palakonda (dist Parvathipuram Manyam) 10 Each; Narsapuram (dist West Godavari), Bobbili (dist Vizianagaram), Mandasa (dist Srikakulam), Balajipeta (dist Parvathipuram Manyam), Vepada (dist Vizianagaram), Palasa (dist Srikakulam), Lam AP (dist Guntur), Bondapalle (dist Vizianagaram), Kukunoor (dist Eluru), Palakoderu (dist West Godavari), Guntur (dist Guntur), Vararamachandrapur (dist Alluri Sitharamaraju), Masulipatnam Cdr (dist Krishna) 9 Each; Nandigama (dist Ntr District), Nuzvid (dist Eluru), Kunavaram (dist Alluri Sitharamaraju), Araku Valley (dist Alluri Sitharamaraju), Mangalagiri (dist Guntur), Narsipatnam (dist Anakapalli), Gantyada (dist Vizianagaram), Tenali (dist Guntur), Chintur (dist Alluri Sitharamaraju), Bheemavaram (dist West Godavari), Prakasam Barrage (dist Ntr District), Chintapalle (dist Alluri Sitharamaraju), Eluru (dist Eluru), Velairpad (dist Eluru) 8 Each; Yelamanchili (dist Anakapalli), Atchampet (dist Palnadu), Denkada (dist Vizianagaram), Bhimadole (dist Eluru), Repalle (dist Bapatla), Paleru Bridge (dist Ntr District), Anakapalle (dist Anakapalli), Paderu (dist Alluri Sitharamaraju), Vizianagaram (dist Vizianagaram), Amaravati (dist Guntur) 7 Each;

Odisha: Similiguda (dist Koraput) 19; Chitrakunda K Guma (dist Malkangiri) 17; Mahendragarh (dist Gajapati) 15; Tangi (dist Khurda) 14; G Udayagiri (dist Kandhamal), Paralakhemundi (dist Gajapati), Gosani (dist Gajapati) 12 Each; Banki (dist Cuttack), Tentulikhunti (dist Nawarangpur), Daitari (dist Keonjhar), Jaipur (dist Balasore), Sukinda (dist Jajpur), Ghasipura (dist Keonjhar) 11 Each; Khandapara (dist Nayagarh), Malkangiri (dist Malkangiri), Bari (dist Jajpur), Odagaon (dist Nayagarh), Sankheimundi (dist Ganjam), Chakapad (dist Kandhamal) 10 Each; Kosagumda (dist Nawarangpur), Digapahandi (dist Ganjam), Jajpur (dist Jajpur), Betanati (dist Mayurbhanj), Nayagarh (dist Nayagarh), Kaptipada (dist Mayurbhanj), Anandpur (dist Keonjhar), Suliapada (dist Mayurbhanj), Jajpur PTO (dist Jajpur), Jenapur (dist Jajpur), Chandua Kuliana (dist Mayurbhanj), Daringibadi (dist Kandhamal) 9 Each; Pipili (dist Puri), Jamsolaghat (dist Mayurbhanj), Nawana (dist Mayurbhanj), Garadapur (dist Kendrapara), Mohana (dist Gajapati), Mahanga (dist Cuttack), Bangiriposi (dist Mayurbhanj), Nandapur (dist Koraput), Borigumma (dist Koraput), Kukudahandi (dist Ganjam), Dharakote (dist Ganjam), Jatni (dist Khurda), Chilika (dist Khurda) 8 Each; Samakhunta (dist Mayurbhanj), Bhanjnagar (dist Ganjam), Banpur (dist Khurda), Udala (dist Mayurbhanj), Tikabali (dist Kandhamal), Akhuapada (dist Bhadrak), Harichandanpur (dist Keonjhar), Aska (dist Ganjam), Chandanpur (dist Mayurbhanj), Ranpur (dist Nayagarh), Danagadi (dist Jajpur), Kodala (dist Ganjam), Sheragada (dist Ganjam), Th Rampur (dist Kalahandi), G B Nagar (dist Mayurbhanj), Korukunda (dist Malkangiri), Sarasakana (dist Mayurbhanj) 7 Each;

Coastal Karnataka: Karwar (dist Uttara Kannada) 13; Siddapura (dist Udupi) 10; Ankola (dist Uttara Kannada) 8; Kollur (dist Udupi), Gokarna (dist Uttara Kannada), Basagod (dist Uttara Kannada) 7 Each;

Telangana: Mogullapalle (dist J. Bhupalpally), Madhira (dist Khammam) 13 Each; Atmakurwrgl (dist Hanumakonda), Bonakal (dist Khammam), Kusumanchi (dist Khammam), Jainoor (dist Kumaram Bheem), Chandurthi (dist Rajanna Sircilla) 11 Each; Khammam Urban (dist Khammam), Dharmasagar (dist Hanumakonda), Zaffergadh (dist Jangaon), Chinthakam (dist Khammam), Noothankal (dist Suryapet), Kodakandla (dist Jangaon), Devaruppal (dist Jangaon), Shankarapatnam (dist Karimnagar) 10 Each; Thimmapur (dist Karimnagar), Thollada (dist Khammam), Kerameri (dist Kumaram Bheem), Dandepalle (dist Mancheri), Huzur Nagar (dist Suryapet), Choppadandi (dist Karimnagar), Mattampally (dist Suryapet), Chilkur (dist Suryapet), Palakurthi (dist Jangaon) 9 Each; Chennaraopet (dist Warangal), Dornakal (dist Mahabubabad), Aswaraopeta (dist B. Kothagudem), Parkal (dist Hanumakonda), Gangadhara (dist Karimnagar), Ghanpur (dist Jangaon), Huzurabad (dist Karimnagar), Sirpuru (dist Kumaram Bheem), Nanganur (dist Siddipet), Neredcherla (dist Suryapet), Velagatoor (dist Jagtial), Kathlapur (dist Jagtial), Elagaid (dist Peddapalle), Kodada (dist Suryapet), Mothey (dist Suryapet), Chityal (dist J. Bhupalpally), Sangem (dist Warangal), Siddhapur AP (dist Warangal), Julapalle (dist Peddapalle) 8 Each; Mallial (dist Jagtial), Suryapet (dist Suryapet), Pegadapalle (dist Jagtial), Bheemadevarpalle (dist Hanumakonda), Jangaon (dist Jangaon), Wanaparthi (dist Wanaparthi), Julurpad (dist B. Kothagudem), Luxettipet (dist Mancheri), Mulakalapalle (dist B. Kothagudem), Konijerla (dist Khammam), Parvathagiri (dist Warangal), Mahabubabad (dist Mahabubabad), Hasanparthi (dist Hanumakonda), Narmetta (dist Jangaon), Jajireddigudem (dist Suryapet), Jammikunta (dist Karimnagar), Boinpalle (dist Rajanna Sircilla), Ellanthukunta (dist Rajanna Sircilla), Miryalaguda (dist Nalgonda), Jannaram (dist Mancheri) 7 Each;

Andaman & Nicobar Islands: Long Island (dist North & Middle Andaman) 12; Maya Bandar (dist North & Middle Andaman) 7;

Jharkhand: Putki (dist Dhanbad), Nandadih (dist Giridih) 12 Each; Nimdih (dist Seraikela-kharsawan), Palganj (dist Giridih), Purvi Tundi (dist Dhanbad), Bau Kanke (dist Ranchi) 10 Each; Madhupur (dist Deoghar), Papunki (dist Dhanbad), Koner (dist Hazaribag), Gola (dist Ramgarh) 9 Each; Dumri (dist Giridih), Tenughat (dist Bokaro),

Barkisuriya (dist Giridih), Maharo (dist Dumka), Maithon (dist Dhanbad), Chandrapura (dist Bokaro), Maithon Dvc (dist Dhanbad), Koner Dvc (dist Hazaribag), Zrs Dumka (dist Dumka), Musabani (dist East Singbhum), Gurabandha (dist East Singbhum) 8 Each; Gobindpur (dist Dhanbad), Topchanchi (dist Dhanbad), Jarmindi (dist Dumka), Arki (dist Khunti), Chandankiary (dist Bokaro), Nawadih (dist Bokaro), Hazaribagh Dvc (dist Hazaribag), Majhgaon (dist West Singbhum), Baharagora (dist East Singbhum), Nala (dist Jamtara) 7 Each;

South Interior Karnataka: Agumbe AWS (dist Shivamogga) 11;

Gangetic West Bengal: Kansabati Dam (dist Bankura), Mohanpur (dist West Midnapore), Tusuma (dist Purulia), Midnapore (dist West Midnapore), Midnapore(CWC) (dist West Midnapore), Panagarh (IAF) (dist Paschim Bardhaman) 9 Each; Alipore (dist Kolkata), Durgapur (dist Paschim Bardhaman), Mangalkote (dist Purba Bardhaman), Luchipur (dist Paschim Bardhaman) 8 Each; Diamond Harbour (dist South 24 Parganas), Asansol(CWC) (dist Paschim Bardhaman), Burnpur (dist Paschim Bardhaman), Asansol (dist Paschim Bardhaman) 7 Each;

Sub Himalayan West Bengal & Sikkim: Soreng ARG (dist Soreng) 8; Namthang (dist Namchi), Leesh River Tea Garden (dist Jalpaiguri) 7 Each;

Chhattisgarh: Konta (dist Sukma) 8; Chhindgarh (dist Sukma), Tongpaal (dist Sukma) 7 Each;

Bihar: Kursela (dist Katihar), Khagadia (dist Khagaria) 7 Each;

Royalaseema: Srisailam (dist Nandyal) 7.











Table-1								
7 Days Rainfall Forecast								
S.No.	Subdivision	24- Sep	25- Sep	26- Sep	27- Sep	28- Sep	29- Sep	30- Sep
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	FWS	FWS	FWS	SCT
2	ARUNACHAL PRADESH	SCT	SCT	ISOL	ISOL	SCT	SCT	SCT
3	ASSAM & MEHGHALAYA	SCT	SCT	SCT	ISOL	SCT	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	SCT	SCT	ISOL	ISOL	SCT	SCT	ISOL
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	SCT	SCT	WFS	SCT	SCT	SCT	SCT
6	GANGETIC WEST BENGAL	WFS	WFS	FWS	SCT	SCT	SCT	SCT
7	ODISHA	WFS	WFS	FWS	SCT	SCT	SCT	SCT
8	JHARKHAND	WFS	WFS	FWS	SCT	ISOL	ISOL	ISOL
9	BIHAR	WFS	WFS	FWS	SCT	ISOL	ISOL	ISOL
10	EAST UTTAR PRADESH	FWS	WFS	WFS	SCT	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	ISOL	SCT	FWS	SCT	ISOL	ISOL	DRY
12	UTTARAKHAND	ISOL	SCT	WFS	WFS	FWS	SCT	ISOL
13	HARYANA, CHANDIGARH & DELHI	ISOL	ISOL	SCT	SCT	SCT	SCT	ISOL
14	PUNJAB	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
15	HIMACHAL PRADESH	ISOL	ISOL	SCT	FWS	FWS	SCT	ISOL
16	JAMMU AND KASHMIR AND LADAKH	SCT	SCT	ISOL	DRY	FWS	FWS	FWS
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	ISOL	ISOL	DRY
18	EAST RAJASTHAN	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
19	WEST MADHYA PRADESH	SCT	SCT	FWS	SCT	SCT	ISOL	ISOL
20	EAST MADHYA PRADESH	FWS	WFS	WFS	FWS	SCT	ISOL	ISOL
21	GUJRAT REGION	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
22	SAURASHTRA & KUTCH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
25	MARATHWADA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	WFS	SCT	FWS	FWS	SCT	ISOL	ISOL
27	CHHATTISGARH	WFS	SCT	WFS	FWS	FWS	SCT	SCT
28	COASTAL ANDHRA PRADESH	WFS	FWS	ISOL	ISOL	ISOL	ISOL	ISOL
29	TELANGANA	WFS	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	WFS	SCT	SCT	ISOL	ISOL	SCT	FWS
33	NORTH INTERIOR KARNATAKA	FWS	ISOL	ISOL	ISOL	ISOL	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	ISOL	SCT	FWS	FWS
35	KERALA AND MAHE	FWS	FWS	FWS	SCT	SCT	SCT	SCT
36	LAKSHADWEEP	FWS	FWS	FWS	SCT	SCT	SCT	SCT

As the lead period increases forecast accuracy decrease.





Action may be taken based on ORANGE AND REDCOLOUR warnings.

Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning. As the lead period increases forecast accuracy decreases.

Detailed district-wise Multi-Hazard weather warning for next five days available at <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

Weather forecast over Delhi/NCR during 24th -27th September 2026**Past Weather:**

There has been no large change in maximum and in minimum temperatures over Delhi during the past 24 hours. The maximum temperatures were around 35-36°C and the minimum temperatures are in the range 21-26°C respectively during past 24 hours over Delhi. The minimum temperatures are above normal (1.6°C to 3.0°C) at a few places, below normal (-1.6°C to -3.0°C) at isolated places and normal (-1.5°C to 1.5°C) over remaining parts of Delhi. The maximum temperatures were above normal (1.6°C to 3.0°C) at many places and normal (-1.5°C to 1.5°C) over remaining parts of Delhi. Mainly clear sky with surface wind speed 15 kmph from the southeast direction prevailed over Delhi during past 24 hours. Mainly clear sky with surface wind speeds up to 20 kmph from the east direction likely to prevail during forenoon over the region today.

Weather Forecast:

24.09.2026: Partly cloudy sky. The maximum temperatures over Delhi are likely to be in the range of 33-35°C. The maximum temperatures will be near normal (-1.5°C to 1.5°C) at most places over Delhi. The predominant surface wind is likely to be from the southeast direction with surface wind speed reaching up to 20 kmph during the afternoon. The surface wind speed will decrease becoming up to 18 kmph from the southeast direction during evening and night hours.

25.09.2026: Partly cloudy sky. The maximum and minimum temperatures over Delhi are likely to be in the range of 33°C to 35°C and 22°C to 24°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and the maximum temperatures will be near normal (-1.5°C to 1.5°C) at most places over Delhi. The predominant surface wind is likely to be from the southeast direction with wind speed reaching up to 20 kmph during the morning hours. The surface wind speed will decrease becoming up to 15 kmph from the southeast direction during afternoon. The surface wind speed will increase becoming up to 25 kmph from the southeast direction during evening and night hours.

26.09.2026: Generally cloudy sky. A spell of very light to light rain at many places with moderate rain at isolated places towards afternoon to evening accompanied with thunderstorm/lightning and strong winds (speed 30-40 kmph gusting to 50 kmph). The maximum and minimum temperatures over Delhi are likely to be in the range of 32°C to 34°C and 22°C to 24°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and the maximum temperatures will be below normal (-1.6°C to -3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the southeast direction with wind speed reaching up to 15 kmph during the morning hours. The surface wind speed will increase becoming up to 20 kmph from the southeast direction during afternoon. The surface wind speed will decrease becoming up to 15 kmph from the southeast direction during evening and night hours.

27.09.2026: Generally cloudy sky. One or two spells of very light to light rain at most places with moderate rain at a few places during morning to forenoon accompanied with thunderstorm/ lightning and strong winds (speed 30-40 kmph gusting to 50 kmph). Another spell of very light to light rain at many places with moderate rain at isolated places during afternoon to evening. The maximum and minimum temperatures over Delhi are likely to be in the range of 30°C to 32°C and 21°C to 23°C, respectively. The minimum temperature will be below normal (-1.6°C to -3.0°C) at most places, and the maximum temperatures will be appreciably below normal (-3.1°C to -5.0°C) at most places over Delhi. The predominant surface wind is likely to be from the southeast direction with wind speed reaching up to 20 kmph during the morning hours. The surface wind speed will increase becoming up to 25 kmph from the southeast direction during afternoon. The surface wind speed will decrease becoming up to 15 kmph from the east direction during evening and night hours.

Impact Expected and Action Suggested due to very heavy rainfall:

- ❖ Isolated extremely rainfall likely over Odisha and Chhattisgarh on 24th and Uttarakhand on 26th September.

Impact expected:

- ❖ Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- ❖ Partial damage to vulnerable structures due to strong winds and rain.
- ❖ Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- ❖ Loose objects may fly.
- ❖ Small ships, trawlers and boats may be affected.
- ❖ Road and rail traffic may be affected due to heavy rain and squally winds.
- ❖ There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Helicopter services may get affected.

Action suggested:

- ❖ People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- ❖ Take safe shelters; do not take shelter under trees, as there could be lightning.
- ❖ In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- ❖ Tourism and recreational activities to be regulated.
- ❖ Onshore and offshore activities to be judiciously regulated.
- ❖ Helicopter services to be regulated.

Agromet advisories for likely impact of Heavy Rainfall

- In **Odisha**, drain out excess rain water from rice, maize, millets, ginger, turmeric, vegetables, pulses and orchards. Keep drainage channels clear, protect vegetable nurseries and provide staking to vegetables and newly planted banana to prevent lodging.
- In **Coastal Andhra Pradesh**, drain out excess rain water from rice, maize, ragi, groundnut, red gram, sugarcane, vegetables and orchards. Keep the harvested produce of maize in a safe, dry place. Provide strong support to fruit-bearing banana plants and propping in sugarcane.
- In **Telangana**, ensure adequate drainage in rice, cotton, green gram, black gram, red gram, vegetables and orchards to prevent water stagnation. Provide staking/support to vulnerable crops and postpone fertilizer and plant-protection operations until weather conditions become suitable. Keep harvested produce in a safe dry place.
- In **Chhattisgarh**, maintain effective drainage in rice, maize, groundnut, minor millets, pulses and vegetables. Keep drainage channels clear, particularly in low-lying maize, ginger and turmeric fields, remove stagnant water promptly and provide support to vulnerable vegetable crops.
- In **West Bengal**, maintain proper drainage in rice and other crop fields to prevent water stagnation. Keep field channels clear, strengthen drainage in areas prone to water accumulation and harvest mature crops during suitable dry intervals and shift the harvested produce in a safe, dry place.
- In **Bihar**, maintain proper drainage in rice, maize, pigeon pea, low lying sugarcane fields and other standing crop fields to avoid water stagnation.
- In **Jharkhand**, maintain proper drainage in standing crop fields such as maize, pigeon pea, other standing crops and vegetables.
- In **Vidarbha**, provide mechanical support to newly planted orchards and vegetables to prevent them from lodging. Harvest matured green gram, black gram, vegetables as early as possible and keep the harvested produce at safer places. Make arrangement to drain out excess water from *kharif* crops like rice, cotton, pigeon pea, soybean, vegetable and orchards.
- In **Karnataka**, maintain drainage in standing crop fields and postpone intercultural, fertilizer and plant-protection operations during wet conditions. Harvest mature green gram, black gram and soybean wherever conditions permit, secure harvested produce in covered storage and provide staking/propping support to vulnerable crops.

- In **Keralam**, ensure effective drainage in banana, black pepper, coconut, ginger and turmeric fields following the recent rainfall and provide strong support to banana plants and trellis-grown crops. Postpone all field operations until rainfall ceases and soil conditions become suitable.
- In **East Madhya Pradesh**, undertake harvesting of urad and moong crops immediately and store them in a safe place.
- In **Andaman & Nicobar**, ensure proper drainage to avoid waterlogging in banana, particularly in mature and fruit-bearing plants. Provide support to banana and other tall crops.
- In **Assam and Meghalaya**, maintain effective drainage in rice, sesame, ginger, green gram, black gram and other crops, keeping field channels open to prevent waterlogging. Harvest mature jute, banana and bottle gourd during suitable dry intervals and keep harvested produce safe and dry.
- In **Nagaland**, maintain 3-5 cm water level in wet rice fields and harvest mature maize cobs during suitable weather.
- In **Uttarakhand**, avoid irrigation in rice where rainfall is adequate and maintain proper drainage in sugarcane and maize fields. Keep drainage channels clear and provide support to tall crops and vegetables to prevent lodging.
- In **Uttar Pradesh**, ensure proper drainage in standing crop fields and postpone irrigation, intercultural operations, fertilizer and plant-protection applications during wet conditions. Provide staking/support to young plants, vegetables and horticultural crops.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

Flash Flood Guidance:

Flash Flood Risk (FFR) till 1130 IST of 25-09-2026:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Odisha: Angul, Balangir, Balasore, Bargarh, Bhadrak, Cuttack, Deogarh, Dhenkanal, Gajapati, Ganjam, Jagatsinghpur, Jajpur, Kalahandi, Kandhamal, Kendrapara, Keonjhar, Khurda, Koraput, Mayurbhanj, Nawapara, Nawarangpur, Puri, Rayagada, Sonepur and Sundargarh districts

Chhattisgarh: Sukma, Narayanpur, Bijapur, Kanker, Kondagaon, Dhamtari, Gariaband, Balod, Durg, Raipur, Rajnandgaon, Bemetara, Baloda Bazar, Mungeli, Kabirdham, Gaurela Pendra Marwahi, Korba, Surguja, Jashpur, Koriya and Balrampur districts


Gangetic West Bengal: East Midnapore, South 24 Parganas, Jhargram, Howrah, Kolkata, North 24 Parganas and Bankura districts

Jharkhand: Lohardaga, Latehar, Gumla, Khunti, Simdega, West Singhbhum and Seraikela-Kharsawan districts

Coastal Andhra Pradesh & Yanam: Dr B R Ambedkar Konaseema, West Godavari, Ntr District, Eluru, East Godavari, Yanam, Kakinada, Krishna, Sri Alluri Sitharamaraju District, Anakapalli, Vizianagaram, Vishakhapatnam, Parvathipuram Manyam and Srikakulam districts

Telangana: Khammam, B. Kothagudem, Mulugu, J. Bhupalpally, Peddapalle, Karimnagar, Kumaram Bheem, Mancherla and Jagtial districts

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



Legends & abbreviations:

Heavy Rain:64.5115.5mm; **Very Heavy Rain:**115.6204.4mm; **Extremely Heavy Rain:** >204.4mm.

Obsy: Observatory; **Automatic Weather Station;** **ARG:** Automatic Rain Gauge; **dist:** District; **NH:** National Highway; **KVK:** Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO:** Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.

Region wise classification of meteorological Sub-Divisions:

Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.

Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.

East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.


Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.

West India: Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.

South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- | | | |
|----------------------|----------------------|--------------|
| Fog | Heavy Snow | Cold Wave |
| Heavy Rain | Dust Storm | Cold Day |
| Very Heavy Rain | Heat Wave | Ground Frost |
| Extremely Heavy Rain | Warm Night | |
| Thunder & Lightning | Hot Day | |
| Hailstorm | Hot & Humid | |
| Dust Raising Winds | Strong Surface Winds | |

COLOUR CODED WARNING

- No Warning (No Action)
- Watch (Be Aware)
- Alert (Be Prepared To Take Action)
- Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

* Red colour warning does not mean "Red Alert". Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)

DEFINITION/CRITERIA

Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *
Heat Wave	When maximum temperature of a station reaches $\geq 40^{\circ}\text{C}$ for plains and $\geq 30^{\circ}\text{C}$ for hilly regions (a) Based on Departure from normal Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C. Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^{\circ}\text{C}$ (b). Based on Actual maximum temperature Heat Wave: When actual maximum temperature $\geq 45^{\circ}\text{C}$. Severe Heat Wave: When actual maximum temperature $\geq 47^{\circ}\text{C}$. (c). Criteria for heat wave for coastal stations When maximum temperature departure is $>4.5^{\circ}\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^{\circ}\text{C}$
Warm Night	When maximum temperature remains 40°C Warm Night: When minimum temperature departure 4.5°C to 6.4°C. Severe Warm Night: When minimum temperature departure $>6.4^{\circ}\text{C}$.
Cold Wave	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions. (a). Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C. Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$ (b) Based on actual Minimum Temperature (for Plains only) Cold Wave : When Minimum Temperature is $\leq 4.0^{\circ}\text{C}$ Severe Cold Wave: When Minimum Temperature is $\leq 2.0^{\circ}\text{C}$ (c) For Coastal Stations When Minimum Temperature departure is $\leq -4.5^{\circ}\text{C}$ & actual Minimum Temperature is $\leq 15^{\circ}\text{C}$
Cold Day	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions Based on departure Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C. Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$
Fog	Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$ Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground Air temperature $\leq 4^{\circ}\text{C}$ (over Plains)
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
Sea State	Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
Cyclone	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-185 kmph (64 - 89 knots) Extremely Severe Cyclonic Storm: Wind speed 186-220 kmph (90 -119 knots) Super Cyclone Strom: Wind speed >220 kmph (>119 knots)

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".

Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.

For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599

(Service to the Nation since 1875)