



Government of India
Ministry of Earth Sciences
India Meteorological Department



Press Release

Date: 25th July 2026

Time of Issue: 1310 hours IST

Subject: (i) Under the influence of low pressure area over Northwest Bay of Bengal & adjoining West Bengal coast, isolated heavy to very heavy rainfall likely over Odisha during 25th to 28th. Isolated extremely heavy rainfall also likely on 25th & 26th July, 2026.

(ii) Due to the low pressure area over southwest Rajasthan, isolated extremely heavy rainfall likely over Gujarat State on 25th July, 2026.

Realised weather during past 24 hours ending at 0830 hours IST of today, the 25th July, 2026:

- ❖ **Exceptionally heavy rainfall (≥ 30 cm)** has been recorded at isolated places over Gujarat Region
- ❖ **Very Heavy rainfall (12-20 cm)** has been recorded over Saurashtra & Kutch, Madhya Maharashtra, Jharkhand.
- ❖ **Heavy rainfall (7-11 cm)** has been recorded over Gangetic West Bengal, Himachal Pradesh, Uttarakhand, Konkan & Goa, Odisha Coastal Karnataka, South Interior Karnataka.

Weather Systems, Forecast and Warnings (Annexure I & II):

- ❖ The **Monsoon trough** is active and south of its normal position in lower tropospheric level.
- ❖ Yesterday's **Low-Pressure area** over southeast Rajasthan moved westwards and lay over southwest Rajasthan & neighbourhood at 0830 Hrs IST of today, 25th July, 2026.
- ❖ Under the influence of cyclonic circulation over north Gangetic West Bengal & adjoining Bangladesh, a **Low Pressure area** formed over Northwest Bay of Bengal and adjoining Gangetic West Bengal-North Odisha coasts at 0530 hours IST of today, it lay over northwest Bay of Bengal & adjoining West Bengal Coast at 0830 Hrs IST of today, 25th July, 2026. It's likely to meander over the same region and become more marked during next 2-3 days.
- ❖ A **east-west shear zone** embedded with the cyclonic circulations associated with the above two Low Pressure areas, runs roughly along 24°N Lat. across central India in lower & middle tropospheric levels.
- ❖ The **Western Disturbance** as a trough in middle & upper tropospheric westerlies with its axis at 5.8 km above mean sea level now runs roughly along Long. 72°E to the north of Lat. 30°N.

Under the influence of above systems, the following weather is likely:

Northwest India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand during 25th-31st July.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Punjab on 25th July and during 28th-31st July; Haryana Chandigarh & Delhi and West Uttar Pradesh during 28th-31st July; East Uttar Pradesh during 27th-31st July; West Rajasthan on 25th July; East Rajasthan during 30th-31st July.
- ❖ **Isolated to Scattered** rainfall likely over Punjab during 26th-27th July; Haryana Chandigarh & Delhi and West Uttar Pradesh during 25th-27th July; East Uttar Pradesh during 25th-26th July; West Rajasthan during 26th-31st July; East Rajasthan during 25th-29th July.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 25th-31st July.
- ❖ Isolated **thunderstorm & lightning** likely over Uttarakhand during 25th-31st July; West Uttar Pradesh during 27th-29th July; East Uttar Pradesh during 26th-28th July; West Rajasthan during 25th-26th July; East Rajasthan on 25th July and during 28th-31st July.
- ❖ Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 25th-31st July; Himachal Pradesh during 25th-27th July and on 31st July; Uttarakhand during 25th-26th July and during 30th-31st July; Punjab on 25th July, on 27th July and during 30th-31st July; Haryana Chandigarh & Delhi on 27th July and during 30th-31st July; West Uttar Pradesh on 27th July and on 31st July; East Uttar Pradesh during 29th-31st July; West Rajasthan on 26th July; East Rajasthan during 28th-31st July with isolated **very heavy rainfall** also likely over Himachal Pradesh and West Uttar Pradesh during 28th-30th July; Uttarakhand during 27th-29th July; Haryana Chandigarh & Delhi and Punjab during 28th-29th July; East Uttar Pradesh during 27th-28th July; East Rajasthan and West Rajasthan on 25th July.

Central India:

- ❖ **Isolated to Scattered** rainfall likely over West Madhya Pradesh during 25th-27th July and on 31st July; Vidarbha on 26th July.
- ❖ **Fairly Widespread to Widespread** rainfall likely over West Madhya Pradesh during 28th-30th July; Chhattisgarh and East Madhya Pradesh during 25th-31st July; Vidarbha on 25th July and during 27th-31st July.
- ❖ Isolated **thunderstorm & lightning** likely over Chhattisgarh, East Madhya Pradesh, Vidarbha and West Madhya Pradesh during 25th-31st July.
- ❖ Isolated **heavy rainfall** likely over West Madhya Pradesh during 28th-31st July; East Madhya Pradesh during 26th-31st July; Vidarbha during 29th-31st July; Chhattisgarh on 25th July and during 28th-31st July with isolated **very heavy rainfall** also likely over Chhattisgarh during 26th-27th July.

East India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands, Gangetic West Bengal, Jharkhand and Odisha during 25th-31st July; Sub-Himalayan West Bengal & Sikkim during 27th-31st July; Bihar during 28th-31st July.
- ❖ **Isolated to Scattered** rainfall likely over Sub-Himalayan West Bengal & Sikkim during 25th-26th July; Bihar during 25th-27th July.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Andaman & Nicobar Islands during 25th-31st July; Gangetic West Bengal during 25th-27th July, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Jharkhand and Odisha during 25th-29th July; Bihar during 25th-31st July.
- ❖ **Moderate to intense lightning** at isolated places also likely over Bihar during 27th-31st July
- ❖ Isolated **thunderstorm & lightning** likely over Sub-Himalayan West Bengal & Sikkim during 25th-26th July.
- ❖ Isolated **heavy rainfall** likely over Bihar and Sub-Himalayan West Bengal & Sikkim during 27th-31st July; Gangetic West Bengal during 26th-27th July; Jharkhand during 25th-28th July; Odisha during 29th-31st July with isolated **very heavy rainfall** also likely over Gangetic West Bengal on 25th July; Odisha during 27th-28th July.
- ❖ **Heavy to very heavy rainfall** at few places with **extremely heavy rainfall** likely at isolated places over **Odisha on 25th & 26th July.**

Northeast India:

- ❖ **Isolated to Scattered** rainfall likely over Arunachal Pradesh and Assam & Meghalaya during 25th-26th July.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Arunachal Pradesh and Assam & Meghalaya during 27th-31st July; Nagaland, Manipur, Mizoram & Tripura during 25th-31st July.
- ❖ Isolated **thunderstorm & lightning** likely over Arunachal Pradesh during 25th-27th July; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 25th-29th July.
- ❖ Isolated **heavy rainfall** likely over Arunachal Pradesh during 26th-31st July; Assam & Meghalaya during 25th-29th July; Nagaland, Manipur, Mizoram & Tripura during 25th-31st July with isolated **very heavy rainfall** also likely over Assam & Meghalaya during 30th-31st July.

West India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Konkan & Goa during 25th-31st July; Madhya Maharashtra on 26th July; Gujarat Region during 25th-27th July and on 31st July; Saurashtra & Kutch during 25th-27th July.
- ❖ **Isolated to Scattered** rainfall likely over Madhya Maharashtra on 25th July and during 27th-31st July; Marathawada during 25th-31st July; Gujarat Region during 28th-30th July; Saurashtra & Kutch during 28th-31st July.
- ❖ Isolated **thunderstorm & lightning** likely over Madhya Maharashtra and Marathawada during 27th-29th July; Gujarat Region and Saurashtra & Kutch during 25th-27th July.
- ❖ Isolated **heavy rainfall** likely over Konkan & Goa during 27th-31st July; Madhya Maharashtra during 25th-26th July and during 28th-31st July; Gujarat Region on 25th July, on 27th July and on 30th July; Saurashtra & Kutch on 25th July and on 27th July with isolated **very heavy rainfall** also likely over Konkan & Goa during 25th-26th July; Madhya Maharashtra on 27th July; Gujarat Region on 26th July and on 31st July; Saurashtra & Kutch on 26th July.
- ❖ **Extremely heavy rainfall likely at isolated places over ghat areas of Madhya Maharashtra on 25th & 26th; Gujarat State on 25th July.**

South Peninsular India:

- ❖ **Isolated to Scattered** rainfall likely over Coastal Andhra Pradesh & Yanam, North Interior Karnataka, Rayalaseema, Tamil Nadu, Puducherry & Karaikal and Telangana during 25th-31st July; Lakshadweep during 25th-26th July; South Interior Karnataka during 26th-31st July.

- ❖ **Fairly Widespread to Widespread** rainfall likely over Coastal Karnataka and Kerala & Mahe during 25th-31st July; Lakshadweep during 27th-31st July; South Interior Karnataka on 25th July.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Tamil Nadu, Puducherry & Karaikal during 25th-27th July; Coastal Andhra Pradesh & Yanam and North Interior Karnataka during 25th-26th July; Rayalaseema during 25th-29th July, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe during 25th-27th July; Coastal Karnataka, South Interior Karnataka and Telangana during 25th-29th July; North Interior Karnataka during 27th-29th July.
- ❖ Isolated **heavy rainfall** likely over Kerala & Mahe during 27th-31st July; Coastal Karnataka, North Interior Karnataka and South Interior Karnataka on 25th July and during 28th-31st July; Coastal Andhra Pradesh & Yanam during 26th-29th July.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Coastal Andhra Pradesh & Yanam during 27th-29th July.
- ❖ Strong Surface Winds likely over Coastal Andhra Pradesh & Yanam, Coastal Karnataka, North Interior Karnataka, Rayalaseema, South Interior Karnataka and Telangana during 25th-29th July

Fishermen Warning:

Fishermen are advised not to venture:

- ❖ **Arabian Sea:** Along and off Somalia and Oman coast over most parts of west central, some parts of east central and southwest Arabian Sea during 25th to 30th July; over some parts of north Arabian Sea during 25th to 27th July and few parts of north Arabian Sea on 29th July; along and off Gujarat and Maharashtra coasts during 25th to 27th July.
- ❖ **Bay of Bengal:** Along and off Odisha and West Bengal coast during 25th to 28th July, Along and off north Andhra Pradesh during 26th to 28th July. Over Andaman Sea during 26th to 28th July; most parts of central Bay of Bengal during 25th to 30th July, some parts of north Bay of Bengal during 25th to 28th July, few parts of south Bay of Bengal during 25th July to 27th July and some parts of south Bay of Bengal during 27th to 30th July.

Weather conditions and forecast over Delhi/NCR during next 4 days (Annexure III)

For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all_india_forecast_bulletin.php

For District wise warnings refer: <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>




For Fishermen warning refer <https://rsmcnewdelhi.imd.gov.in/fishermenwarning.php>





Highest rainfall recorded (> 7 cm) (from 0830 hours IST of yesterday to 0830 hours IST of today over different Meteorological Subdivision):

- ❖ **Gujarat Region:** Santalpur(Patan) 39
- ❖ **Saurashtra & Kutch:** Thangadh(Surendranagar) 18
- ❖ **Madhya Maharashtra:** Surgana(Nashik) 12
- ❖ **Konkan & Goa:** Matheran (Raigad) 11
- ❖ **Jharkhand:** Simdega 12
- ❖ **Odisha:** Sundargarh 10
- ❖ **Uttarakhand:** Jakholi 9
- ❖ **Gangetic West Bengal:** Sagar Island 8
- ❖ **Himachal Pradesh:** Dharmshala 8
- ❖ **Coastal Karnataka:** Mudubidre (dist Dakshina Kannada) 8
- ❖ **South Interior Karnataka:** Agumbe Aws (dist Shivamogga) 7

Table-1								
7 Days Rainfall Forecast								
S.No.	Subdivision	25- Jul	26- Jul	27- Jul	28- Jul	29- Jul	30- Jul	31- Jul
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	WS	WS	WS	WS
2	ARUNACHAL PRADESH	SCT	SCT	FWS	FWS	FWS	FWS	FWS
3	ASSAM & MEHGHALAYA	SCT	SCT	FWS	FWS	FWS	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	FWS	FWS	FWS	FWS	WS	WS	WS
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	SCT	SCT	FWS	WS	WS	WS	WS
6	GANGETIC WEST BENGAL	WS	WS	WS	FWS	FWS	FWS	FWS
7	ODISHA	WS	WS	WS	WS	WS	FWS	FWS
8	JHARKHAND	FWS	FWS	WS	WS	FWS	FWS	FWS
9	BIHAR	SCT	SCT	SCT	FWS	FWS	FWS	FWS
10	EAST UTTAR PRADESH	ISOL	ISOL	FWS	WS	WS	FWS	FWS
11	WEST UTTAR PRADESH	ISOL	ISOL	SCT	FWS	WS	WS	FWS
12	UTTARAKHAND	FWS	FWS	WS	WS	WS	WS	FWS
13	HARYANA, CHANDIGARH & DELHI	SCT	ISOL	SCT	WS	SCT	FWS	FWS
14	PUNJAB	FWS	ISOL	SCT	FWS	FWS	FWS	FWS
15	HIMACHAL PRADESH	FWS	FWS	WS	WS	WS	WS	WS
16	JAMMU AND KASHMIR AND LADAKH	WS	FWS	FWS	FWS	WS	WS	WS
17	WEST RAJASTHAN	FWS	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	SCT	SCT	SCT	SCT	SCT	FWS	FWS
19	WEST MADHYA PRADESH	SCT	SCT	SCT	WS	WS	WS	SCT
20	EAST MADHYA PRADESH	FWS	FWS	FWS	WS	WS	WS	FWS
21	GUJRAT REGION	WS	WS	FWS	SCT	SCT	SCT	FWS
22	SAURASHTRA & KUTCH	WS	FWS	FWS	SCT	ISOL	ISOL	SCT
23	KONKAN & GOA	WS	SCT	WS	WS	WS	WS	WS
24	MADHYA MAHARASHTRA	SCT	FWS	SCT	SCT	SCT	ISOL	ISOL
25	MARATHWADA	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
26	VIDARBHA	FWS	SCT	FWS	FWS	FWS	FWS	FWS
27	CHHATTISGARH	FWS	FWS	FWS	FWS	FWS	FWS	FWS
28	COASTAL ANDHRA PRADESH	ISOL	SCT	SCT	SCT	SCT	ISOL	ISOL
29	TELANGANA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
33	NORTH INTERIOR KARNATAKA	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
34	SOUTH INTERIOR KARNATAKA	FWS	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
35	KERALA AND MAHE	FWS	FWS	FWS	WS	WS	WS	WS
36	LAKSHADWEEP	SCT	SCT	FWS	FWS	FWS	FWS	WS

- As the lead period increases forecast accuracy decrease.





- Action may be taken based on ORANGE AND REDCOLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

Detailed district-wise Multi-Hazard weather warning for next five days available at
<https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

Weather forecast over Delhi/NCR during 25th July to 28th July 2026**Past Weather:**

There has been no large change in maximum temperatures and minimum temperatures over Delhi during past 24 hours. The maximum temperatures were in the range of 33-35°C and the minimum temperatures are in the range 24-28°C during past 24 hours over Delhi. The minimum temperatures are above normal (1.6°C to 3.0°C) at isolated places below normal (-1.6°C to -3.0°C) at isolated places and normal (-1.5 to 1.5) at remaining parts of Delhi. The maximum temperatures were below normal (-1.6°C to -3.0°C) at a few places and normal (-1.5 to 1.5) at remaining parts of Delhi. Very light to light rain occurred at most places over Delhi during the past 24 hours. Generally cloudy sky with surface wind speed 20 kmph gusting to 40 kmph from the east direction prevailed over Delhi during past 24 hours. Generally cloudy sky with surface wind speeds up to 24 kmph likely to prevailed from the east direction over the region in the forenoon today.

Weather Forecast:

25.07.2026: Generally cloudy sky. A spell of very light to light rain accompanied with surface winds speed 20-30 kmph at few places during forenoon/afternoon. Another spell of very light to light rain during night. The maximum temperatures over Delhi are likely to be in the range of 33-35°C. The maximum temperatures will be near normal (-1.5°C to 1.5°C) at most places over Delhi. The predominant surface wind is likely to be from the southeast direction with surface wind speed reaching up to 20 kmph during the afternoon hours. The wind speed will decrease becoming up to 18 kmph from the southeast direction during evening and night.

26.07.2026: Generally cloudy sky. A spell of very light to light rain accompanied with surface winds speed 20-30 kmph at few places during forenoon/afternoon. Another spell of very light to light rain during night. The maximum and minimum temperatures over Delhi are likely to be in the range of 33°C to 35°C and 24°C to 26°C, respectively. The minimum temperature will be below normal (-1.6°C to -3.0°C) at many places with appreciably below normal (-3.1°C to -5.0°C) at isolated places, and the maximum temperatures will be near normal (-1.5°C to 1.5°C) at most places over Delhi. The predominant surface wind is likely to be from southeast direction with surface wind speed reaching up to 20 kmph during the morning hours. The wind speed will decrease becoming up to 18 kmph from the south direction during the afternoon. The wind speed will decrease becoming up to 15 kmph from the south direction during evening and night.

27.07.2026: Generally cloudy sky. A spell of very light to light rain accompanied with surface winds speed 20-30 kmph at few places during morning to noon. Another spell of very light to light rain during night. The maximum and minimum temperatures over Delhi are likely to be in the range of 34°C to 36 °C and 25°C to 27 °C, respectively. The minimum temperature will be below normal (-1.6°C to -3.0°C) at most places, and the maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from south direction with surface wind speed reaching up to 15 kmph during the morning hours. The wind speed will increase becoming up to 20 kmph from the southwest direction during the afternoon. The wind speed will remain up to 20 kmph from the southwest direction during evening and night.

28.07.2026: Generally cloudy sky. One or two spells of very light to light rain at most places with moderate rain at a few places during early morning to noon. Another spell of very light to light rain at many places with moderate rain at isolated places towards evening/night. The maximum and minimum temperatures over Delhi are likely to be in the range of 33°C to 35°C and 23°C to 25 °C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and the maximum temperatures will be near normal (-1.5°C to 1.5°C) at most places over Delhi. The predominant surface wind is likely to be from the southwest direction with wind reaching up to 20 kmph during the morning hours. The surface wind speed will decrease becoming up to 18 kmph from the southwest direction during the afternoon. The wind speed will increase becoming up to 20 kmph from the southeast direction during evening and night.

Impact Expected & Action Suggested due to heavy/very heavy/extremely heavy rainfall

- ❖ **Isolated extremely heavy rainfall likely at isolated places over Odisha and ghat areas of Madhya Maharashtra on 25th & 26th; Gujarat State on 25th July.**

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutchha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for likely impact of Heavy Rainfall

- In **Gujarat and Saurashtra & Kutch**, drainout excess rainwater from the field of rice, cotton, pearl millet, maize, groundnut and vegetable fields to prevent prolonged waterlogging. Maintain proper drainage from low-lying crop fields and postpone transplanting and all field operations until field conditions improve.
- In **Konkan**, drain out excess water from already transplanted rice seedlings, turmeric, groundnut, finger millet, porso millet, vegetables and orchards. Maintain proper drainage to remove excess rainwater from low-lying areas to prevent prolonged waterlogging.
- In **Madhya Maharashtra**, drain out excess water from rice nurseries, other standing crops and vegetables in ghat areas. Postpone irrigation, fertilizer and plant protection operations until field conditions improve.
- In **West Rajasthan**, maintain effective drainage and remove excess rainwater from low-lying pearl millet, maize, cotton and pulse fields to prevent temporary waterlogging. Postpone irrigation, fertilizer and plant protection operations until field conditions improve.
- In **East Rajasthan**, maintain continuous drainage and remove excess rainwater from low-lying soybean, maize, groundnut, cotton and pigeon pea fields to prevent prolonged waterlogging. Postpone irrigation, fertilizer and plant protection operations until field conditions improve.
- In **Odisha**, maintain proper drainage and keep field channels clear in the fields of rice, maize, pulses, oilseed and vegetable to prevent prolonged waterlogging. Postpone irrigation, fertilizer and plant protection operations until field conditions become suitable.
- In Gangetic West Bengal, ensure proper drainage in rice nurseries, other standing crops and vegetables fields to prevent waterlogging. Strengthen bunds around rice nurseries and harvest mature tea leaves and vegetables wherever field conditions permit.
- In **Jharkhand**, ensure proper drainage in standing crop fields to prevent waterlogging.
- In **Jammu and Kashmir**, ensure proper drainage in fields of already sown maize, green gram, black gram and vegetables to prevent waterlogging.
- In **Himachal Pradesh**, maintain proper drainage in rice, maize, finger millet, tomato, brinjal, capsicum, chilli and cucumber fields and apple and pear orchards for quick removal of excess rainwater. Harvest mature fruits wherever field conditions permit.
- In **Uttarakhand**, maintain effective drainage in rice, black gram, barnyard millet, finger millet, tomato and chilli fields to prevent prolonged waterlogging. Harvest mature tomato, French bean and potato wherever field conditions permit, and postpone sowing until field conditions improve.
- In **Punjab and Haryana**, maintain effective drainage in rice, maize, soybean, pigeon pea and groundnut fields and fruit orchards to prevent waterlogging. Postpone sowing of green gram until field conditions improve.
- In **Chhattisgarh**, ensure proper drainage to remove excess water from crop fields, nurseries and vegetables.

- In **Arunachal Pradesh**, maintain proper drainage in rice, maize, soybean and finger millet fields, orchards and low-lying areas to prevent prolonged waterlogging. Harvest mature crops wherever field conditions permit.
- In **Assam**, keep field drainage channels clear and maintain continuous drainage in rice nurseries, jute, sugarcane, soybean, pigeon pea, sesame and vegetable fields to prevent prolonged waterlogging. Provide staking or support to banana, vegetables and other vulnerable crops against strong winds.
- In **Meghalaya**, maintain proper drainage in rice nurseries and fields of maize, cowpea, okra and ginger to prevent prolonged waterlogging. Strengthen nursery bunds and keep drainage channels free from obstruction.
- In **Nagaland, Manipur, Mizoram and Tripura**, ensure proper drainage from soybean, black gram, ginger, turmeric, cole crop and vegetable fields to prevent residual waterlogging.
- In **Coastal Karnataka**, keep field drainage channels clear and maintain continuous drainage in paddy fields, orchards and vegetable fields to prevent prolonged waterlogging.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- In regions with high temperatures and heat wave conditions, provide clean, cool drinking water to animals, and cover the roofs of poultry sheds with grass to reduce the adverse effects of heat.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.


Flash Flood Guidance:

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 26-07-2026:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Saurashtra & Kutch - Devbhumi Dwarka, Porbandar, Jamnagar, Junagarh, Rajkot, Morbi and Kachchh districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 26-07-2026:


Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Jharkhand- Purbi Singhbhum, Pashchim Singhbhum, Saraikela, Khunti, Simdega, Gumla, Ranchi, Lohardaga districts.

Odisha – Baleshwar, Mayurbhanj, Kendujhar, Sundargarh, Jharsuguda, Baragarh district.

Chhattisgarh – Jashpur, Balrampur, Surjuja, Korba, Lorea, Surajpur district.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




Legends & abbreviations:

- ❖ **Heavy Rain:**64.5115.5mm; **Very Heavy Rain:**115.6204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ **Obsy:** Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District; **NH:** National Highway; **KVK:** Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO:** Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.
- ❖ **Region wise classification of meteorological Sub-Divisions:**
 - **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
 - **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
 - **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
 - **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
 - **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
 - **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- | | | |
|----------------------|----------------------|--------------|
| Fog | Heavy Snow | Cold Wave |
| Heavy Rain | Dust Storm | Cold Day |
| Very Heavy Rain | Heat Wave | Ground Frost |
| Extremely Heavy Rain | Warm Night | |
| Thunder & Lightning | Hot Day | |
| Hailstorm | Hot & Humid | |
| Dust Raising Winds | Strong Surface Winds | |

COLOUR CODED WARNING

- No Warning (No Action)
- Watch (Be Aware)
- Alert (Be Prepared To Take Action)
- Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

* Red colour warning does not mean "Red Alert". Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)

DEFINITION/CRITERIA

Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *
Heat Wave	When maximum temperature of a station reaches $\geq 40^{\circ}\text{C}$ for plains and $\geq 30^{\circ}\text{C}$ for hilly regions (a) Based on Departure from normal Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C. Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^{\circ}\text{C}$ (b). Based on Actual maximum temperature Heat Wave: When actual maximum temperature $\geq 45^{\circ}\text{C}$. Severe Heat Wave: When actual maximum temperature $\geq 47^{\circ}\text{C}$. (c). Criteria for heat wave for coastal stations When maximum temperature departure is $> 4.5^{\circ}\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^{\circ}\text{C}$
Warm Night	When maximum temperature remains 40°C Warm Night: When minimum temperature departure 4.5°C to 6.4°C. Severe Warm Night: When minimum temperature departure $> 6.4^{\circ}\text{C}$.
Cold Wave	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions. (a). Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C. Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$ (b) Based on actual Minimum Temperature (for Plains only) Cold Wave : When Minimum Temperature is $\leq 4.0^{\circ}\text{C}$ Severe Cold Wave: When Minimum Temperature is $\leq 2.0^{\circ}\text{C}$ (c) For Coastal Stations When Minimum Temperature departure is $\leq -4.5^{\circ}\text{C}$ & actual Minimum Temperature is $\leq 15^{\circ}\text{C}$
Cold Day	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions Based on departure Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C. Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$
Fog	Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$ Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground Air temperature $\leq 4^{\circ}\text{C}$ (over Plains)
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed > 87 kmph
Sea State	Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed > 117 kmph (> 63 knots) & Wave height > 14 metre
Cyclone	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-185 kmph (64 - 89 knots) Extremely Severe Cyclonic Storm: Wind speed 186-220 kmph (90 -119 knots) Super Cyclone Strom: Wind speed > 220 kmph (> 119 knots)

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".

Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.

For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599

(Service to the Nation since 1875)