



Government of India  
Ministry of Earth Sciences  
India Meteorological Department



Press Release

Date: 26<sup>th</sup> June 2026

Time of Issue: 1320 hours IST

**Subject: (i) Heavy to Very heavy rainfall (7-20cm) is likely over northeast India and Sub-Himalayan West Bengal & Sikkim during the week with isolated extremely heavy rainfall over Sub-Himalayan West Bengal & Sikkim during 27<sup>th</sup> to 29<sup>th</sup> June, 2026.**

**(iii) Heat wave conditions likely over East Uttar Pradesh during next 3 days.**

**Advance of Southwest Monsoon 2026 (Annexure I):**

- ❖ The **Northern Limit of Monsoon** continues to pass through 20°N/60°E, 20°N/65°E, 20°N/70°E, Surat, Indore, Mandla, Daltonganj, Motihari and 28.3°N/83°E as on 26<sup>th</sup> June.
- ❖ **Conditions are favourable** for further advance of southwest monsoon into some more parts of North Arabian Sea, Gujarat, Madhya Pradesh, remaining parts of Chhattisgarh, Jharkhand & Bihar, some parts of Uttar Pradesh & Uttarakhand during next 3-4 days.

**Realised weather during past 24 hours ending at 0830 hours IST of today, the 26<sup>th</sup> June, 2026:**

- ❖ **Very Heavy rainfall (12-20 cm)** has been recorded at isolated places over Sub-Himalayan West Bengal, Arunachal Pradesh and Nagaland.
- ❖ **Heavy rainfall (7-11 cm)** has been recorded at isolated places over Konkan, Gangetic West Bengal, Bihar and Assam.
- ❖ **Thunderstorm accompanied with Squally/Gusty winds with speed reaching 51-70 kmph** has been recorded at isolated places over Tripura, Gangetic West Bengal, Haryana, Madhya Maharashtra, Kutch **with speed reaching 30-50 kmph** at isolated places over Andaman & Nicobar Islands, Odisha, Jharkhand, Bihar, Uttarakhand, Punjab, East Uttar Pradesh, Madhya Pradesh, Chhattisgarh, Konkan, Marathwada, Gujarat Region.
- ❖ **Heat wave to severe heat wave conditions** prevailed in many parts of East Uttar Pradesh.

**Temperature Conditions during past 24 hours till 0830 hours IST of today:**

- ❖ **Day/Maximum Temperatures (as on 25-06-2026):** Yesterday, Day/Maximum temperatures were in the range of 40-43°C over many places over East Uttar Pradesh; few places over West Uttar Pradesh, at isolated places over West Madhya Pradesh, Bihar, Haryana and West Rajasthan, Jharkhand and below 40°C over rest parts of the country. The highest maximum temperature of **43.0°C** was reported at **Allahabad\_Ghoorpur (Uttar Pradesh)**.
- ❖ **Day/Maximum Temperature Departures (as on 25-06-2026):** were **markedly above normal (> 5.1°C)** at a few places over Bihar and East Uttar Pradesh; at isolated places over Odisha, Jharkhand, West Uttar Pradesh. **appreciably above normal (3.1°C to 5.0°C)** at most places over Arunachal Pradesh; at many places over Uttarakhand and Chhattisgarh; at a few places over Assam & Meghalaya, Haryana-Chandigarh Delhi, Gujarat Region and North Interior Karnataka; at isolated places over West Bengal & Sikkim, Himachal Pradesh, East Madhya Pradesh, Saurashtra & Kutch, Madhya Maharashtra, Vidarbha, Telangana and Kerala & Mahe. **above normal (1.6°C to 3.0°C)** at few places over Punjab, Coastal Andhra Pradesh & Yanam and Rayalaseema; at isolated places over Andaman & Nicobar Island and East Rajasthan and **near/below normal** over rest part of the country.
- ❖ **Night Temperatures/Minimum temperatures (as on 26-06-2026):** **appreciably above normal (3.1°C to 5.0°C)** over East Uttar Pradesh, West Rajasthan, Odisha; **above normal (1.6°C to 3.0°C)** over West Uttar Pradesh, Uttarakhand, East Rajasthan, Gujarat Region, East Madhya Pradesh, Bihar, Chhattisgarh, Assam, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Lakshadweep and **near normal/below normal** over rest parts of the country.

### Weather Systems, Forecast and Warnings (Annexure II & III):

- ❖ The **seasonal trough** runs from Rajasthan to Odisha.
- ❖ A **trough** runs from east Uttar Pradesh to Telangana in lower tropospheric level.
- ❖ An **upper air cyclonic circulation** lies over Telangana & neighbourhood level in lower & middle tropospheric levels tilting southwards with height.
- ❖ A **trough** runs from coastal Andhra Pradesh to Madhya Maharashtra in lower & middle tropospheric levels.
- ❖ **Western Disturbance** as a cyclonic circulation over Haryana & neighbourhood in lower & upper tropospheric levels persists.
- ❖ An **upper air cyclonic circulation** lies over north Punjab and adjoining Pakistan in lower tropospheric level.
- ❖ An **upper air cyclonic circulation** lies over north Gujarat & Saurashtra in lower & middle tropospheric levels.
- ❖ An **upper air cyclonic circulation** lies over Northeast Bay of Bengal and adjoining Myanmar coast in lower & middle tropospheric levels.

### Under the influence of above systems, the following weather is likely:

#### Northwest India:

- ❖ **Isolated to Scattered** rainfall likely over Himachal Pradesh and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 26th-30th June; Uttarakhand during 26th-29th June.
- ❖ **Isolated to Scattered** rainfall likely over East Rajasthan, Haryana Chandigarh & Delhi, Punjab and West Rajasthan during 26th June-2nd July; West Uttar Pradesh during 29th June-2nd July; East Uttar Pradesh during 26th-30th June.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Himachal Pradesh and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 1st-2nd July; Uttarakhand during 30th June-2nd July.
- ❖ **Fairly Widespread to Widespread** rainfall likely over East Uttar Pradesh during 1st-2nd July.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 26th June and during 1st-2nd July; Uttarakhand during 26th-27th June, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Uttarakhand during 28th-29th June.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Haryana Chandigarh & Delhi and Punjab during 26th-27th June and during 1st-2nd July; West Uttar Pradesh during 30th June-2nd July; East Uttar Pradesh during 26th June-2nd July; West Rajasthan during 26th-27th June, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over West Rajasthan during 28th June-2nd July; East Rajasthan during 26th June-2nd July.
- ❖ **Isolated thunderstorm & lightning** likely over Uttarakhand during 30th June-2nd July.
- ❖ **Isolated heavy rainfall** likely over Himachal Pradesh during 1st-2nd July; Uttarakhand during 30th June-2nd July.

#### Central India:

- ❖ **Isolated to Scattered** rainfall likely over East Madhya Pradesh and West Madhya Pradesh during 26th June-2nd July; Vidarbha during 26th-27th June and during 30th June-1st July; Chhattisgarh on 26th June.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Vidarbha during 28th-29th June and on 2nd July; Chhattisgarh during 27th June-2nd July.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over East Madhya Pradesh, Vidarbha and West Madhya Pradesh during 26th-30th June.
- ❖ **Isolated thunderstorm & lightning** likely over Chhattisgarh during 26th-30th June.
- ❖ **Isolated heavy rainfall** likely over Vidarbha during 28th-29th June; Chhattisgarh during 27th-29th June.

#### East India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim during 26th June-2nd July; Gangetic West Bengal during 29th June-2nd July; Jharkhand and Odisha during 28th June-2nd July; Bihar during 28th-29th June.
- ❖ **Isolated to Scattered** rainfall likely over Gangetic West Bengal during 26th-28th June; Jharkhand and Odisha during 26th-27th June; Bihar during 26th-27th June and during 30th June-2nd July.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Andaman & Nicobar Islands on 26th June and during 1st-2nd July; Sub-Himalayan West Bengal & Sikkim on 26th June; Gangetic West Bengal during 26th June-2nd July; Jharkhand during 28th June-2nd July; Bihar during 27th-28th June and during 30th June-2nd July; Odisha during 26th-30th June, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Sub-Himalayan West Bengal & Sikkim during 27th June-2nd July; Bihar on 29th June.
- ❖ **Isolated heavy rainfall** likely over Andaman & Nicobar Islands during 28th-29th June; Sub-Himalayan West Bengal & Sikkim during 27th-29th June and during 1st-2nd July; Gangetic West Bengal on 30th June; Bihar during 26th-27th June and during 29th-30th June; Odisha during 26th-30th June with isolated **very heavy rainfall** also likely over Sub-Himalayan West Bengal & Sikkim on 26th June and on 30th June; Bihar on 28th June.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Jharkhand during 26th-27th June; Bihar on 26th June.
- ❖ **Isolated heavy to very heavy rainfall with extremely heavy rainfall** over Sub-Himalayan West Bengal & Sikkim during 27<sup>th</sup>-29<sup>th</sup> June.

### Northeast India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Arunachal Pradesh and Nagaland, Manipur, Mizoram & Tripura during 26th June-2nd July; Assam & Meghalaya during 27th June-2nd July.
- ❖ **Isolated to Scattered** rainfall likely over Assam & Meghalaya on 26th June.
- ❖ Isolated **thunderstorm & lightning** likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 26th-30th June.
- ❖ Isolated **heavy rainfall** likely over Arunachal Pradesh during 26th-27th June and on 30th June; Assam & Meghalaya on 26th June and on 2nd July; Nagaland, Manipur, Mizoram & Tripura during 26th-30th June with isolated **very heavy rainfall** also likely over Arunachal Pradesh during 28th-29th June; Assam & Meghalaya during 27th June-1st July.

### West India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Konkan & Goa during 26th June-2nd July; Madhya Maharashtra on 27th June; Marathawada on 26th June.
- ❖ **Isolated to Scattered** rainfall likely over Madhya Maharashtra on 26th June and during 28th June-2nd July; Marathawada during 27th June-2nd July; Gujarat Region and Saurashtra & Kutch during 26th June-2nd July.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Konkan & Goa, Madhya Maharashtra and Marathawada during 26th-29th June.
- ❖ Isolated **heavy rainfall** likely over Konkan & Goa during 26th-28th June and during 1st-2nd July; Madhya Maharashtra during 28th-29th June; Marathawada on 26th June.

### South Peninsular India:

- ❖ **Isolated to Scattered** rainfall likely over Tamil Nadu, Puducherry & Karaikal during 26th June-2nd July; North Interior Karnataka during 30th June-1st July; South Interior Karnataka during 26th-27th June; Coastal Andhra Pradesh & Yanam during 29th June-2nd July; Rayalaseema on 26th June and during 28th June-2nd July; Telangana during 1st-2nd July.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Coastal Karnataka, Kerala & Mahe and Lakshadweep during 26th June-2nd July; North Interior Karnataka during 26th-29th June and on 2nd July; South Interior Karnataka during 28th June-2nd July; Coastal Andhra Pradesh & Yanam during 26th-28th June; Rayalaseema on 27th June; Telangana during 26th-30th June.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Tamil Nadu, Puducherry & Karaikal during 26th-29th June; Coastal Andhra Pradesh & Yanam, Kerala & Mahe, Lakshadweep and Rayalaseema during 26th-30th June; Telangana on 26th June, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Coastal Karnataka during 28th-30th June; North Interior Karnataka during 26th June-2nd July; South Interior Karnataka during 26th-30th June; Telangana during 27th June-2nd July.
- ❖ Isolated **heavy rainfall** likely over Tamil Nadu, Puducherry & Karaikal during 26th-29th June; Kerala & Mahe during 26th-28th June and during 1st-2nd July; Lakshadweep during 28th-29th June; Coastal Andhra Pradesh & Yanam, Coastal Karnataka and Telangana during 26th June-2nd July; North Interior Karnataka during 26th-27th June; South Interior Karnataka during 30th June-2nd July; Rayalaseema on 26th June with isolated **very heavy rainfall** also likely over Kerala & Mahe during 29th-30th June.
- ❖ **Strong Surface Winds** likely over North Interior Karnataka during 26th June-2nd July; South Interior Karnataka during 26th-28th June.

### Heat Wave, Hot & Humid weather and Warm Night conditions warning:

- ❖ **Heat wave** conditions very likely in isolated pockets over Uttar Pradesh during 26th-28th June with **severe heat wave** conditions in isolated pockets during 26th-27th June.
- ❖ **Hot and humid** weather conditions likely to prevail over Odisha during 26th-27th June.

### Forecast of maximum/day temperatures:

- ❖ Gradual rise in Maximum temperatures likely over Maharashtra by 2-3°C till 29<sup>th</sup> June and no significant change thereafter.
- ❖ No significant change in maximum temperatures likely over Central India till 26<sup>th</sup> June, gradual rise by 2-3°C during 27<sup>th</sup> -29<sup>th</sup> June and gradual fall by 2-3°C thereafter.
- ❖ No significant change in maximum temperatures likely over the rest parts of country till 02<sup>nd</sup> July, 2026.

## **Fisherman Warning:**

Fishermen are advised not to venture into the following areas:

- ❖ **Bay of Bengal:** Over Gulf of Mannar adjoining Comorin area, few parts of southwest Bay of Bengal adjoining parts of south Sri Lanka coasts during 26<sup>th</sup> June to 01<sup>st</sup> July; south Sri Lanka coasts, some parts of southwest & adjoining parts of southeast Bay of Bengal during 27<sup>th</sup> to 30<sup>th</sup> June; along & off north Andhra Pradesh coasts adjoining westcentral Bay of Bengal during 28<sup>th</sup> to 30<sup>th</sup> June; over Andaman Sea during 28<sup>th</sup> June to 01<sup>st</sup> July; over most parts of south Bay of Bengal on 01<sup>st</sup> July.
- ❖ **Arabian Sea:** Along and off Somalia coast adjoining southwest & westcentral Arabian Sea during 26<sup>th</sup> June to 01<sup>st</sup> July, 2026; along & off north Oman coast adjoining northwest Arabian Sea on 26<sup>th</sup> and during 28<sup>th</sup> to 30<sup>th</sup> June; along & off south Konkan, Goa, Karnataka, Kerala coasts adjoining eastcentral Arabian sea, Lakshadweep area during 27<sup>th</sup> June to 01<sup>st</sup> July.

## **Weather conditions and forecast over Delhi/NCR during 26<sup>th</sup> June -29<sup>th</sup> June, 2026 (Annexure IV)**

**For more details, kindly refer National Weather Bulletin:**

[https://mausam.imd.gov.in/responsive/all\\_india\\_forcast\\_bulletin.php](https://mausam.imd.gov.in/responsive/all_india_forcast_bulletin.php)

**For District wise warnings refer:** <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

**For Fishermen warning refer** <https://rsmcnewdelhi.imd.gov.in/fishermenwarning.php>

## **Significant rainfall recorded (in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today):**

- ❖ **Arunachal Pradesh:** Deomali AWS 17;
- ❖ **Nagaland:** Aboi ARG 15;
- ❖ **Sub-Himalayan West Bengal:** NH 31. Road Bridge (dist. Jalpaiguri) 13;
- ❖ **Bihar:** Sheohar 11;
- ❖ **Gangetic West Bengal:** Alipore 9;
- ❖ **Assam:** Umrangshu 8;
- ❖ **Konkan:** Ratnagiri 7.

## **Gusty winds (in >= 30 kmph) (from 0830 hours IST of yesterday to 0830 hours IST of today):**

- ❖ **Tripura:** Kanchanpur – 69;
- ❖ **Gangetic West Bengal:** Alipore - 63; Hooghly(AWS) - 48; Uluberia(AWS) - 44; Nandakumar(AWS) - 41
- ❖ **Haryana:** Rohtak – 52;
- ❖ **Madhya Maharashtra:** Baramati (Pune) - 52; Shivajinagar (Pune) – 46;
- ❖ **Kutch:** Khawda 52;
- ❖ **Odisha:** Chipilima – 48;
- ❖ **Bihar:** Buxar – 46;
- ❖ **Punjab:** Ferozpur – 44;
- ❖ **East Uttar Pradesh:** Varanasi(Ap) 44; Mirzapur(AWS) 43; Ayodhya(AWS) 43; Raebareli(AWS) 41; Ballia(AWS) 41;
- ❖ **Gujarat Region:** Radhanpur(Patan) 44;
- ❖ **East Madhya Pradesh:** Narsinghpur 43, Satna 41, Sagar 33;
- ❖ **Konkan:** Alibag (Raigad) - 43; Devgad (Sindhudurg) – 41;
- ❖ **Andaman & Nicobar Islands:** Shri Vijayapuram – 41;
- ❖ **West Madhya Pradesh:** Sehore 41, Guna 39, Barwani 37, aagar 35;
- ❖ **Marathwada:** Pokharni Phata (Nanded) - 41; Ambejogai (Beed) – 37;
- ❖ **Jharkhand:** Amfu-Ranchi – 39;
- ❖ **Chhattisgarh:** Bemetara - 39; Surajpur - 35; Mungeli - 31; Korba – 31;
- ❖ **Uttarakhand:** Chamoli - 33; Afmu - 33; Jollygrant - 30; Kosiyakutoli – 30.








Table-1								
7 Days Rainfall Forecast								
S.No.	Subdivision	26- Jun	27- Jun	28- Jun	29- Jun	30- Jun	1- Jul	2- Jul
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	WS	WS	WS
2	ARUNACHAL PRADESH	FWS	WS	WS	WS	FWS	FWS	FWS
3	ASSAM & MEHGHALAYA	SCT	FWS	WS	WS	WS	WS	WS
4	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	FWS	FWS	FWS	FWS	FWS	FWS	FWS
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	WS	WS	WS	WS	WS	WS	WS
6	GANGETIC WEST BENGAL	SCT	SCT	SCT	FWS	WS	WS	FWS
7	ODISHA	SCT	SCT	FWS	FWS	FWS	FWS	FWS
8	JHARKHAND	SCT	SCT	FWS	FWS	FWS	FWS	FWS
9	BIHAR	SCT	SCT	FWS	FWS	SCT	ISOL	ISOL
10	EAST UTTAR PRADESH	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS
11	WEST UTTAR PRADESH	DRY	DRY	DRY	ISOL	ISOL	SCT	SCT
12	UTTARAKHAND	SCT	SCT	SCT	SCT	FWS	FWS	WS
13	HARYANA, CHANDIGARH & DELHI	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	SCT
14	PUNJAB	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	SCT
15	HIMACHAL PRADESH	SCT	SCT	SCT	SCT	SCT	FWS	FWS
16	JAMMU AND KASHMIR AND LADAKH	SCT	SCT	SCT	SCT	SCT	WS	WS
17	WEST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
19	WEST MADHYA PRADESH	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
20	EAST MADHYA PRADESH	SCT	ISOL	SCT	ISOL	ISOL	ISOL	SCT
21	GUJRAT REGION	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
22	SAURASHTRA & KUTCH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
23	KONKAN & GOA	FWS	FWS	FWS	FWS	FWS	FWS	WS
24	MADHYA MAHARASHTRA	SCT	FWS	SCT	ISOL	ISOL	ISOL	SCT
25	MARATHWADA	WS	SCT	SCT	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	SCT	SCT	FWS	FWS	SCT	SCT	FWS
27	CHHATTISGARH	SCT	FWS	FWS	FWS	FWS	FWS	FWS
28	COASTAL ANDHRA PRADESH	FWS	FWS	FWS	SCT	SCT	SCT	SCT
29	TELANGANA	FWS	FWS	FWS	FWS	FWS	SCT	SCT
30	RAYALASEEMA	SCT	FWS	SCT	SCT	SCT	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
33	NORTH INTERIOR KARNATAKA	FWS	FWS	FWS	FWS	SCT	SCT	FWS
34	SOUTH INTERIOR KARNATAKA	SCT	SCT	FWS	FWS	FWS	FWS	FWS
35	KERALA AND MAHE	WS	WS	WS	WS	WS	WS	WS
36	LAKSHADWEEP	WS	WS	WS	WS	WS	WS	WS

- As the lead period increases forecast accuracy decrease.





- Action may be taken based on ORANGE AND REDCOLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

Detailed district-wise Multi-Hazard weather warning for next five days available at <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

## Weather forecast over Delhi/NCR during 26<sup>th</sup> June to 29<sup>th</sup> June 2026

### Past Weather:

There has been fall in maximum temperatures by 1-2°C and rise in minimum temperatures by 2-5°C over Delhi during past 24 hours. The maximum temperatures were found 37-40°C and the minimum temperatures are in the range 27-29°C respectively during past 24 hours over Delhi. The minimum temperatures are normal (-1.5°C to 1.5°C) at most places over Delhi. The maximum temperatures were below normal (-1.6°C to -3.0°C) at isolated places, above normal (1.6°C to 3.0°C) at many places and normal (-1.5°C to 1.5°C) at remaining places over Delhi. Partly cloudy sky with surface wind speed 20 kmph gusting to 39 kmph from the southwest direction prevailed over Delhi during past 24 hours. Very light to light rain observed at isolated places over Delhi during past 24 hours. Mainly clear sky with surface wind speeds up to 15 kmph likely to prevailed from the southwest direction over the region in the forenoon today.

### Weather Forecast:

**26.06.2026:** Partly cloudy sky. A spell of very light to light rain/thunderstorm/lightning/dust storm and strong surface winds speed 40-50 kmph gusting to 60 kmph towards afternoon/evening. The maximum temperatures over Delhi are likely to be in the range of 40°C to 42°C. The maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the west direction with surface wind speed reaching up to 15 kmph during the afternoon hours. The wind speed will increase becoming up to 25 kmph from the southwest direction during evening and night.

**27.06.2026:** Partly cloudy sky. A spell of very light to light rain/thunderstorm/lightning and strong surface winds speed 40-50 kmph gusting to 60 kmph towards afternoon/evening. The maximum and minimum temperatures over Delhi are likely to be in the range of 39°C to 41°C and 26°C to 28°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places and the maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from west direction with surface wind speed reaching up to 20 kmph during the morning hours. The wind speed will decrease becoming up to 15 kmph from the northwest direction during the afternoon. The wind speed will increase becoming up to 25 kmph from the northwest direction during evening and night.

**28.06.2026:** Partly cloudy sky. Possibility of thundery development towards afternoon/evening. Strong surface wind speed 20-30 kmph occasionally gusting to 40 kmph during the day. The maximum and minimum temperatures over Delhi are likely to be in the range of 39°C to 41°C and 25°C to 27°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at many places with below normal (-1.6°C to -3.0°C) at isolated places, and the maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the northwest direction with wind reaching up to 22 kmph during the morning hours. The wind speed will increase becoming up to 25 kmph from west direction during the afternoon. The wind speed will decrease becoming up to 20 kmph from the northwest direction during evening and night.

**29.06.2026:** Partly cloudy sky. A spell of very light to light rain/thunderstorm/lightning and strong surface winds speed 30-40 kmph gusting to 50 kmph towards afternoon/evening. The maximum and minimum temperatures over Delhi are likely to be in the range of 37°C to 39°C and 25°C to 27°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the west direction with wind reaching up to 25 kmph during the morning hours. The surface wind speed will decrease becoming up to 20 kmph from the west direction during the afternoon. The wind speed will increase becoming up to 25 kmph from the west direction during evening and night.

### Impact expected and Action Suggested due to thunderstorm with lightning/gusty winds:

Thunderstorms accompanied with lightning and gusty winds (40-50 kmph reaching up to 60 kmph) with dust-raising surface winds are likely to occur.

- **Expected Impacts:** Breaking of tree branches and uprooting of large trees, falling of dead tree limbs, Damage to standing crops, Minor to major damage to power and communication lines due to falling branches, Partial damage to vulnerable structures due to strong winds, Loose objects may get blown away
- **Advisory for Public Safety:** Keep a close watch on weather updates and worsening conditions, stay indoors and avoid unnecessary travel, Close windows and doors securely, take shelter in safe places and avoid open areas, do not take shelter under trees, do not lie on concrete floors or lean against concrete walls during lightning activity, unplug electrical and electronic appliances, immediately move out of water bodies, stay away from objects that conduct electricity

**Citizens are advised to remain alert and follow safety precautions to avoid any loss of life or property.**

## Impact expected and action suggested due to isolated thunderstorm with lightning, gusty/squally winds

- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Jharkhand during 26th-27th June; Bihar on 26th June.

### Impact expected:

- Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- Minor to Major damage to banana and papaya trees.
- Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

### Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

## Impact Expected & Action Suggested due to heavy/very heavy/ Extremely rainfall over

- ❖ Isolated **heavy to very heavy rainfall with extremely heavy rainfall** over Sub-Himalayan West Bengal & Sikkim during 27<sup>th</sup> -29<sup>th</sup> June.
- ❖ Isolated **very heavy rainfall** also likely over Arunachal Pradesh during 28th-29th June; Assam & Meghalaya during 27th June-1st July; Kerala & Mahe during 29th-30th June.

### Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

### Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

## Impact expected and action suggested due to Heat wave/severe heat wave conditions:

- ❖ **Heat wave** conditions very likely in isolated pockets over Uttar Pradesh during 26th-28th June with **severe heat wave** conditions in isolated pockets during 26th-27th June.

### Alert Areas

- High temperature & increased likelihood of heat illness symptoms in people who are either exposed to sun for a prolonged period or doing heavy work.
- High health concern for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure– keep cool. Avoid dehydration.
- Drink sufficient water- even if not thirsty.
- Use ORS, homemade drinks like lassi, torani (rice water), lemon water, buttermilk, etc. to keep yourself hydrated.

### Agromet advisories for likely impact of Heavy Rainfall

- In **Arunachal Pradesh**, ensure proper drainage in vegetables, maize, rice nursery and other crop fields to prevent waterlogging. Harvest mature vegetables and fruits to avoid crop losses.
- In **Assam**, ensure proper drainage arrangements for quick removal of excess water from rice nurseries, jute, ginger, turmeric, vegetables, banana, citrus and papaya. Avoid nursery sowing of *Sali* rice and sowing of jute, maize and vegetables during heavy rainfall. Cover the already seeded area with natural mulching materials like straw, farm residues etc. Provide mechanical support to the sugarcane crop to prevent lodging.
- In **Meghalaya**, ensure proper drainage channels in rice nurseries, maize, ginger, cowpea, vegetable fields and banana plantations. Protect young seedlings from direct exposure to heavy rainfall. Use propping (bamboo or wooden poles) to support heavily laden plants.
- In **Manipur**, undertake harvesting of pre-*kharif* rice and store the produce in safe place. Avoid transplanting of rice during heavy rainfall. Ensure proper drainage in soybean, chilli, ginger, turmeric, banana and other crop fields and newly transplanted seedlings and nursery crops to avoid water stagnation.
- In **Tripura**, ensure adequate drainage arrangements to remove excess water from rice and vegetable fields during heavy rainfall.
- In **Sub Himalayan West Bengal and Sikkim**, avoid nursery sowing of rice during heavy rainfall; protect already sown rice nursery beds with straw mulch, dry grass, or temporary polythene / agro-net covers to prevent seed washing, poor germination and seedling loss. Drain out excess water from jute, ginger, chilli, tomato and dalley khorsani fields and nurseries of *kharif* rice, finger millet and vegetables.
- In **Chhattisgarh**, ensure proper drainage to drain out excess rain water from standing crop fields to avoid waterlogging.
- In **Konkan and Goa** and *ghat* areas of **Madhya Maharashtra**, make arrangement to drain out excess water from nurseries of rice, finger millet and vegetables. Keep the harvested produce at safer places
- In **Keralam**, drain out excess water from banana, coconut, cardamom, ginger, black pepper and vegetables. Provide staking support in banana plants and strengthen the pandals of vegetable crops. Avoid transplanting of rice during heavy rain.
- In **Tamil Nadu**, undertake harvesting of matured pearl millet and picking of cotton during clear weather. Keep the harvested produce at safer places.
- In **Coastal Karnataka**, ensure proper drainage in rice seedbeds and fruit orchards to prevent water stagnation.
- In **Coastal Andhra Pradesh**, maintain drainage in paddy, maize, and horticultural crops (mango, banana) and avoid water stagnation in fields.
- In **Telangana**, make necessary arrangements to remove excess rain water from already sown crops.

### Agromet advisories for likely impact of High temperatures / Heat Waves

- In **Uttar Pradesh, Bihar** and **Odisha**, apply light irrigation as per requirement in vegetable crops and fruit orchards. Carry out mulching with crop residue, straw or polythene to conserve soil moisture. Use temporary shade nets to protect the fruit plants from high temperatures.

### Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

### Livestock / Poultry / Fisheries


- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- In regions with high temperatures and heat wave conditions, provide clean, cool drinking water to animals, and cover the roofs of poultry sheds with grass to reduce the adverse effects of heat.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

### Legends & abbreviations:

- ❖ **Heavy Rain:**64.5115.5mm; **Very Heavy Rain:**115.6204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ **Obsy:** Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District; **NH:** National Highway; **KVK:** Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO:** Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.
- ❖ **Region wise classification of meteorological Sub-Divisions:**
  - **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
  - **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
  - **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
  - **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
  - **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathwada.
  - **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

## LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

### SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- |                      |                      |              |
|----------------------|----------------------|--------------|
| Fog                  | Heavy Snow           | Cold Wave    |
| Heavy Rain           | Dust Storm           | Cold Day     |
| Very Heavy Rain      | Heat Wave            | Ground Frost |
| Extremely Heavy Rain | Warm Night           |              |
| Thunder & Lightning  | Hot Day              |              |
| Hailstorm            | Hot & Humid          |              |
| Dust Raising Winds   | Strong Surface Winds |              |

#### COLOUR CODED WARNING

- No Warning (No Action)
- Watch (Be Aware)
- Alert (Be Prepared To Take Action)
- Warning (Take Action)

#### Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

\* Red colour warning does not mean "Red Alert". Red colour warning means "Take Action".  
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.  
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599  
(Service to the Nation since 1875)

### DEFINITION/CRITERIA

<b>Rain/ Snow *</b>	<p><b>Heavy:</b> 64.5 to 115.5 mm/cm *</p> <p><b>Very Heavy:</b> 115.6 to 204.4 mm/cm*</p> <p><b>Extremely Heavy:</b> &gt; 204.4 mm/cm *</p>
<b>Heat Wave</b>	<p>When maximum temperature of a station reaches <math>\geq 40^{\circ}\text{C}</math> for plains and <math>\geq 30^{\circ}\text{C}</math> for hilly regions</p> <p><b>(a) Based on Departure from normal</b></p> <p><b>Heat Wave:</b> Maximum Temperature Departure from normal <math>4.5^{\circ}\text{C}</math> to <math>6.4^{\circ}\text{C}</math>.</p> <p><b>Severe Heat Wave:</b> Maximum Temperature Departure from normal <math>\geq 6.5^{\circ}\text{C}</math></p> <p><b>(b). Based on Actual maximum temperature</b></p> <p><b>Heat Wave:</b> When actual maximum temperature <math>\geq 45^{\circ}\text{C}</math>.</p> <p><b>Severe Heat Wave:</b> When actual maximum temperature <math>\geq 47^{\circ}\text{C}</math></p> <p><b>( c). Criteria for heat wave for coastal stations</b></p> <p>When maximum temperature departure is <math>&gt;4.5^{\circ}\text{C}</math> from normal. Heat Wave may be described provided maximum temperature <math>\geq 37^{\circ}\text{C}</math></p>
<b>Warm Night</b>	<p><b>When maximum temperature remains <math>40^{\circ}\text{C}</math></b></p> <p><b>Warm Night:</b> When minimum temperature departure <math>4.5^{\circ}\text{C}</math> to <math>6.4^{\circ}\text{C}</math>.</p> <p><b>Severe Warm Night:</b> When minimum temperature departure <math>&gt;6.4^{\circ}\text{C}</math>.</p>
<b>Cold Wave</b>	<p>When minimum temperature of a station <math>\leq 10^{\circ}\text{C}</math> for plains and <math>\leq 0^{\circ}\text{C}</math> for hilly regions.</p> <p><b>(a). Based on departure</b></p> <p><b>Cold Wave:</b> Minimum Temperature Departure from normal <math>-4.5^{\circ}\text{C}</math> to <math>-6.4^{\circ}\text{C}</math>.</p> <p><b>Severe Cold Wave:</b> Minimum Temperature Departure from normal <math>\leq -6.5^{\circ}\text{C}</math></p> <p><b>(b) Based on actual Minimum Temperature (for Plains only)</b></p> <p><b>Cold Wave :</b> When Minimum Temperature is <math>\leq 4.0^{\circ}\text{C}</math></p> <p><b>Severe Cold Wave:</b> When Minimum Temperature is <math>\leq 2.0^{\circ}\text{C}</math></p> <p><b>( c) For Coastal Stations</b></p> <p>When Minimum Temperature departure is <math>\leq -4.5^{\circ}\text{C}</math> &amp; actual Minimum Temperature is <math>\leq 15^{\circ}\text{C}</math></p>
<b>Cold Day</b>	<p>When minimum temperature of a station <math>&lt; 10^{\circ}\text{C}</math> for plains and <math>\leq 0^{\circ}\text{C}</math> for hilly regions</p> <p><b>Based on departure</b></p> <p><b>Cold Day:</b> Maximum Temperature Departure from normal <math>-4.5^{\circ}\text{C}</math> to <math>-6.4^{\circ}\text{C}</math>.</p> <p><b>Severe Cold Day:</b> Maximum Temperature Departure from normal <math>\leq -6.5^{\circ}\text{C}</math></p>
<b>Fog</b>	<p><b>Phenomenon of small droplets suspended in air and the horizontal visibility <math>&lt; 1\text{km}</math></b></p> <p><b>Moderate Fog:</b> When the visibility between 500-200 metres</p> <p><b>Dense Fog:</b> when the visibility between 50- 200 metres</p> <p><b>Very Dense Fog:</b> when the visibility <math>&lt; 50</math> metres</p>
<b>Thunderstorm</b>	<p>Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)</p>
<b>Dust/Sand Storm</b>	<p>An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.</p>
<b>Frost</b>	<p><b>Ice deposits on ground</b></p> <p>Air temperature <math>\leq 4^{\circ}\text{C}</math> ( over Plains)</p>
<b>Squall</b>	<p><b>A strong wind that rises suddenly, lasts for atleast 1 minute.</b></p> <p><b>Moderate:</b> Wind speed 52-61 kmph</p> <p><b>Severe:</b> Wind speed 62-67 kmph</p> <p><b>Very Severe:</b> Wind speed <math>&gt;67</math> kmph</p>
<b>Sea State</b>	<p><b>Effect of various waves in the sea over specific area</b></p> <p><b>Rough to very rough:</b> Wind speed 41-62 kmph (22-33 knots) &amp; Wave height 2.5-6 metre</p> <p><b>High to very high:</b> Wind speed 63-117 kmph ( 34-63 knots) &amp; Wave height 6-14 metre</p> <p><b>Phenomenal:</b> Wind speed <math>&gt;117</math> kmph (<math>&gt;63</math> knots) &amp; Wave height <math>&gt;14</math> metre</p>
<b>Cyclone</b>	<p><b>Cyclonic Storm:</b> Wind speed 62-87 kmph (34-47 knots)</p> <p><b>Severe Cyclonic Storm:</b> Wind speed 88-117 kmph (48-63 knots)</p> <p><b>Very Severe Cyclonic Storm:</b> Wind speed 118-165 kmph (64 - 89 knots)</p> <p><b>Extremely Severe Cyclonic Storm:</b> Wind speed 166-220 kmph (90 -119 knots)</p> <p><b>Super Cyclone Storm:</b> Wind speed <math>&gt;220</math> kmph (<math>&gt;119</math> knots)</p>

\* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".  
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.  
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599  
(Service to the Nation since 1875)