



**Government of India
Ministry of Earth Sciences
India Meteorological Department**



Press Release

Date: 26th July 2026

Time of Issue: 1350 hours IST

Subject: A Depression lies over northwest Bay of Bengal & adjoining Odisha-West Bengal coasts. It is very likely to move northwestwards, intensify further into a deep depression during next 24 hrs and cross north Odisha and West Bengal coasts between Paradip and Sagar Island around forenoon/noon of 27th July 2026. Under its influence, isolated heavy to very heavy rainfall with extremely heavy rainfall likely over Odisha on 26th & 27th and over Chhattisgarh on 27th July; isolated very heavy rainfall over Gangetic West Bengal on 26th & 27th July.

Realised weather during past 24 hours ending at 0830 hours IST of today, the 26th July, 2026:

- ❖ **Heavy to very heavy rainfall with isolated Exceptionally heavy rainfall (≥ 30 cm) has been recorded over Odisha (Jagatsinghpur 33 cm).**
- ❖ **Very Heavy rainfall (12-20 cm) has been recorded over Chhattisgarh, Konkan, Madhya Maharashtra, Gujarat Region and Coastal Karnataka.**
- ❖ **Heavy rainfall (7-11 cm) has been recorded over Himachal Pradesh, West Uttar Pradesh, Rajasthan and Assam.**

Weather Systems, Forecast and Warnings (Annexure I & II):

- ❖ The **Monsoon trough** is active and lies south of its normal position in lower tropospheric levels.
- ❖ Yesterday's **Low Pressure area** over northwest Bay of Bengal & adjoining West Bengal Coast lay as a **Well-marked Pressure Area** over northwest Bay of Bengal & adjoining Odisha-West Bengal coasts at 0530 Hrs IST of today, 26th July 2026. It concentrated into a **Depression** and lay centred at 0830 hrs IST of today, the 26th July 2026, over the same region. near latitude 20.6°N and longitude 88.4°E, about 130 km south-southeast of Sagar Island (West Bengal), 140 km southeast of Digha (West Bengal), 170 km east of Chandbali (Odisha) and 180 km east-southeast of Balasore (Odisha). It is very likely to move northwestwards, intensify further into a **deep depression** during next 24 hrs and cross north Odisha and West Bengal coasts between Paradip and Sagar Island around forenoon/noon of 27th July 2026.
- ❖ Yesterday's **Low-Pressure area** over southwest Rajasthan & neighbourhood lay over West Rajasthan & neighbourhood at 0830 Hrs IST of today, 26th July, 2026.
- ❖ **The east-west shear zone** embedded with cyclonic circulations associated with the Low-Pressure area over West Rajasthan & neighbourhood and Depression over northwest Bay of Bengal and adjoining areas of North Odisha-West Bengal coasts runs roughly along 23°N Lat. across central India in lower & middle tropospheric levels.
- ❖ A **Western Disturbance** as a trough in middle & upper tropospheric level runs roughly along Long. 62°E to the north of Lat. 30°N.
- ❖ **An upper air cyclonic circulation** lies over Central parts of Assam in lower tropospheric level.

Under the influence of above systems, the following weather is likely:

Northwest India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand during 26th July-1st August.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Haryana Chandigarh & Delhi and Punjab during 28th-31st July; West Uttar Pradesh during 28th July-1st August; East Uttar Pradesh during 27th July-1st August; East Rajasthan during 29th July-1st August.
- ❖ **Isolated to Scattered** rainfall likely over Haryana Chandigarh & Delhi and Punjab during 26th-27th July and on 1st August; West Uttar Pradesh during 26th-27th July; East Uttar Pradesh on 26th July; West Rajasthan during 26th July-1st August; East Rajasthan during 26th-28th July.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph) likely over East Rajasthan during 28th July-1st August.**

- ❖ Isolated **thunderstorm & lightning** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 28th July-1st August; Uttarakhand during 26th July-1st August; West Rajasthan on 26th July and during 29th-30th July; East Rajasthan during 26th-27th July.
- ❖ Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 28th July and during 31st July-1st August; Himachal Pradesh during 26th-27th July and on 1st August; Uttarakhand on 26th July and during 30th July-1st August; Haryana Chandigarh & Delhi and Punjab on 27th July and during 30th-31st July; West Uttar Pradesh on 27th July and during 31st July-1st August; East Uttar Pradesh during 31st July-1st August; West Rajasthan on 26th July and during 31st July-1st August; East Rajasthan on 28th July and on 1st August with isolated **very heavy rainfall** also likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 29th-30th July; Himachal Pradesh during 28th-31st July; Uttarakhand during 27th-29th July; Haryana Chandigarh & Delhi and Punjab during 28th-29th July; West Uttar Pradesh during 28th-30th July; East Uttar Pradesh during 27th-30th July; East Rajasthan during 29th-31st July.

Central India:

- ❖ **Isolated to Scattered** rainfall likely over West Madhya Pradesh during 26th-28th July and on 1st August; Vidarbha on 26th July and on 1st August.
- ❖ **Fairly Widespread to Widespread** rainfall likely over West Madhya Pradesh during 29th-31st July; Chhattisgarh and East Madhya Pradesh during 26th July-1st August; Vidarbha during 27th-31st July.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over East Madhya Pradesh and West Madhya Pradesh during 26th-30th July.
- ❖ Isolated **thunderstorm & lightning** likely over East Madhya Pradesh on 31st July; Chhattisgarh and Vidarbha during 26th-30th July.
- ❖ Isolated **heavy rainfall** likely over West Madhya Pradesh during 28th-29th July and on 1st August; East Madhya Pradesh during 27th-28th July and on 31st July; Vidarbha during 26th-27th July and on 30th July; Chhattisgarh on 27th July and during 29th July-1st August with isolated **very heavy rainfall** also likely over West Madhya Pradesh during 30th-31st July; East Madhya Pradesh during 29th-30th July; Vidarbha during 28th-29th July; Chhattisgarh on 26th July and on 28th July.
- ❖ **Heavy to very heavy rainfall at few places with extremely heavy rainfall likely at isolated places over Chhattisgarh on 27th July.**

East India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands, Gangetic West Bengal and Odisha during 26th July-1st August; Sub-Himalayan West Bengal & Sikkim during 27th July-1st August; Jharkhand during 27th-29th July and on 1st August; Bihar during 30th July-1st August.
- ❖ **Isolated to Scattered** rainfall likely over Sub-Himalayan West Bengal & Sikkim on 26th July; Jharkhand on 26th July and during 30th-31st July; Bihar during 26th-29th July.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Andaman & Nicobar Islands during 26th July-1st August; Gangetic West Bengal during 26th-28th July; Odisha on 26th July, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Jharkhand during 26th-30th July; Bihar during 27th-30th July; Odisha during 28th-30th July.
- ❖ Isolated **heavy rainfall** likely over Bihar and Sub-Himalayan West Bengal & Sikkim during 28th July-1st August; Gangetic West Bengal on 28th July; Jharkhand during 26th-28th July; with isolated **very heavy rainfall** also likely over Gangetic West Bengal during 26th-27th July.
- ❖ **Heavy to very heavy rainfall at few places with extremely heavy rainfall likely at isolated places over Odisha on 26th & 27th July and isolated heavy to very heavy rainfall likely on 28th and heavy rainfall during 29th July to 01st August.**

Northeast India:

- ❖ **Isolated to Scattered** rainfall likely over Arunachal Pradesh during 26th-28th July and during 31st July-1st August; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 1st August.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Arunachal Pradesh during 29th-30th July; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 26th-31st July.
- ❖ Isolated **thunderstorm & lightning** likely over Arunachal Pradesh during 26th-28th July; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 26th-30th July.
- ❖ Isolated **heavy rainfall** likely over Arunachal Pradesh during 27th-31st July; Assam & Meghalaya during 26th-28th July and during 30th-31st July; Nagaland, Manipur, Mizoram & Tripura during 26th-28th July and on 31st July with isolated **very heavy rainfall** also likely over Assam & Meghalaya on 29th July; Nagaland, Manipur, Mizoram & Tripura during 29th-30th July.

West India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Konkan & Goa during 26th July-1st August; Madhya Maharashtra and Saurashtra & Kutch on 26th July; Gujarat Region on 26th July and during 31st July-1st August.
- ❖ **Isolated to Scattered** rainfall likely over Madhya Maharashtra and Saurashtra & Kutch during 27th July-1st August; Marathwada during 26th July-1st August; Gujarat Region during 27th-30th July.

- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Madhya Maharashtra during 28th-30th July; Marathwada during 26th-29th July.
- ❖ Isolated **thunderstorm & lightning** likely over Gujarat Region and Saurashtra & Kutch during 26th-29th July.
- ❖ Isolated **heavy rainfall** likely over Konkan & Goa and Madhya Maharashtra during 28th-31st July; Gujarat Region during 26th-27th July and on 30th July; Saurashtra & Kutch on 26th July and during 31st July-1st August with isolated **very heavy rainfall** also likely over Konkan & Goa and Madhya Maharashtra during 26th-27th July; Gujarat Region during 31st July-1st August.

South Peninsular India:

- ❖ **Isolated to Scattered** rainfall likely over Coastal Andhra Pradesh & Yanam, North Interior Karnataka, Rayalaseema, South Interior Karnataka, Tamil Nadu, Puducherry & Karaikal and Telangana during 26th July-1st August; Lakshadweep on 26th July.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Coastal Karnataka and Kerala & Mahe during 26th July-1st August; Lakshadweep during 27th July-1st August.
- ❖ Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Tamil Nadu, Puducherry & Karaikal during 26th-27th July; North Interior Karnataka during 26th July-1st August; Coastal Andhra Pradesh & Yanam during 28th-30th July; Rayalaseema during 26th-30th July, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe during 26th-27th July; Coastal Karnataka and Telangana during 26th July-1st August.
- ❖ Isolated **heavy rainfall** likely over Kerala & Mahe during 26th July-1st August; Coastal Karnataka during 26th-28th July; Coastal Andhra Pradesh & Yanam during 26th-29th July.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Coastal Andhra Pradesh & Yanam during 26th-27th July.
- ❖ Strong Surface Winds likely over the region during 26th July-1st August.

Hot & Humid weather warning:

- ❖ **Hot and humid** weather conditions likely to prevail over Coastal Andhra Pradesh & Yanam during 26th-28th July.

Sea Condition, Fishermen & Wind Warnings associated with the Depression over northwest Bay of Bengal & adjoining Odisha-West Bengal coasts.

Wind Warning:

- ❖ Squally winds with speed reaching 45-55 kmph gusting to 65 kmph are likely to prevail over North Bay of Bengal & adjoining Odisha-West Bengal-north Andhra Pradesh coasts till 26th evening. Thereafter, it would gradually increase becoming 55-65 kmph gusting to 75 kmph from morning of 27th July till morning of 28th July and decrease gradually thereafter.
- ❖ Squally winds with speed reaching 40-50 gusting to 60 kmph are likely to prevail over central and northeast Bay of Bengal during 26th - 28th July.

Sea Condition:

- ❖ **Sea condition is very likely to be rough to very rough** over northwest Bay of Bengal, along & off Odisha, West Bengal and north Andhra Pradesh coasts during till 27th July. It is likely to improve becoming rough over the same region from 28th morning and likely to improve gradually thereafter.
- ❖ **Sea condition is very likely to be rough** over central and northeast Bay of Bengal till 28th July and improve gradually thereafter.

Fishermen Warning:

- ❖ Fishermen are advised not to venture into northwest Bay of Bengal, along & off Odisha, West Bengal and north Andhra Pradesh coasts till 29th July.
- ❖ Fishermen are advised not to venture into central and northeast Bay of Bengal during till 28th July.

Weather conditions and forecast over Delhi/NCR during next 4 days (Annexure III)

For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all_india_forecast_bulletin.php

For District wise warnings refer: <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

For Fishermen warning refer <https://rsmcnewdelhi.imd.gov.in/fishermenwarning.php>

For national bulletin associated with the Depression refer https://rsmcnewdelhi.imd.gov.in/national_bulletin.php




Highest rainfall recorded (> 7 cm) (from 0830 hours IST of yesterday to 0830 hours IST of today over different Meteorological Subdivision):





- ❖ **Odisha:** Jagatsinghpur 33;
- ❖ **Madhya Maharashtra :** Tamini_Mulshi (Pune) 17;
- ❖ **Konkan:** Karjat (Raigad) 15;
- ❖ **Chhattisgarh:** Mahasamund 15;
- ❖ **Gujarat Region:** Kaprada (dist Valsad) 12;
- ❖ **Coastal Karnataka:** Mudubidre (dist Dakshina Kannada) & Manki (dist Uttara Kannada) 12 each;
- ❖ **West Rajasthan:** Sedwa (Barmer) 10;
- ❖ **East Rajasthan:** Mount Abu (Sirohi) 10;
- ❖ **Assam:** Borpathar 10;
- ❖ **Himachal Pradesh:** Sundernagar 7;
- ❖ **West Uttar Pradesh:** Aliganj (Etah) 7.

Annexure I

Table-1								
7 Days Rainfall Forecast								
S.No.	Subdivision	26- Jul	27- Jul	28- Jul	29- Jul	30- Jul	31- Jul	1- Aug
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	ISOL	ISOL	ISOL	ISOL	ISOL
2	ARUNACHAL PRADESH	SCT	SCT	SCT	FWS	FWS	SCT	SCT
3	ASSAM & MEHGHALAYA	FWS	FWS	FWS	ISOL	FWS	FWS	SCT
4	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	FWS	FWS	FWS	ISOL	ISOL	FWS	SCT
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	SCT	FWS	ISOL	ISOL	ISOL	ISOL	ISOL
6	GANGETIC WEST BENGAL	ISOL	ISOL	FWS	FWS	FWS	FWS	FWS
7	ODISHA	ISOL	ISOL	ISOL	ISOL	FWS	FWS	FWS
8	JHARKHAND	SCT	FWS	FWS	FWS	SCT	SCT	FWS
9	BIHAR	ISOL	SCT	SCT	SCT	FWS	FWS	FWS
10	EAST UTTAR PRADESH	ISOL	FWS	ISOL	ISOL	FWS	FWS	FWS
11	WEST UTTAR PRADESH	ISOL	SCT	ISOL	ISOL	ISOL	FWS	FWS
12	UTTARAKHAND	FWS	ISOL	ISOL	ISOL	ISOL	FWS	FWS
13	HARYANA, CHANDIGARH & DELHI	ISOL	SCT	ISOL	ISOL	FWS	FWS	SCT
14	PUNJAB	ISOL	SCT	FWS	FWS	FWS	FWS	SCT
15	HIMACHAL PRADESH	FWS	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
16	JAMMU AND KASHMIR AND LADAKH	ISOL	FWS	ISOL	ISOL	ISOL	ISOL	ISOL
17	WEST RAJASTHAN	SCT	ISOL	ISOL	ISOL	SCT	SCT	SCT
18	EAST RAJASTHAN	SCT	ISOL	SCT	FWS	FWS	FWS	FWS
19	WEST MADHYA PRADESH	SCT	SCT	SCT	FWS	FWS	FWS	SCT
20	EAST MADHYA PRADESH	FWS	FWS	ISOL	ISOL	ISOL	ISOL	FWS
21	GUJRAT REGION	FWS	SCT	SCT	SCT	SCT	FWS	ISOL
22	SAURASHTRA & KUTCH	FWS	SCT	ISOL	ISOL	ISOL	SCT	SCT
23	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
24	MADHYA MAHARASHTRA	SCT	SCT	SCT	SCT	SCT	SCT	SCT
25	MARATHWADA	SCT	SCT	FWS	FWS	SCT	ISOL	ISOL
26	VIDARBHA	SCT	FWS	ISOL	ISOL	ISOL	FWS	SCT
27	CHHATTISGARH	ISOL	ISOL	ISOL	ISOL	ISOL	FWS	FWS
28	COASTAL ANDHRA PRADESH	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
29	TELANGANA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
33	NORTH INTERIOR KARNATAKA	SCT	ISOL	SCT	ISOL	ISOL	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	SCT	ISOL	SCT	ISOL	ISOL	SCT	SCT
35	KERALA AND MAHE	FWS	FWS	ISOL	ISOL	ISOL	ISOL	ISOL
36	LAKSHADWEEP	SCT	FWS	FWS	FWS	FWS	ISOL	ISOL

- As the lead period increases forecast accuracy decrease.





- Action may be taken based on ORANGE AND REDCOLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

Detailed district-wise Multi-Hazard weather warning for next five days available at
<https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

Weather forecast over Delhi/NCR during 26th July to 29th July 2026**Past Weather:**

There has been rise in maximum temperatures by 1°C and no change in minimum temperatures over Delhi during past 24 hours. The maximum temperatures were in the range of 34-36°C and the minimum temperatures are in the range 24-28°C respectively during past 24 hours over Delhi. The minimum temperatures are below normal (-1.6°C to -3.0°C) at isolated places and normal (-1.5°C to 1.5°C) at remaining parts of Delhi. The maximum temperatures were normal (-1.5°C to 1.5°C) at most places over Delhi. Very light to light rain has been occurred at a few places over Delhi during the past 24 hours. Generally cloudy sky with surface wind speed 20 kmph gusting to 40 kmph from the east direction prevailed over Delhi during past 24 hours. Partly cloudy sky with surface wind speeds up to 12 kmph likely to prevailed from the southeast direction over the region in the forenoon today.

Weather Forecast:

26.07.2026: Partly cloudy sky. One or two spells of very light to light rain at a few places accompanied with Thunderstorm/lightning and surface winds speed 20-30 kmph during afternoon to night. The maximum temperatures over Delhi are likely to be in the range of 35-37°C. The maximum temperatures will be above normal (1.6°C to 3.0°C) at many places over Delhi. The predominant surface wind is likely to be from the south direction with surface wind speed reaching up to 15 kmph during the afternoon hours. The wind speed will decrease becoming up to 12 kmph from the southwest direction during evening and night.

27.07.2026: Generally cloudy sky. A spell of very light to light rain at a few places accompanied with surface winds speed 20-30 kmph during morning to noon. Another spell of very light to light rain during night. The maximum and minimum temperatures over Delhi are likely to be in the range of 34°C to 36°C and 25°C to 27°C, respectively. The minimum temperature will be below normal (-1.6°C to -3.0°C) at many places and the maximum temperatures will be near normal (-1.5°C to 1.5°C) at most places over Delhi. The predominant surface wind is likely to be from southwest direction with surface wind speed reaching up to 15 kmph during the morning hours. The wind speed will increase becoming up to 22 kmph from the southwest direction during the afternoon. The wind speed will decrease becoming up to 20 kmph from the southwest direction during evening and night.

28.07.2026: Generally cloudy sky. One or two spells of very light to light rain at most places with moderate rain at a few places during early morning to noon. Another spell of very light to light rain at many places with moderate rain at isolated places towards evening/night. The maximum and minimum temperatures over Delhi are likely to be in the range of 32°C to 34 °C and 23°C to 25°C, respectively. The minimum temperature will be appreciably below normal (-3.0°C to -5.0°C) at most places, and the maximum temperatures will be below normal (-1.6°C to -3.0°C) at most places over Delhi. The predominant surface wind is likely to be from southwest direction with surface wind speed reaching up to 20 kmph during the morning hours. The wind speed will increase becoming up to 22 kmph from the southwest direction during the afternoon. The wind speed will increase becoming up to 25 kmph from the southeast direction during evening and night.

29.07.2026: Generally cloudy sky. One or two spells of very light to light rain at most places with moderate rain at a few places during early morning to noon. Another spell of very light to light rain at many places with moderate rain at isolated places towards evening/night. The maximum and minimum temperatures over Delhi are likely to be in the range of 32°C to 34°C and 22°C to 24°C, respectively. The minimum temperature will be appreciably below normal (-3.0°C to -5.0°C) at most places, and the maximum temperatures will be below normal (-1.6°C to -3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the south direction with wind reaching up to 20 kmph during the morning hours. The surface wind speed will decrease becoming up to 18 kmph from the southeast direction during the afternoon. The wind speed will increase becoming up to 20 kmph from the east direction during evening and night.

Impact Expected and Action Suggested due to very heavy/extremely heavy rainfall and squally winds over Odisha, Chhattisgarh & Gangetic West Bengal:

Impact expected:

- ❖ Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- ❖ Partial damage to vulnerable structures due to strong winds and rain.
- ❖ Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- ❖ Loose objects may fly.
- ❖ Small ships, trawlers and boats may be affected.
- ❖ Road and rail traffic may be affected due to heavy rain and squally winds.
- ❖ There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Helicopter services may get affected.

Action suggested:

- ❖ People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- ❖ Take safe shelters; do not take shelter under trees, as there could be lightning.
- ❖ In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- ❖ Tourism and recreational activities to be regulated.
- ❖ Onshore and offshore activities to be judiciously regulated.
- ❖ Helicopter services to be regulated.

Agromet advisories for likely impact of Heavy Rainfall

- In **Odisha**, maintain proper drainage and keep field channels clear in the fields of rice, maize, pulses, oilseed and vegetable to prevent prolonged waterlogging. Postpone irrigation, fertilizer and plant protection operations until field conditions become suitable.
- In **Gangetic West Bengal**, ensure proper drainage in rice nurseries, other standing crops and vegetables fields to prevent waterlogging. Strengthen bunds around rice nurseries. Postpone all field operations until field conditions improve.
- In **Chhattisgarh**, ensure proper drainage to remove excess water from crop fields, nurseries and vegetables. Postpone all field operations until field conditions improve.
- In **Konkan and Goa**, maintain continuous drainage in transplanted rice, turmeric, groundnut, finger millet, porso millet, vegetable fields and orchards. Remove excess rainwater from low-lying areas to prevent prolonged waterlogging.
- In **Madhya Maharashtra**, drain out excess water from rice nurseries, other standing crops and vegetables in ghat areas. Postpone irrigation, fertilizer and plant protection operations until field conditions improve.
- In **Gujarat, Saurashtra & Kutch**, drain out excess rainwater from the field of rice, cotton, pearl millet, maize, groundnut and vegetable fields to prevent prolonged waterlogging.
- In **Coastal Andhra Pradesh**, maintain proper drainage in rice, maize, cotton, black gram, green gram and vegetable fields to prevent waterlogging.
- In **Keralam**, maintain continuous drainage in banana, coconut, cardamom, ginger, black pepper and vegetable fields to prevent prolonged waterlogging.
- In **Coastal Karnataka**, keep field drainage channels clear and maintain continuous drainage in paddy fields, orchards and vegetable fields to prevent prolonged waterlogging.
- In **Vidarbha**, maintain proper drainage in soybean, cotton, pigeon pea, maize and vegetable fields to prevent waterlogging.
- In **Himachal Pradesh**, maintain proper drainage in rice, maize, finger millet, tomato, brinjal, capsicum, chilli and cucumber fields and apple and pear orchards for quick removal of excess rainwater. Harvest mature fruits wherever field conditions permit.
- In **Uttarakhand**, maintain effective drainage in rice, black gram, barnyard millet, finger millet, tomato and chilli fields to prevent prolonged waterlogging. Harvest mature tomato, French bean and potato wherever field conditions permit, and postpone sowing until field conditions improve.
- In **Jharkhand**, ensure proper drainage in standing crop fields to prevent waterlogging.

- In **Arunachal Pradesh**, maintain proper drainage in rice, maize, soybean and finger millet fields, orchards and low-lying areas to prevent prolonged waterlogging. Harvest mature crops wherever field conditions permit.
- In **Assam**, keep field drainage channels clear and maintain continuous drainage in rice nurseries, jute, sugarcane, soybean, pigeon pea, sesame and vegetable fields to prevent prolonged waterlogging. Provide staking or support to banana, vegetables and other vulnerable crops against strong winds.
- In **Meghalaya**, maintain proper drainage in rice nurseries and fields of maize, cowpea, okra and ginger to prevent prolonged waterlogging. Strengthen nursery bunds and keep drainage channels free from obstruction.
- In **Nagaland, Manipur, Mizoram and Tripura**, ensure proper drainage from soybean, black gram, ginger, turmeric, cole crop and vegetable fields.
- In **Rajasthan**, ensure drainage and remove excess rainwater from low-lying pearl millet, maize, cotton and pulse fields to prevent temporary waterlogging.
- In **Punjab and Haryana**, maintain effective drainage in rice, maize, soybean, pigeon pea and groundnut fields and fruit orchards to prevent waterlogging.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- In regions with high temperatures and heat wave conditions, provide clean, cool drinking water to animals, and cover the roofs of poultry sheds with grass to reduce the adverse effects of heat.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.


Flash Flood Guidance:

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 27-07-2026 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Chhattisgarh - Baloda Bazar, Dhamtari, Gariaband, Korba, Mahasamund, Raigarh, Raipur and Surguja districts.
Odisha - Anugul, Balangir, Baleshwar, Baragarh, Bauda, Bhadrak, Cuttack, Deogarh, Dhenkanal, Gajapathi, Ganjam, Jagatsinghapur, Jajapur, Jharsuguda, Kalahandi, Kandhamal, Kendraparha, Kendujhar, Khordha, Mayurbhanj, Nayagarh, Nuaparha, Puri, Rayagarha, Sambalpur, Subarnapur and Sundargarh districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




Legends & abbreviations:

- ❖ **Heavy Rain:** 64.5-115.5mm; **Very Heavy Rain:** 115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ **Obsy:** Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District; **NH:** National Highway; **KVK:** Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO:** Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.
- ❖ **Region wise classification of meteorological Sub-Divisions:**
 - **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
 - **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
 - **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
 - **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
 - **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
 - **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- | | | |
|----------------------|----------------------|--------------|
| Fog | Heavy Snow | Cold Wave |
| Heavy Rain | Dust Storm | Cold Day |
| Very Heavy Rain | Heat Wave | Ground Frost |
| Extremely Heavy Rain | Warm Night | |
| Thunder & Lightning | Hot Day | |
| Hailstorm | Hot & Humid | |
| Dust Raising Winds | Strong Surface Winds | |

COLOUR CODED WARNING

- No Warning (No Action)
- Watch (Be Aware)
- Alert (Be Prepared To Take Action)
- Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

* Red colour warning does not mean "Red Alert". Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)

DEFINITION/CRITERIA

Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *
Heat Wave	When maximum temperature of a station reaches $\geq 40^{\circ}\text{C}$ for plains and $\geq 30^{\circ}\text{C}$ for hilly regions (a) Based on Departure from normal Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C . Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^{\circ}\text{C}$ (b) Based on Actual maximum temperature Heat Wave: When actual maximum temperature $\geq 45^{\circ}\text{C}$. Severe Heat Wave: When actual maximum temperature $\geq 47^{\circ}\text{C}$. (c) Criteria for heat wave for coastal stations When maximum temperature departure is $> 4.5^{\circ}\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^{\circ}\text{C}$
Warm Night	When maximum temperature remains 40°C Warm Night: When minimum temperature departure 4.5°C to 6.4°C . Severe Warm Night: When minimum temperature departure $> 6.4^{\circ}\text{C}$.
Cold Wave	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions. (a) Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C . Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$ (b) Based on actual Minimum Temperature (for Plains only) Cold Wave: When Minimum Temperature is $\leq 4.0^{\circ}\text{C}$ Severe Cold Wave: When Minimum Temperature is $\leq 2.0^{\circ}\text{C}$ (c) For Coastal Stations When Minimum Temperature departure is $\leq -4.5^{\circ}\text{C}$ & actual Minimum Temperature is $\leq 15^{\circ}\text{C}$
Cold Day	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions Based on departure Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C . Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$
Fog	Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$ Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground Air temperature $\leq 4^{\circ}\text{C}$ (over Plains)
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed > 87 kmph
Sea State	Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed > 117 kmph (> 63 knots) & Wave height > 14 metre
Cyclone	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-185 kmph (64 - 89 knots) Extremely Severe Cyclonic Storm: Wind speed 186-220 kmph (90 -119 knots) Super Cyclone Storm: Wind speed > 220 kmph (> 119 knots)

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".

Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.

For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599

(Service to the Nation since 1875)