



Government of India
Ministry of Earth Sciences
India Meteorological Department



Press Release

Date: 27th May 2026

Time of Issue: 1445 hours IST

Subject: (i) Heat wave to severe heat wave conditions likely to continue over Central & Northwest India during next 2-3 days.

(ii) Reduction in maximum temperatures and abatement of heat wave conditions are likely from 29th May onwards.

(iii) Isolated heavy to very rainfall likely over Northeast and adjoining East India during next 2-3 days and over south peninsular India today, the 27th May, and over Tamil Nadu, Puducherry & Karaikal during 27th – 29th May 2026.

(iv) Moderate to Severe Thunderstorm activity with squally wind speed reaching upto 70 kmph over Northwest India, Central India and East India during 28th – 30th May.

Advance of Southwest Monsoon 2026 (Annexure I):

- ❖ Southwest monsoon has further advanced into some more parts of southwest & southeast Arabian Sea, some parts of Lakshadweep area, some more parts of southwest, southeast and eastcentral Bay of Bengal, remaining parts of Andaman Sea and some parts of westcentral Bay of Bengal on today, the 27th May 2026.
- ❖ Conditions are favourable for further advance of southwest monsoon into some more parts of southwest & southeast Arabian Sea, Lakshadweep area, southwest, eastcentral & westcentral Bay of Bengal, remaining parts of southeast Bay of Bengal and some parts of northeast Bay of Bengal during next 2-3 days.
- ❖ The Northern Limit of Monsoon passes through 9°N/60°E, 8.5°N/65°E, 8°N/70°E, 7.5°N/75°E, 8°N/80°E, 11°N/85°E, 15°N/90°E, 19°N/95°E and 21°N/97°E as on 27th May 2026.

Realised weather during past 24 hours ending at 0830 hours IST of today, the 27th May, 2026:

- ❖ **Heavy rainfall (7-11 cm)** has been recorded at isolated places over Telangana, North Interior Karnataka, Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh, Rayalaseema
- ❖ **Thunderstorm accompanied with Squally/Gusty winds with speed reaching 70-115 kmph** prevailed at isolated places over Coastal Andhra Pradesh & Yanam, Nagaland, Manipur, Mizoram & Tripura, Rayalaseema: Gangetic West Bengal, Jharkhand; **with speed reaching 50-70 kmph** over Odisha, Tamil Nadu, Puducherry & Karaikal, Sub Himalayan West Bengal & Sikkim, Bihar, Assam & Meghalaya; Telangana, Andaman & Nicobar Islands, Saurashtra Kutch, West Uttar Pradesh; **with speed reaching 40-50 kmph** over Gujarat Region, Madhya Pradesh, Punjab, Haryana, East Uttar Pradesh, Vidarbha, Madhya Maharashtra.
- ❖ **Hailstorm** occurred at isolated places over Marathawada, Uttarakhand, South Interior Karnataka.
- ❖ **Heat wave to severe heat wave conditions** prevailed in isolated pockets over East Uttar Pradesh and West Rajasthan **Heat wave conditions prevailed** at a few places over East Madhya Pradesh; in isolated pockets over south Haryana, West Uttar Pradesh, East Uttar Pradesh, West Madhya Pradesh, Vidarbha and Chhattisgarh.

Temperature Conditions during past 24 hours till 0830 hours IST of today:

- ❖ **Day/Maximum Temperatures (as on 26-05-2026):** Yesterday, Maximum temperature was in the range of 45-47°C over Madhya Pradesh, Rajasthan, East Uttar Pradesh, Haryana, Rajasthan, Vidarbha and 40-45°C over rest parts of the country except North east India, West Himalayan region, West coast and Interior Tamil Nadu. **The highest maximum temperature of 47.4°C was reported at BANDA (UTTAR PRADESH).**
- ❖ **Day/Maximum Temperature Departures (as on 26-05-2026):** Yesterday, **markedly above normal (> 5.1°C)** at few places over East Madhya Pradesh and Coastal Andhra Pradesh & Yanam; at isolated places over East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, West Madhya Pradesh and Tamil Nadu, Puducherry & Karaikal. **appreciably above normal (3.1°C to 5.0°C)** at few places over West Rajasthan; at isolated places over Andaman & Nicobar Islands, Gangetic West Bengal, Odisha, Bihar, Haryana-Chandigarh Delhi, East Rajasthan, Gujarat Region, Konkan & Goa, Vidarbha and Chhattisgarh. **above normal (1.6°C to 3.0°C)** at many places over Jharkhand, Uttarakhand and Punjab; at few places over Madhya Maharashtra, Telangana, Rayalaseema and Coastal Karnataka; at isolated places over Assam & Meghalaya, Jammu-Kashmir Ladakh-Gilgit-Baltistan-Muzaffarabad, Saurashtra & Kutch, South Interior Karnataka and Kerala & Mahe. **near normal (-1.5°C to 1.5°C)** at many places over Sub

Himalayan West Bengal & Sikkim and Lakshadweep; at most places over Marathwada and North Interior Karnataka; at few places over Arunachal Pradesh; at isolated places over Nagaland, Manipur, Mizoram & Tripura.

- ❖ **Night Temperatures/Minimum temperatures (as on 27-05-2026) were appreciably above normal (3.1°C to 5.0°C) over Odisha, Marathawada, West Uttar Pradesh. above normal (1.6°C to 3.0°C) Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal, Odisha, Chhattisgarh, Jharkhand, West Madhya Pradesh, East Rajasthan, Uttar Pradesh, West India and below normal or near normal over rest parts of the country.**

Weather Systems, Forecast and Warnings (Annexure II & III):

- ❖ An **upper air cyclonic circulation** over central parts of Uttar Pradesh in lower tropospheric levels.
- ❖ An **upper air cyclonic circulation** over Northwest Odisha and extends in lower and middle tropospheric levels.
- ❖ A **trough runs** from northwest Uttar Pradesh to south coastal Odisha in lower tropospheric levels.
- ❖ A north-south **trough from** north Bihar to south Telangana in lower tropospheric levels.
- ❖ An **upper air cyclonic circulation** over north Tamil Nadu coast & neighbourhood in middle tropospheric levels.
- ❖ A **trough** in westerlies with its axis in middle tropospheric levels runs roughly along Long. 89°E to the north of Lat. 21°N.
- ❖ An **upper air cyclonic circulation** over central Assam in lower tropospheric levels.
- ❖ An **upper air cyclonic circulation** over Southeast Arabian Sea & neighbourhood in lower and middle tropospheric levels.
- ❖ An **upper air cyclonic circulation lies** over Eastcentral Bay of Bengal in lower and middle tropospheric levels.
- ❖ A fresh **Western Disturbance** is likely to affect Northwest India from 28th May, 2026.

Under the influence of above systems, the following weather is likely:

Northeast India:

- ❖ **Scattered to Fairly widespread** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over Nagaland, Manipur, Mizoram & Tripura on 27th & 28th May.
- ❖ **Isolated heavy rainfall** likely over Arunachal Pradesh on 01st & 2nd June; Assam & Meghalaya during 27th & 28th May & on 02nd June; Nagaland, Manipur, Mizoram & Tripura on 27th, 28th May and during 30th May & 02nd June.

South Peninsular India:

- ❖ **Isolated to scattered** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over Tamil Nadu, Puducherry & Karaikal, Interior Karnataka during 27th May -2nd June, Coastal Andhra Pradesh & Yanam, Rayalaseema, Telangana, Interior Karnataka during 27th May -31st May.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Tamil Nadu, Puducherry & Karaikal on 27th; North Interior Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema during 27th-29th; South Interior Karnataka on 27th & 28th; May.
- ❖ **Isolated Heavy rainfall also likely over Tamil Nadu, Puducherry & Karaikal during 27th-29th, Kerala & Mahe on 27th May and on 1st & 2nd June; Lakshadweep on 1st & 2nd June; Coastal Karnataka, Interior Karnataka, Rayalaseema, Telangana on 27th May.**

East India:

- ❖ **Fairly widespread to widespread** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over Andaman & Nicobar Islands during 27th May-02nd June; Sub-Himalayan West Bengal & Sikkim during 27th - 29th; Gangetic West Bengal during 27th - 31st
- ❖ **Isolated to scattered** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over Bihar, Odisha during 27th-31st May; Jharkhand during 27th May-01st June.
- ❖ **Thundersquall (wind speed reaching 60-70 kmph gusting to 80 kmph)** likely over Gangetic West Bengal on 28th; Bihar on 28th & 29th May.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Gangetic West Bengal during 27th 29th May; Bihar on 27th; Jharkhand, Odisha during 27th-30th May.
- ❖ **Isolated heavy rainfall likely over Andaman & Nicobar Islands during 29th-31st May; Sub-Himalayan West Bengal & Sikkim on 27th May; Gangetic West Bengal on 28th; Bihar during 27th -29th; Odisha on 29th & 30th May.**

Northwest India:

- ❖ **Scattered to fairly widespread** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over Jammu-Kashmir and Uttarakhand during 27th-30th May; Himachal Pradesh on 28th & 29th; Uttarakhand during 27th – 30th May.
- ❖ **Scattered to fairly widespread** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over West Uttar Pradesh during 28th-31st and East Uttar Pradesh during 27th-31st; May.
- ❖ **Thundersquall (wind speed reaching 80-90 kmph gusting to 100 kmph)** likely over Punjab, Haryana Chandigarh & Delhi, West Uttar Pradesh on 29th May
- ❖ **Thundersquall (wind speed reaching 60-70 kmph gusting to 80 kmph)** likely over Punjab, Haryana Chandigarh & Delhi, West Uttar Pradesh on 28th; East Uttar Pradesh on 29th May.
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Rajasthan, Jammu-Kashmir, Uttarakhand on 28th & 29th; Punjab, Haryana Chandigarh & Delhi on 30th; East Uttar Pradesh during 28th-30th May.
- ❖ **Isolated heavy rainfall** likely over Uttarakhand, West Uttar Pradesh on 29th; Punjab, Haryana, Chandigarh on 29th & 30th May.
- ❖ **Isolated Hailstorm activity** likely over Himachal Pradesh, Uttarakhand, Punjab, Haryana Chandigarh & Delhi, West Uttar Pradesh on 28th & 29th May and East Uttar Pradesh, Rajasthan on 29th May.
- ❖ **Duststorm** very likely at isolated places over Uttar Pradesh and Rajasthan on 28th & 29th May.

Central India:

- ❖ **Isolated** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over West Madhya Pradesh 28th May – 01st June; East Madhya Pradesh, Vidarbha 27th – 31st May; Chhattisgarh 27th May – 02nd June;
- ❖ **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over West Madhya Pradesh on 29th & 30th May; East Madhya Pradesh, Chhattisgarh during 29th - 31st May
- ❖ **Isolated Hailstorm activity** likely over Madhya Pradesh on 29th & 30th May. Chhattisgarh on 29th May

West India:

- ❖ **Isolated** light to moderate rainfall with **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph)** likely over Madhya Maharashtra, Marathwada on 27th, 28th May and on 01st & 2nd June; Gujarat state during 30th May – 02nd June; Konkan & Goa on 27th May, 01st & 02nd June.

Forecast of maximum/day temperatures:

- ❖ **No significant change in maximum temperatures likely over Northwest India till 27th May; gradual fall by 6-8°C during 28th - 30th May and gradual rise by 4-6°C during 31st May-02nd June.**
- ❖ No significant change in maximum temperatures likely over Central India till 27th May and gradual fall by 3-5°C during 28th May-02nd June.
- ❖ No significant change in maximum temperatures likely over East India till 27th May and gradual fall by 2-4°C during 28th May-02nd June.
- ❖ No significant change in maximum temperatures likely over Maharashtra till 28th and gradual fall by 2-4°C during 29th May-02nd June.
- ❖ No significant change in maximum temperatures likely over Gujrat State till 30th May and gradual fall by 2-4°C during 31st May-02nd June.
- ❖ No significant change in maximum temperatures likely over south peninsular India till 29th May and gradual fall by 2-3°C during 30st May-02nd June.
- ❖ No significant change in maximum temperatures likely over the rest parts of country till 02nd June 2026.

Heat Wave, Hot & Humid weather and Warm Night conditions warning:

- ❖ **Heat wave conditions** very likely in isolated/some pockets over Punjab, Haryana, Chandigarh & Delhi, Uttar Pradesh on 27th & 28th; with **severe heat wave conditions** in some pockets over East Uttar Pradesh Punjab, Haryana, Chandigarh & Delhi on 27th May.
- ❖ **Heat wave conditions** very likely in isolated/some pockets over West Rajasthan during 27th-29th; East Rajasthan on 27th & 28th May; with **severe heat wave conditions** in some pockets over West Rajasthan on 27th & 28th; East Rajasthan on 27th May.
- ❖ **Heat wave conditions** very likely in isolated pockets over Madhya Pradesh during 27th – 29th; Chhattisgarh on 27th & 28th with **severe heat wave conditions** in isolated pockets over West Madhya Pradesh on 27th; East Madhya Pradesh, Vidarbha, on 27th & 28th May.

- ❖ **Heat wave conditions** very likely in isolated pockets Telangana during 27th – 29th; Himachal Pradesh, Odisha on 27th & 28th May
- ❖ **Hot and humid weather conditions** likely to prevail over Gangetic West Bengal on 27th; Odisha during 27th – 31st; Konkan & Goa, Coastal Areas Gujarat State on 27th & 28th; **Tamil Nadu**, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam during 27th – 29th May.
- ❖ **Warm Night conditions** very likely to prevail in isolated pockets over **Odisha on 27th & 28th**; Madhya Pradesh, Vidarbha on 27th May.

Fisherman Warning:

Fishermen are advised not to venture into the following areas:

- ❖ **Bay of Bengal:**
Over Gulf of Mannar, Sri Lanka Coasts, over many parts of south & adjoining central Bay of Bengal during 27th May to 01st June, 2026. Along and off west Bengal adjoining north Odisha coasts during 28th to 30th May, over many parts of Andaman Sea during 28th May to 01st June 2026.
- ❖ **Arabian Sea:**
Over Comorin areas during 27th May to 01st June, 2026, along & off north Gujarat coast and adjoining northeast Arabian Sea during 28th May to 01st June 2026.
Along and off Somalia coast, adjoining some parts of southwest Arabian Sea during on 27th May to 01st June, 2026.

Weather conditions and forecast over Delhi/NCR during 27th -30th May, 2026 (Annexure IV)

For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all_india_forcast_bulletin.php

For District wise warnings refer: <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

For Fishermen warning refer <https://rsmcnewdelhi.imd.gov.in/fishermenwarning.php>

Significant rainfall recorded (in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today):

- ❖ **Telangana:** Bhoothpur 11, Hathanoora 11, Koilkonda 11, Narva 9, Chinna Chinta Kunt 9, Thimmajipeta 8, Kalwakurthy 8, Maddur 8, Naykal 7, Mahbubnagar 7
- ❖ **North Interior Karnataka:** Sedam 9, Bidar Pto 8, Chittapur 7
- ❖ **Tamil Nadu, Puducherry & Karaikal:** Keelpennathur (8), Adamangalam (8), Nattrampalayam (7)
- ❖ **Coastal Andhra Pradesh:** Narsapuram 7
- ❖ **Rayalaseema** Atmakur 8
- ❖

Gusty winds (in >= 40 kmph) (from 0830 hours IST of yesterday to 0830 hours IST of today):

- ❖ **Nagaland, Manipur, Mizoram & Tripura:** Maharani 115 , Rajnagar 100 , Lawngtlai - 91 , , Met Agt 65 , Kvk Panisagar 65 , Hezamara 56 , Khowai 44 , Kvk Dhalai 43
- ❖ **Coastal Andhra Pradesh & Yanam:** Ankapalle 96, Bhimavaram 48, Lam_Guntur 48, Chintapalli 48
- ❖ **Rayalaseema:** Ananthapuram 85, Agricultural_College_ Badvel 65, Rars_Tirupati 59, Kh_Govtdegcollege_Dharmavaram 44
- ❖ **Gangetic West Bengal:** Hooghly 74, Kalna 67, Kalyani 57, Nandakumar 54, Bijpur 52, Haringhata 48, Dum Dum, Shyampur 44
- ❖ **Jharkhand:** Dumka 72
- ❖ **Odisha:** Mayurbhanj 68
- ❖ **Tamil Nadu, Puducherry & Karaikal:** Ranipet 61, Kalavai 54, Perambalur 41, Kallakurichi (Taluk_Office) 43, Yercaud_Isro (Salem) 43
- ❖ **Subhimalayan West Bengal & Sikkim:** Majhian 59, North Dinajpur 41
- ❖ **Bihar:** East Champaran 57
- ❖ **Telangana:** Ghatkesar 57, Peddapally 52, Prakasam_Jammikunta 50, Hyderabad 46, Gadipally 44, Adilabad 43, Ramgiri_Khilla 42
- ❖ **Andaman & Nicobar Islands:** Sri Vijayapuram 56
- ❖ **Saurashtrakutch:** 56 Bhachau AmfuKutch
- ❖ **Assam & Meghalaya:** Guwahati_City 54 , Manas 54 , Vcbc_Rani 54
- ❖ **West Uttar Pradesh:** Agra 52, Hindon 43 , Bareillylaf43 , Bareilly 41, Gb Nagar41
- ❖ **Gujarat Region** 48 ArsarnejAhmd
- ❖ **East Madhya Pradesh:** Jabalpur 46, Rewa 46, Sagar 43, Satna 43, Sidhi 41,
- ❖ **West Madhya Pradesh:** Ashonagar 43, Sehore 41
- ❖ **Punjab:** Mohali 44, Patiala 43

- ❖ Haryana: Panchkula 43 Karnal 43
- ❖ East Uttar Pradesh: Prayagraj 41
- ❖ Vidarbha: Buldana 41, Wardha 28, Nagpur 28
- ❖ Madhya Maharashtra : Jalgaon 41

Annexure I











Table-1								
7 Days Rainfall Forecast								
S.No.	Subdivision	27- May	28- May	29- May	30- May	31- May	1- Jun	2- Jun
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	WS	WS	WS
2	ARUNACHAL PRADESH	FWS	SCT	SCT	SCT	SCT	FWS	FWS
3	ASSAM & MEHGHALAYA	FWS	FWS	SCT	SCT	FWS	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	FWS	FWS	SCT	FWS	FWS	FWS	FWS
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	FWS	FWS	SCT	SCT	ISOL	SCT	SCT
6	GANGETIC WEST BENGAL	SCT	WS	FWS	SCT	ISOL	ISOL	ISOL
7	ODISHA	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
8	JHARKHAND	ISOL	SCT	SCT	SCT	SCT	ISOL	ISOL
9	BIHAR	SCT	SCT	FWS	ISOL	ISOL	DRY	DRY
10	EAST UTTAR PRADESH	ISOL	SCT	FWS	FWS	SCT	ISOL	DRY
11	WEST UTTAR PRADESH	DRY	SCT	FWS	FWS	ISOL	ISOL	DRY
12	UTTARAKHAND	ISOL	FWS	WS	FWS	SCT	SCT	ISOL
13	HARYANA, CHANDIGARH & DELHI	DRY	SCT	FWS	FWS	ISOL	DRY	DRY
14	PUNJAB	DRY	SCT	FWS	FWS	ISOL	DRY	DRY
15	HIMACHAL PRADESH	DRY	FWS	FWS	SCT	ISOL	ISOL	ISOL
16	JAMMU AND KASHMIR AND LADAKH	ISOL	FWS	SCT	ISOL	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	DRY	ISOL	ISOL	SCT	SCT	ISOL	ISOL
19	WEST MADHYA PRADESH	DRY	ISOL	ISOL	SCT	SCT	ISOL	ISOL
20	EAST MADHYA PRADESH	DRY	DRY	ISOL	SCT	SCT	ISOL	ISOL
21	GUJRAT REGION	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
23	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
27	CHHATTISGARH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
28	COASTAL ANDHRA PRADESH	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
29	TELANGANA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	SCT	ISOL	ISOL	SCT	SCT	SCT
32	COSTAL KARNATAKA	FWS	SCT	SCT	ISOL	SCT	SCT	SCT
33	NORTH INTERIOR KARNATAKA	FWS	SCT	ISOL	ISOL	ISOL	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	FWS	SCT	ISOL	ISOL	SCT	SCT	SCT
35	KERALA AND MAHE	FWS	FWS	FWS	FWS	WS	WS	WS
36	LAKSHADWEEP	FWS	FWS	FWS	WS	WS	WS	WS

- As the lead period increases forecast accuracy decrease.





- Action may be taken based on ORANGE AND REDCOLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

Detailed district-wise Multi-Hazard weather warning for next five days available at <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

Weather forecast over Delhi/NCR during 27th May to 30th May 2026**Past Weather:**

There has been no large change in maximum and minimum temperature during past 24 hours over Delhi. The maximum temperatures were in the range of 43-45°C and the minimum temperatures are in the range 25-28°C respectively during past 24 hours over Delhi. The minimum temperatures are normal (-1.5°C to 1.5°C) at most places over Delhi. The maximum temperatures were appreciably above normal (3.1°C to 5.0°C) at a few places and above normal (1.6°C to 3.0°C) remaining parts of Delhi. Mainly clear sky with surface wind speeds up to 20 kmph gusting to 36 kmph from west direction over Delhi during past 24 hours. Mainly clear sky with surface wind speeds up to 15 kmph likely to prevailed from southwest direction over the region in the forenoon today.

Weather Forecast:

27.05.2026: Mainly clear sky. Heat wave conditions at isolated places. Sustained strong surface winds speed reaching 20-30 kmph occasionally gusting to 40 kmph during the day. The maximum temperatures over Delhi are likely to be in the range of 44°C to 46°C. The maximum temperatures will be appreciably above normal (3.1°C to 5.0°C) at most places over Delhi. The predominant surface wind is likely to be from the west direction with surface wind speed reaching up to 25 kmph during the afternoon hours. The wind speed will decrease becoming up to 20 kmph from the west direction during evening and night.

28.05.2026: Mainly clear sky becoming partly cloudy sky. Sustained strong surface winds speed reaching 20-30 kmph occasionally gusting to 40 kmph during the day. Light rain accompanied with thunderstorm/lightning/dust storm and gusty wind speed 50-60 kmph reaching 70 kmph during evening to night. The maximum and minimum temperatures over Delhi are likely to be in the range of 43°C to 45°C and 27°C to 29°C respectively. The minimum temperature will be above normal (1.6°C to 3.0°C) at most places, and maximum temperatures will be appreciably above normal (3.1°C to 5.0°C) at most places over Delhi. The predominant surface wind is likely to be from northwest direction with surface wind speed reaching up to 15 kmph during the morning hours. The wind speed will increase becoming up to 25 kmph from east direction during the afternoon. The wind speed will decrease becoming up to 20 kmph from the southeast direction during evening and night.

29.05.2026: Generally cloudy sky. A spell of very light rain to light rain accompanied with thunderstorm/lightning/dust storm and gusty wind speed 60-70 kmph reaching 80 kmph during morning to forenoon. Another spell of very light rain to light rain accompanied with thunderstorm/lightning and gusty wind speed 40-50 kmph reaching 60 kmph during afternoon to evening. The maximum and minimum temperatures over Delhi are likely to be in the range of 35°C to 37°C and 25°C to 27°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and maximum temperatures will be appreciably below normal (-3.1°C to -5.0°C) at most places over Delhi. The predominant surface wind is likely to be from the southeast direction with wind reaching up to 20 kmph during the morning hours. The surface wind speed will increase becoming up to 22 kmph from south direction during the afternoon. The wind speed will increase becoming up to 25 kmph from the east direction during evening and night.

30.05.2026: Generally cloudy sky. Very light to light rain accompanied with thunderstorm/lightning and gusty wind speed 40-50 kmph reaching 60 kmph. The maximum and minimum temperatures over Delhi are likely to be in the range of 34°C to 36°C and 24°C to 26°C respectively. The minimum temperature will be below normal (-1.6°C to -3.0°C) at most places, and maximum temperatures will be markedly below normal (-5.1°C or less) at most places over Delhi. The predominant surface wind is likely to be from the east direction with wind reaching up to 25 kmph during the morning hours. The surface wind speed will decrease becoming up to 20 kmph from southeast direction during the afternoon. The surface wind speed will increase becoming up to 25 kmph from the northeast direction during evening and night.

Impact expected and Action Suggested due to thunderstorm with lightning/gusty winds:

Thunderstorms accompanied with lightning and gusty winds (50–60 kmph reaching up to 70 kmph) with dust-raising surface winds are likely to occur.

- **Expected Impacts:** Breaking of tree branches and uprooting of large trees, falling of dead tree limbs, Damage to standing crops, Minor to major damage to power and communication lines due to falling branches, Partial damage to vulnerable structures due to strong winds, Loose objects may get blown away
- **Advisory for Public Safety:** Keep a close watch on weather updates and worsening conditions, stay indoors and avoid unnecessary travel, Close windows and doors securely, take shelter in safe places and avoid open areas, do not take shelter under trees, do not lie on concrete floors or lean against concrete walls during lightning activity, unplug electrical and electronic appliances, immediately move out of water bodies, stay away from objects that conduct electricity

Citizens are advised to remain alert and follow safety precautions to avoid any loss of life or property.

Impact expected and action suggested due to isolated thunderstorm with lightning, gusty/squally winds & hailstorm over

- ❖ Moderate to Severe Thunderstorm activity with squally wind speed reaching upto 70 kmph over Northwest India, Central India and East India during 28th – 30th May
- ❖ **Isolated Hailstorm activity** likely over Himachal Pradesh, Uttarakhand, Punjab, Haryana Chandigarh & Delhi, West Uttar Pradesh on 28th & 29th May and East Uttar Pradesh, Rajasthan on 29th; Madhya Pradesh on 29th & 30th; Chhattisgarh on 29th May.

Impact expected:

- Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- Minor to Major damage to banana and papaya trees.
- Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

Impact Expected & Action Suggested due to heavy/very heavy rainfall over

- ❖ **Isolated heavy rainfall** likely over Arunachal Pradesh on 01st & 2nd June; Assam & Meghalaya during 27th & 28th May & on 02nd June; Nagaland, Manipur, Mizoram & Tripura on 27th, 28th May and during 30th May & 02nd June; Tamil Nadu, Puducherry & Karaikal during 27th-29th, Kerala & Mahe on 27th May and on 1st & 2nd June; Lakshadweep on 1st & 2nd June; Coastal Karnataka, Interior Karnataka, Rayalaseema, Telangana on 27th; Andaman & Nicobar Islands during 29th-31st May; Sub-Himalayan West Bengal & Sikkim on 27th May; Gangetic West Bengal on 28th; Bihar during 27th -29th; Odisha on 29th & 30th; Uttarakhand, West Uttar Pradesh on 29th; Punjab, Haryana Chandigarh & Delhi on 29th & 30th May.
- ❖ **Impact Expected**
 - Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas.
 - Occasional reduction in visibility due to heavy rainfall.
 - Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
 - Minor damage to kutcha roads.
 - Possibilities of damage to vulnerable structure.

- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Impact expected and action suggested due to Heat wave/ severe heat wave conditions:

- ❖ Heat wave to severe heat wave conditions likely to continue over Central & Northwest India during next 2-3 days.

Red alert Areas

- Very high likelihood of developing heat illness and heat stroke in all ages.
- Extreme care needed for vulnerable people.

Orange alert Areas

- High temperature & increased likelihood of heat illness symptoms in people who are either exposed to sun for a prolonged period or doing heavy work.
- High health concern for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure– keep cool. Avoid dehydration.
- Drink sufficient water- even if not thirsty.
- Use ORS, homemade drinks like lassi, torani (rice water), lemon water, buttermilk, etc. to keep yourself hydrated.

Yellow alert Areas

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

Agromet advisories for likely impact of Hailstorms

- In **Himachal Pradesh, Uttarakhand, Punjab, Haryana** and **West Uttar Pradesh** use hail nets or hail caps in fruit orchards and vegetable plants to protect them from mechanical damage.
- Ensure effective field drainage to prevent waterlogging. Undertake picking of matured fruits at the earliest. Keep the harvested produce in safe places.

Agromet advisories for likely impact of Heavy Rainfall

- In **Assam**, undertake harvesting of *Boro* rice after current spells of heavy rain and store the already harvested produce in a safe place. Cover the rice nursery beds with thin polythene sheet. Ensure proper drainage arrangements for quick removal of excess water from rice nurseries, vegetables, banana, citrus and papaya fields.
- **Meghalaya**, harvest the mature banana fruits immediately during clear weather. Make necessary arrangements to remove excess rainwater from the maize, ginger, vegetable, banana and other orchard fields crop fields.
- In **Nagaland**, delay transplanting of brinjal in main field. For already transplanted seedlings, maintain proper drainage in and around the fields of maize, vegetables and orchard.
- **In Manipur**, ensure that ridges and bunds around rice fields are well constructed to maintain the required water level; provide adequate drainage to remove excess rain water from chilli, ginger, turmeric, banana and other crops.
- **In Mizoram**, create drainage channels surrounding the rice fields and utilize grass mulch to cover the seeds. Provide support to fruit-bearing or partially lodge plants/trees. Propping should be done to prevent maize plants from lodging.

- **Tripura** – undertake harvesting of mature Boro rice immediately and shift the harvested produce to a safe and dry place for storage.
- In **West Bengal and Sikkim**, undertake harvesting of matured rice & maize after current spells of heavy rains and keep already harvested produce in a safe place. Ensure proper drainage in rice, maize, jute and vegetables. Postpone fresh sowing of okra.
- **Bihar**, withhold irrigation in standing crops. Prepare paddy nursery fields with proper drainage arrangements.
- In **Tamil Nadu**, maintain proper drainage to prevent water stagnation in cotton, rice nurseries, recently sown cumbu and vegetables,
- In **Kerala**, provide adequate drainage for banana, coconut, and other vegetables. Provide support to banana plants.
- In **Karnataka**, undertake harvesting of matured rice after current spells of rain, ensure proper drainage in paddy fields, arecanut and mango orchards. Provide staking to tomato plants.
- In **Andhra Pradesh - Rayalaseema** - maintain proper drainage in standing crops such as paddy, *rabi* maize, sorghum, chickpea, groundnut, sesame, sugarcane, vegetables, and fruit orchards.

Agromet advisories for likely impact of High temperatures/ Heat Waves

- **Himachal Pradesh**, apply irrigation to tomato and cucumber nursery as per requirement. Thatch the vegetable nursery plants with grass to conserve moisture.
- In **Punjab**, apply light and frequent irrigation to vegetable, moong fruit plants orchards and onion nurseries.
- In **Haryana**, maintain adequate irrigation in standing sugarcane, cotton and summer fodder crops. Complete paddy nursery preparation with assured irrigation facilities and adopt mulching/moisture conservation practices to reduce water stress in newly sown crops
- In **Uttar Pradesh**, provide frequent irrigation and mulching for standing crops such as maize, green gram, black gram, sugarcane, sunflower, vegetables, and fruit plants such as mango, banana, and papaya.
- In **Rajasthan**, apply need-based irrigation to green gram and summer cucurbit crops such as bottle gourd, pumpkin, ridge gourd, cucumber, bitter gourd, and summer ladyfinger, as well as to young fruit plants such as mango, amla, pomegranate, wood apple, and plum. Undertake soil mulching/mulching with straw/polythene to reduce water loss by evaporation.
- In **Odisha** - Provide light irrigation to *Boro* paddy, summer maize, green gram, black gram, groundnut, and vegetable fields. Ensure adequate soil moisture is maintained in mango and cashew crops.
- In **Madhya Pradesh**, apply light irrigation to maize, *moong*, *urd*, groundnut, and vegetable crops as required.
- In **Chhattisgarh** - Apply light irrigation after weeding and hoeing in *rabi* maize, banana, and papaya plantations. Complete harvesting of wheat and chickpea, and ensure safe storage.
- **Maharashtra** - In **Konkan**, irrigate green gram, vegetables, and newly planted arecanut and coconut. In **Vidarbha**, apply need-based light and frequent irrigation to summer green gram, groundnut, onion, sunflower, sesame, fodder crops, orchards, and vegetables during cooler hours. Use straw mulch in vegetable and orchard crops to reduce evaporation, and install shade nets for newly planted crops.
- **Gujarat** – Apply light and frequent irrigation to standing crops like cluster bean, cucumber, ridge gourd, bottle gourd, sponge gourd, and bitter gourd during morning or evening hours. Irrigate groundnut at the flowering and pegging stages.
- In **Telangana**, provide irrigation to mango orchards and vegetable crops, as required.
- In **Coastal Andhra Pradesh**, apply light irrigation to summer crops and vegetables to maintain soil moisture. Apply mulching to conserve soil moisture in the standing crops.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Livestock / Poultry / Fisheries


- Keep the animals inside the shed during hailstorms/ heavy rainfall and provide them with balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.
- In regions with high temperatures and heat waves, provide clean, hygienic, and ample drinking water for animals, and cover the roofs of poultry sheds with grass to reduce the adverse effects.

Legends & abbreviations:

- ❖ **Heavy Rain:**64.5-115.5mm; **Very Heavy Rain:**115.6-204.4mm; **Extremely Heavy Rain:** >204.4mm.
- ❖ **Obsy:** Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District; **NH:** National Highway; **KVK:** Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO:** Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.
- ❖ **Region wise classification of meteorological Sub-Divisions:**
 - **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
 - **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
 - **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
 - **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
 - **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
 - **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- | | | |
|----------------------|----------------------|--------------|
| Fog | Heavy Snow | Cold Wave |
| Heavy Rain | Dust Storm | Cold Day |
| Very Heavy Rain | Heat Wave | Ground Frost |
| Extremely Heavy Rain | Warm Night | |
| Thunder & Lightning | Hot Day | |
| Hailstorm | Hot & Humid | |
| Dust Raising Winds | Strong Surface Winds | |

COLOUR CODED WARNING

No Warning (No Action)
Watch (Be Aware)
Alert (Be Prepared To Take Action)
Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)

DEFINITION/CRITERIA

Rain/ Snow *	<p>Heavy: 64.5 to 115.5 mm/cm *</p> <p>Very Heavy: 115.6 to 204.4 mm/cm*</p> <p>Extremely Heavy: > 204.4 mm/cm *</p>
Heat Wave	<p>When maximum temperature of a station reaches $\geq 40^{\circ}\text{C}$ for plains and $\geq 30^{\circ}\text{C}$ for hilly regions</p> <p>(a) Based on Departure from normal</p> <p>Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C.</p> <p>Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^{\circ}\text{C}$</p> <p>(b). Based on Actual maximum temperature</p> <p>Heat Wave: When actual maximum temperature $\geq 45^{\circ}\text{C}$.</p> <p>Severe Heat Wave: When actual maximum temperature $\geq 47^{\circ}\text{C}$</p> <p>(c). Criteria for heat wave for coastal stations</p> <p>When maximum temperature departure is $>4.5^{\circ}\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^{\circ}\text{C}$</p>
Warm Night	<p>When maximum temperature remains 40°C</p> <p>Warm Night: When minimum temperature departure 4.5°C to 6.4°C.</p> <p>Severe Warm Night: When minimum temperature departure $>6.4^{\circ}\text{C}$.</p>
Cold Wave	<p>When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions.</p> <p>(a). Based on departure</p> <p>Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C.</p> <p>Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$</p> <p>(b) Based on actual Minimum Temperature (for Plains only)</p> <p>Cold Wave : When Minimum Temperature is $\leq 4.0^{\circ}\text{C}$</p> <p>Severe Cold Wave: When Minimum Temperature is $\leq 2.0^{\circ}\text{C}$</p> <p>(c) For Coastal Stations</p> <p>When Minimum Temperature departure is $\leq -4.5^{\circ}\text{C}$ & actual Minimum Temperature is $\leq 15^{\circ}\text{C}$</p>
Cold Day	<p>When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions</p> <p>Based on departure</p> <p>Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C.</p> <p>Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$</p>
Fog	<p>Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$</p> <p>Moderate Fog: When the visibility between 500-200 metres</p> <p>Dense Fog: when the visibility between 50- 200 metres</p> <p>Very Dense Fog: when the visibility < 50 metres</p>
Thunderstorm	<p>Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)</p>
Dust/Sand Storm	<p>An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.</p>
Frost	<p>Ice deposits on ground</p> <p>Air temperature $\leq 4^{\circ}\text{C}$ (over Plains)</p>
Squall	<p>A strong wind that rises suddenly, lasts for atleast 1 minute.</p> <p>Moderate: Wind speed 52-61 kmph</p> <p>Severe: Wind speed 62-67 kmph</p> <p>Very Severe: Wind speed >67 kmph</p>
Sea State	<p>Effect of various waves in the sea over specific area</p> <p>Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre</p> <p>High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre</p> <p>Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre</p>
Cyclone	<p>Cyclonic Storm: Wind speed 62-67 kmph (34-47 knots)</p> <p>Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)</p> <p>Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)</p> <p>Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)</p> <p>Super Cyclone Storm: Wind speed >220 kmph (>119 knots)</p>

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)