

Government of India Ministry of Earth Sciences India Meteorological Department



Press Release
Date: 29th October, 2025
Time of Issue: 1400 hours IST

Subject: (i) The Cyclonic Storm "Montha" weakened into a Deep Depression and lay centered at 0830 hrs IST of today over coastal Andhra Pradesh & adjoining Telangana.

(ii) Depression over eastcentral Arabian Sea.

(iii) Under the influences of above systems, isolated extremely heavy rainfall over Telangana on 29th October and very heavy rainfall over Coastal Andhra Pradesh & Yanam, Rayalaseema, Vidarbha and Marathawada on 29th October, Bihar on 30th & 31st October, Sub-Himalayan West Bengal & Sikkim on 31st October, Saurashtra & Kutch during 29th -31st October 2025.

Realised weather during past 24 hours ending at 0830 hours IST of today, the 29th October, 2025:

- * Extremely heavy rainfall has been recorded at isolated places over Coastal Andhra Pradesh & Yanam.
- ❖ Heavy to very heavy rainfall (7-20 cm) has been recorded at isolated places over Marathawada, Telangana, Odisha, Rayalaseema.
- Heavy rainfall (7-11 cm) has been recorded at isolated places over West Rajasthan, North Interior Karnataka, Tamil Nadu, East Rajasthan, Gangetic West Bengal, Bihar.

For more details of realised weather, kindly refer ANNEXURE I.

Weather Systems, Forecast and Warnings (refer to ANNEXURE II & III):

The severe cyclonic storm, "Montha" crossed the Andhra Pradesh & Yanan coasts between Machilipatnam and Kalingapatnam, to the south of Kakinada, close to Narsapur near latitude 16.35°N and longitude 83.7°E during midnight (2330 hrs IST of 28th and 0030 hrs IST) of 29th October 2025. Afterwards, it moved nearly northwestwards with a speed of 10 kmph, weakened into a Cyclonic Storm and lay centered at 0230 hrs IST of today, the 29th October 2025, near latitude 16.5°N & longitude 81.5°E, about 20 km west-northwest of Narsapur (Andhra Pradesh), 50 km northeast of Machilipatnam (Andhra Pradesh), 90 km west-southwest of Kakinada (Andhra Pradesh), 230 km southwest of Visakhapatnam (Andhra Pradesh) and 470 km southwest of Gopalpur (Odisha).

The Cyclonic Storm "Montha" over coastal Andhra Pradesh moved north-northwestwards with a speed of 15 kmph during past six hours, weakened into a Deep Depression and lay centered at 0830 hrs IST of today, the 29th October 2025 over coastal Andhra Pradesh & adjoining Telangana near latitude 17.3°N & longitude 81.2°E, about 50 km south-southeast of Bhadrachalam (Andhra Pradesh), 110 km east of Khammam (Telangana), 130 km south-southwest of Malkangiri (Odisha) and 220 km south-southwest of Jagdalpur (Chhattisgarh). It is likely to move north-northwestwards across Andhra Pradesh and adjoining Telangana & south Chhattisgarh and weaken into a depression during next 6 hours.

- ❖ Yesterday's Depression over eastcentral Arabian Sea remained practically stationary during past 3 hours and lay centered at 0830 hrs IST of today, the 29th October 2025, over the same region, near latitude 17.9°N & longitude 69.2°E, about 410 km west-southwest of Mumbai (Maharashtra), 430 km southwest of Veraval (Gujarat), 560 km west-northwest of Panjim (Goa), 820 km northwest of Mangalore (Karnataka), 850 km north-northwest of Aminidivi (Lakshadweep). It is likely to move northeastwards across Eastcentral Arabian Sea during next 36 hours.
- The upper air cyclonic circulation over south Haryana & adjoining Rajasthan in lower tropospheric level.

❖ The Western Disturbance as a trough in middle tropospheric westerlies with its axis at 5.8 km above mean sea level roughly along Long. 75°E to the north of Lat. 32°N.

Under the influence of these systems, the following weather is likely:

South Peninsular India:

- Light to moderate rainfall/thunderstorm at most/many places with isolated **heavy rainfall over** Kerala & Mahe and North Interior Karnataka on 29th and Coastal Andhra Pradesh & Yanam and Telangana during 29th 30th October with isolated **very heavy rainfall** over Coastal Andhra Pradesh & Yanam and Rayalaseema on 29th October.
- **Extremely heavy rainfall (≥21 cm)** likely at isolated places over Telangana on 29th October.
- Thunderstorm with lightning & gusty winds (speed reaching 40-50 kmph) likely over Kerala & Mahe and Lakshadweep on 29th and Telangana on 29th & 30th October with thunderstorm and lightning over Tamil Nadu and Rayalaseema on 29th & 30th; North Interior Karnataka on 29th and Coastal Andhra Pradesh & Yanam during 29th October -31st October.

East & Central India:

- Light to moderate rain/thunderstorm at some/isolated places with isolated **heavy rainfall** over Gangetic West Bengal during 29th October -31st October; Bihar and Jharkhand on 30th & 31st; Sub-Himalayan West Bengal & Sikkim during 30th October 01st November; Odisha on 29th October; East Madhya Pradesh, Vidarbha and Chhattisgarh on 29th & 30th; West Madhya Pradesh on 29th with isolated **very heavy rainfall** over Bihar on 30th & 31st and Sub-Himalayan West Bengal & Sikkim on 31st and Vidarbha on 29th October.
- * Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) over East Madhya Pradesh on 29th & 30th; Vidarbha on 29th October (speed reaching 40-50 kmph); with thunderstorm and lightning over West Madhya Pradesh for next 5 days; East Madhya Pradesh during 31st October- 02nd November; Vidarbha on 30th & 31st; Chhattisgarh on 29th & 30th; Gangetic West Bengal and Bihar during 29th October- 01st November; Odisha and Sub-Himalayan West Bengal & Sikkim during 29th -31st; Jharkhand on 29th & 30th October.

West India:

- Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** over Konkan & Goa and Madhya Maharashtra on 29th; Gujarat State during 29th October- 01st November with isolated **very heavy rainfall** over Marathawada on 29th; Saurashtra & Kutch during 29th -31st October.
- Thunderstorm with lightning likely over Gujarat State during next 5 days; over Maharashtra for next 2 days.

Northeast India:

- Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** over Arunachal Pradesh and Assam & Meghalaya on 31st October 01st November and Nagaland, Manipur, Mizoram & Tripura on 01st November.
- Thunderstorm with lightning over the region during 30th October 01st November.

Northwest India:

- Light to moderate rain/thunderstorm at isolated places with isolated heavy rainfall likely over East Uttar Pradesh on 30th & 31st October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over East Uttar Pradesh on 30th & 31st October with thunderstorm with lightning East Rajasthan on 29th and 30th and West Uttar Pradesh on 29th October.
- No significant change in temperature over the region for next 5-7 days.

Warning for Bay of Bengal, along & off Andhra Pradesh coast, Coastal Andhra Pradesh & Yanam, Telangana, South Chhattisgarh and South interior Odisha and Along & off south Odisha coast, Along & off North Tamil Nadu & Puducherry coasts

Wind warning:

- Squally wind speed reaching 45-55 kmph gusting to 65 kmph is likely to prevail over Westcentral Bay of Bengal and along & off Andhra Pradesh coast till evening of 29th October and decrease thereafter.
- Squally wind speed reaching 35-45 kmph gusting to 55 kmph is likely to prevail over adjoining areas of northwest Bay of Bengal till evening of 29th October.

- ❖ Coastal Andhra Pradesh & Yanam: Squally wind speed reaching 50-60 kmph gusting to 70 kmph is likely to prevail till afternoon of 29th and decrease thereafter.
- Telangana: Squally wind speed reaching 45-55 kmph gusting to 65 kmph is likely to prevail till afternoon of 29th and decrease thereafter.
- South Chhattisgarh and South interior Odisha: Squally wind speed reaching 40-50 kmph gusting to 60 kmph is likely to prevail till afternoon of 29th and decrease thereafter.
- ❖ Along & off south Odisha coast: Squally wind speed reaching 35-45 kmph gusting to 55 kmph till 29th October afternoon and decrease gradually thereafter.
- Along & off North Tamil Nadu & Puducherry coasts: Squally wind speed reaching 35-45 kmph gusting 55 kmph till 29th afternoon and decrease further thereafter.

Sea conditions:

- Sea condition is likely to be rough to moderate over Westcentral Bay of Bengal and along & off Andhra Pradesh coast till evening of 29th October and improve thereafter.
- Sea condition is likely to be moderate over adjoining areas of northwest Bay of Bengal till evening of 29th October and improve thereafter.
- Sea condition is likely to be moderate along & off South Odisha coast till 29th October afternoon and improve gradually thereafter.
- Sea condition is likely to be moderate along & off North Tamil Nadu & Puducherry coasts till 29th October afternoon and improve gradually thereafter.

Fishermen Warning:

Fishermen are advised not to venture into adjoining westcentral Bay of Bengal, along & off Andhra Pradesh & Yanam (of Puducherry) and adjoining North Tamil Nadu & south Odisha coasts till 29th October evening.

Impact Expected and Action Suggested due to heavy rain (Andhra Pradesh & Yanam of Puducherry and adjoining Telangana)

- Breaking of tree branches. Damage to banana and papaya trees. Large dead limbs blown from trees.
- Damage to paddy crops, horticultural and standing crops and orchards due to inundation & winds.
- ❖ Inundation of low-lying areas in coastal districts due to heavy rainfall and flash flood
- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic due to water logging and squally winds
- Localized Landslides/Mudslides It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action suggested:

- ❖ Total suspension of fishing operations upto afternoon of today, the 29th October.
- ❖ People in affected areas to remain indoors.
- Movement in motor boats unsafe.
- Judicious regulation of offshore/onshore operations
- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- ❖ In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Surface transport and helicopter services to be regulated.

Warning for Areas of Arabian Sea, along & off Maharashtra and Gujarat coasts

Wind warning:

Squally wind with speed reaching 45-55 gusting to 65 kmph prevailing around the system center and continue to prevail over Eastcentral and adjoining Southeast Arabian Sea till 29th October.

Squally weather with wind speed reaching 45-55 kmph gusting to 65 kmph is very likely to prevail over northeast Arabian Sea and along & off Maharashtra and Gujarat coasts till 30th October.

Sea condition:

Sea Condition is likely to be rough to very rough over Eastcentral Arabian Sea till 30^{th} October.

Rough sea Condition is prevailing over northeast Arabian Sea and along & off Maharashtra and Gujarat coasts and likely to become rough to very rough during 29th to 30th October.

Fishermen warnings:

Fishermen are advised not to venture into Eastcentral Arabian Sea till 29th and northeast Arabian Sea and along & off Maharashtra and Gujarat coasts till 30th October.

Impact Expected and Action Suggested due to heavy rain and strong winds (Kerala, coastal Karnataka, Konkan & Goa and Gujarat state)

Impact expected:

- Breaking of tree branches. Strong wind and heavy rain may damage plantation, horticulture and standing crops.
- Minor damage to kutcha houses/walls, huts and roads due to strong winds and heavy rain.
- * Road and rail traffic may be affected due to heavy rain.
- There could be localised flash floods, landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Surface & Helicopter services may be regulated.
- ❖ Small ships & country boats would be affected due to strong wind and heavy rain.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- ❖ In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Surface transport and helicopter services to be regulated.

ii. Weather conditions and forecast over Delhi/NCR during 29th October to 01st November, 2025 (ANNEXURE IV)

For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all india forcast bulletin.php

For District wise warnings refer: https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php

For Fishermen warning refer https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php

ANNEXURE I

Rainfall recorded (in cm) during past 24 hours till 0830 hours IST of today, the 29th October (≥ 7cm):


- Coastal Andhra Pradesh & Yanam: Ongole (dist Prakasam) 25; Chimakurthi (dist Prakasam) 24; Kavali (dist Spsr Nellore), Kandukur (dist Spsr Nellore) 22 Each; Darsi (dist Prakasam) 19; Addanki (dist Bapatla) 18; Podili (dist Prakasam) 17; Konakanamitla (dist Prakasam) 16; Markapur (dist Prakasam) 15; Cumbum (dist Prakasam) 14; Marripudi (dist Prakasam), Racherla (dist Prakasam), Yerragondapalem (dist Prakasam), Mundlamuru (dist Prakasam) 13 Each; Srungavarapukota (dist Vizianagaram), Karamchedu (dist Bapatla), Bestavaripeta (dist Prakasam), Udayagiri (dist Spsr Nellore), Bapatla (dist Bapatla), Vinjamur (dist Spsr Nellore) 12 Each; Veligandla (dist Prakasam) 11; Anakapalle AP (dist Anakapalli), Ardhaveedu (dist Prakasam), Araku Valley (dist Alluri Sitharamaraju), Nellore (dist Spsr Nellore), Piduguralla (dist Palnadu), Seetharamapuram (dist Spsr Nellore) 10 Each; Nandigama (dist Ntr District), Atmakur (dist Spsr Nellore) 9 Each; Santhamaguluru (dist Bapatla), Palasa (dist Srikakulam), Repalle (dist Bapatla), Sompeta (dist Srikakulam), Paderu (dist Alluri Sitharamaraju), Bondapalle (dist Vizianagaram), Mentada (dist Vizianagaram), Jangamaheswarapuram (dist Palnadu), Tiruvuru (dist Ntr District) 8 Each; Chodavaram (dist Anakapalli), Mandasa (dist Srikakulam), Macherla (dist Palnadu), Gantyada (dist Vizianagaram), Merakamudidam (dist Vizianagaram), Guntur (dist Guntur) 7 Each;
- * Rayalaseema: Srisailam (dist Nandyal) 20; Atmakur (dist Nandyal) 14; Porumamilla (dist Ysr District) 13; Jupadu Bungalow (dist Nandyal) 12; Nandyal (dist Nandyal), Rudravaram (dist Nandyal) 11 Each; Allagadda (dist Nandyal), Nandikotkur (dist Nandyal) 10 Each; Pagidyala (dist Nandyal) 9; Badvel (dist Ysr District), Dornipadu (dist Nandyal) 8 Each; Gudur (dist Tirupati), Koilkuntla (dist Nandyal), Atlur (dist Ysr District), Duvvur (dist Ysr District) 7 Each;
- Marathwada: Renapur (dist Latur) 19; Latur (dist Latur) 11; Deoni (dist Latur) 10; Gangakhed (dist Parbhani), Pathri (dist Parbhani), Parli Vaijnath (dist Beed), Badnapur (dist Jalna) 7 Each;


- ❖ Telangana: Achampeta (dist Nagarkurnool) 17; Kalwakurthy (dist Nagarkurnool) 16; Devarakonda (dist Nalgonda) 13; Pedda Adiserlapalle (dist Nalgonda) 12; Dornakal (dist Mahabubabad), Vangoor (dist Nagarkurnool), Midjil (dist Mahabubnagar) 11 Each; Jadcherla (dist Mahabubnagar) 10; Garla (dist Mahabubabad), Kollapur (dist Nagarkurnool), Bonakal (dist Khammam), Nagar Kurnool (dist Nagarkurnool), Thollada (dist Khammam), Thimmajipeta (dist Nagarkurnool), Gopalpet (dist Wanaparthy) 9 Each; Nagarjunsagar (dist Nalgonda), Madhira (dist Khammam), Marriguda (dist Nalgonda), Mattampally (dist Suryapet), Wyra Kvk(agro) (dist Khammam) 8 Each; Wanaparthy (dist Wanaparthy), Khila Ghanpur (dist Wanaparthy), Bala Nagar (dist Mahabubnagar) 7 Each;
- Odisha: Gosani (dist Gajapati) 15; Patrapur (dist Ganjam) 12; Jaipur (dist Balasore) 11; Udala (dist Mayurbhanj), Purushottampur (dist Ganjam) 10 Each; Pottangi (dist Koraput), Nilgiri (dist Balasore), Balasore (dist Balasore), Gumma (dist Gajapati), Sankheimundi (dist Ganjam), Aul (dist Kendrapara) 9 Each; Nh5 Gobindpur (dist Balasore), Mahendragarh (dist Gajapati), Soro (dist Balasore), Tihidi (dist Bhadrak), Aska (dist Ganjam), Betanati (dist Mayurbhanj), Kaptipada (dist Mayurbhanj), Polsara (dist Ganjam), Oupada (dist Balasore), Daringibadi (dist Kandhamal) 8 Each; R.udaigiri (dist Gajapati), Bhuban (dist Dhenkanal), Remuna (dist Balasore), Chandbali (dist Bhadrak), Balimundali (dist Mayurbhanj), Hatadihi (dist Keonjhargarh), Sheragada (dist Ganjam), G B Nagar (dist Mayurbhanj), Hinjili (dist Ganjam) 7 Each;
- ❖ North Interior Karnataka: Bhalki (dist Bidar) 9; Aurad (dist Bidar) 7;
- Gangetic West Bengal: Contai (dist East Midnapore) 8;
- **❖ Tamil Nadu, Puducherry & Karaikal**: Nalumukku (dist Tirunelveli) 7;
- **East Rajasthan**: Dungla SR (dist Chittorgarh) 7;
- ❖ Bihar: Dobhi (dist Gaya) 7.


ANNEXURE II


Table-1								
	7 Days Rainfa	II Forec	ast					
S.No.	Subdivision			31- Oct			10.00	
		Day 1		Day 3	Day 4			
1	and the latest of the control of the	FWS		WS	WS	FWS		
	ARUNACHAL PRADESH	ISOL			FWS		A CONTRACTOR OF THE PERSON NAMED IN	
	ASSAM & MEHGHALAYA	ISOL			WE	FWS		
	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	Commission and the second second			المتناسب	SCT	and the same of	ISO
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	ISOL	FWS		FWS	ISOL	ISOL	DR'
6	GANGETIC WEST BENGAL	44.5	WS	FWS		ISOL		
7	ODISHA	FWS	SCT	ISOL	ISOL	ISOL		
	JHARKHAND	Ws	We	SCT	ISOL	DRY		
	BIHAR	ISOL		FWS		ISOL	ISOL	
10	EAST UTTAR PRADESH	SCT		SCT	ISOL	DRY	DRY	DR'
11	WEST UTTAR PRADESH	ISOL	SCT	ISOL	DRY	DRY	DRY	DR'
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DR'
13	HARYANA, CHANDIGARH & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DR
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DR'
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DR'
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	DRY	DRY	DR'
17	WEST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DR'
18	EAST RAJASTHAN	ISOL	SCT	ISOL	ISOL	ISOL	ISOL	ISO
19	WEST MADHYA PRADESH	SCT		SCT	ISOL	ISOL	ISOL	ISO
20	EAST MADHYA PRADESH	FWS	WS	FWS	SCT	ISOL	ISOL	
21	GUJRAT REGION	FWS	We	FWS	SCT	SCT	Annual Control of the	Company of the last of the las
22	POLICE AND A DESCRIPTION OF A DESCRIPTIO	FWS		FWS	SCT	SCT		
	KONKAN & GOA	WS	FWS	The second second		ISOL		ISO
24	THE CONTRACTOR OF THE CONTRACT	FWS			ISOL	-		
25	MARATHWADA	Wi	SCT		ISOL			
26	VIDARBHA	FWS			ISOL		ISOL	Annual Control of the
27	- Control of the Cont	FWS			ISOL	The second second		
28		WS	FWS		ISOL			
29		990	SCT	ISOL	ISOL			
	RAYALASEEMA	WS	SCT	ISOL	ISOL	ISOL	ISOL	
31	Unit Operation with the Control of t	ISOL		The second second	ISOL	ISOL	ISOL	
32		SCT		ISOL	DRY	ISOL	DRY	
33		ISOL			-	DRY	*****************	
	SOUTH INTERIOR KARNATAKA	ISOL		DRY	DRY	DRY	DRY	
35		FWS			ISOL			
36	AND CONTRACTOR OF CONTRACTOR CONT	FWS		Name and Address of the Owner, where the Owner, which is the Owner, which is the Owner, where the Owner, which is the Owner	SCT	THE RESERVE TO SHARE WELL BOTH WELL BOTH TO SHARE WELL BOTH TO SHARE WELL BOTH TO SHARE W		THE RESERVE AND ADDRESS OF

• As the lead period increases forecast accuracy decrease.









- Action may be taken based on ORANGE AND REDCOLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.

DetaileddistrictwiseMultiHazardweatherwarningfornextfivedaysavailableat https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php

Weather forecast over Delhi/NCR during 29th October to 01st November 2025

Past Weather:

There has been fall in the minimum temperature up to $1-2^{\circ}C$ and fall in the maximum temperature up to $2-3^{\circ}C$ over Delhi/NCR during the past 24 hours. The maximum and minimum temperatures over Delhi were around 25 to $26^{\circ}C$ and 16 to $18^{\circ}C$ respectively. The minimum temperature was near normal and maximum temperature was below normal up to $4-5^{\circ}C$. Generally cloudy sky conditions with predominant surface wind from the southeast direction associated with calm wind as gradually increase becoming up to 08 kmph prevailed during the past 24 hours. Generally cloudy sky conditions associated with calm wind as gradually increase becoming up to 10 kmph from the northwest direction prevailed over the region in the forenoon today.

Weather Forecast:

29.10.2025: Partly cloudy sky. Mist/Haze from evening onwards. The maximum temperatures were in the range of 27 to 29° C. The maximum temperature will be below normal up to $2 - 4^{\circ}$ C. The predominant surface wind will likely to be from the northeast direction with a wind speed of up to 10 kmph during afternoon hours. The wind speed will decrease becoming upto 05 kmph from the southeast direction during the evening and night.

30.10.2025: Partly cloudy sky with mist/haze during morning hours. The maximum and minimum temperatures over Delhi are likely to be in the range of 29 to 31° C and 17 to 19° C respectively. The minimum temperature will be above normal up to $1 - 2^{\circ}$ C and the maximum temperature will be near normal. The predominant surface wind will likely to be from the southeast direction associated with calm wind as gradually increase becoming up to 05 kmph during morning hours. The wind speed will gradually increase becoming up to 10 kmph from the northeast direction in the afternoon. The wind speed will decrease becoming less than 08 kmph from the southeast direction during the evening and night.

31.10.2025: Partly cloudy sky. Mist/Haze during morning hours. The maximum and minimum temperatures over Delhi are likely to be in the range of 30 to 32° C and 18 to 20° C respectively. The minimum temperature will be above normal up to $1 - 3^{\circ}$ C and the maximum temperature will be near normal. The predominant surface wind will likely to be from the southwest direction with a wind speed of up to 10 kmph during morning hours. The wind speed will increase becoming less than 12 kmph from the southwest direction in the afternoon. The wind speed will decrease becoming less than 08 kmph from the southwest direction during the evening and night.

01.11.2025: Mainly clear sky with mist/haze during morning hours. The maximum and minimum temperatures over Delhi are likely to be in the range of 30 to 32° C and 16 to 18° C respectively. The minimum temperature will be above normal up to $1-2^{\circ}$ C and the maximum temperature will be near normal. The predominant surface wind will likely to be from the northwest direction with a wind speed of up to 10 kmph during morning hours. The wind speed will increase becoming less than 15 kmph from the northwest direction in the afternoon. The predominant surface wind will likely to be from the north direction associated with calm wind as gradually decrease becoming up to 05 kmph during the evening and night.

Impact & Action Suggested due to

- **❖ Extremely heavy rainfall (≥21 cm)** at isolated places over Telangana on 29th October.
- ❖ Very heavy rainfall (12-20 cm) at isolated places over Marathwada, Vidarbha, Coastal Andhra Pradesh & Yanam, Rayalaseema on 29th; Saurashtra & Kutch during 29th -31st; Bihar on 30th & 31st and Sub-Himalayan West Bengal & Sikkim on 31st October.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- > Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- > Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- > Damage to horticulture and standing crops in some areas due to inundation.

➤ It may lead to riverine flooding in some river catchments mainly over Bihar, Jharkhand and West Bengal (for riverine flooding please visit Web page of CWC)

Action Suggested

- > Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

- ➤ In **Telangana**, avoid harvesting of matured cotton crop during heavy rainfall periods and store the already harvested produce in safe places. Cover the already harvested produce of maize and soybean crops lying on the fields with taurpalin or shift to a safer place. Drain out excess water from fields of rice, cotton, pigeon pea, green gram, groundnut, turmeric and vegetables.
- In **Andhra Pradesh**, postpone harvesting of groundnut and maize crops during heavy rainfall periods and store the already harvested produce in safe places. Drain out excess water from fields of rice, maize, sugarcane, pigeon pea, black gram, green gram, finger millet, cotton, groundnut, turmeric, ginger, vegetables and plantations of banana, mango, cashew, coconut and arecanut. Avoid sowing of *rabi* crops (*rabi* maize, Bengal gram etc.) until the soil moisture reaches at optimum level.
- ➤ In **Kerala**, harvest matured rice crop immediately and keep the produce in safe places. Ensure adequate drainage facilities in fields of rice, ginger, vegetables and plantations of banana, coconut, arecanut, cardamom and black pepper.
- ➤ In **Odisha**, drain out excess water from fields of rice, black gram, green gram, pigeon pea, maize, groundnut, cotton, sugarcane and vegetables and fruit orchards. Postpone sowing / planting of *rabi* crops (*rabi* pulses, vegetables etc.) till cessation of rains.
- ➤ In **West Bengal**, make arrangements to drain out excess water from fields of rice, groundnut, pulses, ginger and vegetables.
- > In **Jharkhand**, harvest matured rice crop only during fair weather and store the harvested produce in safer places.
- ➤ In **Bihar**, harvest matured crops of rice and maize only during fair weather / non-rainy period and shift the produce to safer places.
- ➤ In **East Uttar Pradesh**, harvest matured crops of rice and vegetables only during fair weather / non-rainy period and store the produce in safe places.
- ➤ In **Gujarat**, harvest the matured crops of rice, groundnut, soybean, black gram, green gram, sesame, maize, pearl mllet and vegetables (tomato, brinjal, chilli, okra, cucurbits etc.) only during fair weather and store the produce in safe places. Make provision to drain out excess water from standing crop fields.
- ➤ In **Chhattisgarh**, harvest matured crops of rice, minor millets, maize, black gram, horse gram, groundnut and pigeon pea only during fair weather and keep the harvested produce at safer places. Make arrangements to drain out excess water from standing crop fields.
- In **Madhya Pradesh**, harvest matured crops of rice, maize and soybean during fair weather only and and shift the produce to safer places.
- In **Konkan**, keep the harvested produce of rice and finger millet in safer places. In **Madhya Maharashtra**, store the harvested produce of rice, soybean, maize, groundnut and pearl millet in safe places. In **Marathwada**, continue picking of cotton only during fair weather / non-rainy period and shift the harvested produce of cotton and soybean to safer places. In **Vidarbha**, continue picking of cotton only during fair weather / non-rainy period and keep the already harvested produce of rice, soybean and cotton at safer places, if storage is not possible cover the produce with plastic / tarpaulin sheets. In **East Vidarbha**, postpone harvesting of matured rice during heavy rainfall periods.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

- ➤ Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
- > Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.

Flash Flood Guidance:


24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 30-10-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24

Telangana - Jagtial, Nirmal, Nizamabad and Rajanna Sircilla districts.

Marathawada - Hingoli, Nanded and Parbhani districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



Legends & abbreviations:

- Heavy Rain:64.5-115.5mm; Very Heavy Rain:115.6-204.4mm; Extremely Heavy Rain: >204.4mm.
- ❖ Obsy: Observatory; Automatic Weather Station; ARG: Automatic Rain Gauge; dist: District: NH: National Highway; KVK: Krishi Vigyan Kendra; DVC: Damodar Valley Corporation; PTO: Part Time Office, Aero: Aerodrome, IAF: Indian Air Force.
- * Region wise classification of meteorological Sub-Divisions:
 - Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
 - Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
 - **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
 - Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
 - West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
 - **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



36. लक्षद्वीप

% Stations

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

36. Lakshadweep

LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

Category

% Stations

10 010010					51		
76-100	Widespread (WS/Most Places)		26-50	Scattered (SCT/A Few Places)			
51-75	Fairly Widesp	read (FWS/Many Places)	1-25	isolated (ISOL)			
Fog		Heavy Snow	Cold Wave	COLOUR CO	DDED WARNING		
		-	T ARMAN CALABANA	No. of Concession, Name of Street, or other Designation, Name of Street, Name	No Warning (No Action) Watch (Be Aware) Alert (Be Prepared To Take Action)		
Reavy Rain		⊕ Dust Storm	Cold Day	Watch (B			
Very Heavy Rain		+ Heat Wave	Ground Fr	Alert (Be			
Extremely Heavy Rain		+ Warm Night		Warning	Warning (Take Action)		
		La Hat Day		Proba	Probabilistic Forecast		
Thunder & Lightning		+ Hot Day		Terms	Probability of Occurrence (%)		
		A 100 100 100 100 100 100 100 100 100 10		Unlikely	< 25		
Hailstorm				Likely	25 - 50		
				Very Likely	50 - 75		
: Dust Rais	ing Winds	Strong Surface Win	ds	Most Likely	>75		





	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.8 to 204.4 mm/cm*
rain anow	Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C. Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure Cold Wave: Minimum Temperature Departure from normal ≤ 4.5 °C to -6.4 °C. Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	
CONTRACTOR ((b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤ -4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal s -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km Moderate Fog: When the visibility_between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground
riost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Constant II	Moderate: Wind speed 52-61 kmph
Squall	Severe: Wind speed 62-87 kmph
	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Sea State	Rough to very rough: Wind speed 41-82 kmph (22-33 knots) & Wave height 2,5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
,	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
	The first of the control of the cont
Cyclone	Severe Cyclonic Storm: Wind speed 62-67 kmph (34-47 kmph) (48-63 knots) Very Severe Cyclonic Storm: Wind speed 81-17 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Cyclone	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)