



Government of India
Ministry of Earth Sciences
India Meteorological Department



Press Release

Date: 30th August 2026

Time of Issue: 1330 hours IST

Subject: (i) Under the influence of Well Marked Low-Pressure Area over northwest Bay of Bengal & adjoining West Bengal-north Odisha coasts, isolated heavy to very heavy rainfall very likely over Gangetic West Bengal & Jharkhand on 30th & 31st; over Odisha & Chhattisgarh during 30th August-1st September with isolated extremely heavy falls over Odisha on 30th & 31st and over Chhattisgarh on 31st August 2026.
(ii) Subdued rainfall activity likely to continue over Peninsular India during next one week.

Realised weather during past 24 hours ending at 0830 hours IST of today, the 30th August, 2026:

- ❖ **Extremely Heavy rainfall (>20 cm)** has been recorded at isolated places over East Uttar Pradesh.
- ❖ **Very Heavy rainfall (12-20 cm)** has been recorded at isolated places over Odisha, Jharkhand, East Madhya Pradesh, Chhattisgarh and Haryana.
- ❖ **Heavy rainfall (7-11 cm)** has been recorded at isolated places over Gangetic West Bengal, Bihar, Uttarakhand, West Uttar Pradesh and Konkan & Goa.

Weather Systems, Forecast and Warnings (Annexure I & II):

- ❖ The western end of **monsoon trough** is north of its normal position and eastern end is near its normal position at mean sea level.
- ❖ The **low pressure** area over northwest Bay of Bengal & adjoining West Bengal-north Odisha coasts lay as a **Well Marked Low Pressure Area** over the same region at 0830 IST of today 30th August, 2026. It is likely to move west-northwestwards across north Odisha-Gangetic west Bengal during next 24 hours.
- ❖ A **trough** run from the cyclonic circulation associated with the centre of Well Marked Low Pressure Area mentioned above to northwest Uttar Pradesh across Jharkhand and Bihar in lower tropospheric levels.
- ❖ The **Western Disturbance** lay as an upper-air cyclonic circulation over north Pakistan & adjoining Jammu division in middle tropospheric levels.
- ❖ An **upper air cyclonic circulation** lay over Saurashtra & neighbourhood in middle tropospheric levels.

Under the influence of above systems, the following weather is likely:

Northwest India:

- ❖ **Isolated to Scattered** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 30th August and during 3rd-5th September; Himachal Pradesh on 30th August.
- ❖ **Isolated to Scattered** rainfall likely over Haryana Chandigarh & Delhi, Punjab and West Uttar Pradesh during 30th August-5th September; East Uttar Pradesh during 30th-31st August; West Rajasthan during 3rd-5th September; East Rajasthan during 1st-5th September.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 31st August-2nd September; Himachal Pradesh during 31st August-5th September; Uttarakhand during 30th August-5th September.
- ❖ **Fairly Widespread to Widespread** rainfall likely over East Uttar Pradesh during 1st-5th September.
- ❖ Isolated **thunderstorm & lightning** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand during 30th August-5th September; West Uttar Pradesh during 31st August-1st September; East Uttar Pradesh during 30th August-1st September.
- ❖ Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 31st August-1st September; Himachal Pradesh during 31st August-3rd September; Uttarakhand during 2nd-5th September; West Uttar Pradesh during 31st August-5th September; East Uttar Pradesh on 30th August and during 1st-5th September with isolated **very heavy rainfall** also likely over Uttarakhand during 30th August-1st September; East Uttar Pradesh on 31st August.

Central India:

- ❖ **Isolated to Scattered** rainfall likely over West Madhya Pradesh during 30th August-1st September.
- ❖ **Fairly Widespread to Widespread** rainfall likely over West Madhya Pradesh during 2nd-5th September; Chhattisgarh, East Madhya Pradesh and Vidarbha during 30th August-5th September.
- ❖ **Isolated thunderstorm & lightning** likely over Chhattisgarh, East Madhya Pradesh and West Madhya Pradesh during 30th August-3rd September; Vidarbha during 2nd-3rd September.
- ❖ **Isolated heavy rainfall** likely over West Madhya Pradesh during 1st-2nd September; East Madhya Pradesh during 30th-31st August and during 4th-5th September; Vidarbha during 2nd-3rd September; Chhattisgarh on 31st August and during 2nd-4th September with isolated **very heavy rainfall** also likely over West Madhya Pradesh during 3rd-5th September; East Madhya Pradesh during 1st-3rd September; Chhattisgarh on 30th August and on 1st September.
- ❖ **Isolated Extremely heavy rainfall** likely over Chhattisgarh on 31st August.

East India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands, Gangetic West Bengal and Sub-Himalayan West Bengal & Sikkim during 30th August-5th September; Jharkhand and Odisha during 30th August-2nd September; Bihar during 31st August-2nd September.
- ❖ **Isolated to Scattered** rainfall likely over Jharkhand and Odisha during 3rd-5th September; Bihar on 30th August and during 3rd-5th September.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Andaman & Nicobar Islands during 30th August-5th September; Gangetic West Bengal during 30th-31st August; Odisha during 30th August-1st September, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Sub-Himalayan West Bengal & Sikkim during 30th August-2nd September; Gangetic West Bengal on 1st September; Jharkhand during 30th August-3rd September; Bihar during 30th August-5th September.
- ❖ **Isolated heavy rainfall** likely over Sub-Himalayan West Bengal & Sikkim during 31st August-3rd September; Gangetic West Bengal during 31st August-1st September; Jharkhand during 1st-2nd September; Bihar on 30th August and during 1st-2nd September; Odisha during 30th-31st August and during 2nd-3rd September with isolated **very heavy rainfall** also likely over Gangetic West Bengal on 30th August; Jharkhand during 30th-31st August; Bihar on 31st August; Odisha on 1st September.
- ❖ **Isolated Extremely heavy rainfall** likely over Odisha on 30th & 31st August.

Northeast India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 30th August-5th September.
- ❖ **Isolated thunderstorm & lightning** likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 30th August-3rd September.
- ❖ **Isolated heavy rainfall** likely over Arunachal Pradesh on 30th August and during 1st-5th September; Assam & Meghalaya during 31st August-5th September; Nagaland, Manipur, Mizoram & Tripura during 1st-5th September with isolated **very heavy rainfall** also likely over Arunachal Pradesh on 31st August; Assam & Meghalaya on 30th August; Nagaland, Manipur, Mizoram & Tripura during 30th-31st August.

West India:

- ❖ **Fairly Widespread to Widespread** rainfall likely over Konkan & Goa during 30th August-5th September; Madhya Maharashtra on 4th September.
- ❖ **Isolated to Scattered** rainfall likely over Madhya Maharashtra during 30th August-3rd September and on 5th September; Gujarat Region, Marathwada and Saurashtra & Kutch during 30th August-5th September.
- ❖ **Isolated thunderstorm & lightning** likely over Madhya Maharashtra on 4th September; Marathwada during 30th-31st August and on 3rd September.
- ❖ **Isolated heavy rainfall** likely over Madhya Maharashtra on 30th August.

South Peninsular India:

- ❖ **Isolated to Scattered** rainfall likely over Coastal Andhra Pradesh & Yanam, North Interior Karnataka, Rayalaseema, South Interior Karnataka, Tamil Nadu, Puducherry & Karaikal and Telangana during 30th August-5th September; Kerala & Mahe and Lakshadweep during 4th-5th September.
- ❖ **Fairly Widespread to Widespread** rainfall likely over Kerala & Mahe and Lakshadweep during 30th August-3rd September; Coastal Karnataka during 30th August-5th September.
- ❖ **Isolated thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Tamil Nadu, Puducherry & Karaikal during 30th August-2nd September; Coastal Andhra Pradesh & Yanam and Rayalaseema during 30th August-3rd September, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe, Lakshadweep and Telangana during 30th-31st August; Coastal Karnataka, North Interior Karnataka and South Interior Karnataka during 30th August-1st September.
- ❖ **Strong Surface Winds** likely over Kerala & Mahe and Lakshadweep during 30th-31st August; Coastal Karnataka, North Interior Karnataka and South Interior Karnataka during 30th August-1st September; Coastal Andhra Pradesh & Yanam and Rayalaseema during 30th August-3rd September.

Fishermen Warning:

- ❖ **Bay of Bengal:** Off south Tamil Nadu coast, few parts of Gulf of Mannar adjoining Comorin area and some parts of southwest Bay of Bengal adjoining south Sri Lanka coast till 04th September and over Andaman Sea till 03rd September; along and off West Bengal, Odisha, north Andhra Pradesh, Bangladesh coasts, over north adjoining some parts of central Bay of Bengal till 01st September.
- ❖ **Arabian Sea:** Along and off Somalia and Oman coasts, over many parts of westcentral and some parts of southwest Arabian Sea till 04th September and over adjoining north & eastcentral Arabian Sea till 02nd September.

Weather conditions and forecast over Delhi/NCR during next 4 days (Annexure III)

For more details, kindly refer National Weather Bulletin:

https://mausam.imd.gov.in/responsive/all_india_forecast_bulletin.php

For District wise warnings refer: <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>




For Fishermen warning refer <https://rsmcnewdelhi.imd.gov.in/fishermenwarning.php>





Highest rainfall recorded (> 7 cm) (from 0830 hours IST of yesterday to 0830 hours IST of today over different Meteorological Subdivision):

- ❖ **East Uttar Pradesh:** Baberu (Banda) 22
- ❖ **Odisha:** Balasore 16
- ❖ **Haryana:** Kalka (dist Panchkula) 16
- ❖ **Jharkhand:** Latehar 14
- ❖ **East Madhya Pradesh:** Ramnagar 12
- ❖ **Chhattisgarh:** Balrampur 12
- ❖ **Uttarakhand:** Maldevta (AWS) 9
- ❖ **Bihar:** Aurangabad 8
- ❖ **Konkan & Goa:** Quepem (Goa) 8
- ❖ **West Uttar Pradesh:** Bisalpur (Pilibhit) 8
- ❖ **Gangetic West Bengal:** Bankura 8

Table-1								
7 Days Rainfall Forecast								
S.No.	Subdivision	30- Aug	31- Aug	1- Sep	2- Sep	3- Sep	4- Sep	5- Sep
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	FWS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	FWS	FWS	FWS	FWS	FWS	FWS	FWS
3	ASSAM & MEHGHALAYA	FWS	FWS	FWS	FWS	FWS	FWS	FWS
4	NAGALAND, MANIPUR, MIZORAM AND TRIPURA	WS	FWS	FWS	FWS	FWS	FWS	FWS
5	SUB HIMALAYAN WEST BENGAL & SIKKIM	FWS	WS	WS	FWS	FWS	FWS	FWS
6	GANGETIC WEST BENGAL	WS	WS	WS	FWS	FWS	FWS	FWS
7	ODISHA	WS	WS	FWS	FWS	SCT	SCT	SCT
8	JHARKHAND	WS	WS	WS	FWS	SCT	SCT	ISOL
9	BIHAR	SCT	FWS	WS	FWS	SCT	SCT	SCT
10	EAST UTTAR PRADESH	SCT	SCT	FWS	FWS	FWS	FWS	FWS
11	WEST UTTAR PRADESH	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
12	UTTARAKHAND	WS	WS	WS	FWS	FWS	FWS	FWS
13	HARYANA, CHANDIGARH & DELHI	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
14	PUNJAB	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
15	HIMACHAL PRADESH	SCT	FWS	WS	FWS	FWS	FWS	FWS
16	JAMMU AND KASHMIR AND LADAKH	SCT	WS	WS	FWS	SCT	SCT	SCT
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
18	EAST RAJASTHAN	DRY	DRY	ISOL	ISOL	ISOL	SCT	SCT
19	WEST MADHYA PRADESH	ISOL	SCT	SCT	FWS	FWS	FWS	FWS
20	EAST MADHYA PRADESH	FWS	FWS	WS	WS	WS	FWS	FWS
21	GUJRAT REGION	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
22	SAURASHTRA & KUTCH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
23	KONKAN & GOA	WS	WS	WS	WS	WS	WS	WS
24	MADHYA MAHARASHTRA	SCT	SCT	SCT	SCT	SCT	FWS	SCT
25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	SCT	SCT	ISOL
26	VIDARBHA	FWS	FWS	FWS	WS	WS	FWS	FWS
27	CHHATTISGARH	WS	WS	WS	WS	WS	WS	FWS
28	COASTAL ANDHRA PRADESH	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
29	TELANGANA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
33	NORTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
35	KERALA AND MAHE	WS	FWS	FWS	FWS	FWS	SCT	SCT
36	LAKSHADWEEP	WS	FWS	FWS	FWS	FWS	SCT	SCT

As the lead period increases forecast accuracy decrease.





Action may be taken based on ORANGE AND REDCOLOUR warnings.

Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning. As the lead period increases forecast accuracy decreases.

Detailed district-wise Multi-Hazard weather warning for next five days available at <https://mausam.imd.gov.in/responsive/districtWiseWarningGIS.php>

Weather forecast over Delhi/NCR during 30th August-02nd September 2026**Past Weather:**

There has been rise in maximum temperatures by 1°C and no large change in minimum temperatures over Delhi during past 24 hours. The maximum temperatures were 34-36 °C and the minimum temperatures are in the range 24-28°C respectively during past 24 hours over Delhi. The minimum temperatures are below normal (-1.6°C to -3.0°C) at isolated places, above normal (1.6°C to 3.0°C) at isolated places and normal (-1.5°C to 1.5°C) at remaining parts of Delhi. The maximum temperatures were appreciably above normal (3.1°C to 5.0°C) at isolated places, above normal (1.6°C to 3.0°C) at isolated places and normal (-1.5°C to 1.5°C) at remaining parts of Delhi. Partly cloudy sky with surface wind speed 20 kmph gusting to 35 kmph from the west direction prevailed over Delhi during past 24 hours. Partly cloudy sky with surface wind speeds up to 20 kmph gusting to 35 kmph likely to prevail from the west direction during forenoon over the region today.

Weather Forecast:

30.08.2026: Partly cloudy sky. The maximum temperatures over Delhi are likely to be in the range of 36-38°C. The maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the southwest direction with surface wind speed reaching up to 20 kmph during the afternoon. The wind speed will increase becoming up to 25 kmph from the southwest direction during evening and night.

31.08.2026: Partly cloudy sky. The maximum and minimum temperatures over Delhi are likely to be in the range of 35°C to 37°C and 25°C to 27°C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and the maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the southwest direction with surface wind speed reaching up to 25 kmph during the morning hours. The wind speed will decrease becoming up to 20 kmph from the southwest direction during afternoon. The wind speed will increase becoming up to 25 kmph from the southwest direction during evening and night.

01.09.2026: Partly cloudy sky. A spell of very light to light rain at many places accompanied with thunderstorm and lightning towards afternoon to evening. The maximum and minimum temperatures over Delhi are likely to be in the range of 35°C to 37°C and 25°C to 27 °C, respectively. The minimum temperature will be near normal (-1.5°C to 1.5°C) at most places, and the maximum temperatures will be above normal (1.6°C to 3.0°C) at most places over Delhi. The predominant surface wind is likely to be from west direction with surface wind speed reaching up to 20 kmph during the morning hours. The wind speed will decrease becoming up to 12 kmph from the west direction during afternoon. The wind speed will increase becoming up to 15 kmph from the northwest direction during evening and night.

02.09.2026: Generally cloudy sky. A spell of very light to light rain at many places with moderate rain accompanied with thunderstorm and lightning at isolated places during early morning to noon. Another spell of very light to light rain at many places during afternoon to evening. The maximum and minimum temperatures over Delhi are likely to be in the range of 32°C to 34°C and 24°C to 26°C, respectively. The minimum temperature will be below normal (-1.6°C to -3.0°C) at most places, and the maximum temperatures will be below normal (-1.6°C to -3.0°C) at most places over Delhi. The predominant surface wind is likely to be from the northwest direction with wind reaching up to 15 kmph during the morning hours. The surface wind speed will decrease becoming up to 12 kmph from the west direction during afternoon. The wind speed will increase becoming up to 15 kmph from the southwest direction during evening and night.

Impact Expected and Action Suggested due to very heavy/ extremely heavy rainfall:

- ❖ **Isolated extremely heavy rainfall likely over** Odisha on 30th & 31st and over Chhattisgarh on 31st August;
- ❖ **Isolated very heavy rainfall likely over** Uttarakhand during 30th August-1st September; East Uttar Pradesh on 31st August; over West Madhya Pradesh during 3rd-5th September; East Madhya Pradesh during 1st-3rd September; Chhattisgarh on 30th August and on 1st September; over Gangetic West Bengal on 30th August; Jharkhand during 30th-31st August; Bihar on 31st August; Odisha on 1st September; over Arunachal Pradesh on 31st August; Assam & Meghalaya on 30th August; Nagaland, Manipur, Mizoram & Tripura during 30th-31st August.

Impact expected:

- ❖ Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- ❖ Partial damage to vulnerable structures due to strong winds and rain.
- ❖ Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- ❖ Loose objects may fly.
- ❖ Small ships, trawlers and boats may be affected.
- ❖ Road and rail traffic may be affected due to heavy rain and squally winds.
- ❖ There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- ❖ Occasional reduction in visibility due to heavy rainfall.
- ❖ Helicopter services may get affected.

Action suggested:

- ❖ People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- ❖ Take safe shelters; do not take shelter under trees, as there could be lightning.
- ❖ In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- ❖ Tourism and recreational activities to be regulated.
- ❖ Onshore and offshore activities to be judiciously regulated.
- ❖ Helicopter services to be regulated.

Agromet advisories for likely impact of Heavy Rainfall

- In **Odisha**, drain out excess water from rice, maize, pulses, cotton, pigeon pea, vegetables and nursery beds; keep drainage channels and outlets clear. Postpone sowing, fertilizer application and intercultural operations in waterlogged fields until the soil becomes workable.
- In **Jharkhand**, ensure proper drainage in all crops and protect vegetable seedlings from heavy rainfall. Keep harvested produce in safe and dry places.
- In **Chhattisgarh**, drain out excess rain water and ensure proper drainage in rice, maize, groundnut, minor millets, pulses and vegetable fields to prevent water stagnation. Clean drainage channels in low-lying maize, ginger, turmeric and vegetable fields and provide staking/support to cucurbits, tomato and capsicum.
- In **Bihar**, maintain proper drainage in standing crops and avoid field operations under excessively wet conditions. Maintain appropriate standing water in transplanted rice while avoiding prolonged stagnation.
- In **West Bengal**, keep drainage channels clear in rice, groundnut, vegetable fields and orchards. Protect vegetable seedlings from heavy rain, improve drainage around cucurbits and avoid nitrogen application during wet conditions.
- In **Uttarakhand**, maintain proper drainage in the field of sugarcane, soybean, kidney bean, green gram, black gram, other standing crop fields and vegetables. Keep drainage channels clear and provide support to tall crops and vegetables to prevent lodging.
- In **Arunachal Pradesh**, maintain proper drainage in rice, maize, finger millet, soybean, cowpea, vegetables and orchards to remove excess water. Keep millet fields well drained during panicle initiation and flowering and monitor crops for pest and disease incidence.
- In **Assam** and **Meghalaya**, maintain proper drainage in crop fields and postpone fertilizer and plant-protection applications during rainfall. Continue sowing of pigeon pea, green gram and sesame only where field conditions are suitable and harvest jute at the small-pod stage.
- In **Nagaland**, maintain 3-5 cm water level in wet rice fields and harvest mature maize cobs during suitable weather.
- In **Manipur**, harvest colocasia and mature ginger during rain-free periods and ensure proper drainage in ginger fields.
- In **Mizoram**, prepare fields for sowing black gram, green gram, soybean, sesame and lentil after maize harvest. Ensure drainage in ginger fields and prevent water stagnation to minimise soft-rot and rhizome-rot incidence.

- In **Tripura**, maintain adequate soil moisture in *Aus* rice during panicle initiation and booting, while ensuring drainage in low-lying groundnut fields to prevent stagnation.
- In **Uttar Pradesh**, ensure proper drainage in standing crop fields and postpone irrigation, intercultural operations, fertilizer and plant-protection applications during wet conditions. Provide staking/support to young plants, vegetables and horticultural crops.
- In **East Madhya Pradesh**, ensure proper drainage in soybean, cotton, maize and sugarcane fields to prevent waterlogging; postpone vegetable transplanting and provide support to young fruit plants. Undertake propping in sugarcane to minimise lodging.
- In **Madhya Maharashtra**, in *Ghat areas*, maintain effective drainage from rice, finger millet and vegetable fields.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Livestock / Poultry / Fisheries


- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

Flash Flood Guidance:

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 31-08-2026:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Odisha – Bahdrak, Balasore, Jajpur, Jagatsinghpur, Kendapara, Keonjhar, Mayurbhanj, and Sundargarh districts
Chhattisgarh – Raigarh, Balrampur, Surguja, Surajpur, Korba, Koriya, Jashpur district.
Jharkhand - East Singhbhum, West Singhbhum Khunti, Simdega, Gumla, Lohargada, Latehar, Palamu, Hazaribag, Garhwa and Chatra, districts.
Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 31-08-2026:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Uttarakhand - Almora, Bageshwar, Chamoli, Champawat, Dehradun, Nainital, Rudrapur, Tehri Garwal, Pauri Garhwal and Uttarkashi districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



Legends & abbreviations:

Heavy Rain:64.5115.5mm; **Very Heavy Rain:**115.6204.4mm; **Extremely Heavy Rain:** >204.4mm.

Obsy: Observatory; Automatic Weather Station; **ARG:** Automatic Rain Gauge; **dist:** District; **NH:** National Highway; **KVK:** Krishi Vigyan Kendra; **DVC:** Damodar Valley Corporation; **PTO:** Part Time Office, **Aero:** Aerodrome, **IAF:** Indian Air Force.

Region wise classification of meteorological Sub-Divisions:

Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.

Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.

East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.


Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.

West India: Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.

South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1. अंडमान और निकोबार द्वीपसमूह
2. अरुणाचल प्रदेश
3. असम और मेघालय
4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा
5. उप-हिमालयी पश्चिम बंगाल और सिक्किम
6. गंगीय पश्चिम बंगाल
7. ओडिशा
8. झारखंड
9. बिहार
10. पूर्वी उत्तर प्रदेश
11. पश्चिम उत्तर प्रदेश
12. उत्तराखंड
13. हरियाणा, चंडीगढ़ और दिल्ली
14. पंजाब
15. हिमाचल प्रदेश
16. जम्मू और कश्मीर और लद्दाख
17. पश्चिम राजस्थान
18. पूर्वी राजस्थान
19. पश्चिम मध्य प्रदेश
20. पूर्वी मध्य प्रदेश
21. गुजरात
22. सौराष्ट्र
23. कोंकण और गोवा
24. मध्य महाराष्ट्र
25. मराठवाड़ा
26. विदर्भ
27. छत्तीसगढ़
28. तटीय आंध्र प्रदेश और यनम
29. तेलंगाना
30. रायलसीमा
31. तमिलनाडु, पुडुचेरी और कराईकल
32. तटीय कर्नाटक
33. आंतरिक उत्तरी कर्नाटक
34. आंतरिक दक्षिणी कर्नाटक
35. केरल और माहे
36. लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Odisha
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chandigarh & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajasthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathwada
26. Vidarbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)

- | | | |
|----------------------|----------------------|--------------|
| Fog | Heavy Snow | Cold Wave |
| Heavy Rain | Dust Storm | Cold Day |
| Very Heavy Rain | Heat Wave | Ground Frost |
| Extremely Heavy Rain | Warm Night | |
| Thunder & Lightning | Hot Day | |
| Hailstorm | Hot & Humid | |
| Dust Raising Winds | Strong Surface Winds | |

COLOUR CODED WARNING

- No Warning (No Action)
- Watch (Be Aware)
- Alert (Be Prepared To Take Action)
- Warning (Take Action)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

* Red colour warning does not mean "Red Alert". Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)

DEFINITION/CRITERIA

Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *
Heat Wave	When maximum temperature of a station reaches $\geq 40^{\circ}\text{C}$ for plains and $\geq 30^{\circ}\text{C}$ for hilly regions (a) Based on Departure from normal Heat Wave: Maximum Temperature Departure from normal 4.5°C to 6.4°C . Severe Heat Wave: Maximum Temperature Departure from normal $\geq 6.5^{\circ}\text{C}$ (b) Based on Actual maximum temperature Heat Wave: When actual maximum temperature $\geq 45^{\circ}\text{C}$. Severe Heat Wave: When actual maximum temperature $\geq 47^{\circ}\text{C}$. (c) Criteria for heat wave for coastal stations When maximum temperature departure is $> 4.5^{\circ}\text{C}$ from normal. Heat Wave may be described provided maximum temperature $\geq 37^{\circ}\text{C}$
Warm Night	When maximum temperature remains 40°C Warm Night: When minimum temperature departure 4.5°C to 6.4°C . Severe Warm Night: When minimum temperature departure $> 6.4^{\circ}\text{C}$.
Cold Wave	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions. (a) Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5°C to -6.4°C . Severe Cold Wave: Minimum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$ (b) Based on actual Minimum Temperature (for Plains only) Cold Wave: When Minimum Temperature is $\leq 4.0^{\circ}\text{C}$ Severe Cold Wave: When Minimum Temperature is $\leq 2.0^{\circ}\text{C}$ (c) For Coastal Stations When Minimum Temperature departure is $\leq -4.5^{\circ}\text{C}$ & actual Minimum Temperature is $\leq 15^{\circ}\text{C}$
Cold Day	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions Based on departure Cold Day: Maximum Temperature Departure from normal -4.5°C to -6.4°C . Severe Cold Day: Maximum Temperature Departure from normal $\leq -6.5^{\circ}\text{C}$
Fog	Phenomenon of small droplets suspended in air and the horizontal visibility $< 1\text{km}$ Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres Very Dense Fog: when the visibility < 50 metres
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground Air temperature $\leq 4^{\circ}\text{C}$ (over Plains)
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed > 87 kmph
Sea State	Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed > 117 kmph (> 63 knots) & Wave height > 14 metre
Cyclone	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-185 kmph (64-89 knots) Extremely Severe Cyclonic Storm: Wind speed 186-220 kmph (90-119 knots) Super Cyclone Storm: Wind speed > 220 kmph (> 119 knots)

* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".
Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day.
For more details, kindly visit <https://mausam.imd.gov.in> or contact: 011-2434-4599
(Service to the Nation since 1875)