Government of India
Earth System Science Organization
Ministry of Earth Sciences
India Meteorological Department

Press Release: Dated: 12 November 2026

Subject: Current Weather Status and Extended Range Forecast for the next two weeks (12th to 25th November 2026)

1. Salient Observed Features for the week ending 11 November 2026:

- Last week's **Well-Marked Low Pressure Area [Remnant of Severe Cyclonic Storm "Murasu"]** over east Telangana & adjoining Coastal Andhra Pradesh lay as a Low Pressure Area over the same region in the morning hours of 5th November and became less marked in the forenoon hours of the same day. It caused isolated **extremely heavy rainfall** over Coastal Andhra Pradesh & Yanam, Telangana on 5th November.
- **Very heavy rainfall** recorded at isolated places over Tamil Nadu, Puduchherry & Karaikal on 10th November, and **Heavy rainfall** recorded at isolated places over Tamil Nadu, Puduchherry & Karaikal during 5th – 9th November, South Interior Karnataka on 6th November, Andaman & Nicobar Islands on 10th & 11th November, Tripura on 10th November.
- During the past week, rainfall was 52% below Long Period Average (LPA) over the country as a whole (Annexure I).
- Cumulatively from 1 October to 11 November 2026, the country as a whole had rainfall that was 32% below LPA (Annexure II).
- Details of weekly and cumulative rainfall distribution are given in Table 1.

Table 1: Rainfall status (Week and season)

Region	Week			Season		
	05.11.2026 TO 11.11.2026			01.10.2026 TO 11.11.2026		
	Actual (mm)	Normal (mm)	Departure (%)	Actual (mm)	Normal (mm)	Departure (%)
EAST & NORTHEAST INDIA	1.6	7.8	-79%	65.4	135.0	-52%
NORTHWEST INDIA	0.1	2.8	-95%	26.7	26.1	2%
CENTRAL INDIA	0.8	3.6	-79%	33.0	63.1	-48%
SOUTH PENINSULA	16.5	24.1	-31%	157.0	195.6	-20%
THE COUNTRY AS A WHOLE	**3.8**	**8.0**	**-52%**	**60.6**	**89.2**	**-32%**

2. Large-scale features:

- Currently, very strong El Nino conditions are prevailing over the Equatorial Pacific Ocean. The latest Monsoon Mission couple Forecast System (MMCFS) and other global climate model forecasts indicate that very strong El Nino conditions are likely during November - December 2026.
- Currently, the neutral Indian Ocean Dipole (IOD) is prevailing over the Indian Ocean. The latest Monsoon Mission Coupled Forecast System (MMCFS) and other global climate model forecasts indicate neutral IOD conditions are likely to continue during the post-monsoon season (till December,2026).
- The Madden Julian Oscillation (MJO) is currently in Phase 3 with amplitude more than 1. It is likely to continue in same phase during first half of week 1. Thereafter, it is likely to enter into phase 4 with amplitude more than 1, but, with a decreasing trend in amplitude. However, there is loop back westwards propagation with the decrease in the amplitude during second half of the week 2. Thus, MJO is highly favorable for enhancement of

convective activity/ Cyclogenesis (formation of depression over the Bay of Bengal (BoB) and Arabian Sea (AS) during the entire forecast period.

3. Forecast for the next two weeks

Weather systems & associated Precipitation during Week 1 (12 to 18 November 2026) and Week 2 (19 to 25 November 2026)

Weather systems & associated Precipitation during Week 1 (12 to 18 November 2026):

Weather systems during Week 1:

- An upper air cyclonic circulation over south Andaman Sea & neighbourhood lay over central Andaman Sea & adjoining Andaman & Nicobar Islands in lower & middle tropospheric levels at 0830 IST of today, 12th November, 2026. Under its influence, a a low pressure area over southeast Bay of Bengal on 13th November in the beginning of week 1. It is likely to become more marked over the same region on 14th and further intensify into a depression over central parts of south Bay of Bengal around 15th November. The depression is likely to intensify further over central parts of Bay of Bengal while moving towards northern latitudes during the later part of week 1.
- Current Western Disturbance as a cyclonic circulation lies over Kashmir division & neighbourhood in lower tropospheric level. However, the trough aloft in middle tropospheric level runs roughly along long 72°E to the north of Lat 32°N.

Under the influence of the above systems, the following weather is likely:

- **Fairly Widespread to Widespread** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 12th-13th November. Isolated **heavy rainfall** likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 12th November.
- Isolated **Hailstorm** activity likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 12th November.
- **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands during 12th-18th November. Isolated **heavy rainfall** likely over Andaman & Nicobar Islands during 12th-16th November.
- **Isolated to Scattered** rainfall likely over Arunachal Pradesh and Assam & Meghalaya on 12th November and during 15th-17th November; Nagaland, Manipur, Mizoram & Tripura on 12th November and during 16th-18th November.
- Isolated **Hailstorm** activity likely over Assam & Meghalaya on 12th November.
- Above-normal rainfall activity is likely over the Western Himalayan Regions, Sikkim, & Arunachal Pradesh during the first half of Week 1.
- **Overall, for the country as a whole, the rainfall is likely to be below normal during the week.**

Weather systems & associated Precipitation during Week 2 (19 to 25 November 2026):

- There is a consensus amid various models about the genesis and intensification to a cyclonic storm over central parts of South Bay of Bengal. However, there is divergence regarding the track and landfall location amongst various model forecasts during week 2.
- A feeble Western Disturbance is likely to affect the Western Himalayan Region during the Week 2.

Precipitation during Week 2 (19 to 25 November 2026):

- Isolated heavy rainfall is likely over Tamil Nadu and Kerala during some days of Week 2.
- The rainfall distribution during the week will depend upon the track and landfall area of the impending cyclonic storm.
- There is a likelihood of an increase in rainfall activity over East and Northeast India during the first half of Week 2.

- **Overall, for the country as a whole, the rainfall is likely to be below normal during Week 2.**

Temperature forecast for Week 1 (12 to 18 November 2026) and Week 2 (19 to 25 November 2026)


Temperature forecast for Week 1 (12 to 18 November 2026):


- Above normal weekly minimum temperature by (2-4°C) likely over some parts of Jammu & Kashmir, Ladakh, Himachal Pradesh, Uttarakhand, plains of Northwest India, east and northeast India. Near-normal minimum temperatures are likely over remaining parts of the country. **(Annexure IV).**
- No probability of a cold wave over any part of the country during the week.


Temperature forecast for Week 2 (19 to 25 November 2026):

- Above normal weekly minimum temperature likely over some parts of Jammu & Kashmir, Ladakh and northeast India. Near-normal to below normal minimum temperature likely over remaining parts of the country. **(Annexure IV).**
- No probability of a cold wave over any part of the country during the week.


Advisories on the likely impacts and suggested actions for Heavy Rainfall are provided in Annexure-V.


भारत मौसम विज्ञान विभाग
India Meteorological Department
जल मौसम विज्ञान प्रभाग, नई दिल्ली
Hydromet Division, New Delhi
SUBDIVISION RAINFALL MAP
Week: 05-11-2026 to 11-11-2026
Years of Service to the Nation
N
0.6 (-93%) J & K AND LADAKH 8.8
0.0 (-100%) HIMACHAL PRADESH 3.9
0.0 (-100%) PUNJAB 0.7
0.0 (-100%) UTTARAKHAND 0.6
0.0 (-100%) HAR. CHD & DELHI 0.4
0.0 (-100%) WEST U.P 0.5
0.0 (-100%) WEST RAJ. 0.3
0.0 (-100%) EAST RAJASTHAN 1.5
0.0 (-100%) EAST U.P 1.1
0.0 (-100%) BIHAR 2.2
0.0 (-99%) SHWB&SIKKIM 4.5
1.1 (-90%) ARUNACHAL PRADESH 11.4
1.4 (-85%) ASSAM & MEGHALAYA 8.8
5.6 (-62%) NMMT 14.8
0.0 (-100%) EAST M.P 1.4
0.0 (-99%) JHARKHAND 3.8
3.2 (-62%) GANGETIC WB 8.5
0.0 (-100%) WEST M.P 2.2
0.0 (-100%) SAURASHTRA & KUTCH 2.9
0.0 (-100%) GUJARAT 2.4
1.1 (-28%) CHHATTISGARH 1.6
4.4 (-44%) ODISHA 7.8
0.0 (-100%) VIDARBHA 2.6
0.0 (-100%) MARATHWADA 4.5
0.0 (-100%) M.MAHARASHTRA 5.9
0.1 (-98%) KONKAN & GOA 7.6
4.2 (8%) TELANGANA 3.9
0.2 (-99%) N. I. KARNATAKA 6.2
21.2 (-14%) COASTAL A. P& YANAM 24.8
9.3 (-52%) RAYALASEEMA 19.3
6.0 (-69%) COASTAL KARNATAKA 19.4
6.1 (-59%) S. I. KARNATAKA 15.0
14.7 (-33%) TAMIL., PUDU. & KARAIKAL 51.7
39.0 (3%) LAKSHADWEEP 37.7
36.6 (-26%) KEARALA &MAHE 49.8
ALL INDIA
Actual Normal %Dep
3.8 8.0 -52%
114.5 (86%) A & N ISLAND 61.4
Legend
Large Excess [60% or more]
Excess [20% to 59%]
Normal [-19% to 19%]
Deficient [-59% to -20%]
Large Deficient [-99% to -60%]
No Rain [-100%]
No Data
NOTES :
a) RainFall figures are based on operation data.
b) Small figures indicate actual rainfall (mm), while bold figures indicate Normal rainfall (mm).
c) Percentage Departures of rainfall are shown in brackets.


भारत मौसम विज्ञान विभाग
India Meteorological Department
जल मौसम विज्ञान प्रभाग, नई दिल्ली
Hydromet Division, New Delhi
SUBDIVISION RAINFALL MAP
Period: 01-10-2026 to 11-11-2026
Years of Service to the Nation
राष्ट्र सेवा के 150 वर्ष
N
43.6 (-6%) J & K AND LADAKH 46.6
31.2 (-2%) HIMACHAL PRADESH 31.8
26.4 (167%) PUNJAB 9.9
48.6 (43%) UTTARAKHAND 33.9
35.5 (232%) HAR. CHD & DELHI 10.7
28.6 (31%) WEST U.P 21.9
2.8 (-68%) WEST RAJ. 8.7
11.3 (-34%) EAST RAJASTHAN 17.2
35.3 (1%) EAST U.P 35.1
57.0 (-5%) BIHAR 60.3
63.8 (-58%) SHWB&SIKKIM 150.7
48.2 (-74%) ARUNACHAL PRADESH 187.2
51.5 (-69%) ASSAM & MEGHALAYA 164.9
91.5 (-47%) NMMT 173.3
10.8 (-72%) EAST M.P 39.1
5.2 (-84%) WEST M.P 32.4
2.5 (-89%) SAURASHTRA & KUTCH 23.0
0.3 (-99%) GUJARAT 25.5
73.1 (-8%) JHARKHAND 79.5
63.9 (-44%) GANGETIC WB 148.6
62.3 (-4%) CHHATTISGARH 64.6
148.3 (16%) ODISHA 127.6
2.8 (-95%) VIDARBHA 62.0
0.0 (-99%) MARATHWADA 80.6
7.9 (-91%) M MAHARASHTRA 85.9
25.9 (-80%) KONKAN & GOA 127.1
30.4 (-72%) TELANGANA 108.6
18.2 (-84%) N. I. KARNATAKA 113.8
67.0 (12%) COASTAL A. P& YANAM 238.9
108.1 (-36%) RAYALASEEMA 167.7
168.6 (-25%) COASTAL KARNATAKA 224.8
118.8 (-28%) S. KARNATAKA 165.3
259.1 (2%) TAMIL., PUDU. & KARAIKAL 254.2
183.5 (-13%) LAKSHADWEEP 211.2
320.3 (-18%) KEARALA &MAHE 389.8
445.4 (19%) A & N ISLAND 374.3
ALL INDIA
Actual Normal %Dep
60.6 89.2 -32%
Legend
Large Excess [60% or more]
Excess [20% to 59%]
Normal [-19% to 19%]
Deficient [-59% to -20%]
Large Deficient [-99% to -60%]
No Rain [-100%]
No Data
NOTES :
a) RainFall figures are based on operation data.
b) Small figures indicate actual rainfal (mm), while bold figures indicate Normal rainfall (mm).
c) Percentage Departures of rainfall are shown in brackets.



Extended range forecast of weekly distribution of rainfall in mm per day (top panel) and anomalies (lower panel) from IMD MME



Extended range forecast of weekly distribution of Minimum Temperature in °C (top panel) and anomalies (lower panel) from IMD Bias Corrected Forecast

Impact Expected and Action Suggested due to heavy rainfall:

- Isolated heavy rainfall likely over Andaman & Nicobar Islands during 12th-16th and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 12th November.

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

Impact expected and action suggested due to isolated Hailstorm:

- Isolated Hailstorm activity likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Assam & Meghalaya on 12th November.

Impact expected:

- Strong wind/hail may damage plantation, horticulture and standing crops.
- Hail may injure people and cattle at open places.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

Action suggested:

- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.

Agromet advisories for likely impact of Heavy Rainfall

- In **Andaman and Nicobar Islands**, make necessary arrangements to drain out excess water from fields of rice and plantations of areca nut, coconut and black pepper. Postpone irrigation, intercultural operations, fertilizer application and plant protection sprays during the rainy spell. Ensure pond outlets are clear and secure to prevent fish escape; suspend fish feeding during heavy rainfall and resume gradually after the rain subsides.
- **Jammu & Kashmir,** harvest basmati paddy at the earliest and keep the harvested produce in safer place or cover them in the field with tarpaulin sheets to avoid any loss or damage due to rain. Avoid sowing of wheat, mustard, oat and field pea during periods of heavy rainfall. Ensure adequate drainage facilities in already sown crops.

Agromet advisories for likely impact of Hailstorm

- In **Jammu & Kashmir,** use hail nets or caps in fruit orchards and vegetable fields to protect crops from mechanical damage.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Advisories for likely impact of Heavy Rainfall for Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.