



Thursday, 22 September 2022

Impact Based Agro Advisories

➤ मौसम की चेतावनी (राजस्थान राज्य) :-

पूर्वी राजस्थान / EAST RAJASTHAN

जिला /District	22-09-22	23-09-22	24-09-22	25-09-22	26-09-22
अजमेर / Ajmer	कहीं-कहीं पर मेघगर्जन / वज्रपात/भारी से अतिभारी वर्षा के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
अलवर / Alwar	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH) तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं
बांसवाड़ा / Banswara	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
बारां / Baran	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
भरतपुर / Bharatpur	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40	कहीं-कहीं पर मेघगर्जन / वज्रपात	कहीं-कहीं पर मेघगर्जन / वज्रपात तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं

	KMPH)				
भीलवाड़ा / Bhilwara	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
बूंदी / Bundi	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
चित्तौड़गढ़ / Chittorgarh	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
दौसा / Dausa	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH) तथा भारी वर्षा)	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
धौलपुर / Dholpur	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं
डूंगरपुर / Dungarpur	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
जयपुर / Jaipur	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40	कहीं-कहीं पर मेघगर्जन / वज्रपात	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं

	KMPH) तथा भारी वर्षा				
झालावाड / Jhalawar	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
झुंझुनूं / Jhunjhunu	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
करौली / Karauli	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH) तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं
कोटा / Kota	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
प्रतापगढ़ / Pratapgarh	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
राजसमंद / Rajsamand	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
सवाई माधोपुर / Sawai Madhopur	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH) तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात तथा भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं

सीकर / Sikar	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
सिरोही / Sirohi	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
टोंक / Tonk	कहीं-कहीं पर मेघगर्जन / वज्रपात/भारी से अतिभारी वर्षा के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ भारी वर्षा	कहीं-कहीं पर मेघगर्जन / वज्रपात तथा भारी वर्षा	कोई चेतावनी नहीं	कोई चेतावनी नहीं
उदयपुर / Udaipur	कहीं-कहीं पर मेघगर्जन / वज्रपात के साथ झोंकेदार तेज हवाएं (30-40 KMPH)	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं

पश्चिमी राजस्थान / West Rajasthan


जिला / District	22-09-22	23-09-22	24-09-22	25-09-22	26-09-22
बाड़मेर / Barmer	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
बीकानेर / Bikaner	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
चूरू / Churu	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
हनुमानगढ़ / Hanumangarh	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
जैसलमेर / Jaisalmer	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
जालौर / Jalore	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
जोधपुर / Jodhpur	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
नागौर / Nagaur	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं
पाली / Pali	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं	कोई चेतावनी नहीं

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: mcjaipur@rediffmail.com,

चेतावनी मानचित्र

जारी दिनांक : 22 सितम्बर 2022



1. Alwar, Bharatpur and Sawaimadhopur district

Heavy Rains/ Thunderstorm / Lightning			
Crop	Stage	Likely Impact on crop	Advisory
Cluster bean	Pod filling	Crop submerged or damage, Over growth	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Green gram	Maturity	Crop submerged or damage, fungal infection, low seed quality	Don't apply irrigation. Spray & fertilization. Drainage excess of water. Picking mature pods.
Sesame	Mid bloom	Crop submerged or damage, fungal infection	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Pearl millet	Maturity	crop damage	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Gusty Winds			
Crop	Stage	Likely Impact on crop	Advisory
Cluster bean	Pod filling	No impact	Don't apply irrigation and spray.
Green gram	Maturity	No impact	Don't apply irrigation and spray. Picking mature pods.
Sesame	Mid bloom	No impact	Don't apply irrigation and spray.
Pearl millet	Maturity	Distrub or damage of roots	Don't apply irrigation and spray.

2.Dhoulpur district

Heavy Rains/ Thunderstorm / Lightning			
Crop	Stage	Likely Impact on crop	Advisory
Cluster bean	Pod filling	Crop submerged or damage, Over growth	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Green gram	Maturity	Crop submerged or	Don't apply irrigation. Spray & fertilization. Drainage excess of water. Picking mature pods.

वेबसाइट: http://rncnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: mcjaipur@rediffmail.com,

		damage, fungal infection, low seed quality	
Sesame	Mid bloom	Crop submerged or damage, fungal infection	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Pearl millet	Maturity	crop damage	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Gusty Winds			
Stage		Likely Impact on crop	Advisory
Pod filling		No impact	Don't apply irrigation and spray.
Maturity		No impact	Don't apply irrigation and spray. Picking mature pods.
Mid bloom		No impact	Don't apply irrigation and spray.
Maturity		Distrub or damage of roots	Don't apply irrigation and spray.

3.Karauli district

Heavy Rains/ Thunderstorm / Lightning			
Crop	Stage	Likely Impact on crop	Advisory
Cluster bean	Pod filling	Crop submerged or damage, Over growth	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Rice	Booting	Crop submerged or damage, fungal infection	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Green gram	Maturity	Crop submerged or damage, fungal infection, low seed quality	Don't apply irrigation. Spray & fertilization. Drainage excess of water. Picking mature pods.
Sesame	Mid bloom	Crop submerged or damage, fungal infection	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Pearl millet	Maturity	crop damage	Don't apply irrigation. Spray & fertilization. Drainage excess of water.
Gusty Winds			
Crop	Stage	Likely Impact on crop	Advisory
Cluster	Pod filling	No impact	Don't apply irrigation and spray.

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: mcjaipur@rediffmail.com,

bean			
Rice	Booting	No impact	maintain water level
Green gram	Maturity	No impact	Don't apply irrigation and spray. Picking mature pods.
Sesame	Mid bloom	No impact	Don't apply irrigation and spray.
Pearl millet	Maturity	Distrub or damage of roots	Don't apply irrigation and spray.

4. Jaipur, Ajmer, Tonk and Dausa districts

Heavy Rains			
Crop	Stage	Likely Impact on crop	Advisory
Pearlmillet, Maize, Sorghum	dough	dough stage will be affected, Damage of tender branches	Do not allow water to stagnate. Adopt proper drainage.
Moong, Urd, Guar	dough	dough stage will be affected, Damage of tender branches	
Groundnut	pegging	Damage of pegs and tender branches	
Vegetables, Small fruit plants and nursery	Vegetative	Damage of tender branches	To protect small fruit plants and nursery, cover them
Animals		Physical injury	Tie animals in houses
Gusty Winds			
Crop	Stage	Likely Impact on crop	Advisory
Pearlmillet, Maize, Sorghum	dough	dough stage will be affected, Damage of tender branches	Do not irrigate the crop, use wind breaks and shelter belt
Moong, Urd, Guar	dough	dough stage will be affected, Damage of tender branches	
Groundnut	pegging	Damage of pegs and tender branches	
Vegetables, Small fruit plants and nursery	Vegetative	Damage of tender branches	To protect small fruit plants and nursery, cover them
Animals		Stress	Tie animals in houses
Very Heavy Rains			
Crop	Stage	Likely Impact on crop	Advisory
Pearlmillet, Maize, Sorghum	dough	dough stage will be affected, Damage of tender branches	Do not allow water to stagnate. Adopt proper drainage.
Moong, Urd, Guar	dough	dough stage will be affected, Damage of tender branches	
Groundnut	pegging	Damage of pegs and tender branches	

वेबसाइट: http://rncnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: mcjaipur@rediffmail.com,

Vegetables, Small fruit plants and nursery	Vegetative	Damage of tender branches	To protect small fruit plants and nursery, cover them
Animals		Physical injury	Tie animals in houses

5. Udaipur, Bhilwara and Pratapgarh districts

Gusty Winds			
Crop	Stage	Likely Impact on crop	Advisory
Maize	Tasseling & Silking	No impact	Don't apply irrigation, spray or fertilizer.
Vegetables, Small fruit plants and nursery	Fruiting	To protect from shattering	Keeping in view the possibility of dust storm, farmers should be cover the harvested vegetables crop and keep it safer place to protect.
Soybean	Flowering & Fruiting	To protect from shattering	Keeping in view the possibility of dust storm, farmers should be cover the fruit crop and keep it safer place to protect.
Animals		Physical injury	Tie animals in houses

6. Chittorgarh district

Heavy Rains			
Crop	Stage	Likely Impact on crop	Advisory
Maize	Tasseling, Silking & Cob development	Strong wind damages the shoots	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Soybean	Pod initiation & Pod development	Flower and fruit shedding	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Blackgram	Pod initiation & Pod development	Flower and fruit shedding	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Vegetables, Small fruit plants and nursery	Fruiting	Crops and trees with shallow roots are uprooted.	To protect small fruit plants and nursery, cover them
Animals		Physical injury	Tie animals in houses

Gusty Winds			
Crop	Stage	Likely Impact on crop	Advisory
Maize	Tasseling, Silking & Cob development	Strong wind damages the shoots	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Soybean	Pod initiation & Pod development	Flower and fruit shedding	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Blackgram	Pod initiation & Pod development	Flower and fruit shedding	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Vegetables, Small fruit	Fruiting	Crops and trees with shallow roots are	To protect small fruit plants and nursery, cover them

वेबसाइट: http://rncnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: mcjaipur@rediffmail.com,

plants and nursery		uprooted.	
Animals		Physical injury	Tie animals in houses

7. Dungarpur district

Gusty Winds			
Crop	Stage	Likely Impact on crop	Advisory
Maize	Tasseling, Silking & Cob development	Strong wind damages the shoots	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Rice	Tillering & Panical initiation	Lodging	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Soybean	Pod initiation & Pod development	Flower and fruit shedding	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Blackgram	Pod initiation & Pod development	Flower and fruit shedding	Uses of shelter belts and wind breaks, Adjusting the direction of planting.
Vegetables, Small fruit plants and nursery	Fruiting	Crops and trees with shallow roots are uprooted.	To protect small fruit plants and nursery, cover them
Animals		Physical injury	Tie animals in houses

**Agromet Advisory Services Unit,
Meteorological Centre
Jaipur**