

Monday, 14 July 2025

Impact Based Agro Advisories

मौसम चेतावनी / Weather warning :

(अगले दिन प्रातः 0830 तक मान्य)

पूर्वी राजस्थान / EAST RAJASTHAN

जिला / District	14-07-2025	15-07-2025	16-07-2025	17-07-2025	18-07-2025
अजमेर / Ajmer	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
अलवर / Alwar	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
बांसवाड़ा / Banswara	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
बारां / Baran	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
भरतपुर / Bharatpur	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
भीलवाड़ा / Bhilwara	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
बूंदी / Bundi	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
चित्तौड़गढ़ / Chittorgarh	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
दौसा / Dausa	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
धौलपुर / Dholpur	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
डूंगरपुर / Dungarpur	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com

जयपुर / Jaipur	भारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
झालावाड़ / Jhalawar	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
झुंझुनू / Jhunjhunu	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
करौली / Karauli	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
कोटा / Kota	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
प्रतापगढ़ / Pratapgarh	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
राजसमंद / Rajsamand	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
सवाई माधोपुर / Sawai Madhopur	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
सीकर / Sikar	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
सिरोही / Sirohi	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
टोंक / Tonk	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
उदयपुर / Udaipur	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं

पश्चिमी राजस्थान / WEST RAJASTHAN


जिला / District	14-07-2025	15-07-2025	16-07-2025	17-07-2025	18-07-2025
बाड़मेर / Barmer	मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
बीकानेर / Bikaner	मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	अतिभारी वर्षा/ मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
चूरू / Churu	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	कोई चेतावनी नहीं

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com


हनुमानगढ़ / Hanumangarh	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
जैसलमेर / Jaisalmer	मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
जालौर / Jalore	अतिभारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
जोधपुर / Jodhpur	अतिभारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
नागौर / Nagaur	अतिभारी वर्षा/मेघगर्जन/वज्रपात	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अतिभारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
पाली / Pali	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	अत्यधिक भारी वर्षा/मेघगर्जन/वज्रपात	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं
श्री गंगानगर / Sri Ganganagar	भारी वर्षा/मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	मेघगर्जन/वज्रपात	कोई चेतावनी नहीं

चेतावनी मानचित्र
जारी दिनांक : 14 July 2025



वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com



1. Sirohi

Thunderstorm / Lightning				
District	Crop	Stage	Likely Impact on crop	Advisory
Sirohi	Green Gram	Sowing	Poor plant establishment	Postpone the sowing or Sowing should be done according to weather forecast.
	Kharif Pearl Millet	Sowing	Poor plant establishment	Postpone the sowing or Sowing should be done according to weather forecast.
	Cluster Bean	Sowing	Poor plant establishment	Postpone the sowing or Sowing should be done according to weather forecast.
	Sesamum	Sowing	Poor plant establishment	Postpone the sowing or Sowing should be done according to weather forecast.
	Livestock		Serious injury	Keep inside during the Thunderstorm / Lightning
	Papaya	Fruit Harvesting	Fruit dropping	Use shelter belt and wind breaks Cover the newly planted fruit plant

Heavy Rains				
District	Crop	Stage	Likely Impact	Advisory

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com

			on crop	
Sirohi	Green Gram	Sowing	Poor plant establishment	Postpone the sowing or sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Kharif Pearl Millet	Sowing	Poor plant establishment	Postpone the sowing or sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Cluster Bean	Sowing	Poor plant establishment	Postpone the sowing or sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Sesamum	Sowing	Poor plant establishment	Postpone the sowing or sowing should be done according to weather forecast. Make arrangement for drainage and remove extra water from the field.
	Pomegranate	Manuring	Water stagnation	Make arrangement for drainage and remove extra water from the field.
	Papaya	Fruit Harvesting	Fruit dropping	Use shelter belt and wind breaks Cover the newly planted fruit plant
	Summer Pearl millet	Harvesting	Poor grain quality	Harvesting should be done before the heavy rain and store in safe place.

Very Heavy Rains				
District	Crop	Stage	Likely Impact on crop	Advisory
Sirohi	Green Gram	Sowing	Poor plant establishment	Sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Kharif Pearl Millet	Sowing	Poor plant establishment	Sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Cluster Bean	Sowing	Poor plant establishment	Sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Sesamum	Sowing	Poor plant establishment	Sowing should be done according to weather forecast . Make arrangement for drainage and remove extra water from the field.
	Pomegranate	Manuring	Water stagnation	Make arrangement for drainage and remove extra water from the field.
	Papaya	Fruit Harvesting	Fruit dropping	Use shelter belt and wind breaks Cover the newly planted fruit plant
	Summer Pearl millet	Harvesting	Poor grain quality	Harvesting should be done before the heavy rain and store in safe place.

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com

2. UDAIPUR

Thunderstorm / Lightning				
District	Crop	Stage	Likely Impact on crop	Advisory
Udaipur	Groundnut	Pegging	Negative impact on Pegging and pod formation	Use shelter belt and wind breaks Cover the newly planted fruit plant
	Vegetable crops (Bottle Gourd, Cucurbits, Okra, Clusterbean etc.)	Flowering and Fruiting	To protect from shattering & getting wet	Keeping in view the possibility of light drizzle & thunderstorm, farmers should be cover the vegetables and keep it safer place to protect from getting wet.
	Fruit Plants	Fruiting	To protect from shattering & getting wet	Keeping in view the possibility of light drizzle & thunderstorm, farmers should be cover the fruits and keep it safer place to protect from getting wet.
	Animals		Possibility of lightening	Tie the animals in safer place and covered area

Heavy Rains				
District	Crop	Stage	Likely Impact on crop	Advisory
Udaipur	Groundnut	Pegging	Negative impact on Pegging and pod formation	Make arrangement for drainage and remove extra water from the field
	Vegetable crops (Bottle Gourd, Cucurbits, Okra, Clusterbean etc.)	Flowering and Fruiting	Plant damage, lodging, Flower & fruit dropping	Donot apply irrigation and drainage the excess water
	Kharif crops	Sowing	Delay in the sowing	Postpone the sowing of kharif crops
	Animals		Possibility of lightening	Tie the animals in safer place and covered area

3. Kota, Bundi, Baran, Jhalawar

Heavy Rains				
District	Crop	Stage	Likely Impact on crop	Advisory
Kota, Bundi, Baran, Jhalawar	Rice	Nursery-seedling to transplanting stage	Water stagnation	Make provision to drain out excess water from nursery during heavy rainfall. Raise the bunds in main field to conserve water for transplanting
	Leafy vegetables	Vegetative stage	Rotting	Cover the leafy veggies with polythene during rain and drain out excess of water after rain recedes

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com

	Vegetables Brinjal, Tomato, Cucumber, Chilli	Nursery to seedling transplanting stage	Plant root damage and disease pest infestation due to water stagnation	Make proper drainage system to Drain out excess of rain water. Disinfect field after rain water Recedes.
	Maize	Early vegetative stage	Rotting of root	Make provision to drain out excess water during heavy rainfall.
	Soyabean & Black Gram	Early vegetative stage	Rotting of root	Make provision to drain out excess water during heavy rainfall.
	Cattle		Lightning strike threat to cattle. Flea population may increase	Keep the shed clean and dry. Provide fresh drinking water. Don't leave cattle outside free to roam to avoid lightning strike.
	Poultry		Wet litter can cause the growth of mould Can cause sore on food pads, hocks.	Provide fresh water Prevent the leakage in roof Cover the farm from all the side Provide a hygienic condition.
	Fishery		Reduction of pH of water in the pond.	After the rain, use lime with 10-20 kg lime/ha.

4. Banswara & Dungarpur

Thunderstorm / Lightening				
District	Crop	Stage	Likely Impact on crop	Advisory
Banswara & Dungarpur	Maize	Germination	Poor Germination	Provide irrigation for better moisture for better germination.
	Cotton	Germination	Poor germination	Provide irrigation for better moisture for better germination
	Soybean	germination	Poor germination	Provide irrigation for better moisture for better germination.
	Vegetables	Flowering and Fruiting	To protect from shattering & getting wet	Keeping in view the possibility of light drizzle & thunderstorm, farmers should be cover the harvested crop and keep it safer place to protect from getting wet.
	Mango	Fruit maturity and harvesting	To protect from shattering of fruits & getting wet	Farmers advised that, keeping in view the possibility of light drizzle & thunderstorm/lightening, farmers should be cover the fruits and keep it safer place to protect from getting wet.
	Animals		Possibility of lightening.	Tie the animals in safer place and covered area.

Heavy Rains				
District	Crop	Stage	Likely Impact on crop	Advisory
Banswara & Dungarpur	Maize	Sowing	Water Logging due to excess rainfall	Only if excess rainfall occurs, postpone the sowing for 2-3 days till field comes under condition.
	Cotton	Germination	Poor germination	Check proper drainage for removal of excess water which will help in better germination
	Soybean	germination	Poor germination	Check proper drainage for removal of excess water which will help in better germination of soybean.

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com

	Vegetable crops (Bottle Gourd, Cucurbits, Okra, Clusterbean etc.)	Flowering and Fruiting	Plant damage, lodging, Flower & fruit dropping	Keeping in view the possibility of heavy rains, do not apply irrigation and drainage the excess water.
	Mango	Fruit maturity	Fruit Dropping	Farmers should be cover the harvested mango fruit and keep it safer place to protect.
	Animals		To protect from gusty winds	Keeping in view the possibility of dust storm, farmers should be cover the animals and keep it safer place to protect.

5. Bharatpur, Alwar and Sawaimadhopur

Thunderstorm / Lightning				
District	Crop	Stage	Likely Impact on crop	
Bharatpur, Alwar & Sawai madhopur	Sesame	Sowing	Poor germination and damage plants, Poor initial growth	Postpone the sowing or resowing
	Cluster bean	Germination	No impact	Don't apply irrigation
	Green gram	Sowing	Delay in sowing, Poor germination.	Postpone sowing or resowing
	Pearlmillet	Sowing	Delay in sowing, Poor germination.	Postpone sowing or resowing
	Vegetables	Sowing	No impact	Don't apply irrigation

Heavy Rains				
District	Crop	Stage	Likely Impact on crop	Advisory
Bharatpur, Alwar & Sawai madhopur	Cluster bean	Germination	Poor germination, fungal infection	Don't apply irrigation and spray, Drainage excess water.
	Green gram	Sowing	Poor germination, fungal infection	Postpone sowing, resowing, Drainage excess water.
	Pearlmillet	Sowing	Poor germination, fungal infection	Postpone sowing, Drainage excess water and maintain water quantity in field.
	Sesame	Sowing	Poor germination, fungal infection	Postpone sowing, Drainage excess water and maintain water quantity in field.
	Vegetables	Sowing	Poor germination, fungal infection	Postpone sowing, Drainage excess water and maintain water quantity in field.

6. Sikar

Thunderstorm / Lightning				
District	Crop	Stage	Likely Impact on crop	Advisory
Sikar	Ground nut	Seedling emergence	Lightning cause rapid wilting or collapse of plants or stems, browning or blackening of leaves	Proper drainage to remove extra water
	Pearl millet, Clusterbean, Greengram	sowing and Seedling emergence	Lightning cause browning or blackening of emerging seedlings and and poor seedling emergence	Proper drainage to remove extra water
	Cucurbits (Round	Flowering and	Immature dropping of flowers and	Timely picking of proper

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com

	gourd, Bottle gourd etc)	fruiting	fruits	ripen fruits
--	--------------------------	----------	--------	--------------

7. Dholpur

Thunderstorm / Lightning				
District	Crop	Stage	Likely Impact on crop	Advisory
Dholpur	Cluster bean	Sowing	No impact	Don't apply irrigation
	Green gram	Sowing	Delay in sowing, Poor germination.	Postpone sowing or resowing
	Pearlmillet	Sowing	Delay in sowing, Poor germination.	Postpone sowing or resowing

8. Karauli

Thunderstorm / Lightning				
District	Crop	Stage	Likely Impact on crop	Advisory
Karauli	Cluster bean	Sowing	No impact	Don't apply irrigation
	Green gram	Sowing	Delay in sowing, Poor germination.	Postpone sowing or resowing
	Pearlmillet	Sowing	Delay in sowing, Poor germination.	Postpone sowing or resowing

कृषि पर मौसम की चेतावनी का संभावित प्रभाव व संबंधी सलाह

कृषि में आंधी और बिजली गिरने पर क्या करें और क्या न करें

क्या करें

- तेज हवाओं के साथ आंधी आने की संभावना को देखते हुए, बगीचों को यांत्रिक सहायता प्रदान करें, सज्जियाँ लगाएँ।
- अगर किसान खेत में हैं और उन्हें कोई आश्रय नहीं मिल रहा है, तो इलाके में सबसे ऊँची वस्तु से दूर रहें। अगर आस-पास सिर्फ़ एकाकी पेड़ हैं, तो सबसे बेहतर बचाव खुले में छिपना है।
- जानवरों को खुले पानी, तालाब या नदी से दूर रखें।
- जानवरों को ट्रैक्टर और दूसरे धातु के कृषि उपकरणों से दूर रखें।
- खड़ी फसलों से अतिरिक्त पानी निकाल दें।
- कटी हुई उपज (अगर खेत में है) को पॉलीथीन शीट से ढक दें।

क्या न करें

- बिजली के उपकरणों या तारों के संपर्क से बचें।
- धातु से बनी किसी भी चीज़ - ट्रैक्टर, कृषि उपकरण और साइकिल - के संपर्क से दूर रहें। धातु या दूसरी सतहें जो बिजली का संचालन करती हैं।
- अपने जानवरों को पेड़ों के नीचे इकट्ठा न होने दें। अपने पशुओं पर कड़ी नजर रखें और उन्हें अपने प्रत्यक्ष नियंत्रण में रखने का प्रयास करें।

**Agromet Advisory Services Unit
Meteorological Centre Jaipur**

वेबसाइट: http://rmcnewdelhi.imd.gov.in/MET_CENTRES/MCJPR/, <https://mausam.imd.gov.in/jaipur/>

मौसम केंद्र जयपुर, फ़ोन: 0141-2988121, 2790194, ईमेल: agrometmcjaipur@gmail.com