



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Tuesday, April 22, 2025 Time of Issue: 1330 hours IST (MID-DAY)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features:

Weather Systems, Forecast and Warnings:

- An upper air cyclonic circulation lies over northwest Bihar in lower tropospheric levels. A north-south trough runs from this cyclonic circulation to Gulf of Mannar and an east-west trough runs from this cyclonic circulation to Manipur in lower tropospheric levels. Another upper air cyclonic circulation lies over northeast Assam in lower tropospheric levels.
- Under the influence of these systems:
 - ✓ Fairly widespread to widespread light/moderate rainfall accompanied with thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph) likely over Northeast India during next 7 days.
 - ✓ **Heavy to very heavy rainfall** likely over Assam & Meghalaya, Arunachal Pradesh during 22nd-27th and **heavy rainfall** over Nagaland, Manipur, Mizoram & Tripura on 23rd & 25th April.
 - ✓ Thundersquall (speed reaching 50-60 kmph) very likely over Assam & Meghalaya today.
 - ✓ **Isolated to Scattered** light/moderate rainfall accompanied with **thunderstorm**, **lightning & gusty winds** (speed reaching 30-40 kmph gusting to 50 kmph) likely over Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema, Kerala & Mahe; with **lightning** over Tamilnadu Puducherry & Karaikal during next 7 days and over East India during 26th-28th April.
- ❖ A fresh Western Disturbance is likely to affect Western Himalayan region from 24th April, 2025. Under its influence:
 - ✓ **Isolated to scattered** light rainfall with **thunderstorm & lightning** likely over Western Himalayan Region during 24th-26th April.

Temperature Forecast:

- ❖ Gradual rise in maximum temperatures by 2-3°C likely over Northwest India during next 5 days and no significant change during subsequent 2 days.
- ❖ Rise in maximum temperatures by about 2°C likely over Central India during next 2 Days and no significant change during subsequent 5 days.
- ❖ Rise in maximum temperatures by about 2-3°C likely over Gujarat during next 3 Days and no significant change during subsequent 4 days.
- ❖ Gradual rise in maximum temperatures by 3-5°C likely over East India during next 3 Days and no significant change during subsequent 2 days; fall by 3-4°C for subsequent 2 days.
- No significant change in maximum temperatures likely over rest parts of the country.

Heat wave, warm night and Hot & Humid weather warning:

- ❖ Heat wave conditions very likely in isolated pockets over East Madhya Pradesh during 22nd-28th; West Uttar Pradesh during 22nd-27th; East Uttar Pradesh, Bihar, Odisha during 22nd -26th; Punjab, Haryana & Delhi, Rajasthan, West Madhya Pradesh during 24th-28th; Gangetic West Bengal during 23rd-26th and Jharkhand on 25th & 26th April.
- **❖ Warm night conditions** very likely in isolated pockets over Bihar during 22nd-25th; Odisha during 22nd-24th; East Uttar Pradesh on 22nd & 23rd and Gangetic West Bengal on 23rd & 24th April.
- ❖ Hot & humid weather is likely to prevail over Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam, Rayalaseema during 22nd-26th; Jharkhand, Gujarat State during 22nd-24th; Konkan & Goa on 22nd & 23rd; Madhya Maharashtra, Marathawada during 23rd-25th April.







Main Weather Observations:

- Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Assam & Meghalaya, Andaman & Nicobar Islands; at a few places over Lakshadweep, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Sub-Himalayan West Bengal & Sikkim; at isolated places over Uttarakhand, Punjab, West Uttar Pradesh, Gangetic West Bengal, Bihar, Odisha, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, south Tamil Nadu, Kerala & Mahe and Karnataka.
- **Heavy rainfall** (from 0830 hours IST of yesterday to 0830 hours IST of today): (in cm): **Heavy rainfall** recorded at isolated places over Sikkim, Assam & Meghalaya and Tripura.
- Significant amount of rainfall (from 0830 hours IST of yesterday to 0830 hours IST of today): (in cm): Sub-Himalayan West Bengal & Sikkim: Rongli (dist Pakyong) 9, Tadong (dist Gangtok) 8, Gangtok (dist Gangtok) 7; Assam & Meghalaya: Bokajan AEGCL AWS (dist Karbi Anglong) 9, Barpathar (dist Golaghat) 6, Shillogani AGRI (dist Nagaon) 6, Morigaon ARG (dist Morigaon) 6, Bhaghmara (dist South Garo Hills) 6, Barpeta (dist Barpeta) 5, Baghmara_aws (dist South Garo Hills) 5, Panbari (dist Chirang) 5, Beky Rly bridge (dist Barpeta) 5; Tripura: Khumlung Arg (dist West Tripura) 9; Arunachal Pradesh: Palin AWS (dist Kra Daddi) 6; Telangana: Jagadevpur (dist Siddipet) 4, Pargi(arg) (dist Vikarabad) 3; Tamil Nadu: Nanguneri (dist Tirunelveli) 3.
- Hailstorm occurred at isolated places over Jammu-Kashmir, Himachal Pradesh, Northwest Uttar Pradesh, North Punjab and Telangana.
- **Heat wave conditions** prevailed in isolated pockets of Northeast Madhya Pradesh.
- **Warm night conditions** prevailed at isolated places over East Uttar Pradesh.
- Minimum Temperature Departures (as on 22-04-2025): Minimum temperatures are appreciably above normal (3.1°C to 5.0°C) at a few places over Assam & Meghalaya, Gangetic West Bengal; at isolated places over Bihar, Uttar Pradesh, Odisha, Madhya Maharashtra, Sub-Himalayan West Bengal & Sikkim; above normal (1.6°C to 3.0°C) at a few places over Marathwada and Chhattisgarh; atisolated places over Nagaland, Manipur, Mizoram & Tripura, East Madhya Pradesh, Uttarakhand, Chandigarh, north Telangana, north Coastal Andhra Pradesh & Yanam, north Kerala & Mahe. These are appreciably below normal (-5.0°C to -3.1°C) at isolated places over West Rajasthan; below normal (-3.0°C to -1.6°C) at isolated places over East Rajasthan, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and normal over rest parts of the country (Fig. 4). Today, the lowest minimum temperature of 17.0°C is reported at Bathinda (Punjab) over the plains of the country.
- ❖ Maximum Temperature Departures (as on 21-04-2025): Maximum Temperatures were appreciably above normal (3.1°C to 5.0°C) at a few places over Vidarbha; at isolated places over East Uttar Pradesh, East Madhya Pradesh, Chhattisgarh and Assam & Meghalaya; above normal (1.6°C to 3.0°C) at many places over Haryana-Chandigarh, Arunachal Pradesh; at a few places over West Uttar Pradesh; at isolated places over Punjab, Uttarakhand, Saurashtra & Kutch, Konkan & Goa, Marathwada, Odisha, Bihar, Jharkhand and Nagaland, Manipur, Mizoram & Tripura. These were below normal (-3.0°C to -1.6°C) at many places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad; at a few places over Himachal Pradesh; at isolated places over South Interior Karnataka, Telangana, and normal over rest parts of the country (Fig. 2). Yesterday, the highest maximum temperature of 45.6°C was reported at Chandrapur (Vidarbha) over the country.






Meteorological Analysis (Based on 0830 hours IST)


- ❖ The **Western Disturbance** as a cyclonic circulation over north Pakistan & neighbourhood now lies over north Pakistan & adjoining Jammu between 3.1 & 5.8 km above mean sea level.
- ❖ A **trough** runs from central Pakistan to northwest Uttar Pradesh across Punjab & Haryana at 1.5 km above mean sea level.
- ❖ An upper air **cyclonic circulation** lies over northwest Bihar & neighbourhood at 0.9 km above mean sea level.
- Another **trough** runs from above cyclonic circulation over northwest Bihar & neighbourhood to Manipur across Sub-Himalayan West Bengal, Bangladesh and south Assam at 0.9 km above mean sea level.
- ❖ The north-south **trough** from north Chhattisgarh to Gulf of Mannar now runs from cyclonic circulation over northwest Bihar & neighbourhood to Gulf of Mannar across Chhattisgarh, East Vidarbha, Telangana, Interior Karnataka and Tamil Nadu at 0.9 km above mean sea level.
- ❖ The upper air cyclonic circulation over northeast Assam & neighbourhood between 1.5 & 3.1 km above mean sea level persists.
- An upper air **cyclonic circulation** lies over south coastal Tamil Nadu at 1.5 km above mean sea level.
- ❖ A fresh Western Disturbance is likely to affect Western Himalayan region from 24th April, 2025.
- The upper air cyclonic circulation over central Pakistan & neighbourhood at 1.5 km above mean sea level has become less marked.
- ❖ The east-west trough from northwest Rajasthan to east Bangladesh across Haryana, West Uttar Pradesh, northeast Madhya Pradesh, Jharkhand & Gangetic West Bengal at 0.9 km above mean sea level has become less marked.





Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 29th April, 2025)







22nd April (Day 1):

- Thunderstorm accompanied with lightning & gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) very likely at isolated places over Nagaland, Manipur, Mizoram & Tripura, North Interior Karnataka, Sub-Himalayan West Bengal & Sikkim; with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Odisha, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema, South Interior Karnataka; with lightning at isolated places over Arunachal Pradesh, Tamil Nadu, Puducherry & Karaikal, Lakshadweep and Coastal Karnataka.
- Heavy to very heavy rainfall very likely at isolated places over Arunachal Pradesh and Assam & Meghalaya.
- ❖ **Heat wave conditions** very likely in isolated pockets over Uttar Pradesh, East Madhya Pradesh, Vidarbha, Chhattisgarh, Bihar, Odisha and Telangana.
- ❖ Hot and Humid very likely at isolated places over Jharkhand, Konkan & Goa, Gujarat state, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam and Rayalaseema.
- ❖ Warm Night conditions very likely at isolated places over East Uttar Pradesh, Odisha and Bihar.











23rd April (Day 2)

- ❖ Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) very likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura; with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema, Interior Karnataka; with lightning at isolated places over Sub-Himalayan West Bengal & Sikkim, Arunachal Pradesh, Tamil Nadu, Puducherry & Karaikal and Coastal Karnataka.
- Heavy to very heavy rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and heavy rainfall at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- Heat wave conditions very likely in isolated pockets over Uttar Pradesh, East Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Odisha and Telangana.
- Hot and Humid very likely at isolated places over Jharkhand, Konkan & Goa, Madhya Maharashtra, Marathwada, Gujarat state, Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.
- Warm Night conditions very likely at isolated places over East Uttar Pradesh, Gangetic West Bengal, Bihar and Odisha.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







24th April (Day 3)

- ❖ Thunderstorm accompanied with lightning, gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) very likely at isolated places over Assam & Meghalaya; with lightning, gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Nagaland, Manipur, Mizoram & Tripura, Interior Karnataka, Coastal Andhra Pradesh & Yanam and Rayalaseema; with lightning at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Arunachal Pradesh, Kerala & Mahe and Coastal Karnataka.
- ❖ Heavy to very heavy rainfall very likely at isolated places over Arunachal Pradesh and heavy rainfall at isolated places over Assam & Meghalaya.
- ❖ Heat wave conditions very likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Uttar Pradesh, north Rajasthan, Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Odisha and Telangana.
- ❖ Hot and Humid very likely at isolated places over Jharkhand, Madhya Maharashtra, Marathwada, Gujarat state, Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.
- **Warm Night conditions** very likely at isolated places over Gangetic West Bengal, Bihar and Odisha.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







25th April (Day 4)

- ❖ Thunderstorm accompanied with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Interior Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema; with lightning at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Arunachal Pradesh, Kerala & Mahe and Coastal Karnataka.
- Heavy to very heavy rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and heavy rainfall at isolated places over Nagaland, Manipur, Mizoram & Tripura.
- Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Uttar Pradesh, north Rajasthan, Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Jharkhand, Odisha and Telangana.
- + Hot and Humid likely at isolated places over Madhya Maharashtra, Marathwada, Gujarat state, Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.
- **❖ Warm Night conditions** likely at isolated places over Bihar.

National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







26th April (Day 5)

- ❖ Thundersquall accompanied with lightning & gusty winds (speed reaching 50 60 kmph gusting to 70 kmph) very likely at isolated places over Bihar; Thunderstorm accompanied with lightning & gusty winds (speed reaching 40 50 kmph gusting to 60 kmph) at isolated places over Gangetic West Bengal; with lightning & gusty winds (speed reaching 30 40 kmph gusting to 50 kmph) at isolated places over Sub-Himalayan West Bengal & Sikkim, Jharkhand, Assam & Meghalaya, Interior Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema; with lightning at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Kerala & Mahe and Coastal Karnataka.
- Heavy to very heavy rainfall likely at isolated places over Arunachal Pradesh and heavy Rainfall at isolated places over Assam & Meghalaya.
- ❖ Heat wave conditions likely in some parts of north Rajasthan; in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, Uttar Pradesh, Madhya Pradesh, Vidarbha, Gangetic West Bengal, Bihar, Jharkhand and Odisha.
- ❖ Hot and Humid likely at isolated places over Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







27th April (Day 6)

- Heavy to very heavy rainfall likely at isolated places over Arunachal Pradesh and heavy Rainfall at isolated places over Assam & Meghalaya.
- ❖ **Heat wave conditions** likely in some parts of north Rajasthan; in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, West Uttar Pradesh and Madhya Pradesh.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





28th April (Day 7)

❖ Heat wave conditions likely in isolated pockets over Punjab, Haryana-Chandigarh-Delhi, north Rajasthan and Madhya Pradesh.

Weather Outlook for subsequent 3 days (During 29th April- 01st May, 2025)

- ❖ Fairly widespread to widespread rainfall activity likely over east & northeast India, Kerala.
- ❖ Isolated to scattered rainfall likely over Uttarakhand, north Uttar Pradesh, remaining parts of south peninsular India and Andaman & Nicobar Islands.


Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.

- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Fig. 1: Maximum Temperatures








Fig. 3: Minimum Temperatures




Fig. 4: Departure of Minimum Temperatures









Fig. 5: Accumulated Rainfall (mm) during past 24 hours





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds & Hailstorm over

✓ Squally winds over Assam & Meghalaya on 22nd April.

Impact expected:

- > Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- Minor to Major damage to banana and papaya trees.
- ➤ Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- Hail may injure people and cattle at open places.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

Action suggested:

- ➤ People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Stay indoors, close windows & doors and avoid travel if possible.
- Take safe shelters; do not take shelter under trees.
- Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- > Immediately get out of water bodies.
- ➤ Keep away from all the objects that conduct electricity.

Impact expected and action suggested due to Heat wave conditions over Central India and plains of Northwest India till 28th and East India till 26th April.

Yellow alert Areas

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure.
- Wear lightweight, light colour, loose, cotton clothes.
- Cover your head, use a cloth, hat or umbrella.

Impact & Action Suggested due to heavy to very heavy rainfall over Arunachal Pradesh during 22^{nd} - 26^{th} and Assam & Meghalaya on 22^{nd} & 23^{rd} April.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- ❖ Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Action Suggested

- ❖ Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- ❖ Avoid staying in vulnerable structure.

Agromet advisories for likely impact of Heavy Rainfall / Gusty Winds / Heat wave

- In **North Eastern States**, make provision to drain out excess water from standing crop and vegetable fields.
- ➤ In Madhya Pradesh, Chhattisgarh, Vidarbha, Uttar Pradesh, Rajasthan, Haryana, Punjab, Odisha, Bihar, Jharkhand, Gangetic West Bengal and Telangana, apply light and frequent irrigation to standing crops, vegetables and orchards in the evening to protect them from adverse effects of heat waves and high temperatures.
- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.

Livestock / Poultry / Fishery

- ➤ Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.
- > To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

30. रायलसीमा

32. तटीय कर्नाटक

35. केरल और माहे

S Dust Raising Winds

36. लक्षद्वीप

33. आतंरिक उत्तरी कर्नाटक

34. आतंरिक दक्षिणी कर्नाटक

31. तमिलनाडु, पुडुचेरी और कराईकल

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Rihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Puniab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha
- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal
- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe

Most Likely

> 75

36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



Strong Surface Winds





	DEFINITION/CRITERIA
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm*
	Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Wave	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations
	When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.
	(a). Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations
	When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C. Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Severe Cold Day. Maximum Temperature Departure from Horman 2 -0.5 C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Fog	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand	
	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and
Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Storm	lce deposits on ground
	turbulent wind.
Storm	lce deposits on ground Air temperature ≤4°C (over Plains)
Frost	lce deposits on ground
Storm	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph
Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph
Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (>63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
Frost Squall Sea State	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (>63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)