राष्ट्रीय मौसम पूर्वानुमान केन्द्र
भारत मौसम विज्ञान विभाग
पृथ्वी विज्ञान मंत्रालय

National Weather Forecasting Centre
India Meteorological Department
Ministry of Earth Sciences

2026-11-01
Time of Issue: 21:14:00 hours IST
(Night)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Systems, Forecast and Warnings

- The **Cyclonic Storm "Murasu" [Pronunciation: Murasu]"** over Southwest & adjoining Westcentral Bay of Bengal moved west-northwestwards with speed of 27 kmph during past 6 hours and lay centered at 1430 hours IST of today, the 01st November, 2026 over the same region near Latitude 12.4°N and Longitude 84.6°E, about 480 km east-southeast of Chennai (Tamil Nadu), 550 km east-southeast of Nellore (Andhra Pradesh), 560 km southeast of Machilipatnam (Andhra Pradesh), 600 km southeast of Ongole (Andhra Pradesh) and 610 km south-southeast of Vishakhapatnam (Andhra Pradesh). It is very likely to move west-northwestwards and intensify further into a Severe Cyclonic Storm over Westcentral Bay of Bengal around 2nd November morning. Thereafter, it is very likely to move northwestwards and cross south Andhra Pradesh coast as a Severe Cyclonic Storm with wind speed of 100 to 110 kmph gusting 120 kmph between Nellore and Narsapur during midnight (2330 Hrs IST) of 2nd to early hours (0400 Hrs IST) of 3rd November, 2026.

Under the influence of above systems, the following weather is likely:

South Peninsular India:

- **Fairly Widespread to Widespread** rainfall likely over Kerala & Mahe during 1st-7th November; Lakshadweep during 5th-7th November; Coastal Karnataka and South Interior Karnataka during 2nd-5th November; North Interior Karnataka during 3rd-5th November; Coastal Andhra Pradesh & Yanam during 2nd-4th November; Rayalaseema during 2nd-3rd November; Telangana during 3rd-4th November.
- **Isolated to Scattered** rainfall likely over Tamil Nadu, Puducherry & Karaikal during 1st-7th November; Lakshadweep during 1st-4th November; Coastal Karnataka and South Interior Karnataka on 1st November and during 6th-7th November; North Interior Karnataka during 1st-2nd November and during 6th-7th November; Coastal Andhra Pradesh & Yanam on 1st November and during 5th-7th November; Rayalaseema on 1st November and during 4th-7th November; Telangana during 1st-2nd November and during 5th-7th November.
- Isolated thunderstorm, lightning & gusty winds (speed reaching 80-90 kmph) likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November, with gusty winds (speed reaching 40-50 kmph gusting to 60 kmph) likely over Tamil Nadu, Puducherry & Karaikal during 1st-2nd November; Coastal Andhra Pradesh & Yanam during 4th-5th November; Rayalaseema on 1st November and on 4th November; Telangana on 2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Coastal Karnataka, Kerala & Mahe, North Interior Karnataka and South Interior Karnataka during 1st-5th November; Rayalaseema on 5th November; Telangana on 1st November and during 4th-5th November.
- Isolated **thunderstorm & lightning** likely over Tamil Nadu, Puducherry & Karaikal during 3rd-5th November.
- Isolated **heavy rainfall** likely over Tamil Nadu, Puducherry & Karaikal during 1st-3rd November; Kerala & Mahe during 1st-4th November; Coastal Karnataka on 3rd November; North Interior Karnataka during 3rd-4th November; South Interior Karnataka during 2nd-3rd November; Coastal Andhra Pradesh & Yanam on 1st November and on 4th November; Telangana on 4th November with isolated **very heavy rainfall** also likely over Tamil Nadu, Puducherry & Karaikalon 01st & 02nd; Rayalaseema during 2nd-3rd November; Telangana on 2nd November.
- Isolated **extremely heavy rainfall** likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November; Telangana on 3rd November.
- **Thundersquall (wind speed reaching 60-70 kmph gusting to 80 kmph)** likely over Coastal Andhra Pradesh & Yanam on 1st November; Rayalaseema during 2nd-3rd November.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Telangana on 3rd November.

Central India:

- **Isolated to Scattered** rainfall likely over West Madhya Pradesh during 3rd-5th November; East Madhya Pradesh during 1st-5th November; Vidarbha during 2nd-5th November; Chhattisgarh during 1st-2nd November and during 5th-7th November.

- **Fairly Widespread to Widespread** rainfall likely over Chhattisgarh during 3rd-4th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Chhattisgarh during 3rd-4th November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over West Madhya Pradesh during 3rd-5th November; East Madhya Pradesh on 1st November and during 3rd-5th November; Vidarbha during 3rd-4th November.
- Isolated **thunderstorm & lightning** likely over Chhattisgarh and East Madhya Pradesh on 2nd November.
- Isolated **heavy rainfall** likely over Chhattisgarh on 2nd November with isolated **very heavy rainfall** also likely over Chhattisgarh during 3rd-4th November.

East India:

- **Isolated to Scattered** rainfall likely over Andaman & Nicobar Islands during 1st-7th November; Jharkhand and Sub-Himalayan West Bengal & Sikkim during 1st-4th November; Gangetic West Bengal during 1st-3rd November; Bihar during 1st-2nd November; Odisha on 1st November and during 5th-7th November.
- **Fairly Widespread to Widespread** rainfall likely over Odisha during 2nd-4th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Odisha during 1st-2nd November and on 5th November.
- Isolated **heavy rainfall** likely over Odisha on 2nd November with isolated **very heavy rainfall** also likely over Odisha during 3rd-4th November.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Odisha during 3rd-4th November.

Northwest India:

- **Isolated to Scattered** rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 1st-2nd November and on 5th November; Himachal Pradesh and Uttarakhand during 1st-2nd November.
- **Isolated to Scattered** rainfall likely over East Uttar Pradesh during 1st-2nd November.
- **Shallow to Moderate fog** at isolated places over Uttar Pradesh on 01st & 02nd November.

Northeast India:

- **Isolated to Scattered** rainfall likely over Arunachal Pradesh during 1st-5th November; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 1st-7th November.
- Isolated **heavy rainfall** likely over Arunachal Pradesh on 2nd November.

West India:

- **Isolated to Scattered** rainfall likely over Konkan & Goa, Madhya Maharashtra and Marathawada during 1st-5th November; Gujarat Region during 1st-3rd November; Saurashtra & Kutch on 1st November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Konkan & Goa during 2nd-3rd November; Madhya Maharashtra during 1st-4th November; Marathawada on 3rd November.

Wind warnings:

- Southeast Bay of Bengal:

Squally weather with wind speed reaching 55-65 gusting to 75 kmph is prevailing over southeast Bay of Bengal. It is likely to increase becoming gale wind speed reaching 65-75 gusting to 85 kmph over southeast adjoining Southwest Bay of Bengal by forenoon of 1st November. It would decrease gradually thereafter, becoming squally winds reaching 50-60 gusting to 70 kmph from night of 2nd November and decrease gradually thereafter.

- Southwest Bay of Bengal:

Squally weather with wind speed reaching 55-65 gusting to 75 kmph is prevailing. It is likely to increase becoming gale wind speed reaching 65-75 gusting to 85 kmph by forenoon of 1st November. It is likely to increase becoming 80-90

gusting to 100 kmph by evening of 01st November till 2nd November early morning. It would decrease gradually thereafter, becoming 50-60 gusting to 70 kmph from evening of 02nd November evening and 40-50 gusting to 60 kmph by 03rd November morning and decrease thereafter.

- Westcentral Bay of Bengal:

Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 1st November, morning. It is likely to increase becoming gale wind speed reaching 65-75 gusting to 85 kmph by afternoon of 1st November and 80-90 gusting to 100 kmph from night 01nd November, 90-100 gusting to 110 kmph from 02nd November morning and 100-110 gusting to 120 kmph by midnight of 02nd November till 03rd November forenoon. It would decrease gradually thereafter, becoming 55-65 gusting to 75 kmph by 3rd November afternoon and 40-50 gusting to 60 kmph by 3rd midninght for subsequent 6 hours and improve thereafter.

❖ Along & off Andhra Pradesh coast:

Squally wind speed reaching 40-50 gusting to 60 kmph likely to commence along and off Andhra Pradesh, North Tamil Nadu and Puducherry coasts from 1st November evening. It is likely to increase becoming gale wind speed reaching 65-75 gusting to 85 kmph by noon of 2nd November, 80-90 gusting to 100 kmph from evening of 2nd and 100-110 gusting to 120 kmph by midnight of 02nd November till 03rd November noon. It would decrease gradually thereafter, becoming 55-65 gusting to 75 kmph by 3rd November afternoon and 40-50 gusting to 60 kmph by 3rd midnight for subsequent 6 hours and decrease thereafter.

- Along & off North Tamil Nadu- Puducherry coasts:

Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 1st November afternoon, becoming 55-65 gusting to 75 kmph from 2nd Morning and 60-70 gusting to 80 kmph from 2nd evening till morning of 3rd November. It would decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 3rd November afternoon for next 6 hours.

- Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast:

Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 2nd November, morning. It is likely to increase becoming 50-60 gusting to 70 kmph from 2nd November, evening to 3rd November noon. It would decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 3rd November night to 4th November, afternoon.

- Telangana & Rayalaseema

Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 2nd November afternoon, becoming 55-65 gusting to 75 kmph from 2nd midnight and 70-80 gusting to 90 kmph from early hours to afternoon of 3rd November. It would decrease gradually thereafter, becoming 40-50 gusting to 60 kmph from 3rd November midnight for next 6 hours.

Sea condition:

- Southeast Bay of Bengal

Very rough to high Sea conditions are prevailing over southeast Bay of Bengal. It is likely to deteriorate becoming high by forenoon of 1st November. It would improve gradually thereafter, becoming Very rough to rough from night of 2nd November till 03rd morning and improve gradually thereafter.

- Southwest Bay of Bengal:

Sea condition is likely to be Very Rough to high from 1st November, morning till 02nd November morning. It would improve gradually thereafter, becoming Very Rough to Rough from 02nd November afternoon to 03rd November morning.

- Westcentral Bay of Bengal:

Sea condition is likely to be Rough to Very Rough from 1st November, morning. It is very likely to deteriorate further becoming Very Rough to High from afternoon of 1st November and becoming high to very high 02nd November morning till 3rd November, noon. Thereafter, it would start improving becoming Very Rough to Rough by 4th morning and improve thereafter.

❖ Along & off Andhra Pradesh coast:

Sea condition is likely to be Rough to Very Rough from 1st November evening. It is very likely to deteriorate thereafter, becoming high from 01st November midnight and high to very high from 02nd November morning till 3rd November, noon. Thereafter, it would start improving becoming Very Rough to Rough till 4th afternoon and improve thereafter.

- Along & off North Tamil Nadu- Puducherry coasts:

Sea condition is likely to be Rough to Very Rough from 1st November, afternoon till 4th November, morning. It would improve gradually thereafter.

- Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast:

Sea condition is likely to be rough to very rough from 2nd November evening till 4th November, afternoon and would improve thereafter.

Storm Surge Warning:

- Storm surge of about 1.0 m height above astronomical tide is very likely to inundate low lying areas of South coastal Andhra Pradesh during the time of landfall. The maximum peak surge is expected over Bapatla, Krisna and Prakasam district.

Fishermen are advised not to venture into:

- Southeast Bay of Bengal on 1st and 2nd November,
- Southwest Bay of Bengal till morning of 4th November
- Westcentral Bay of Bengal till 4th November afternoon
- Along & off Andhra Pradesh coast from morning of 2nd to 4th November afternoon
- Along & off North Tamil Nadu- Puducherry coasts till 4th November morning.
- Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast from evening of 2nd to 4th November afternoon

For Wind warnings, Sea condition and Fishermen warnings Kindly refer:

- https://rsmcnewdelhi.imd.gov.in
- https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php

Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST to 1730 hours IST of today): **at many places** over Gangetic West Bengal, Odisha, Tamilnadu Puducherry & Karaikal, Sub-himalayan West Bengal & Sikkim, Uttarakhand, Assam & Meghalaya, Madhya Maharashtra , Coastal Andhra Pradesh & Yanam, Rayalaseema, North Interior Karnataka and Kerala & Mahe; **Dry** over rest of the country.

❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST to 1730 hours IST of today): **Tamilnadu Puducherry & Karaikal**: Vellore-obs (dist Vellore) 1.

❖ **Fog Condition Observed (at 1730 hours of today): Shallow fog conditions:** at isolated places over Assam & Meghalaya and Tamilnadu Puducherry & Karaikal


❖ **Visibility reported (at 1730 hours of today):** Gangetic West Bengal: Basirhat (dist North 24 Parganas), Suri (dist Birbhum) Each; Odisha: Bhubaneshwar-cuttack (dist Khordha), Angul (dist Angul), Baripada-obs (dist Mayurbhanj), Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Phulbani (dist Kandhamal), Chhatrapur (dist Ganjam), Rayagada-obs (dist Rayagada), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Sonepur (dist Subarnapur), Paralakhemundi-obs (dist Gajapati) Each;.

❖ **Minimum Temperature Departures (as on 01-11-2026): below normal(-1.6°C to -3.0°C)** at few places over South Interior Karnataka and Lakshadweep; at isolated places over Jharkhand, Himachal Pradesh, East Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra, Marathwada, Vidarbha, Tamil Nadu, Puducherry & Karaikal, North Interior Karnataka and Kerala & Mahe. **appreciably below normal(-5.0°C to -3.1°C)** at isolated places over West Rajasthan, West Madhya Pradesh, Madhya Maharashtra and Marathwada. **markedly below normal(< -5.0°C)** at isolated places over West Uttar Pradesh and East Madhya Pradesh. **The lowest minimum temperature** of 12.0°C was reported at UNA (HIMACHAL PRADESH) over the Plains of India.

❖ **Maximum Temperature Departures (as on 01-11-2026): markedly below normal(< -5.0°C)** at most places over Marathwada. **The highest maximum temperature** of 37.2°C was reported at TIRUPPATTUR (TAMIL NADU).

Meteorological Analysis (Based on 1730 hours IST)

- The **cyclonic circulation** over southeast Uttar Pradesh & neighbourhood between 1.5 & 3.1 km above mean sea level persists.
- The **Cyclonic Storm "Murasu" [Pronunciation: Murasu]"** over Southwest & adjoining Westcentral Bay of Bengal moved west-northwestwards with speed of 25 kmph during past 6 hours and lay centered at 1730 hours IST of today, the 01st November, 2026 over the same region near Latitude 12.7°N and Longitude 84.1°E, about 420 km east-southeast of Chennai (Tamil Nadu), 490 km east-southeast of Nellore (Andhra Pradesh), 500 km southeast of Machilipatnam (Andhra Pradesh), 510 east-southeast of Kavali (Andhra Pradesh), 530 km southeast of Ongole (Andhra Pradesh) and 560 km south-southeast of Vishakhapatnam (Andhra Pradesh). It is very likely to move west-northwestwards and intensify further into a Severe Cyclonic Storm over Westcentral Bay of Bengal by early hours of 2nd November. Thereafter, it is very likely to move northwestwards and cross south Andhra Pradesh coast as a Severe Cyclonic Storm with wind speed of 100 to 110 kmph gusting 120 kmph between Nellore and Narsapur close to Ongole during midnight (2330 Hrs IST) of 2nd to early hours (0400 Hrs IST) of 3rd November, 2026.
- The **Western Disturbance** as a trough aloft in middle & upper tropospheric westerlies with its axis at 5.8 km above mean sea level roughly along Long. 70°E to the north of Lat. 22°N.
- The **upper air cyclonic circulation** over Southeast Arabian Sea & adjoining Lakshadweep extendingupto 1.5 km above mean sea level persists.
- The **upper air cyclonic circulation** over Arunachal Pradesh & neighbourhood and extends upto 1.5 km above mean sea level persists.
- The **upper air cyclonic circulation** over Eastcentral Arabian Sea & neighbourhood at 3.1 km above mean sea level persists.



1 November (Day 1)

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Tamil Nadu Puducherry & Karaikal.

❖ **Heavy Rainfall** very likely at isolated places over Coastal Andhra Pradesh and Kerala & Mahe.

❖ **Thundersquall with wind speed reaching(60-70kmph) gusting to 80 kmph** very likely at isolated places over Coastal Andhra Pradesh.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Madhya Maharashtra, Odisha, Rayalaseema and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over East Madhya Pradesh, Karnataka, Kerala & Mahe and Telangana.


❖ **Fog** very likely at isolated pockets over Uttar Pradesh.

❖ Fishermen are advised not to venture into Southeast Bay of Bengal.

For Detailed Wind warnings, Sea condition and Fishermen warnings refer:

❖ https://rsmcnewdelhi.imd.gov.in

❖ https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php



2 November (Day 2)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Coastal Andhra Pradesh.

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Rayalaseema, Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Chhattisgarh, Kerala & Mahe, Odisha and South Interior Karnataka.

❖ **Thundersquall with wind speed reaching(60-70kmph) gusting to 80 kmph** very likely at isolated places over Rayalaseema.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Konkan & Goa, Madhya Maharashtra, Odisha, Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Karnataka and Kerala & Mahe.


❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Chhattisgarh and East Madhya Pradesh.

❖ **Fog** very likely at isolated pockets over Uttar Pradesh.

❖ Fishermen are advised not to venture into Southeast Bay of Bengal, Along & off Andhra Pradesh coast, Along & off North Tamil Nadu- Puducherry coasts, Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast

For Detailed Wind warnings, Sea condition and Fishermen warnings refer:

- https://rsmcnewdelhi.imd.gov.in
- https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php



3 November (Day 3)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Coastal Andhra Pradesh and Telangana.

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Chhattisgarh, Odisha and Rayalaseema.

❖ **Heavy Rainfall** very likely at isolated places over Karnataka, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.

❖ **Thundersquall with wind speed reaching(60-70kmph) gusting to 80 kmph** very likely at isolated places over Rayalaseema.

❖ **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Odisha and Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Chhattisgarh, Konkan & Goa, Madhya Maharashtra and Marathwada.


❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Karnataka, Kerala & Mahe, Madhya Pradesh and Vidarbha.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Tamil Nadu Puducherry & Karaikal.

❖ Fishermen are advised not to venture into Southwest Bay of Bengal, Along & off Andhra Pradesh coast, Along & off North Tamil Nadu- Puducherry coasts, Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast

For Detailed Wind warnings, Sea condition and Fishermen warnings refer:

- https://rsmcnewdelhi.imd.gov.in
- https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php



4 November (Day 4)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Chhattisgarh and Odisha.

❖ **Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe, North Interior Karnataka, Telangana and Vidarbha.

❖ **Thundersquall with wind speed reaching(50-60kmph)** likely at isolated places over Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh, Chhattisgarh and Madhya Maharashtra.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Karnataka, Kerala & Mahe, Madhya Pradesh, Telangana and Vidarbha.


❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Tamil Nadu Puducherry & Karaikal.

❖ Fishermen are advised not to venture into Southwest Bay of Bengal, Along & off Andhra Pradesh coast, Along & off North Tamil Nadu- Puducherry coasts, Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast

For Detailed Wind warnings, Sea condition and Fishermen warnings refer:

❖ https://rsmcnewdelhi.imd.gov.in

❖ https://rsmcnewdelhi.imd.gov.in/fishermen-warning.php




5 November (Day 5)

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Coastal Andhra Pradesh and Odisha.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Karnataka, Kerala & Mahe, Madhya Pradesh, Rayalaseema and Telangana.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Tamil Nadu Puducherry & Karaikal.


No Fishermen Warning



6 November (Day 6)

No Warning

No Fishermen Warning



7 November (Day 7)

No Warning

No Fishermen Warning

Table-1

7 Days Rainfall Forecast

S.No.	Subdivision	1- Nov	2- Nov	3- Nov	4- Nov	5- Nov	6- Nov	7- Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	SCT	SCT	ISOL	ISOL	SCT	SCT	SCT
2	ARUNACHAL PRADESH	SCT	SCT	ISOL	ISOL	ISOL	DRY	DRY
3	ASSAM & MEHGHALAYA	ISOL	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
4	N. M. M. & T.	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
7	ODISHA	SCT	FWS	WS	WS	SCT	ISOL	ISOL
8	JHARKHAND	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
9	BIHAR	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	ISOL	ISOL	DRY	DRY	ISOL	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	ISOL	ISOL	ISOL	DRY	DRY
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
21	GUJRAT REGION	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
26	VIDARBHA	DRY	ISOL	ISOL	ISOL	ISOL	DRY	DRY
27	CHATTISGARH	ISOL	SCT	FWS	FWS	ISOL	ISOL	ISOL
28	COASTAL ANDHRA PRADESH	SCT	WS	WS	FWS	SCT	ISOL	ISOL
29	TELANGANA	ISOL	SCT	FWS	FWS	SCT	ISOL	ISOL
30	RAYALASEEMA	ISOL	FWS	FWS	SCT	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	SCT	ISOL	ISOL	SCT	SCT	SCT
32	COSTAL KARNATAKA	SCT	FWS	FWS	FWS	FWS	SCT	SCT
33	NORTH INTERIOR KARNATAKA	ISOL	SCT	FWS	FWS	FWS	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	ISOL	FWS	FWS	FWS	FWS	ISOL	ISOL
35	KERALA	WS	FWS	FWS	FWS	FWS	WS	WS
36	LAKSHDWEEP	SCT	SCT	SCT	SCT	FWS	FWS	WS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-11-01




Fig. 2: Departure of Maximum Temp. Dated 2026-11-01




Fig. 3: Minimum Temperatures Dated 2026-11-01






Fig. 4: Departure of Minimum Temp. Dated 2026-11-01




24 Hr cumulative rainfall recorded over different stations during 0830 IST of 31-10-2026 to 0830 IST of 1-11-2026
Very Light to Light Rainfall (0.1 - 15.5 mm)
Moderate Rainfall (15.6 - 64.4 mm)
Heavy Rainfall (64.5 - 115.5 mm)
Very Heavy Rainfall (115.6 - 204.4 mm)
Extremely Heavy Rainfall (>=204.5 mm)
Arabian Sea
Bay of Bengal
Indian Ocean
0 250 500 km
40°0.000′
35°0.000′
30°0.000′
25°0.000′
20°0.000′
15°0.000′
10°0.000′
5°0.000′
70°0.000′
75°0.000′
80°0.000′
85°0.000′
90°0.000′
95°0.000′

Impace and Actions

Impact Expected and Action Suggested due to very heavy / heavy rainfall:

- **Isolated extremely heavy rainfall** likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November; Telangana on 3rd November.
- **Isolated very heavy rainfall** also likely over Tamil Nadu, Puducherry & Karaikal on 1st & 2nd; Rayalaseema during 2nd-3rd November; Telangana on 2nd November; Chhattisgarh and Odisha during 3rd-4th November.

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Coastal Andhra Pradesh**, provide adequate drainage in paddy, groundnut, cotton, red gram, sugarcane, maize, vegetable, banana and papaya fields to prevent waterlogging. Lift lodged rice and vegetable plants after rainfall subsides, and raise and tie lodged sugarcane. Continue harvesting mature groundnut and protect the harvested produce. Withhold sowing of rabi maize, green gram, black gram, horse gram and sunhemp until optimum soil moisture is attained. Provide mechanical support to banana and papaya plantations and stake young plants and vegetables.
- In **Rayalaseema**, ensure adequate drainage in standing crops and postpone irrigation, fertilizer application and spraying during the rainfall spell. Postpone sowing of bengal gram and other crops.
- In **Chhattisgarh**, ensure extensive drainage in mature paddy, groundnut, sesame, vegetables, unharvested maize and pulses to prevent waterlogging. Postpone harvesting, drying and threshing of mature paddy and minor millets during rainfall and resume only when weather and field conditions are suitable. Protect harvested produce in safe, covered places and cover fruit and vegetable nurseries with polythene sheets or tarpaulins. Postpone fresh sowing and transplanting of winter vegetables until the rainfall spell subsides and soil conditions become suitable. Stake vine crops and provide support to young plants.
- In **Odisha**, drain excess water from paddy, maize, groundnut, pulses, cotton, sugarcane, vegetables and orchards, particularly in low-lying fields. In lodged paddy, tie panicles into bundles and raise them upright after water recedes; harvest mature crops only when fields become workable and protect harvested produce from

further rainfall. Provide support to banana and papaya plants, prop sugarcane and stake vegetables and young fruit plants against lodging.

- In **Tamil Nadu**, ensure drainage in waterlogged rice and banana fields, and provide mechanical support to banana plantations. Harvest matured paddy and groundnut during suitable dry intervals and move the produce to safe, covered places.
- In **Keralam**, ensure proper drainage in standing crop fields. Undertake rabi rice transplanting only when field conditions are suitable and prepare well-drained planting pits for banana. Provide support to banana and papaya plantations and stake young plants and vegetables wherever required to minimise damage from gusty winds.
- In **South Interior Karnataka**, ensure adequate drainage in paddy, ginger and other standing crops. Postpone harvesting, irrigation, fertilizer application and plant protection operations during rainfall. Provide mechanical support to banana and papaya plantations and stake young plants and vegetables in areas exposed to gusty winds.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Advisories for likely impact of Heavy Rainfall for Livestock / Poultry / Fisheries


- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

Legends & abbreviations:

- **Region wise classification of meteorological Sub-Divisions:**
- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

LEGENDS

WARNING

WARNING (TAKE ACTION)
ALERT (BE PREPARED)
WATCH (BE UPDATED)
NO WARNING (NO ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Rain/ Snow *

Heavy: 64.5 to 115.5 mm/cm *
Very Heavy: 115.6 to 204.4 mm/cm*
Extremely Heavy: > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions

(a) Based on Departure from normal

Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C

(b). Based on Actual maximum temperature

Heat Wave: When actual maximum temperature ≥45°C.
Severe Heat Wave: When actual maximum temperature ≥47°C

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

Warm Night

When maximum temperature remains 40°C

Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
Severe Warm Night: When minimum temperature departure >6.4 °C.

Cold Wave

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.

(a). Based on departure

Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C

(b) Based on actual Minimum Temperature (for Plains only)

Cold Wave : When Minimum Temperature is ≤ 4.0 °C
Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C

(c) For Coastal Stations

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

Cold Day

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions

Based on departure

Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility < 1km

Moderate Fog: When the visibility between 500-200 metres
Dense Fog: when the visibility between 50- 200 metres
Very Dense Fog: when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

Air temperature ≤4°C (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

Moderate: Wind speed 52-61 kmph
Severe: Wind speed 62-87 kmph
Very Severe: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
Super Cyclone Strom: Wind speed >220 kmph (>119 knots)