



2025-11-28

Time of Issue: 13:25:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

- Under the influence of The Cyclonic Storm Ditwah over coastal Sri Lanka and adjoining southwest Bay of Bengal, heavy rainfall likely over Tamil Nadu during 28th November -01st December with isolated extremely heavy falls over coastal Tamil Nadu during 28th -30th November; isolated heavy to very heavy rainfall likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 29th November-1st December with isolated extremely heavy falls over south Coastal Andhra Pradesh and coastal Rayalaseema on 30th November; isolated heavy rainfall likely over Kerala & Mahe on 28th and 29th November; over South Interior Karnataka on 29th & 30th and Telangana on 30th November, 2025.
- Thunderstorm with lightning very likely over Tamil Nadu during 28th November-01st December; over Kerala & Mahe during 28th-29th; Coastal Andhra Pradesh & Yanam and Rayalaseema during 28th November 02nd December; North interior Karnataka on 30th & South Interior Karnataka on 29th & 30th November and overAndaman & Nicobar Islandswith gusty wind speeds reaching 30-40 kmph on 28th November.

Forecast of minimum temperatures:

- No large change in minimum temperature likely over Northwest India for the next 48 hours and thereafter gradual fall in minimum temperature likely by 2-4 ⁰C.
- No large change in minimum temperature likely over Central India for the next 48 hours and thereafter gradual rise in minimum temperature likely by 2-3 °C.
- No large change in minimum temperature for next 4 days over East India and thereafter fall in minimum temperature likely by 2-3 °C.
- Rise in minimum temperature likely over Maharashtra by 2-3 °C for the next 3 days and thereafter no large change in minimum temperature. No large change in minimum temperature for 48 hours over Gujarat and thereafter rise in minimum temperature by 3-4 °C.
- No significant change in the minimum temperature likely over Northeast India during next 5 days.

Dense Fog & Cold wave warning:

- **Dense fog conditions** very likely to prevail during early morning hours in isolated pockets of Himachal Pradesh during 29th November -1st December and over Haryana Chandigarh & Delhi on 29th & 30th; over East Rajasthan on 30th November -1st December, 2025.
- Cold wave conditions very likely to prevail in isolated pockets of Rajasthan on 03nd -05th December, 2025.

Wind Warning, Sea Condition, Fisherman Warning Wind Warning:

(a) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Sri Lanka coasts

Gale wind speed reaching 65-75 gusting to 85 kmph is prevailing. It would increase becoming 70-80 kmph gusting to 90 kmph from night of 28th till 30th November morning. Thereafter it is likely to decrease gradually becoming squally wind speed reaching 55-65 gusting to 75 kmph by morning of 1st December.

(b) Along & off north Tamil Nadu & Puducherry Coasts

Squally wind speed reaching 50-60 gusting to 70 kmph is prevailing. It is likely to increase becoming Gale wind speed reaching 60-70 gusting to 80 kmph is likely to prevail from evening of 28th November, 70-80 kmph gusting to 90 kmph by 29th morning till 30th morning. Thereafter it is likely to decrease gradually becoming squally wind speed reaching 55-65 gusting to 75 kmph by 1st December morning.

(c) Along & off south Tamil Nadu coast





Squally wind speed reaching 55-65 gusting to 75 kmph is prevailing. It is likely to increase becoming Gale wind speed reaching 60-70 gusting to 80 kmph is likely to prevail along & off south Tamil Nadu from evening of 28th till 30th November midnight.

(d) Adjoining Westcentral Bay of Bengal and along & off south Andhra Pradesh coast:

Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph is prevailing. It is very likely to increase becoming squally winds speed reaching 50-60 kmph gusting to 70 kmph from 28th evening and Gale wind speed reaching 60-70 kmph gusting to 80 kmph from 29th evening till 30th morning. Thereafter, it is likely to decrease becoming squally wind speed reaching 50-60 kmph gusting to 70 kmph on 01st December morning and 45-55 kmph gusting to 65kmph by evening of 1st December.

(e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast:

Squally weather with wind speed reaching 45-55 kmph gusting to 65 kmph likely to prevail during 28th-29th November.

Sea Condition:

(a) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Sri Lanka coasts

Very rough to high sea conditions are likely to prevailing, it is likely to be high till 30th November. Thereafter it is likely to improve from 1st December morning.

(b) Along & off north Tamil Nadu & Puducherry Coasts

Rough to very rough sea conditions are prevailing. It is likely to become very rough to high sea conditions till 30th November. It is likely to improve gradually becoming very rough to rough from 1st December morning.

(c) Along & off south Tamil Nadu coast

Very rough to high sea condition are likely to prevail till 30th November midnight. It is likely to improve gradually becoming very rough to rough from 1st December morning.

(d) Adjoining Westcentral Bay of Bengal and along & off south Andhra Pradesh coast:

Moderate to rough sea conditions are prevailing and likely to become rough to very rough from 28th evening and high from 29th evening till 30th November. Thereafter, it is likely to improve gradually on 01st December morning.

(e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast:

Rough to very rough sea conditions are likely during 28th-29th November.

Storm Surge Warning:

Storm surge of height about 1.0 to 1.5 m above the astronomical tide is likely to inundate the low-lying coastal areas of north Sri Lanka till 29th evening.

Fishermen Warning:

(a) Total suspension of fishing operations in coastal areas of Sri Lanka, Tamil Nadu, Puducherry and south Andhra Pradesh coasts till 01st December.

(b) Fishermen are advised not to venture into

(i) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts till 01st December.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- (ii) Adjoining areas of westcentral Bay of Bengal and along & off Andhra Pradesh coast till 1st December.
- (iii) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast till 30th November.
- (c)Those out at sea should avoid southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry, south Andhra Pradesh & Sri Lanka coasts; adjoining westcentral Bay of Bengal till 01st December and Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast till 30th November.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- ❖ Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at isolated places over East Rajasthan and Tamil Nadu, Puducherry & Karaikal; Dry over rest of the country.
- * Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Ramanathapuram (dist Ramanathapuram) 3; Thangachimadam (dist Ramanathapuram) 2; Pamban (dist Ramanathapuram), Rameswaram (dist Ramanathapuram), Mandapam (dist Ramanathapuram), Valinokam (dist Ramanathapuram), Theerthandathanam (dist Ramanathapuram) 1 Each; East Rajasthan: Nasirabad (dist Ajmer) 1.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense fog conditions: at isolated places over Himachal Pradesh Shallow fog conditions: at a few places over Haryana Chandigarh & Delhi, at isolated places over Odisha, East Uttar Pradesh, Punjab, Saurashtra & Kutch and Marathawada
- ♦ Visibility reported (at 0830 hours of today): Gangetic West Bengal: Basirhat (dist North 24 Parganas), Suri (dist Birbhum) Each; Odisha: Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Chhatrapur (dist Ganjam), Rayagada-obs (dist Rayagada), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Paralakhemundi-obs (dist Gajapati) Each, Rourkela (dist Sundargarh) 500.0; West Uttar Pradesh: Bulandshahr (dist Bulandshahr); Himachal Pradesh: Mandi (dist Mandi) 50.0; East Uttar Pradesh: Varanasi (babatpur) AP (dist Varanasi), Kanpur Airforce (dist Kanpur Nagar) 500.0 Each; Saurashtra & Kutch: Bhavnagar AP (dist Bhavnagar), Keshod AP (dist Junagadh) 500.0 Each; Marathawada: Aurangabad (chikalthana) AP (dist Aurangabad) 500.0; Punjab: Amritsar (rajasansi) AP (dist Amritsar) 500.0; Haryana Chandigarh & Delhi: New Delhi (safdarjung), New Delhi (palam) AP (dist South West Delhi) 500.0 Each;
- ♦ Minimum Temperature Departures (as on 28-11-2025): below normal(-1.6°C to -3.0°C) at few places over Chhattisgarh. The lowest minimum temperature of 6.5°C is reported at Nowgong (East Madhya Pradesh) over the plains of India.
- **♦ Maximum Temperature Departures (as on 27-11-2025): The highest maximum temperature** of 35.3°C is reported at DAHANU (MAHARASHTRA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The Cyclonic Storm Ditwah [Pronunciation: Ditwah] over coastal Sri Lanka and adjoining southwest Bay of Bengal moved north-northwestwards with the speed of 10 kmph during past 6 hours and lay centered at 0830 hrs IST of today, the 28th November 2025 over the same region, near latitude 8.3°N and longitude 81.0°E, about 40 km southwest of Trincomalee (Sri Lanka), 100 km northwest of Batticaloa (Sri Lanka), 320 km south-southeast of Karaikal (India), 430 km south-southeast of Puducherry (India) and 530 km south of Chennai (India). It is very likely to continue to move north-northwestwards across coastal Sri Lanka & adjoining southwest Bay of Bengal and reach over southwest Bay of Bengal near North Tamil Nadu, Puducherry and adjoining south Andhra Pradesh coasts by early morning of 30th November.
- The **Western disturbance** as an **upper air cyclonic circulation** over central Pakistan & adjoining Afghanistan now lies over north Pakistan & neighbourhood between 3.1 & 5.8 km above mean sea level.
- The induced cyclonic circulation over southwest Rajasthan upto 1.5 km above mean sea level persists.

Weather Outlook for subsequent 3 days

- Fairly widespread to widespread rainfall activity likely over North Tamil Nadu, Coastal Andhra Pradesh, Kerala and Andaman & Nicobar Islands.
- Isolated to Scattered rainfall activity over Coastal Karnataka and South Interior Karnataka.









28 November (Day 1)

- Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall very likely at isolated places over Kerala & Mahe.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- Dense Fog very likely at isolated pockets over Haryana, Chandigarh & Delhi, Himachal Pradesh and Odisha.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along
 and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining
 southeast Bay of Bengal, some parts of westcentral Bay of Bengal, along and off south Andhra Pradesh
 coast.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, many parts of southwest Bay of Bengal.









29 November (Day 2)

- Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Andhra Pradesh.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and South Interior Karnataka.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ♦ Dense Fog very likely at isolated pockets over East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh and Odisha.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along
 and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining
 southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh
 coast.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over parts of southwest Bay of Bengal off north Sri Lanka coast.









30 November (Day 3)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall very likely at isolated places over South Interior Karnataka and Telangana.
- Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- Dense Fog very likely at isolated pockets over East Rajasthan and Himachal Pradesh.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over
 parts of southwest Bay of Bengal off north Tamil Nadu coast.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







1 December (Day 4)

- Heavy Rainfall likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







2 December (Day 5)

- * Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh.
- **Cold wave conditions** likely at isolated places over Rajasthan.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







3 December (Day 6)

❖ Cold wave conditions likely at isolated places over Rajasthan.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





4 December (Day 7)

❖ Cold wave conditions likely at isolated places over Rajasthan.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 29-11-2025 :

Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Kerala & Mahe - Idukki, Kollam, Kottyam, Pattanamittia and Thiruvananthpuram districts.

Tamil Nadu - Puducherry & Karaikal - Karaikal, Ariyalur, Coimbatore, Dindigul, Kanyakumari, Karur, Madurai, Nagapattinam, Perambalur, Pudukkottai, Ramanathapuram, Salem, Sivaganga, Teni, Thanjavur, Thiruvarur, Tiruchirappalli, Tirunelveli, Tiruppur, Tuticorin and Virudhunagar districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.






Table-1

7 Days	Rainfall	For	eca	ast
Cubdivision	20	20	20	1 Da

r Days Raillian i Olccast								
S.No.	Subdivision	28- Nov	29- Nov	30- Nov	1- Dec	2- Dec	3- Dec	4- Dec
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
2	ARUNACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
3	ASSAM & MEHGHALAYA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
4	N. M. M. & T.	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	DRY	DRY	DRY	DRY	ISOL	ISOL	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	ISOL	ISOL	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJRAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	ISOL	ISOL	DRY	DRY	DRY
27	CHATTISGARH	DRY	DRY	ISOL	ISOL	ISOL	DRY	DRY
28	COASTAL ANDHRA PRADESH	ISOL	SCT	FWS	WS	SCT	SCT	ISOL
29	TELANGANA	DRY	ISOL	SCT	ISOL	DRY	DRY	ISOL
30	RAYALASEEMA	ISOL	SCT	WS	WS	SCT	SCT	ISOL
31	TAMILNADU & PUDUCHERRY	FWS	FWS	SCT	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
33	NORTH INTERIOR KARNATAKA	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	SCT	SCT	ISOL	ISOL	ISOL	ISOL
35	KERALA	SCT	SCT	SCT	SCT	SCT	SCT	SCT
36	LAKSHDWEEP	SCT	SCT	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-11-27




Fig. 3: Minimum Temperatures Dated 2025-11-28




Fig. 2: Departure of Maximum Temp. Dated 2025-11-27






Fig. 4: Departure of Minimum Temp. Dated 2025-11-28









Impact & Action Suggested due to

Heavy rainfall likely over Tamil Nadu during 28th November -01st December with isolated extremely heavy falls over coastal Tamil Nadu during 28th -30th November; isolated heavy to very heavy rainfall likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 29th November-1st December with isolated extremely heavy falls over south Coastal Andhra Pradesh and coastal Rayalaseema on 30th November; isolated heavy rainfall likely over Kerala & Mahe on 28th and 29th November; over South Interior Karnataka on 29th & 30th and Telangana on 30th November, 2025.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
 of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy Rainfall

- In **Tamil Nadu**, drain out excess rain water from the fields of rice, groundnut, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, areca nut, mango, rubber, cinnamon and black pepper. Strengthen irrigation channels and field bunds in rice to avoid crop lodging. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Kerala**, drain out excess rain water from the fields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana to prevent their falling due to heavy rainfall. Undertake staking for vegetables grown in pandals.
- In **Andhra Pradesh**, harvest the matured rice immediately and shift the harvested produce to safer places. Ensure drainage facilities in the fields of maize, green gram, black gram, horse gram and groundnut.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.

Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.

East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.


Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.

West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.

South India: Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)		
Unlikely	< 25		
Likely	25 - 50		
Very Likely	50 - 75		
Most Likely	> 75		

Heavy Rain



Very Heavy Rain 🌨 Extremely Heavy Rain 🗼 Heavy Snow



Thunderstorm & Lightning Strong surface winds

Hailstrom **Heat Wave**





Cold Wave Hot & Humid





2 Dust Strom



		EGENDS				
	WARNING	Probal	oilistic Forecast			
	WARNING (TAKE ACTION)	Terms	Probability of Occurrence (%			
	ALERT (BE PREPARED)	Unlikely Likely	< 25 25 - 50			
	WATCH (BE UPDATED)	Very Likely	50 - 75			
	NO WARNING (NO ACTION)	Most Likely	>75			
:/0	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*					
n/ Snow	Extremely Heavy: > 204.4 mm/cm *					
	When maximum temperature of a s (a) Based on Departure from normal		°C for plains and ≥30°C for			
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5	C to 6.4° C.			
Î+	Severe Heat Wave: Maximum Temperat		mal ≥6.5° C			
at Wave	(b). Based on Actual maximum tem					
	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim					
	(c). Criteria for heat wave for coast	tal stations				
	When maximum temperature departure is temperature ≥37°C	s >4.5°C from normal. H	eat Wave may be described provide			
î+	When maximum temperature rema					
rm Night	Warm Night: When minimum temperatur Severe Warm Night: When minimum ter					
	Severe manni rright. When minimum ter	inperature departure >0	i T Vi			
	When minimum temperature of a	station ≤10°C for	plains and ≤0°C for hilly re			
	(a). Based on departure					
	Cold Wave: Minimum Temperature Depa					
<u>]</u> -	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C					
old Wave	(b) Based on actual Minimum Temperature (for Plains only) Cold Wave : When Minimum Temperature is ≤ 4.0 °C					
	Severe Cold Wave: When Minimum Temperature is \$ 4.0 °C					
	(c) For Coastal Stations					
	When Minimum Temperature departure	is ≤-4.5 °C & actual N	Minimum Temperature is ≤ 15 °C			
	When minimum temperature of a s	station ≤10°C for pla	ains and ≤0°C for hilly region			
1-	Based on departure					
Cold Day	Cold Day: Maximum Temperature Depar					
oola bay	Severe Cold Day: Maximum Temperatur	re Departure from norm	al ≤ -6.5 °C			
	Phenomenon of small droplets	-	and the horizontal visibi			
(Moderate Fog: When the visibility between Dense Fog: when the visibility between					
Fog	Very Dense Fog: when the visibility < 50					
44	Sudden electrical discharges manif	ested by a flash of	ight (Lightning) and a sharp			
understorm	sound (thunder)		, , , , , , , , , , , , , , , , , , , ,			
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically	lifted to great heights by a st			
Storm	taroalent wind.					
"	Ice deposits on ground					
22	Air temperature ≤4°C (over Plains)					
Frost						
	A strong wind that rises sudde	enly, lasts for atle	east 1 minute.			
	Moderate: Wind speed 52-61 kmph					
€	Severe: Wind speed 62-87 kmph					
Squall	Very Severe: Wind speed >87 kmph					
Squall	Very Severe: Wind speed >87 kmph					
Squall	Effect of various waves in the sea		Ways height 2 E C mater			
Squall	Effect of various waves in the sea Rough to very rough: Wind speed 41-6	32 kmph (22-33 knots) 8				
"	Effect of various waves in the sea	62 kmph (22-33 knots) & mph (34-63 knots) & V	/ave height 6-14 metre			
Squall ea State	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (>	62 kmph (22-33 knots) & cmph (34-63 knots) & W 63 knots) & Wave heigt	/ave height 6-14 metre			
W.	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	62 kmph (22-33 knots) 8 kmph (34-63 knots) & W 63 knots) & Wave heigh h (34-47 knots)	/ave height 6-14 metre nt >14 metre			
	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmp Severe Cyclonic Storm: Wind speed 88	32 kmph (22-33 knots) & cmph (34-63 knots) & W +63 knots) & Wave heigl oh (34-47 knots) 8-117 kmph (48-63 knot	/ave height 6-14 metre nt >14 metre			
	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	32 kmph (22-33 knots) & 4mph (34-63 knots) & W 463 knots) & Wave height 50h (34-47 knots) 8-117 kmph (48-63 knotal) 8eed 118-165 kmph (64 -	/ave height 6-14 metre nt >14 metre ss) 89 knots)			