



#### National Weather Forecasting Centre **India Meteorological Department Ministry of Earth Sciences**

**Thursday, May 29, 2025** Time of Issue: 1330 hours IST

(MID-DAY)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

# **Significant Weather Features:**

#### South Peninsular India:

- Fairly widespread to widespread light/moderate rainfall accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph over Kerala & Mahe, Karnataka during 29th May-01st June; Isolated to scattered light/moderate rainfall accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likely over Tamilnadu Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam, Rayalaseema and Telangana during 29th-31st Mav.
- Isolated heavy rainfall likely over Telangana, North Interior Karnataka on 29th, Coastal Karnataka on 31st May & 01st June, South Interior Karnataka on 30th, Kerala & Mahe on 01st & 02nd June and isolated heavy to very heavy rainfall over Tamilnadu Puducherry & Karaikal, Coastal Karnataka on 30th, Kerala & Mahe on 31st may.
- Isolated extremely heavy rainfall very likely over Kerala & Mahe on 29th & 30th, Tamilnadu Puducherry & Karaikal, Coastal Karnataka, South Interior Karnataka on 29th May.

#### Northeast India:

- Fairly widespread to widespread light/moderate rainfall over Northeast India during next 7 days.
- Isolated heavy to very heavy rainfall very likely over Sub-Himalayan West Bengal & Sikkim during 29th May- 01st June, Assam & Meghalaya, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura during next 7 days with isolated extremely heavy rainfall also likely over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura on 29th & 30th, Arunachal Pradesh on 30th May.
- Isolated exceptionally heavy rainfall also likely over Meghalaya on 30th may.

#### West India:

- Scattered to fairly widespread light/moderate rainfall accompanied with thunderstorm, lightning over Konkan & Goa, Madhya Maharashtra, Gujarat State. Marathawada on 29th May.
- Isolated heavy rainfall likely over Madhya Maharashtra on 29th, Konkan & Goa on 01st & 02nd June and isolated heavy to very heavy rainfall over Konkan & Goa 29th May

#### East & Central India:

- Scattered to fairly widespread light/moderate rainfall accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likely over Vidarbha, Chhattisgarh, Gangetic West Bengal, Jharkhand, Odisha, Madhya Pradesh, Bihar during 29th May- 01st June with Thundersquall wind speed reaching 50-60 kmph gusting to 70 kmph likely over West Madhya Pradesh on 29th, East Madhya Pradesh, Chhattisgarh on 29th & 30th May.
- Isolated heavy rainfall likely over Vidarbha, Chhattisgarh on 29th, Bihar on 29th & 30th, Gangetic West Bengal, Odisha on 30th with isolated very heavy rainfall over Gangetic West Bengal, Odisha on 29th May.

#### **Northwest India:**

- Scattered to fairly widespread light/moderate rainfall accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likely over likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Uttarakhand, Punjab, Haryana Chandigarh & Delhi; isolated to scattered rainfall over Uttar Pradesh, Rajasthan during 29th May-02nd June with Thundersquall wind speed reaching 50-60 kmph gusting to 70 kmph likely over Rajasthan, Punjab, Haryana Chandigarh & Delhi during 29th-30th, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, East Uttar Pradesh on 29th, Himachal Pradesh on 31st may & 01st June.
- Isolated heavy rainfall also likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad on 30th & 31st, Himachal Pradesh on 31st may & 01st June, Uttarakhand during 30th May -02nd June.
- **Dust storm** also very likely at isolated places over West Rajasthan on 29th & 30th May.

#### **Heat wave warnings:**

Heat wave conditions very likely in isolated pockets of West Rajasthan on 30th & 31st May.

#### FISHERMEN WARNINGS:

- (A) Fishermen are advised not to venture over south Arabian Sea & southern parts of central Arabian Sea from 1130 IST of 29th to 0530 IST of 01st June; over southeast Arabian Sea, Lakshadweep, Maldives, Comorin areas from 0530 IST of 31st May to 0530 IST of 03rd June; over Gulf of Mannar from 1130 IST of 29th to 0530 IST of 03rd June; and along & off Kerala, Karnataka coasts from 1130 IST of 29th to 0530 IST of 02nd June; along and off south Konkan, Goa coasts on 29th May; along and off Somalia coasts and adjoining sea areas from 1130 IST of 29th to 0530 IST of 03rd June; along and off Gujarat coast from 0530 IST of 30th to 0530 IST of 02nd June; off north Gujarat coast on 02nd June.
- (B) Fishermen are advised not to venture along & off Tamil Nadu, Andhra Pradesh, Odisha, West Bengal, Bangladesh, Myanmar coasts, over entire Bay of Bengal from 1130 IST of 29th to 0530 IST of 31st May; off Tamil Nadu, Andhra Pradesh, Odisha, West Bengal, Bangladesh, Myanmar coasts from 0530 IST of 31st May to 0530 IST of 01st June; Most parts of Bay of Bengal from 0530 IST of 01st June to 0530 IST of 03 June.
- (C) Fishermen are advised not to venture into the Andaman Sea on 29th May & 30th May.

Total suspension of fishing operations over above-mentioned areas and dates.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

### **Main Weather Observations:**

- \* Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Konkan & Goa , Kerala & Mahe, Odisha, Jharkhand, Gangetic West Bengal, Nagaland, Manipur, Mizoram & Tripura and Coastal Karnataka; at many places over West Uttar Pradesh, Madhya Maharashtra , Assam & Meghalaya, West Rajasthan, Himachal Pradesh, West Madhya Pradesh, Sub-himalayan West Bengal & Sikkim, Bihar, Uttarakhand, Jammu & Kashmir and Ladakh, East Uttar Pradesh, Saurashtra & Kutch, East Madhya Pradesh, South Interior Karnataka, Tamilnadu Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam, Chhattisgarh, Rayalaseema, Marathawada, Vidarbha, Andaman & Nicobar Islands, North Interior Karnataka, East Rajasthan and Lakshadweep; Dry over rest of the country.
- \* Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Avalanche (dist Nilgiris) 19; Chinnakalar (dist Coimbatore), Upper Bhavani (dist Nilgiris) 12 Each; Periyar (dist Theni), Valparai PTO (dist Coimbatore), Pwd Makkinampatti (dist Coimbatore) 11 Each; Sholayar (dist Coimbatore), Cincona (dist Coimbatore) 9 Each; Kerala & Mahe: Cheruvanchery AWS (dist Cannur) 15; Peermade To (dist Idukki) 13; Vyttiri (dist Wynad), Peringome AWS (dist Cannur) 12 Each; Irikkur (dist Cannur), Vadakara (dist Kozhikode), Munnar Kseb (dist Idukki), Kannur (dist Cannur), Idukki (dist Idukki), Ayyankunnu AWS (dist Cannur) 11 Each; Pinarayi AWS (dist Cannur) 10; Quilandi (dist Kozhikode), Chalakudi (dist Thrissur), Hosdurg (dist Kasargod), Kannur Airport AWS (dist Cannur), Chemberi AWS (dist Cannur), Vellathooval AWS (dist Idukki), Ams Kannur (dist Cannur), Manantoddy (dist Wynad) 9 Each; Coastal Karnataka: Manki (dist Uttara Kannada) 14; Uppinangadi (dist Dakshina Kannada) 13; Karwar (dist Uttara Kannada), Gersoppa (dist Uttara Kannada) 11 Each; Mani (dist Dakshina Kannada), Bantwal (dist Dakshina Kannada), Ankola (dist Uttara Kannada), Honavar (dist Uttara Kannada), Puttur HMS (dist Dakshina Kannada) 10 Each; Udupi (dist Udupi), Panambur (dist Dakshina Kannada), Siddapura (dist Udupi), Kundapur (dist Udupi), Kota (dist Udupi) 9 Each; South Interior Karnataka: Bhagamandala (dist Kodagu) 13; Agumbe Emo (dist Shivamogga) 12; Konkan & Goa: Sanguem (dist South Goa) 13; Canacona (dist South Goa) 12; Margao (dist South Goa) 10; Panjim (dist North Goa) 9; Odisha: Lanjigarh (dist Kalahandi) 10; Chilika (dist Khurda) 8; Assam & Meghalaya: Kokrajhar (dist Kokrajhar), Dhupdhara ARG (dist Goalpara) 8 Each; Nagaland, Manipur, Mizoram & Tripura: Chandel AWS (dist Chandel) 8; Sub Himalayan West Bengal & Sikkim: Lava (dist Darjeeling), Lava (dist Kalimpong) 7 Each; Vidarbha: Kamptee (dist Nagpur), Amgaon (dist Gondia) 7 Each; Telangana: Utkoor (dist Narayanpet) 7; Madhya Maharashtra: Mahabaleshwar (dist Satara) 7.
- Heavy to very heavy rainfall at isolated places over Konkan & Goa, Tamilnadu Puducherry & Karaikal, Kerala & Mahe, Coastal & South Interior Karnataka; Heavy rainfall at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub-Himalayan West Bengal & Sikkim, Odisha, Madhya Maharashtra, Marathawada, Telangana, East Madhya Pradesh, Vidarbha.
- **\Delta Hailstorm** observed at isolated places over Himachal Pradesh.
- **Dust Storm** observed at isolated places over West Rajasthan.
- Minimum Temperature Departures (as on 29-05-2025): Minimum Temperature Departures are markedly above normal (> 5.1°C) at few places over East Madhya Pradesh; at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan, West Madhya Pradesh and Saurashtra & Kutch. appreciably above normal (3.1°C to 5.0°C) at isolated places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Odisha, Uttarakhand, Haryana-Chandigarh-Delhi, East Rajasthan, Gujarat Region, Madhya Maharashtra and Tamil Nadu, Puducherry & Karaikal. above normal (1.6°C to 3.0°C) at most places over Arunachal Pradesh and Punjab; at few places over Rayalaseema; at isolated places over Gangetic West Bengal, Jharkhand, Coastal Andhra Pradesh & Yanam and Kerala & Mahe. near normal (-1.5°C to 1.5°C) at many places over North Interior Karnataka and Lakshadweep; at most places over Nagaland, Manipur, Mizoram & Tripura and South Interior Karnataka; at few places over Konkan & Goa and Chhattisgarh; at isolated places over Telangana. Today, The lowest minimum temperature of 19.2°C is reported at Matheran (Maharashtra) over the Plains of India.
- Maximum Temperature Departures (as on 28-05-2025): Maximum Temperature were markedly above normal(> 5.1°C) at most places over Arunachal Pradesh; at few places over Assam & Meghalaya; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, West Uttar Pradesh and Tamil Nadu, Puducherry & Karaikal; appreciably above normal(3.1°C to 5.0°C) at isolated places over Bihar, Himachal Pradesh and East Madhya Pradesh; above normal(1.6°C to 3.0°C) at few places over West Rajasthan; at isolated places over East Uttar Pradesh, Punjab and Saurashtra & Kutch; near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar Islands; at most places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan and Lakshadweep; at few places over Gangetic West Bengal, Odisha, Haryana-Chandigarh-Delhi, Gujarat Region, South Interior Karnataka and Kerala & Mahe; at isolated places over West Madhya Pradesh and Konkan & Goa. Yesterday, the highest maximum temperature of 44.8°C was reported at Bikaner (West Rajasthan).





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# Meteorological Analysis (Based on 0830 hours IST)


- Southwest Monsoon has further advanced into some more parts of Chhattisgarh & Odisha, some more parts of North Bay of Bengal, remaining parts of Northeastern states and some parts of Sub-Himalayan West Bengal and entire Sikkim today, the 29th May 2025.
- ❖ The Northern Limit of Monsoon continues to pass through 17.0°N/55°E, 17.5°N/60°E, 18°N/65°E, 18.5°N/70°E, Mumbai, Ahilyanagar, Adilabad, Bhawanipatna, Puri, Sandhead Island, 23.5°N/89.5°E, Balurghat, 30°N/85°E.
- Conditions are favourable for further advance of southwest monsoon over some more parts of West Bengal and Bihar during next 1-2 days.
- ❖ The Depression over Northwest Bay of Bengal off West Bengal-Bangladesh coasts moved nearly northwards with a speed of 20 kmph during past 3 hours, intensified into a Deep Depression and lay centred at 0830 hours IST of today, the 29th May 2025 over the same region near latitude 21.3° N and longitude 88.5° E, about 60 km southeast of Sagar Island, 110 km east-southeast of Digha, 160 km east of Balasore, 180 km south-southwest of Mongla (Bangladesh) and 180 km west of Khepupara (Bangladesh). It is likely to continue to move nearly northwards and cross West Bengal Bangladesh coasts between Sagar Island and Khepupara (Bangladesh) by afternoon of today, the 29th May, 2025.
- ❖ The Western Disturbance is now seen as an upper air cyclonic circulation over Jammu-Kashmir at 3.1 km above mean sea level with a trough aloft in middle & upper troposphere with its axis at 5.8 km above mean sea level roughly along Long. 75°E to the north of Lat. 32°N.
- ❖ Another Western Disturbance as a cyclonic circulation over North Afghanistan & neighbourhood between 3.1 & 7.6 km above mean sea level persists.
- The upper air cyclonic circulation over south Punjab & neighbourhood extending upto 1.5 km above mean sea level persists.
- ❖ The **upper air cyclonic circulation** over west Rajasthan at 1.5 km above mean sea level persists.
- ❖ An upper air cyclonic circulation lies over northern parts of central Uttar Pradesh at 1.5 km above mean sea level.
- ❖ A **trough** runs from southeast Rajasthan to centre of Deep Depression over Northwest Bay of Bengal off West Bengal-Bangladesh coasts across north Madhya Pradesh, Chhattisgarh, Jharkhand, Gangetic West Bengal at 0.9 km above mean sea level.
- ❖ The **trough** from cyclonic circulation over west Rajasthan to north Chhattisgarh across east Rajasthan and Madhya Pradesh at 1.5 km above mean sea level has become less marked.


**	The <b>upper air cyc</b>	lonic circulation	i over northeast I	Madhya	Pradesh a	t 1.5 k	m above i	mean sea .	level ha	s become	less mark	ked
----	--------------------------	-------------------	--------------------	--------	-----------	---------	-----------	------------	----------	----------	-----------	-----



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 05th June, 2025)






# 29th May (Day 1)


- **Exceptionally heavy rainfall (>30 cm)** very likely at isolated places over Meghalaya.
- \* Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Assam, Costal Karnataka, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- Heavy to Very Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Konkan & Goa, Odisha and West Bengal & Sikkim.
- **Heavy Rainfall** very likely at isolated places over Bihar, Chhattisgarh, Madhya Maharashtra, North Interior Karnataka, Telangana and Vidarbha.
- \* Thunderstorm accompanied with Hailstorm very likely at isolated places over Uttar Pradesh.
- **♦ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Chhattisgarh, East Uttar Pradesh, Haryana, Chandigarh & Delhi, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Punjab and Rajasthan.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Bihar, Gujarat State, Himachal Pradesh, Interior Karnataka, Jharkhand, Marathwada, Odisha, Tamil Nadu Puducherry & Karaikal, Uttarakhand, Vidarbha and West Uttar Pradesh.
- **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Costal Karnataka, Gangetic West Bengal and Telangana.
- \* Thunderstorm accompanied with Lightning very likely at isolated places over Konkan & Goa and Madhya Maharashtra.
- **Dust Storm** very likely at isolated places over West Rajasthan.
- Strong Surface Winds very likely at isolated places over Costal Karnataka, Kerala & Mahe, Konkan & Goa and Lakshadweep.
- Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and northern parts of southwest Arabian Sea and adjoining west central Arabian Sea. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing over south Arabian Sea, southern parts of central Arabian Sea; along and off south Konkan, Goa, Kerala, Karnataka coasts, over Lakshadweep area, Maldives area, Comorin area, over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu, Andhra Pradesh, Myanmar coasts, over south and central Bay of Bengal, over Andaman Sea. Squally weather with wind speed 40 kmph to 50 kmph gusting to 60 kmph over northern parts of central Bay of Bengal, along and off north Andhra Pradesh coast adjoining to Odisha coast, along and off north Myanmar coast. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph prevailing over along and off Odisha and West Bengal, Bangladesh coasts, over north Bay of Bengal, many parts of central and southwest Bay of Bengal. Squally wind with speed 50 kmph to 60 kmph gusting to 70 kmph likely to prevail along and off West Bengal and adjoining Bangladesh coasts, adjoining sea area. Fishermen are advised not to venture into these areas.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







## 30th May (Day 2)

- ❖ Exceptionally heavy rainfall (>30 cm) very likely at isolated places over Meghalaya.
- **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Assam, Kerala & Mahe and Nagaland, Manipur, Mizoram and Tripura.
- **\Display** Heavy to Very Heavy Rainfall very likely at isolated places over Costal Karnataka, Sub Himalayan West Bengal & Sikkim and Tamil Nadu Puducherry & Karaikal.
- Heavy Rainfall very likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, South Interior Karnataka and Uttarakhand.
- Thunderstorm accompanied with Hailstorm very likely at isolated places over Uttar Pradesh.
- **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Chhattisgarh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Punjab and Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andhra Pradesh, Bihar, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Odisha, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh, Uttarakhand, Vidarbha and West Madhya Pradesh.
- **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Costal Karnataka, Gangetic West Bengal, Interior Karnataka, Jharkhand and Telangana.
- **Dust Storm** very likely at isolated places over West Rajasthan.
- Strong Surface Winds very likely at isolated places over Costal Karnataka, Kerala & Mahe, Lakshadweep and Saurashtra & Kutch.
- **Heat Wave conditions** very likely at isolated places over West Rajasthan.
- Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and northern parts of southwest Arabian Sea and adjoining west central Arabian Sea, along and off Gujarat coast and adjoining northeast Arabian Sea. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing over south Arabian Sea, southern parts of central Arabian Sea; along and off Kerala, Karnataka coasts, over Lakshadweep area, Maldives area, Comorin area, over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu, Andhra Pradesh, Myanmar coasts, over south and central Bay of Bengal, over Andaman Sea. Squally weather with wind speed 40 kmph to 50 kmph gusting to 60 kmph along and off Odisha and West Bengal, Bangladesh coasts, over north Bay of Bengal. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph prevailing over many parts of north Bay of Bengal, some parts of central and southwest Bay of Bengal. Fishermen are advised not to venture into these areas.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





# 31st May (Day 3)


- Heavy to Very Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura and Sub Himalayan West Bengal & Sikkim.
- Heavy Rainfall very likely at isolated places over Costal Karnataka, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Himachal Pradesh.
- Thunderstorm accompanied with lightning & gusty winds (40-50kmph) very likely at isolated places over Andhra Pradesh, Chhattisgarh, East Rajasthan, East Uttar Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh and Vidarbha.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Bihar, Haryana, Chandigarh & Delhi, Jharkhand, Odisha, Punjab, Telangana, Uttarakhand and West Uttar Pradesh.
- **Thunderstorm accompanied with Lightning** very likely at isolated places over Gangetic West Bengal.
- ❖ Strong Surface Winds very likely at isolated places over Kerala & Mahe, Lakshadweep and Saurashtra & Kutch.
- **Heat Wave conditions** very likely at isolated places over West Rajasthan.

Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and northern parts of southwest Arabian Sea and adjoining parts of west central Arabian Sea, along and off Gujarat coast and adjoining northeast Arabian Sea. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing over south Arabian Sea, southern parts of central Arabian Sea; along and off Kerala, Karnataka coasts, over Lakshadweep area, Maldives area, Comorin area, over Gulf of Mannar, off Sri Lanka, Tamil Nadu, Andhra Pradesh, Odisha, West Bengal coasts, over most parts of south, central & north Bay of Bengal. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph prevailing over many parts of central Bay of Bengal & adjoining parts of south Bay of Bengal. Fishermen are advised not to venture into these areas.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





# 01st June (Day 4)


- ❖ Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh, Costal Karnataka, Himachal Pradesh, Kerala & Mahe, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- **❖ Thundersquall with wind speed reaching(50-60kmph)** likely at isolated places over Himachal Pradesh.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over East Rajasthan, Madhya Pradesh and Vidarbha.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andhra Pradesh, Bihar, Chhattisgarh, East Uttar Pradesh, Haryana, Chandigarh & Delhi, Punjab, Telangana and Uttarakhand.
- ❖ Strong Surface Winds likely at isolated places over Saurashtra & Kutch.
- Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and northern parts of southwest Arabian Sea and adjoining parts of west central Arabian Sea, along and off Gujarat coast and adjoining northeast Arabian Sea. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing over south Arabian Sea, southern parts of central Arabian Sea; along and off Kerala, Karnataka coasts, over Lakshadweep area, Maldives area, Comorin area, over Gulf of Mannar, off Sri Lanka, Tamil Nadu, Andhra Pradesh, Odisha, West Bengal coasts, over most parts of south, central & north Bay of Bengal. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph prevailing over many parts of central Bay of Bengal & adjoining parts of south Bay of Bengal. Fishermen are advised not to venture into these areas.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






# **02**<sup>nd</sup> **June (Day 5)**

- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Kerala & Mahe, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.
- **Thundersquall with wind speed reaching(50-60kmph)** likely at isolated places over Himachal Pradesh.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Madhya Pradesh, Rajasthan and Vidarbha.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Chhattisgarh, Harvana, Chandigarh & Delhi, Punjab, Telangana and Uttarakhand.
- ❖ Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and adjoining sea area, off north Gujarat coast and some parts of northeast Arabian Sea. Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph prevailing over southeast Arabian Sea, Lakshadweep, Maldives and Comorin areas, Gulf of Mannar, most parts of south, central & north Bay of Bengal. Fishermen are advised not to venture into these areas.



### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






# 03rd June (Day 6)

- **Heavy Rainfall** likely at isolated places over Arunachal Pradesh and Assam & Meghalaya.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Himachal Pradesh and Rajasthan.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Haryana, Chandigarh & Delhi and Punjab.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





# **04**<sup>th</sup> **June (Day 7)**

- ❖ Heavy Rainfall likely at isolated places over Arunachal Pradesh and Assam & Meghalaya.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Himachal Pradesh and Rajasthan.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Haryana, Chandigarh & Delhi and Punjab.

# Weather Outlook for subsequent 3 days (During 05th June- 07th June, 2025)

- ❖ Fairly widespread to widespread rainfall activity likely over Northeast India, West Bengal & Sikkim, Andaman & Nicobar Islands, Lakshadweep, Konkan & Goa, Coastal Karnataka and Kerala & Mahe.
- ❖ Isolated to scattered rainfall likely over Jammu-Kashmir-Ladakh, Uttarakhand, Himachal Pradesh, Odisha, south Chhattisgarh adjoining Coastal Andhra Pradesh & Yanam.


Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.

- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Fig. 1: Maximum Temperatures

#### Fig. 2: Departure of Maximum Temperatures








Fig. 4: Departure of Minimum Temperatures






Fig. 5: Advance of Southwest Monsoon 2025









Fig. 6: Accumulated Rainfall (mm) during past 24 hours







### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested over Northeastern States, Sub-Himalayan West Bengal & Sikkim due to heavy rainfall (orange and red areas) and squally winds

#### Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Onshore and offshore operations may get affected.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

# Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

# Impact & Action Suggested due to Extremely and heavy to very heavy rainfall over west coast and other areas (For Red & Orange colour warning areas)

- Isolated exceptionally heavy rainfall also likely over Meghalaya on 30th may.
- \* Extremely heavy rainfall at isolated places over Tamilnadu Puducherry & Karaikal, Coastal Karnataka, South Interior Karnataka on 29th; Kerala & Mahe Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura on 29th & 30th, Arunachal Pradesh on 30th May.

#### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

# **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- ❖ Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

### Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds over

✓ **Thundersquall wind speed reaching 50-60 kmph gusting to 70 kmph** over likely over West Madhya Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, East Uttar Pradesh on 29th, East Madhya Pradesh, Chhattisgarh, Rajasthan, Punjab, Haryana Chandigarh & Delhi during 29th-30th. Himachal Pradesh on 31st may & 01st June.

#### Impact expected:

- Minor to Major damage to banana and papaya trees.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

# Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- > Stay indoors, close windows & doors and avoid travel if possible.
- > Take safe shelters; do not take shelter under trees.
- > Do not lie on concrete floors and do not lean against concrete walls.
- Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- Keep away from all the objects that conduct electricity.





#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### Agromet advisories for likely impact of Heavy Rainfall / Hailstorms / Gusty Winds / Heat Wave

- In North Eastern States, West Bengal & Sikkim, Odisha, Bihar, Jammu & Kashmir, Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Vidarbha, Tamil Nadu, Kerala, Karnataka and Telangana, drain out excess water and ensure proper drainage in fields with standing crops and vegetables.
- > In East Uttar Pradesh, use hail nets and hail caps to prevent mechanical damage in vegetables and orchards due to the possibility of hailstorms.
- > Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- > Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.
- > In West Rajasthan, apply light and frequent irrigation in the evening to protect standing crops, vegetables and orchards from the adverse effects of heat waves and high temperatures.

#### Livestock / Poultry / Fishery

- > Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.
- To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.





# Flash Flood Guidance:


# 24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 30-05-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Assam & Meghalaya - Kamrup Rural, N.C Hills, Karimganj, Kokrajhar, Ro-Bhoi, Darang, Morigaon, Sonitpur, Karbi Analog, Cachar, East/West Khasi Hills, West/East/South Garo Hills and Jaintia Hills districts.

Nagaland Mizoram Manipur Tripura (NMMT) — Tuensang, Mon, Kiphire, Zunheboto, Kohima, Phek, Ukhrul, Chandel, Bishnupur, North Tripura, Dhalai, South Tripura and West Tripur, Thoubal, Aizawl districts.

Arunacahal Pradesh – Tirap, Changlang, Anjaw, Dabang Valley, Lower Dabang Valley, West Siang, Lower Subansiri, Papum Pare, Kurung Kumey, West/West Kameng, Tawang, Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# **24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 30-05-2025:**


Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

**Coastal Karnataka** – Dakshin Kannada and Udupi districts

**South Interior Karnataka** – Shimoga, Chaiknagalur, Hassan, Mandya and Kodagu districts

**Kerala & Mahe** – Kasargod, Kannur, Mahe, Wayanad, Kozhokode, Malapuram, Palakkad and Trishur districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



30. रायलसीमा

32. तटीय कर्नाटक

35. केरल और माहे

S Dust Raising Winds

36. लक्षद्वीप

33. आतंरिक उत्तरी कर्नाटक

34. आतंरिक दक्षिणी कर्नाटक

31. तमिलनाडु, पुडुचेरी और कराईकल

# राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# **LEGENDS**



- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Rihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Puniab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha
- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal
- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe

Most Likely

> 75

36. Lakshadweep

# **SPATIAL DISTRIBUTION** (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



Strong Surface Winds





	DEFINITION/CRITERIA				
Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm *   Very Heavy: 115.6 to 204.4 mm/cm *   Extremely Heavy: > 204.4 mm/cm *				
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal				
	<b>Heat Wave:</b> Maximum Temperature Departure from normal 4.5° C to 6.4° C.				
Heat Wave	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C				
	(b). Based on Actual maximum temperature				
	Heat Wave: When actual maximum temperature ≥45°C.  Severe Heat Wave: When actual maximum temperature ≥47°C				
	( c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C				
Warm Night	When maximum temperature remains 40°C  Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.				
warm wight	Severe Warm Night: When minimum temperature departure >6.4 °C.				
Cold Wave	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.  (a). Based on departure  Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.  Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C  (b) Based on actual Minimum Temperature (for Plains only)  Cold Wave: When Minimum Temperature is ≤ 4.0 °C  Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C  (c) For Coastal Stations  When Minimum Temperature departure is ≤ -4.5 °C & actual Minimum Temperature is ≤ 15 °C				
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure				
<b>Cold Day</b>	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.				
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C				
Fog	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km  Moderate Fog: When the visibility between 500-200 metres  Dense Fog: when the visibility between 50-200 metres  Very Dense Fog: when the visibility < 50 metres				
Thunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)				
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.				
	Ice deposits on ground				
Frost	Air temperature ≤4°C ( over Plains)				
	A strong wind that rises suddenly, lasts for atleast 1 minute.				
	Moderate: Wind speed 52-61 kmph				
Squall	Severe: Wind speed 62-87 kmph				
	Very Severe: Wind speed >87 kmph				
	Effect of various waves in the sea over specific area				
· · · · · · · · · · · · · · · · · · ·					
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre  High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre				
Sea State	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre				
Sea State	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre  Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)				
Sea State  Cyclone	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre				
	High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre  Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre  Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)  Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)				