



2025-11-19

Time of Issue: 13:15:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

- Light to moderate rainfall/thunderstorm at many/some places with isolated heavy rainfall very likely over Tamil Nadu during 19th -25th; Kerala & Mahe on 19th & during 21st 24th; Lakshadweep on 19th; Coastal Andhra Pradesh & Yanam, Rayalaseema on 25th; Andaman & Nicobar Islands on during 19th -23rd November; with isolated very Heavy rainfall over Andaman & Nicobar Islands on 21st November.
- Thunderstorm with lightning very likely over Tamil Nadu during 19th -23rd; Kerala & Mahe on 19th & during 21st -23rd; Lakshadweep on 19th; Coastal Andhra Pradesh & Yanam and Rayalaseema during 21st -23rd November.

Forecast of temperature and cold wave and cold day warnings:

- Gradual rise in minimum temperature likely by 2-4⁰C likely over Central India during next 5 days and no large change thereafter.
- No significant change in minimum temperature likely over plains of northwest India during next 6-7 days.
- Gradual rise in minimum temperature likely by 2-4°C over Maharashtra for next 5 days & 2-3°C over Gujarat for next 4 days and no large change thereafter.
- Rise in minimum temperature likely by 2-3^oC over East India during next 2 days and no significant change thereafter.
- Cold wave to severe cold wave conditions very likely to continue to prevail over some parts of West Madhya Pradesh on 20th and Cold wave conditions at isolated parts on 21st; over Madhya Maharashtra, East Madhya Pradesh and Telangana on 20th November.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Tamil Nadu, Puducherry & Karaikal and Lakshadweep; at many places over Andaman & Nicobar Islands and Kerala & Mahe; at isolated places over Coastal Andhra Pradesh & Yanam, Rayalaseema, Coastal Karnataka and South Interior Karnataka; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Oothu (dist Tirunelveli) 23; Nalumukku (dist Tirunelveli) 21; Kakkachi (dist Tirunelveli) 19; Manjolai (dist Tirunelveli) 18; Ayikudi (dist Tenkasi) 14; Thenkasi (dist Tenkasi), Tenkasi AWS (dist Tenkasi) 12 Each; Shencottah (dist Tenkasi), Kayalpattinam (dist Toothukudi) 10 Each; Satankulam (dist Toothukudi) 9; Tarangambadi (dist Mayiladuthurai), Tiruchendur (dist Toothukudi) 8 Each; Ambasamudram (dist Tirunelveli), Cheranmahadevi (dist Tirunelveli), Palayamkottai (dist Tirunelveli), Papanasam (dist Tirunelveli), Tirunelveli AWS (dist Tirunelveli), Gundar Dam (dist Tenkasi), Ramanadhi Dam (dist Tenkasi) 7 Each; Kerala & Mahe: Kumarakam (dist Kottayam) 19; Kayamkulam (dist Alapuzha) 12; Mattanchery AWS (dist Ernakulam) 11; Vaikom (dist Kottayam), Kayamkulam ARG (dist Alapuzha) 10 Each; Kochi IAF (dist Ernakulam), Ernakulam South (dist Ernakulam) 9 Each; Cherthala (dist Alapuzha), Palluruthy ARG (dist Ernakulam) 8 Each; Mavelikara (dist Alapuzha), Piravam (dist Ernakulam), Konni (dist Pathanamthitta), Thycauttussery AWS (dist Alapuzha), Choondy AWS (dist Ernakulam) 7 Each.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Extremely heavy rain at isolated places over Tamil Nadu, Puducherry & Karaikal. Heavy to very heavy rain at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense fog conditions: at isolated places over Odisha Moderate fog conditions: at isolated places over Himachal Pradesh Shallow fog conditions: at many places over Punjab, at isolated places over East Uttar Pradesh, Haryana Chandigarh & Delhi and West Madhya Pradesh
- ♦ Visibility reported (at 0830 hours of today): West Uttar Pradesh: Bulandshahr (dist Bulandshahr); Odisha: Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Chhatrapur (dist Ganjam), Rayagada-obs (dist Rayagada), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Paralakhemundi-obs (dist Gajapati) Each, Rourkela (dist Sundargarh) 50.0; Gangetic West Bengal: Basirhat (dist North 24 Parganas), Suri (dist Birbhum) Each; Himachal Pradesh: Mandi (dist Mandi) 200.0; West Madhya Pradesh: Bhopal-arera Hills (dist Bhopal), Gwalior (dist Gwalior), Hoshangabad (dist Narmadapuram) 500.0 Each; Punjab: Patiala (dist Patiala), Amritsar (rajasansi) AP (dist Amritsar), Ludhiana (dist Ludhiana) 500.0 Each; Haryana Chandigarh & Delhi: New Delhi (safdarjung) (dist South West Delhi) 500.0; East Uttar Pradesh: Varanasi (babatpur) AP (dist Varanasi), Fursatganj (dist Amethi), Allahabad (dist Prayagraj), Kanpur Airforce (dist Kanpur Nagar) 500.0 Each;
- ♦ Minimum Temperature Departures (as on 19-11-2025): below normal(-1.6°C to -3.0°C) at few places over East Rajasthan, Gujarat Region and Madhya Maharashtra; at isolated places over Vidarbha, Chhattisgarh and Telangana. appreciably below normal(-5.0°C to -3.1°C) at many places over Marathwada. markedly below normal(< -5.0°C) at most places over East Madhya Pradesh. The lowest minimum temperature of 5.5°C is reported at Sikar (East Rajasthan) over the plains of India.
- ♦ Maximum Temperature Departures (as on 18-11-2025): The highest maximum temperature of 35.6°C is reported at KARWAR (KARNATAKA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The Low-Pressure area over Comorin area & neighbourhood lay over Lakshadweep Islands & adjoining Maldives area at 0830 hrs IST of today, the 19th November 2025. The associated cyclonic circulation extended upto 5.8 km above mean sea level. It is likely to move slowly west-northwestwards during next 24 hours.
- A **cyclonic circulation** lay over Southwest Bay of Bengal & neighbourhood and extends upto 3.1 km above mean sea level.
- A **low Pressure area** is likely to form over Southeast Bay of Bengal around 22nd November 2025. Thereafter, it is very likely to move west-northwestwards and intensify into **depression** over central parts of south Bay of Bengal around 24th November 2025. Thereafter, it will very likely to continue to move west-northwestwards and intensify further over southwest Bay of Bengal during subsequent 48 hours.

Weather Outlook for subsequent 3 days

- fairly widespread to widespread rainfall activity likely over Tamil Nadu, Kerala and Islands.
- Isolated to Scattered rainfall activity over Coastal Andhra Pradesh, Coastal Karnataka and South Interior Karnataka.









19 November (Day 1)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- ♦ Cold wave conditions very likely at isolated places over Madhya Maharashtra, Madhya Pradesh and Telangana.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast, Lakshadweep, Maldives, Comorin areas, Gulf of Mannar, over Andaman Sea, adjoining parts of southeast, eastcentral Bay of Bengal.









20 November (Day 2)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- **Cold wave conditions** very likely at isolated places over West Madhya Pradesh.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail over Lakshadweep and adjoining areas, over Andaman Sea, adjoining parts of southeast, eastcentral Bay of Bengal.









21 November (Day 3)

- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, adjoining, many parts of southeast Bay of Bengal.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea.









22 November (Day 4)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over southeast & adjoining, some parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea & adjoining southeast Bay of Bengal.









23 November (Day 5)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over southeast & adjoining, many parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea & adjoining, some parts of southeast Bay of Bengal.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







24 November (Day 6)

- Heavy Rainfall likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- * Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Andaman & Nicobar Islands.

No Fishermen Warning







25 November (Day 7)

- Heavy Rainfall likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.

No Fishermen Warning



Table-1

7 Days Rainfall Forecast

	r Days Railli	an i		50u	JL			
S.No.	Subdivision	19-	20-	21-	22-	23-	24-	25-
		Nov						
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	WS	WS	FWS
2	ARUNACHAL PRADESH	DRY						
3	ASSAM & MEHGHALAYA	DRY						
4	N. M. M. & T.	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	DRY	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
6	GANGETIC WEST BENGAL	DRY						
7	ODISHA	DRY						
8	JHARKHAND	DRY						
9	BIHAR	DRY						
10	EAST UTTAR PRADESH	DRY						
11	WEST UTTAR PRADESH	DRY						
12	UTTARAKHAND	DRY						
13	HARYANA, CHD & DELHI	DRY						
14	PUNJAB	DRY						
15	HIMACHAL PRADESH	DRY						
16	JAMMU AND KASHMIR AND LADAKH	DRY						
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY						
19	WEST MADHYA PRADESH	DRY						
20	EAST MADHYA PRADESH	DRY						
21	GUJRAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY	DRY	DRY	ISOL	ISOL	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	ISOL	ISOL	ISOL	DRY
25	MARATHWADA	DRY						
26	VIDARBHA	DRY						
27	CHATTISGARH	DRY						
28	COASTAL ANDHRA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	SCT
29	TELANGANA	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	SCT	SCT	SCT	FWS
31	TAMILNADU & PUDUCHERRY	SCT	ISOL	SCT	SCT	SCT	SCT	FWS
32	COSTAL KARNATAKA	ISOL	DRY	DRY	ISOL	SCT	SCT	ISOL
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	ISOL	ISOL	SCT	ISOL
34	SOUTH INTERIOR KARNATAKA	ISOL	DRY	ISOL	SCT	SCT	SCT	ISOL
	KERALA	SCT	SCT	SCT	FWS	FWS	FWS	SCT
36	LAKSHDWEEP	WS	FWS	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-11-18




Fig. 3: Minimum Temperatures Dated 2025-11-19




Fig. 2: Departure of Maximum Temp. Dated 2025-11-18






Fig. 4: Departure of Minimum Temp. Dated 2025-11-19









Impact & Action Suggested due to

• Isolated very Heavy rainfall likely over Andaman & Nicobar Islands on 21st November.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure.

Impact expected due to Cold Day/Severe Cold day conditions:

• Cold wave to severe cold wave likely to prevail over West Madhya Pradesh on 20th November.

Impact Expected:

- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually
 black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite
 needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

Action suggested:

- Wear several layers of loose fitting, light weight; warm woollen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm Woolen clothing rather than one layer of heavy cloth.
- Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- If the affected skin area turns black, immediately consult a doctor.
- Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- Take safety measures while using electrical and gas heating devices.
- Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- · Protect livestock from cold weather.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Tamil Nadu**, keep the harvested produce of rice and groundnut crops in safe places. Drain out excess rain water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, cinnamon and black pepper. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Kerala**, drain out excess rain water fromfields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana plants to prevent falling due to heavy rainfall and strong winds.
- In **Andaman and Nicobar Islands**, store the harvested produce of rice in well-covered elevated places to prevent moisture damage. Harvest matured vegetables to avoid damage and provide support to banana, papaya and other tall crops with stakes to prevent lodging. Avoid sowing of pulses and oilseed crops during heavy rainfall. Protect young seedlings in nursery using temporary rain shelters or plastic covers.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Agromet advisories for likely impact of Cold Waves / Low Temperatures

• In Madhya Pradesh, Madhya Maharashtra and Telangana, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature. Cover banana bunches with 6% perforated plastic bags for protection from low temperatures.

Livestock / Poultry

- Keep cattle inside the sheds during night and provide dry bedding to protect them from cold.
- Keep the chicks warm by providing artificial light in the poultry sheds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning









Extremely Heavy Rain 🗼 Heavy Snow





Hot Day



Dust Raising Winds Warm Night





Ground Frost



FOG FOG



	(<u> </u>	EGENDS)
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING (NO ACTION)	Most Likely > 75
/0	Heavy: 64.5 to 115.5 mm/cm *	
* *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *	
ain/ Snow		
	When maximum temperature of a s (a) Based on Departure from normal	station reaches ≥40° C for plains and ≥30° C for l
	Heat Wave: Maximum Temperature Dep	
	Severe Heat Wave: Maximum Temperat	ure Departure from normal ≥6.5° C
J+	(b). Based on Actual maximum tem	perature
leat Wave	Heat Wave: When actual maximum temp	
	Severe Heat Wave: When actual maxim	v and the second
	(c). Criteria for heat wave for coast When maximum temperature departure is	tal stations s >4.5°C from normal. Heat Wave may be described provide
	temperature ≥37°C	
ı.	When maximum temperature rema	
arm Night	Warm Night: When minimum temperatur	
- Ingili	Severe Warm Night: When minimum ter	nperature departure >6.4 °C.
	When minimum temperature of a	a station ≤10°C for plains and ≤0°C for hilly reg
	(a). Based on departure	station 210 0 for plants and 20 0 for filling regi
	Cold Wave: Minimum Temperature Depart	
Q -	Severe Cold Wave: Minimum Temperatu	
Cold Wave	(b) Based on actual Minimum Tem	
Join Have	Cold Wave : When Minimum Temperatur Severe Cold Wave: When Minimum Ter	
	(c) For Coastal Stations	inputation is a 2.0 o
	•	is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a s	station ≤10°C for plains and ≤0°C for hilly regions
N _	Based on departure	,
Cold Day	Cold Day: Maximum Temperature Depart	
Cold Day	Severe Cold Day: Maximum Temperatur	re Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets	suspended in air and the horizontal visibili
0	Moderate Fog: When the visibility between	
	Dense Fog: when the visibility between	50- 200 metres
Fog		50- 200 metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres) metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	50- 200 metres) metres
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or	50- 200 metres) metres
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder)	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind.	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind.	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden Moderate: Wind speed 52-61 kmph	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres 0 metres 1 metre
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64	50-200 metres 0 metres 1 metre
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research as a sharp research a
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmp Severe Cyclonic Storm: Wind speed 88 kmp	50-200 metres netres fested by a flash of light (Lightning) and a sharp reserved by a flash of light (Lightning) and a sharp reserved by a street of the sharp reserved by a sharp r
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	fested by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a structure of the sharp