



2025-11-26

Time of Issue: 14:06:00 hours IST

(Mid-Day)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

#### **Significant Weather Features**

#### **Weather Forecast and Warnings:**

- Under the influence of well marked Low pressure area over southwest Bay of Bengal and adjoining areas of South Sri Lanka & Equatorial Indian Ocean, heavy to very heavy rainfall likely over Tamil Nadu during 26<sup>th</sup> November- 01<sup>st</sup> December with isolated extremely heavy falls on 29th & 30th November; isolated heavy to very heavy rainfall also likely over Coastal Andhra Pradesh & Yanam and Rayalaseema on 29th & 30th November, 2025 and isolated heavy rainfall over Kerala & Mahe on 26<sup>th</sup> November, 2025.
- Under the influence of Cyclonic storm'Senyar', isolated heavy to very heavy rainfall likely over Andaman & Nicobar Islands on 26th & 27th and isolated heavy rainfall on 28th & 29th November, 2025.
- Thunderstorm with lightning very likely over Tamil Nadu during 26<sup>th</sup>-30<sup>th</sup>, Kerala & Mahe on 26<sup>th</sup>-27<sup>th</sup>, Coastal Andhra Pradesh & Yanam & Rayalaseema on 29<sup>th</sup> & 30<sup>th</sup> November and overAndaman & Nicobar Islandswith gusty wind speeds reaching 40-50 kmph on 29<sup>th</sup> and 50-60 kmph during 26<sup>th</sup> -28<sup>th</sup> November.

#### Forecast of minimum temperatures:

- No large change in minimum temperature likely over Northwest India for the next 24 hours then rise by 2°C for subsequent 3 days and thereafter fall by 2-3°C.
- No large change in minimum temperature likely over West India for the next 2 days and gradual fall in minimum temperature likely by 2-3° C thereafter.
- No large change in minimum temperature likely over East India for the next 24 hours and gradual rise in minimum temperature likely by 2-3<sup>0</sup> C subsequent 3 days and no large change in minimum temperature thereafter
- No large change in minimum temperature likely over Madhya Pradesh & Vidarbha for the next 24 hours and gradual fall in minimum temperature likely by 2-3° C thereafter. Gradual fall in minimum temperature likely by 2-3° C for the next 2 days and no large change in minimum temperature likely over Chhattisgarh.
- No significant change in the minimum temperature likely in north east India during next 5 days.

# Wind Warning, Sea Condition, Fisherman Warning Wind Warning:

(a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand:

Squally weather with wind speed reaching 40-50 gusting to 60 kmph is very likely to prevail on 25<sup>th</sup> November. Winds speed would gradually increase becoming squally winds reaching 50-60 gusting to 70 kmph during 26<sup>th</sup> to 28<sup>th</sup> November. The winds speed would gradually decrease thereafter.

#### (b) Adjoining areas of North Andaman Sea

Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely to prevail during 25<sup>th</sup> to 28<sup>th</sup> November.

#### (c) Southeast Bay of Bengal:

Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely on 25<sup>th</sup> November. It would gradually increase becoming squally winds speed reaching 45-55 gusting to 65 kmph during 26<sup>th</sup> to 28<sup>th</sup> November.

(d) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts

Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail during 25<sup>th</sup> to 26<sup>th</sup>





November. It is very likely to increase becoming squally winds speed reaching 45-55 kmph gusting to 55 kmph from 27<sup>th</sup> morning and 55-65 gusting to 75 kmph during 28<sup>th</sup> to 30<sup>th</sup> November.

#### (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast:

Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail during 25<sup>th</sup> to 27<sup>th</sup> November.

#### (f) Westcentral Bay of Bengal and along & off Andhra Pradesh coast:

Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to commence from 27<sup>th</sup> November. It is very likely to increase thereafter, becoming squally winds speed reaching 40-50 kmph gusting to 60 kmph during 28<sup>th</sup> – 30<sup>th</sup> November.

#### Sea Condition:

# (a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand:

Rough to very rough sea conditions are very likely during 25<sup>th</sup> to 27<sup>th</sup> November. Sea condition would gradually improve thereafter.

#### (b) Adjoining areas of North Andaman Sea

Moderate to rough sea conditions are very likely during 25<sup>th</sup> to 28<sup>th</sup> November.

#### (c) Southeast Bay of Bengal:

Moderate to rough sea conditions are very likely on 25<sup>th</sup> November, becoming rough to very rough during 26<sup>th</sup> to 28<sup>th</sup> November.

# (d) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts

Moderate to rough sea conditions are very likely on 25<sup>th</sup> and 26<sup>th</sup> November, becoming rough to very rough from 27<sup>th</sup> to 30<sup>th</sup> November.

#### (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast:

Moderate to rough sea conditions are very likely during 25<sup>th</sup> to 27<sup>th</sup> November.

#### (f) Westcentral Bay of Bengal and along & off Andhra Pradesh coast:

Moderate to rough sea conditions are very likely from 27<sup>th</sup> November, becoming rough to very rough during 28<sup>th</sup> to 30<sup>th</sup> November.

#### Fishermen Warning:

Fishermen are advised not to venture into

- (a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand till 28<sup>th</sup> November.
- (b) Southeast Bay of Bengal during 25th to 28th November.
- (c) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts till 30<sup>th</sup> November



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- (d) Adjoining areas of westcentral Bay of Bengal and along & off Andhra Pradesh coast from 27<sup>th</sup> to 30<sup>th</sup> November
- (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast during 25<sup>th</sup> to 27<sup>th</sup> November.

Those out at sea should avoid South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand till 28th, Southeast Bay of Bengal during 26<sup>th</sup> to 28<sup>th</sup>, southwest Bay of Bengal till 30<sup>th</sup> and westcentral Bay of Bengal during 27<sup>th</sup> to 30<sup>th</sup> November.

The fishermen along & off South Andhra Pradesh coast should return to coast before 27<sup>th</sup> November.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- \* Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at a few places over Andaman & Nicobar Islands and Lakshadweep; at isolated places over Arunachal Pradesh, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Pamban (dist Ramanathapuram) 8; Rameswaram (dist Ramanathapuram) 6; Mandapam (dist Ramanathapuram) 5; Thangachimadam (dist Ramanathapuram) 4; Valinokam (dist Ramanathapuram) 2; Satankulam (dist Toothukudi), Surangudi (dist Toothukudi) 1 Each.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Heavy rain at isolated places over Tamil Nadu, Puducherry & Karaikal.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense fog conditions: at isolated places over Assam & Meghalaya and Himachal Pradesh Shallow fog conditions: at a few places over Punjab, at isolated places over Bihar, East Uttar Pradesh and Saurashtra & Kutch
- ♦ Visibility reported (at 0830 hours of today): West Uttar Pradesh: Bulandshahr (dist Bulandshahr); Gangetic West Bengal: Basirhat (dist North 24 Parganas), Suri (dist Birbhum) Each; Odisha: Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Chhatrapur (dist Ganjam), Rayagada-obs (dist Rayagada), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Paralakhemundi-obs (dist Gajapati) Each;.
- ♦ Minimum Temperature Departures (as on 26-11-2025): below normal(-1.6°C to -3.0°C) at many places over Jharkhand. The lowest minimum temperature of 4.0°C is reported at SIKAR (EAST RAJASTHAN) over the Plains of India.
- **❖ Maximum Temperature Departures (as on 25-11-2025): below normal(-1.6°C to -3.0°C)** at most places over West Rajasthan. **The highest maximum temperature** of **38.0°C** is reported at **BHIRA (KONKAN & GOA)**.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


#### Meteorological Analysis (Based on 0830 hours IST)


- The cyclonic storm 'Senyar' [Pronunciation: 'Sen-yar'] over Strait of Malacca and adjoining Northeast Indonesia moved west-southwestwards with a speed of 13 kmph in past 6 hours and crossed Indonesia coast near 4.9°N between 0730-0830 hours IST with wind speed of 70-80 kmph gusting to 90kmph, and lay centered at 0830 hours IST of today, the 26th November, 2025 over coastal areas of northeast Indonesia near latitude 4.9°N and longitude 97.8°E, about 80 km east of Kuta Makmur (Indonesia), 280 km west of George Town (Malaysia), 580 km southeast of Nancowry (Nicobar Islands) and 730 km southeast of Car Nicobar (Nicobar Islands). It is very likely to continue to move west-southwestwards and maintain the intensity of cyclonic storm till 27th early morning. Thereafter, it is very likely to recurve eastwards with gradual weakening during subsequent 24 hours.
- The **Well marked low-pressure area** over southwest Bay of Bengal and adjoining areas of Southeast Sri Lanka & Equatorial Indian Ocean persisted over the same region at 0830 hours IST of today, the 26th November, 2025. The associated cyclonic circulation extends upto 7.6 km above mean sea level. It is very likely to move nearly north-northwestwards and intensify into a **depression** during next 24 hours. Thereafter, it is very likely to intensify further and continue to move north-northwestwards across southwest Bay of Bengal towards North Tamil Nadu & Puducherry coasts during subsequent 48 hours.
- A fresh **western disturbance** is seen as a **cyclonic circulation** over south Afghanistan between 3.1 & 5.8 km above mean sea level.
- An upper air cyclonic circulation lies over Tripura & neighbourhood at 1.5 km above mean sea level.

#### Weather Outlook for subsequent 3 days

- Fairly widespread to widespread rainfall activity likely over North Tamil Nadu, Coastal Andhra Pradesh, Kerala and Andaman & Nicobar Islands.
- Isolated to Scattered rainfall activity over Coastal Karnataka and South Interior Karnataka.









#### 26 November (Day 1)

- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ❖ Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **Cold wave conditions** very likely at isolated places over Punjab.
- Fog very likely at isolated pockets over Assam & Meghalaya and Himachal Pradesh.
  - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast, adjoining Lakshadweep & adjoining Maldives areas, over Comorin area, over Gulf of Mannar, along and off south and adjoining north Tamil Nadu coasts, along and off Sri Lanka coast, over Andaman Sea, over most parts of south Bay of Bengal.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south and adjoining north Andaman Sea, over many parts of southeast Bay of Bengal.
  - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over south Andaman Sea and adjoining, some parts of southeast Bay of Bengal.









#### 27 November (Day 2)

- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ❖ Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **Cold wave conditions** very likely at isolated places over Punjab.
- Fog very likely at isolated pockets over Haryana, Chandigarh & Delhi and Himachal Pradesh.
  - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over south Bay of Bengal, along and off Tamil Nadu coast and over Andaman Sea.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka coast, over south and adjoining north Andaman Sea.
  - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over south Andaman Sea and adjoining, some parts of southeast Bay of Bengal.









#### 28 November (Day 3)

- Heavy to Very Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** very likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
- ❖ Fog very likely at isolated pockets over Haryana, Chandigarh & Delhi and Himachal Pradesh.
  - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along
    and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining
    southeast Bay of Bengal, some parts of westcentral Bay of Bengal, along and off south Andhra Pradesh
    coast
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, many parts of southwest Bay of Bengal.









#### 29 November (Day 4)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- \* Heavy to Very Heavy Rainfall likely at isolated places over Andhra Pradesh.
- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
  - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along
    and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining
    southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh
    coast.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.
  - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over parts of southwest Bay of Bengal off north Sri Lanka coast.









#### 30 November (Day 5)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- \* Heavy to Very Heavy Rainfall likely at isolated places over Andhra Pradesh.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
  - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.
  - Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over parts of southwest Bay of Bengal off north Tamil Nadu coast.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






#### 1 December (Day 6)


Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





2 December (Day 7)

No Warning

No Fishermen Warning



# Table-1

7 Days	Rainfall			
Cubdivision	26	27	20	20

	r Days Railli	all		C C C	<b>3</b> t			
S.No.	Subdivision	26- Nov	27- Nov	28- Nov	29- Nov	30- Nov	1- Dec	2- Dec
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	FWS	SCT	SCT	SCT
2	ARUNACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
3	ASSAM & MEHGHALAYA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
4	N. M. M. & T.	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	ISOL	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJRAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH	ISOL	ISOL	SCT	FWS	WS	FWS	SCT
29	TELANGANA	DRY	DRY	DRY	ISOL	ISOL	DRY	DRY
30	RAYALASEEMA	ISOL	ISOL	SCT	FWS	WS	FWS	SCT
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	SCT	FWS	SCT	ISOL	ISOL
32	COSTAL KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
35	KERALA	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
36	LAKSHDWEEP	SCT	SCT	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-11-25




Fig. 3: Minimum Temperatures Dated 2025-11-26




Fig. 2: Departure of Maximum Temp. Dated 2025-11-25






Fig. 4: Departure of Minimum Temp. Dated 2025-11-26









#### Impact & Action Suggested due to

- Heavy to very heavy rainfall likely over Tamil Nadu during 26<sup>th</sup> November- 01<sup>st</sup> December with isolated extremely heavy falls on 29th & 30th November; isolated heavy to very heavy rainfall also likely over Coastal Andhra Pradesh & Yanam and Rayalaseema on 29th & 30th November, 2025 and isolated heavy rainfall over Kerala & Mahe on 26<sup>th</sup> November, 2025.
- Heavy to very heavy rainfall likely over Andaman & Nicobar Islands on 26th & 27th and isolated heavy rainfall on 28th & 29th November, 2025.

#### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

#### **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

#### Agromet advisories for various parts of the country

#### Agromet advisories for likely impact of Heavy / Heavy to Very Heavy Rainfall

- In **Sub Himalayan West Bengal**, drainout excess water from rice, ginger, vegetables and fruit orchards.
- In **Andaman and Nicobar Islands**, drain out excess water from the fields of rice, vegetable and plantation crops.
- In **Bihar**, keep the harvested produce of rice and maize crops at safer places and drain out excess water from crop fields.
- In **Gujarat**,keep the harvested produce of rice, groundnut, soybean, black gram, green gram, sesame, maize, pearl mllet and vegetables (tomato, brinjal, chilli, okra, cucurbits etc.) in safe places. Ensure proper drainage to drain out excess water from standing crop fields.
- In **Konkan**, keep the harvested produce of rice and finger millet in safer places. Make arrangements to drain out excess water from rice, finger millet, groundnut and turmeric fields. In **Madhya Maharashtra**, store the harvested produce of rice, soybean, maize, groundnut and pearl millet in safe places.
- In Arunachal Pradesh, drain out excess water from the fields of rice, field pea and banana orchards.

#### Livestock / Fishery

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.

Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.





#### Agromet advisories for likely impact of Thunderstorm / Gusty Winds

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

#### Legends & abbreviations:

#### Region wise classification of meteorological Sub-Divisions:

**Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.

Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.

**East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.


Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.

West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.

**South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



## **LEGENDS**



## SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

#### Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50

Probabilistic Forecast

ierms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain





Thunderstorm & Lightning Strong surface winds

Hailstrom





Cold Wave







Hot & Humid



**Ground Frost** 

FOG FOG



		LEGENDS	
	WARNING	Probabilistic Forecast	
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)	
	ALERT ( BE PREPARED)	Unlikely < 25  Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
- / -	NO WARNING ( NO ACTION)	Most Likely > 75	
Rain/ Snow	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *		
	(a) Based on Departure from norm		lly region
	Heat Wave: Maximum Temperature De Severe Heat Wave: Maximum Tempera		
Į+	(b). Based on Actual maximum ten		
Heat Wave	Heat Wave: When actual maximum tem		
	Severe Heat Wave: When actual maxin	/	
	<ul> <li>(c). Criteria for heat wave for coas When maximum temperature departure temperature ≥37°C</li> </ul>	stal stations is >4.5°C from normal. Heat Wave may be described provided	maximu
8.	When maximum temperature rem		
Varm Night	Warm Night: When minimum temperatu		
3	Severe Warm Night: When minimum to	amperature departure >0.4 °C.	
	(a). Based on departure	a station ≤10°C for plains and ≤0°C for hilly regio	ns.
	Cold Wave: Minimum Temperature Dep Severe Cold Wave: Minimum Temperat		_
Ų-	(b) Based on actual Minimum Ten		
Cold Wave	Cold Wave : When Minimum Temperatu		
	Severe Cold Wave: When Minimum Te	emperature is ≤ 2.0 °C	
	( c) For Coastal Stations	e is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C	
n		station ≤10°C for plains and ≤0°C for hilly regions	
Cold Dow	Cold Day: Maximum Temperature Department	arture from normal -4.5 °C to -6.4 °C.	
Cold Day	Severe Cold Day: Maximum Temperatu	ure Departure from normal ≤ -6.5 °C	
	Phenomenon of small droplet	s suspended in air and the horizontal visibility	< 1ki
<b>(</b>	Moderate Fog: When the visibility betw		
Fog	Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 5		
/-	Sudden electrical discharges man	ifacted by a fleeb of light (Lightning) and a character	nbling
**************************************	sound (thunder)	rrested by a flash of light (Lighthing) and a sharp run	
nunderstorm  Dust/Sand Storm	sound (thunder)	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand	An ensemble of particles of dust of		ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.		ng and
Dust/Sand	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd		ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd  Moderate: Wind speed 52-61 kmph	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-87 kmph  Very Severe: Wind speed >87 kmph	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea	or sand energetically lifted to great heights by a stron	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	pr sand energetically lifted to great heights by a strong	ng and
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-	pr sand energetically lifted to great heights by a strong	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	or sand energetically lifted to great heights by a strong	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 83-117	denly, lasts for atleast 1 minute.  a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre  ph (34-47 knots) 88-117 kmph (48-63 knots)	ng and
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature \$4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (  Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 84-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Seve	denly, lasts for atleast 1 minute.  a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre  ph (34-47 knots) 88-117 kmph (48-63 knots)	ng and