

National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

2025-10-27

Time of Issue: 14:07:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather warning:

South Peninsular India:

- Light to moderate rainfall/thunderstorm at most/many places with isolated **heavy rainfall over** Coastal Karnataka, north interior Karnataka, Tamilnadu, Kerala & Mahe on 27th & 28th; Telangana, South Interior Karnataka and Lakshadweep on 27th October with isolated **very heavy rainfall** over Kerala & Mahe and Coastal Karnataka on 27th, Tamil Nadu, Rayalaseema on 27th & 28th, Telangana on 28th & 29th; Coastal Andhra Pradesh & Yanam on 30th October.
- Extremely heavy rainfall (≥21 cm) likely at isolated places over Coastal Andhra Pradesh & Yanam during 27th -29th October.
- Thunderstorm with lightning & gusty winds (speed reaching 30-40 kmph) likely over Tamil Nadu, Kerala & Mahe, Lakshadweep, Interior Karnataka and Rayalaseema on 27th & 28th October; Coastal Andhra Pradesh & Yanam and Rayalaseema during next 5 days.

East & Central India:

- Light to moderate rain/thunderstorm at some/isolated places with isolated heavy rainfall over West Madhya Pradesh on 27th & 30th; East Madhya Pradesh on 29th & 30th; Vidarbha during 28th -30th; Andaman & Nicobar Islands on 27th; Chhattisgarh and Odisha during 27th 30th; Sub-Himalayan West Bengal & Sikkim on 30th -31st, Gangetic West Bengal and Jharkhand during 28th-31st; Bihar during 29th -31st October with isolated very heavy rainfall over Odisha during 27th; Vidarbha and Chhattisgarh on 29th; Sub-Himalayan West Bengal & Sikkim on 31st; Bihar on 30th & 31st; Jharkhand on 30th October.
- Extremely heavy rainfall (≥21 cm) likely at isolated places over south Odisha on 28th & 29th; Chhattisgarh on 28th October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely during next 5 days over the region.
- Thundersquall wind speed reaching 60-70 kmphlikely over Chhattisgarh on 28th; with wind speed reaching 50-60 kmph on 29th October.

West India:

- Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** over south Konkan & Goa during 27th-29th; Madhya Maharashtra on 28th & 29th; Gujarat State during 27th-31st October with isolated **very heavy rainfall** over Gujarat Region on 27th & 31st; Saurashtra & Kutch during 29th -31st October.
- Extremely heavy rainfall (≥21 cm) likely at isolated places over Saurashtra & Kutch on 27th October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over Gujarat State during next 5 days.
- Thunderstorm with lightning over Maharashtra during next 4 days.

Northeast India:

- Light to moderate rain/thunderstorm at many/some places with isolated heavy rainfall over Arunachal Pradesh, Assam & Meghalaya during 30th October – 02nd November; Nagaland, Manipur, Mizoram & Tripura during 31st October – 02nd November with isolated very heavy rainfall over Assam & Meghalaya on 31st October & 01st November.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) over Northeast India during 29th
 -31st October.

Northwest India:



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- Light to moderate rain/thunderstorm at isolated places with isolated heavy rainfall likely over East Rajasthan on 27th & 28th; East Uttar Pradesh on 30th October with isolated very heavy rainfall over East Rajasthan on 27th October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over West Uttar Pradesh on 30th; with thunderstorm with lightning East Uttar Pradesh on 29th & 31st; Rajasthan during next 3 days.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Andaman & Nicobar Islands, Gujarat Region, Konkan & Goa, Madhya Maharashtra, Coastal Karnataka and Lakshadweep; at many places over West Madhya Pradesh, East Madhya Pradesh, Saurashtra & Kutch, North Interior Karnataka and Kerala & Mahe; at a few places over East Rajasthan, Vidarbha, Coastal Andhra Pradesh & Yanam and South Interior Karnataka; at isolated places over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Odisha, Jharkhand, East Uttar Pradesh, West Uttar Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Marathwada, Chhattisgarh, Telangana, Rayalaseema and Tamil Nadu, Puducherry & Karaikal; Dry over rest of the country.
- * Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Saurashtra & Kutch: Rajula (dist Amreli) 22; Diu (dist Diu) 15; Shihor (dist Bhavnagar) 13; Jafrabad (dist Amreli), Una (dist Gir Somnath) 12 Each; Savarkundla (dist Amreli), Vallabhipur (dist Bhavnagar) 9 Each; Palitana (dist Bhavnagar), Sutrapada (dist Gir Somnath), Jesar (dist Bhavnagar) 8 Each; Kodinar (dist Gir Somnath), Gariadhar (dist Bhavnagar) 7 Each; Gujarat Region: Ukai (dist Surat) 14; Songadh (dist Tapi) 10; Umerpada (dist Surat) 9; Konkan & Goa: Mormugao Pmo IMD (dist South Goa), Dabolim N.a.s.- Navy (dist South Goa) 13 Each; Panjim (dist North Goa) 11; Pernem (dist North Goa) 10; Canacona (dist South Goa), Mapusa (dist North Goa) 8 Each; Madhya Maharashtra: Satna Baglan (dist Nashik) 9; Coastal Andhra Pradesh & Yanam: Prathipadu (dist Kakinada) 8; Lakshadweep: Agathi (dist Lakshadweep) 8; Coastal Karnataka: Honavar (dist Uttara Kannada), Kumta (dist Uttara Kannada) 8 Each; Karwar (dist Uttara Kannada) 7; Kerala & Mahe: Tellichery (dist Cannur) 7.
- * Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Extremely heavy rain at isolated places over Saurashtra & Kutch. Heavy to very heavy rain at isolated places over Gujarat Region, Saurashtra & Kutch and Konkan & Goa. Heavy rain at a few places over Lakshadweep and at isolated places over Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Coastal Karnataka and Kerala & Mahe.
- * Minimum Temperature Departures (as on 27-10-2025): markedly above normal(> 5.1°C) at few places over Arunachal Pradesh, Bihar and Madhya Maharashtra; at isolated places over Assam & Meghalaya, East Uttar Pradesh and Gujarat Region. appreciably above normal(3.1°C to 5.0°C) at many places over Sub Himalayan West Bengal & Sikkim and Jharkhand; at most places over Marathwada; at few places over West Uttar Pradesh, East Rajasthan, Saurashtra & Kutch and Vidarbha; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, West Rajasthan, Chhattisgarh, Telangana and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at many places over Coastal Andhra Pradesh & Yanam and Rayalaseema; at few places over Haryana-Chandigarh-Delhi, North Interior Karnataka, South Interior Karnataka and Lakshadweep; at isolated places over Odisha, Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Madhya Pradesh and East Madhya Pradesh. near normal(-1.5°C to 1.5°C) at many places over Kerala & Mahe; at most places over Andaman & Nicobar Islands, Uttarakhand, Himachal Pradesh, Konkan & Goa and Coastal Karnataka. The lowest minimum temperature of 10.8°C is reported at UNA (HIMACHAL PRADESH) over the Plains of India.
- * Maximum Temperature Departures (as on 26-10-2025): markedly above normal(> 5.1°C) at isolated places over Himachal Pradesh. appreciably above normal(3.1°C to 5.0°C) at few places over Gangetic West Bengal; at isolated places over Sub Himalayan West Bengal & Sikkim, Odisha, East Uttar Pradesh, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka and Kerala & Mahe. above normal(1.6°C to 3.0°C) at many places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Bihar and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at most places over Chhattisgarh; at few places over Jharkhand and Lakshadweep; at isolated places over Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, Vidarbha and Telangana. near normal(-1.5°C to 1.5°C) at many places over West Uttar Pradesh; at most places over West Rajasthan and Marathwada; at few places over Andaman & Nicobar Islands, Arunachal Pradesh, Saurashtra & Kutch, Madhya Maharashtra and North Interior Karnataka; at isolated places over East Rajasthan and Konkan & Goa. The highest maximum temperature of 36.0°C is reported at BARMER (RAJASTHAN), and MADURAI (A) (TAMIL NADU).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The Cyclonic Storm "Montha" [Pronunciation: Mon-Tha] over Southwest & adjoining areas of Westcentral and Southeast Bay of Bengal moved north-northwestwards with a speed of 18 kmph during past 6 hours and lay centered at 0830 hrs IST of today, the 27th October 2025, over Southwest & adjoining Westcentral Bay of Bengal, near latitude 12.6°N & longitude 85.0°E, about 520 km east-southeast of Chennai (Tamil Nadu), 570 km south-southeast of Kakinada (Andhra Pradesh), 600 km south-southeast of Visakhapatnam (Andhra Pradesh), 750 km south of Gopalpur (Odisha) and 850 km west of Port Blair (Andaman & Nicobar Islands). It is likely to move north-northwestwards and intensify into a severe cyclonic storm by morning of 28th October. Continuing to move further north-northwestwards, it is very likely to cross Andhra Pradesh coast between Machilipatnam and Kalingapatnam around Kakinada during evening/night of 28th October as a severe cyclonic storm with a maximum sustained wind speed of 90-100 kmph gusting to 110 kmph.
- The **Depression** over eastcentral Arabian Sea moved north-northeastwards with a speed of 20 kmph during past 6 hours and lay centered at 0830 hrs IST of today, the 27th October 2025, over the same region, near latitude 16.4°N & longitude 66.9°E, about 700 km west-southwest of Mumbai (Maharashtra), 750 km west of Panjim (Goa), 860 km northwest of Aminidivi (Lakshadweep) and about 940 km west-northwest of Mangalore (Karnataka). It is likely to move nearly north-northeastwards across Eastcentral Arabian Sea during next 48 hours.
- An **upper air cyclonic circulation** lies over north Haryana & neighbourhood between 1.5 & 3.1 km above mean sea level.
- The **trough** from the upper air cyclonic circulation associated with **Depression** over eastcentral Arabian sea to west Madhya Pradesh across northeast Arabian sea and south Gujarat region between 1.5 & 3.1 km above mean sea level persists.
- The **Western Disturbance** as a trough in middle tropospheric westerlies with its axis at 5.8 km above mean sea level now seen roughly along Long. 70°E to the north of Lat. 30°N.

Weather Outlook for subsequent 3 days

- Scattered to Fairly widespread rainfall activity likely over the southern part of India.
- Isolated to scattered rainfall activity likely over Northeast and East India.







27 October (Day 1)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh and Saurashtra & Kutch.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Coastal Karnataka, East Rajasthan, Gujarat Region, Kerala & Mahe, Odisha, Rayalaseema and Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Chhattisgarh, Interior Karnataka, Konkan & Goa, Lakshadweep, Telangana and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Lakshadweep.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Gujarat State, Odisha, Telangana and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Chhattisgarh, East Madhya Pradesh, Gujarat State, Interior Karnataka, Konkan & Goa, Maharashtra, Odisha, Rajasthan, Tamil Nadu Puducherry & Karaikal and Telangana.
- ♦ Strong Surface Winds very likely at isolated places over Coastal Karnataka and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Gujarat, Konkan and Goa, Karnataka, Kerala Coasts and adjoining sea areas, over Lakshadweep, Maldives, Comorin areas, over Southeast, eastcentral Arabian Sea & adjoining areas.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

prevail along & off Puducherry, Tamil Nadu, Andhra Pradesh, south Odisha coasts and adjoining sea areas, over south, central Bay of Bengal, most parts of north Bay of Bengal, over Gulf of Mannar, Andaman Sea.

- Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over some parts of eastcentral Arabian Sea and adjoining westcentral Arabian Sea, along and off Puducherry, north Tamil Nadu, Andhra Pradesh, Odisha coasts, over westcentral Bay of Bengal and adjoining areas.
- Squally weather with wind speed 55 kmph to 65 kmph gusting to 75 kmph likely to prevail along and off Andhra Pradesh and south Odisha coasts and adjoining sea areas, westcentral Bay of Bengal and over adjoining areas.
- CS with Gale wind speed reaching 60-80 kmph gusting to 90 kmph is likely to prevail over westcentral Bay of Bengal, along and off north and adjoining south Andhra Pradesh coasts.
- SCS with Gale wind speed reaching 90-110 kmph gusting to 120 kmph is likely to prevail over some parts of westcentral Bay of Bengal.







28 October (Day 2)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh and Odisha.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Rayalaseema, Tamil Nadu Puducherry & Karaikal and Telangana.
- ♦ Heavy Rainfall very likely at isolated places over Coastal Karnataka, East Rajasthan, Gangetic West Bengal, Gujarat State, Jharkhand, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, North Interior Karnataka and Vidarbha.
- Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Chhattisgarh.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Lakshadweep.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Gangetic West Bengal, Gujarat State, Jharkhand, Odisha, Telangana, Vidarbha and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, East Madhya Pradesh, Gangetic West Bengal, Gujarat State, Interior Karnataka, Jharkhand, Konkan & Goa, Madhya Maharashtra, Marathwada, Odisha, Rajasthan, Tamil Nadu Puducherry & Karaikal and Telangana.
- ♦ Strong Surface Winds very likely at isolated places over Coastal Karnataka and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

prevail along & off Gujarat, Konkan and Goa, Karnataka, Kerala Coasts and adjoining sea areas, over Lakshadweep, Maldives, Comorin areas, over Southeast, eastcentral Arabian Sea & adjoining areas.

- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Puducherry, Tamil Nadu, Andhra Pradesh, south Odisha coasts and adjoining sea areas, over south, central Bay of Bengal, most parts of north Bay of Bengal, over Gulf of Mannar, Andaman Sea.
- Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over some parts of eastcentral Arabian Sea and adjoining westcentral Arabian Sea, along and off Puducherry, north Tamil Nadu, Andhra Pradesh, Odisha coasts, over westcentral Bay of Bengal and adjoining areas.
- Squally weather with wind speed 55 kmph to 65 kmph gusting to 75 kmph likely to prevail along and off Andhra Pradesh and south Odisha coasts and adjoining sea areas, westcentral Bay of Bengal and over adjoining areas.
- CS with Gale wind speed reaching 60-80 kmph gusting to 90 kmph is likely to prevail over westcentral Bay of Bengal, along and off north Andhra Pradesh coast.
- SCS with Gale wind speed reaching 90-110 kmph gusting to 120 kmph is likely to prevail over along and off north Andhra Pradesh coast around Kakinada and over some parts of westcentral Bay of Bengal.







29 October (Day 3)


- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh and Odisha.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Chhattisgarh, Saurashtra & Kutch, Telangana and Vidarbha.
- **Heavy Rainfall** very likely at isolated places over Bihar, East Madhya Pradesh, Gangetic West Bengal, Gujarat Region, Jharkhand, Konkan & Goa and Madhya Maharashtra.
- * Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Chhattisgarh.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over East Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gujarat State, Jharkhand, Odisha, Telangana, Vidarbha and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Bihar, East Rajasthan, East Uttar Pradesh, Gangetic West Bengal, Gujarat State, Jharkhand, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Odisha and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Gujarat, Konkan and Goa, Coasts and adjoining sea areas, over eastcentral and Arabian Sea & adjoining areas.




National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to
 prevail along & off Puducherry, Tamil Nadu, Andhra Pradesh, south Odisha coasts and adjoining sea areas,
 over central Bay of Bengal and adjoining south Bay of Bengal, over northwest and adjoining northeast Bay of
 Bengal.
- Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Andhra Pradesh, south Odisha coasts, over westcentral Bay of Bengal and adjoining areas.
- Squally weather with wind speed 55 kmph to 65 kmph gusting to 75 kmph likely to prevail along and off north and adjoining south Andhra Pradesh, south Odisha coasts and adjoining sea areas.









30 October (Day 4)

- Heavy to Very Heavy Rainfall likely at isolated places over Bihar, Jharkhand and Saurashtra & Kutch.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Uttar Pradesh, Gujarat Region, Madhya Pradesh, Odisha, Vidarbha and West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over East Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Gujarat State, Jharkhand, Odisha, Telangana, West Bengal & Sikkim and West Uttar Pradesh.
- **Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh, Bihar, Chhattisgarh, East Uttar Pradesh, Gangetic West Bengal, Gujarat State, Jharkhand, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, Telangana and Vidarbha.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Gujarat, Konkan and Goa Coasts and adjoining sea areas, over eastcentral and Arabian Sea & adjoining areas.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Andhra Pradesh adjoining south Odisha coasts and adjoining sea areas, over most parts of westcentral Bay of Bengal.









31 October (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya, Bihar, Gujarat State and Sub Himalayan West Bengal & Sikkim.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Gangetic West Bengal, Jharkhand and Nagaland, Manipur, Mizoram and Tripura.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Arunachal Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, Gujarat State, Odisha, Telangana and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Bihar, Gangetic West Bengal, Gujarat State, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Gujarat, Konkan and Goa Coasts and adjoining sea areas, over most parts of eastcentral and Arabian Sea & adjoining areas.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph speed likely to prevail along & off Andhra Pradesh adjoining south Odisha coasts and adjoining sea areas.








1 November (Day 6)


- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya.
- * Heavy Rainfall likely at isolated places over Arunachal Pradesh and Nagaland, Manipur, Mizoram and Tripura.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Bihar.

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





2 November (Day 7)

♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 28-10-2025 :


Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

East Rajasthan - Dungarpur, Pratapgarh and Udaipur districts.

Gujarat Region - Ahmadabad, Aravalli, Gandhinagar, Mahesana, Patan and Sabar Kantha districts.

Saurashtra & Kutch - Amreli, Bhavnagar, Botad, Gir Somnath, Jamnagar, Junagarh, Rajkot, Surendranagar, Morbi and Kachchh districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 28-10-2025 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Coastal Andhra Pradesh & Yanam - Prakasam, Nellore, Vishakhapatnam and Vizianagaram districts.

Rayalaseema - Anantapuramu, Chittoor, Kurnool and Kadapa districts.

South Interior Karnataka - Bangalore Rural, Banglore Urban, Kolar and Ramnagar districts.

Tamil Nadu - Puducherry & Karaikal - Chennai, Cuddalore, Dharampuri, Kanchipuram, Krishnagiri, Salem, Tiruvallur, Tiruvannamalai, Vellore and Villupuram districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.






Table-1

7 Days				
O 1. Jr. 1. 1	0.7	00	00	

S.No. Subdivision 27- Oct Oct Oct Oct Oct Oct Oct 30- Oct Oct Oct Oct Oct 1- Nov Oct	2- Nov Day 7 FWS SCT FWS FWS
1 ANDAMAN & NICOBAR ISLANDS WS FWS FWS FWS FWS FWS 2 ARUNACHAL PRADESH ISOL ISOL SCT SCT WS FWS	FWS SCT FWS
2 ARUNACHAL PRADESH ISOL ISOL SCT SCT WS FWS	SCT FWS
	FWS
2 ASSAM 2 MELICHALAVA	
5 ASSAM & MERGRALATA ISOL ISOL SCI PWS WS WS	FWS
4 N. M. M. & T. ISOL ISOL SCT FWS FWS	
5 S.H. WEST BENGAL & SIKKIM DRY ISOL SCT FWS WS FWS	ISOL
6 GANGETIC WEST BENGAL ISOL SCT FWS WS FWS	ISOL
7 ODISHA FWS WS FWS SCT ISOL	ISOL
8 JHARKHAND ISOL FWS WS SCT ISOL	DRY
9 BIHAR ISOL ISOL SCT FWS FWS SCT	ISOL
10 EAST UTTAR PRADESH ISOL ISOL FWS SCT ISOL	DRY
11 WEST UTTAR PRADESH ISOL ISOL DRY ISOL ISOL DRY	DRY
12 UTTARAKHAND DRY DRY DRY DRY DRY	DRY
13 HARYANA, CHD & DELHI ISOL ISOL DRY DRY DRY	DRY
14 PUNJAB DRY DRY DRY DRY DRY	DRY
15 HIMACHAL PRADESH DRY DRY DRY DRY DRY	DRY
16 JAMMU AND KASHMIR AND LADAKH DRY DRY DRY DRY DRY	DRY
17 WEST RAJASTHAN ISOL ISOL ISOL DRY DRY	DRY
18 EAST RAJASTHAN FWS SCT ISOL ISOL ISOL ISOL	ISOL
19 WEST MADHYA PRADESH FWS SCT SCT FWS SCT SCT	ISOL
20 EAST MADHYA PRADESH SCT FWS FWS SCT SCT	ISOL
21 GUJRAT REGION WS WS WS FWS SCT	ISOL
22 SAURASHTRA & KUTCH WS WS WS FWS SCT	ISOL
23 KONKAN & GOA FWS FWS SCT ISOL	ISOL
24 MADHYA MAHARASHTRA FWS SCT FWS SCT ISOL ISOL	ISOL
25 MARATHWADA ISOL ISOL ISOL ISOL ISOL	ISOL
26 VIDARBHA SCT WS WS FWS SCT ISOL	ISOL
27 CHATTISGARH SCT FWS WS FWS ISOL ISOL	ISOL
28 COASTAL ANDHRA PRADESH WS WS SCT ISOL ISOL	ISOL
29 TELANGANA SCT WS WS SCT ISOL ISOL	ISOL
30 RAYALASEEMA FWS WS FWS ISOL ISOL ISOL	ISOL
31 TAMILNADU & PUDUCHERRY SCT ISOL ISOL ISOL ISOL ISOL	ISOL
32 COSTAL KARNATAKA WS WS SCT ISOL ISOL	ISOL
33 NORTH INTERIOR KARNATAKA FWS FWS SCT ISOL ISOL ISOL	ISOL
34 SOUTH INTERIOR KARNATAKA FWS SCT ISOL ISOL ISOL ISOL	ISOL
35 KERALA WS WS FWS SCT SCT ISOL	ISOL
36 LAKSHDWEEP WS WS FWS SCT SCT SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-10-26




Fig. 3: Minimum Temperatures Dated 2025-10-27




Fig. 2: Departure of Maximum Temp. Dated 2025-10-26






Fig. 4: Departure of Minimum Temp. Dated 2025-10-27









National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to

- Extremely heavy rainfall (≥21 cm) at isolated places over Coastal Andhra Pradesh & Yanam during 27th -29th; south Odisha on 28th & 29th; Chhattisgarh on 28th; Saurashtra & Kutch on 27th October.
- Very heavy rainfall (12-20 cm) at isolated places over Odisha and Kerala & Mahe and Coastal Karnataka on 27th, Tamil Nadu, Rayalaseema on 27th & 28th, Telangana on 28th & 29th; Coastal Andhra Pradesh & Yanam on 30th; Vidarbha and Chhattisgarh on 29th; Sub-Himalayan West Bengal & Sikkim on 31st; Bihar on 30th & 31st; Jharkhand on 30th October; Assam & Meghalaya on 31st October & 01st November; East Rajasthan on 27th October.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- · Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments mainly over Bihar, Jharkhand and West Bengal (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

(Based on the IBF and advisories issued by different AMFUs)

- In **Andhra Pradesh**, postpone harvesting of groundnut crop during heavy rainfall periods and store the already harvested produce in safe places. Drain out excess water from fields of rice, maize, pigeon pea, black gram, green gram, cotton, groundnut, turmeric, ginger, vegetables and plantations of banana, coconut and arecanut. Avoid sowing of *rabi* crops (*rabi* maize, Bengal gram etc.) until the soil moisture reaches at optimum level.
- In **Tamil Nadu**, harvest matured rice and groundnut crops only during fair weather and store the harvested produce of rice, groundnut and harvested banana bunches in safer places. Make arrangements to drain out excess water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana and black pepper to avoid water stagnation. Avoid transplanting or direct sowing of rice and sowing of maize during heavy rainfall.
- In **Kerala**,harvest matured rice crop immediately and keep the produce in safe places. Ensure adequate drainage facilities in fields of rice, vegetables and plantations of banana, coconut, arecanut, cardamom and black pepper.
- In **Coastal Karnataka**, postpone harvesting of rice during heavy rainfall periods and shift the already harvested produce to safer places. Drain out excess water from fields of rice and plantations of coconut, arecanut and black pepper.
- In Telangana, harvest matured cotton crop immediately and store the produce in safer places. Cover the
 already harvested produce of maize and soybean crops lying on the fields with taurpalin or shift to a safer
 place.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- In **Andaman and Nicobar Islands**, store the harvested produce of rice at safe places to avoid degradation. Drain out excess water from fields of rice, vegetables and plantation crops.
- In **Odisha**, harvest rice crop if 85% of grains are matured and store in safer places before commencement of rains or cover the harvested produce in the fields with polythene. Harvest matured black gram, green gram, maize, vegetables (pumpkin, okra, brinjal, bitter gourd etc.), matured cobs of maize and matured bunches of banana and keep the produce in safer places. Make provision for draining out excess water from fields of rice, black gram, green gram, pigeon pea, maize, groundnut, cotton, sugarcane and vegetables and fruit orchards. Postpone sowing / planting of *rabi* crops (*rabi* pulses, vegetables etc.) till cessation of rains.
- In **Jharkhand**, harvest matured rice crop only during fair weather and store the harvested produce in safer places.
- In Bihar, harvest matured crops of rice and maize and shift the produce to safer places.
- In **Chhattisgarh**, harvest matured crops of rice, minor millets, maize, black gram, horse gram, groundnut and pigeon pea only during fair weather and keep the harvested produce at safer places. Make arrangements to drain out excess water from standing crop fields.
- In **Gujarat,**harvest the matured crops of rice, groundnut, soybean, black gram, green gram, sesame, maize, pearl mllet and vegetables (tomato, brinjal, chilli, okra, cucurbits etc.) only during fair weather and store the produce in safe places. Drain out excess water from standing crop fields.
- In **Konkan**, keep the harvested produce of rice and finger millet in safer places. In **Madhya Maharashtra**, store the harvested produce of rice, soybean, maize, groundnut and pearl millet in safe places. In **Vidarbha**, harvest the matured crops of rice (early maturing varieties), soybean and cotton only during fair weather and keep the harvested produce at safer places.
- In **East Rajasthan**, harvest matured crops of maize and soybean. Store the harvested produce of rice, maize and soybean at safer places.

Livestock / Fishery

- · Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.


Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
- Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain









Thunderstorm & Lightning Strong surface winds







Cold Wave









	(<u> </u>	EGENDS)
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING (NO ACTION)	Most Likely > 75
/ 💭	Heavy: 64.5 to 115.5 mm/cm *	
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *	
iiii onow		
	(a) Based on Departure from norma	station reaches ≥40° C for plains and ≥30° C f al
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.
Î+	Severe Heat Wave: Maximum Temperat	A COLOR OF THE CAMPAGE
eat Wave	(b). Based on Actual maximum tem	•
	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim	
	(c). Criteria for heat wave for coast	
		s >4.5°C from normal. Heat Wave may be described pro
		aine 40°C
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature	
arm Night	Severe Warm Night: When minimum ter	
	When minimum temperature of a (a). Based on departure	station ≤10°C for plains and ≤0°C for hilly
	Cold Wave: Minimum Temperature Depart	arture from normal -4.5 °C to -6.4 °C.
η_	Severe Cold Wave: Minimum Temperatu	ure Departure from normal ≤ -6.5 °C
9-	(b) Based on actual Minimum Tem	perature (for Plains only)
Cold Wave	Cold Wave : When Minimum Temperatur	
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °
	When minimum temperature of a s	station ≤10°C for plains and ≤0°C for hilly regi
0-	Based on departure	,
Cold Day	Cold Day: Maximum Temperature Depar	
Cold Day	Severe Cold Day: Maximum Temperatur	re Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets	suspended in air and the horizontal visi
	Moderate Fog: When the visibility between	een 500-200 metres
©		E0. 200 motros
Fog	Dense Fog: when the visibility between	
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50) metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif) metres
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or) metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a shar
Fog My nunderstorm Dust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind.	ested by a flash of light (Lightning) and a shar
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or	ested by a flash of light (Lightning) and a shar
Fog My nunderstorm Dust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground	ested by a flash of light (Lightning) and a shar
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden	ested by a flash of light (Lightning) and a shar
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph	r sand energetically lifted to great heights by a
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	r sand energetically lifted to great heights by a
Fog Winderstorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.
Fog Munderstorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute.
Fog Junual Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-68	enly, lasts for atleast 1 minute.
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-68	presented by a flash of light (Lightning) and a share and energetically lifted to great heights by a senly, lasts for atleast 1 minute. Over specific area 32 kmph (22-33 knots) & Wave height 2.5-6 metre smph (34-63 knots) & Wave height 6-14 metre
Fog Wy nunderstorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> 117 km	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute. over specific area over
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe Wi	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute. over specific area over
Fog Wy understorm Dust/Sand Storm SFrost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute. over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre cmph (34-63 knots) & Wave height 6-14 metre -63 knots) & Wave height >14 metre -64 knots) & Wave height >14 metre -65 knots) & Wave height >14 metre -65 knots) & Wave height >14 metre -65 knots) & Wave height >14 metre -66 knots) & Wave height >14 metre -67 knots) -68 knots) -69 knots) -69 knots) -69 knots)