



2025-11-25

Time of Issue: 14:07:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

Heavy rainfall likely over Tamil Nadu during 25th-30th; over Kerala & Mahe on 25th & 26th; Coastal Andhra Pradesh & Yanam and Rayalaseema during 29th November to 01st December; Andaman & Nicobar Islands during 25th to 29th November with very heavy rainfall over Tamil Nadu during 28th-30th, Andaman & Nicobar Islands during 26th & 27th Coastal Andhra Pradesh & Yanam and Rayalaseema on 30th November.

Thunderstorm with lightning very likely over Tamil Nadu during 25th-29th, Kerala & Mahe during 25th-27th, Lakshadweep on 25th, Coastal Andhra Pradesh & Yanam & Rayalaseema on 28th & 29th November and overAndaman & Nicobar Islandswith **gusty wind speeds reaching 30-40 kmph on 29th**; **40-50 kmph on 25th and 50-60 kmph during 26th -28th November.**

Forecast of minimum temperatures:

- No large change in minimum temperature likely over Central India for the next 2 days and gradual fall in minimum temperature likely by 2-3°C thereafter.
- No significant change in the minimum temperature likely over rest part of the country during next 5 days.

Dense Fog Warnings:

Dense fog conditions very likely to prevail during night/early morning hours in isolated pockets of Nagaland, Manipur, Mizoram & Tripura on 25th & 26th November and in Odisha on 25th November.

Wind Warning, Sea Condition, Fisherman Warning Wind Warning:

(a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand:

Squally weather with wind speed reaching 40-50 gusting to 60 kmph is very likely to prevail on 25th November. Winds speed would gradually increase becoming squally winds reaching 50-60 gusting to 70 kmph during 26th to 28th November. The winds speed would gradually decrease thereafter.

- (b) Adjoining areas of North Andaman Sea
- Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely to prevail during 25th to 28th November.
- (c) Southeast Bay of Bengal:
- Squally weather with wind speed reaching 35-45 gusting to 55 kmph is very likely on 25th November. It would gradually increase becoming squally winds speed reaching 45-55 gusting to 65 kmph during 26th to 28th November.
- (d) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts
- Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail during 25th to 26th November. It is very likely to increase becoming squally winds speed reaching 45-55 kmph gusting to 55 kmph from 27th morning and 55-65 gusting to 75 kmph during 28th to 30th November.
- (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast: Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail during 25th to 27th November.
- (e) Westcentral Bay of Bengal and along & off Andhra Pradesh coast:
- Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to commence from 27th November. It is very likely to increase thereafter, becoming squally winds speed reaching 40-50 kmph gusting to 60 kmph during



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

28th - 30th November.

Sea Condition:

(a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand:

Rough to very rough sea conditions are very likely during 25th to 27th November. Sea condition would gradually improve thereafter.

(b) Adjoining areas of North Andaman Sea

Moderate to rough sea conditions are very likely during 25th to 28th November.

(c) Southeast Bay of Bengal:

Moderate to rough sea conditions are very likely on 25th November, becoming rough to very rough during 26th to 28th November.

(d) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts

Moderate to rough sea conditions are very likely on 25th and 26th November, becoming rough to very rough from 27th to 30th November.

- (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast: Moderate to rough sea conditions are very likely during 25th to 27th November.
- (e) Westcentral Bay of Bengal and along & off Andhra Pradesh coast:

Moderate to rough sea conditions are very likely from 27th November, becoming rough to very rough during 28th to 30th November.

Fishermen Warning:

- ? Fishermen are advised not to venture into
- (a) South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand till 28th November.
- (b) Southeast Bay of Bengal during 25th to 28th November.
- (c) Southwest Bay of Bengal, Gulf of Mannar, Comorin area and along & off Tamil Nadu, Puducherry & Sri Lanka coasts till 30th November
- (d) Adjoining areas of westcentral Bay of Bengal and along & off Andhra Pradesh coast from 27th to 30th November
- (e) Adjoining areas of Southeast Arabian Sea, Lakshadweep, Maldives and along & off Kerala coast during 25th to 27th November.
 - Those out at sea should avoid South Andaman Sea, Strait of Malacca and along & off Nicobar Islands & adjoining Malaysia, western Indonesia & Thailand till 28th, Southeast Bay of Bengal during 26th to 28th, southwest Bay of Bengal till 30th and westcentral Bay of Bengal during 27th to 30th November.
 The fishermen along & off South Andhra Pradesh coast should return to coast before 27th November.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Tamil Nadu, Puducherry & Karaikal; at a few places over Kerala & Mahe and Lakshadweep; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Konkan & Goa, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Rayalaseema and Coastal Karnataka; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Oothu (dist Tirunelveli) 17; Nalumukku (dist Tirunelveli) 16; Kakkachi (dist Tirunelveli) 14; Manjolai (dist Tirunelveli) 13; Kothavacherry (dist Cuddalore) 8; Mannargudi (dist Tiruvarur), Needamangalam (dist Tiruvarur), Tiruvarur (dist Tiruvarur), Bhuvanagiri (dist Cuddalore), Mimisal (dist Pudukkottai) 6 Each; Chinnakalar (dist Coimbatore), Parangipettai (dist Cuddalore), Sethiathope (dist Cuddalore), Pappireddipatti (dist Dharmapuri), Thammampatty (dist Salem), Nannilam (dist Tiruvarur), Kayalpattinam (dist Toothukudi), Annamalai Nagar (dist Cuddalore), Lalpet (dist Cuddalore) 4 Each; Lakshadweep: Minicoy (dist Lakshadweep) 6.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Heavy to very heavy rain at isolated places over Tamil Nadu, Puducherry & Karaikal.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense to Moderate fog conditions: at isolated places over Nagaland, Manipur, Mizoram & Tripura, Odisha and Himachal Pradesh Shallow fog conditions: at a few places over Punjab, at isolated places over Bihar, East Uttar Pradesh, Haryana Chandigarh & Delhi, West Madhya Pradesh, East Madhya Pradesh, Saurashtra & Kutch, Chhattisgarh and Tamilnadu Puducherry & Karaikal
- ❖ Visibility reported (at 0830 hours of today): Odisha: Rourkela (dist Sundargarh) 50; Sonepur (dist Subarnapur) 200.0 Each; West Uttar Pradesh: Bulandshahr (dist Bulandshahr); Nagaland, Manipur, Mizoram & Tripura:

 Agartala AP (dist West Tripura) 50.0, Dimapur, Lengpui 100 each; Himachal Pradesh: Bilaspur 100, Mandi (dist Mandi) 200.0; West Madhya Pradesh: Gwalior (dist Gwalior), Hoshangabad (dist Narmadapuram) 500.0 Each; East Uttar Pradesh: Varanasi (babatpur) AP (dist Varanasi), Fursatganj (dist Amethi), Azamgarh-obs (dist Azamgarh) 500.0 Each; East Madhya Pradesh: Rewa (dist Rewa) 500.0; Haryana Chandigarh & Delhi: New Delhi (palam) AP (dist South West Delhi) 500.0; Punjab: Amritsar (rajasansi) AP (dist Amritsar), Ludhiana (dist Ludhiana) 500.0 Each; Saurashtra & Kutch: Daman (dist Daman) 500.0; Chhattisgarh: Ambikapur (dist Surguja) 500.0; Bihar: Gaya (dist Gaya), Supaul (dist Supaul) 500.0 Each;
- ♦ Minimum Temperature Departures (as on 25-11-2025): below normal (-1.6°C to -3.0°C) at many places over Punjab, Haryana; at isolated places over Rajasthan, Uttar Pradesh, Saurashtra & Kutch, Chhatisgarh. The lowest minimum temperature of 6.3°C is reported at Hissar(Haryana) over the Plains of India.
- **♦ Maximum Temperature Departures (as on 24-11-2025): The highest maximum temperature** of 36.6°C is reported at KARWAR (KARNATAKA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The **well marked low pressure area** over Malaysia and adjoining Strait of Malacca moved west-northwestwards, intensified into a **depression** and lay over Strait of Malacca, near latitude 5.4°N and longitude 99.7°E, about 70 km west of George Town (Malaysia), 290 km east of Kuta Makmur (Indonesia), 740 km east-southeast of Nancowry (Nicobar Islands) and 870 km east-southeast of Car Nicobar (Nicobar Islands) at 0830 hours IST of today, the 25th November, 2025. It is very likely to move slowly west-northwestwards and intensify further during next 48 hours.
- The low-pressure area over Comorin and adjoining areas of southwest Bay of Bengal & Sri Lanka now lies
 over southwest Bay of Bengal and adjoining areas of South Sri Lanka & Equatorial Indian Ocean at 0830 hours
 IST of today, the 25th November, 2025. The associated cyclonic circulation extended upto 7.6 km above mean
 sea level. It is very likely to move north-northwestwards and become well marked low pressure area during next
 24 hours and intensify further into a depression during subsequent 24 hours
- The cyclonic circulation over southeast Arabian Sea extending upto 3.1 km above mean sea level has become less marked.

Weather Outlook for subsequent 3 days

- Fairly widespread to widespread rainfall activity likely over North Tamil Nadu, Coastal Andhra Pradesh, Kerala and Andaman & Nicobar Islands.
- Isolated to Scattered rainfall activity over Coastal Karnataka and South Interior Karnataka.









25 November (Day 1)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- ♦ Fog very likely at isolated pockets over Nagaland, Manipur, Mizoram and Tripura and Odisha.

Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off Kerala coast, over Lakshadweep & adjoining Maldives areas, over Comorin area, over Gulf of Mannar, along and off south & adjoining north Tamil Nadu and Sri Lanka coasts, over Andaman Sea, over southeast Bay of Bengal, some parts of southwest Bay of Bengal.








26 November (Day 2)


- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **♦ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **Fog** very likely at isolated pockets over Nagaland, Manipur, Mizoram and Tripura.

Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off Kerala coast, over Lakshadweep & adjoining Maldives areas, over Comorin area, over Gulf of Mannar, along and off Tamil Nadu and Sri Lanka coasts, over Andaman Sea, over south Bay of Bengal.

Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea, over many parts of southeast Bay of Bengal.








27 November (Day 3)


- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- **♦ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.

Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over south Bay of Bengal, southern parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast.

Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts and adjoining sea areas.








28 November (Day 4)


- Heavy to Very Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining southeast Bay of Bengal, some parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast.

Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, many parts of southwest Bay of Bengal.







29 November (Day 5)

- Heavy to Very Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands and Andhra Pradesh.
- **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.


Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail along and off south Kerala coast and adjoining Lakshadweep area, over Comorin area, over southwest & adjoining southeast Bay of Bengal, many parts of westcentral Bay of Bengal, along and off south Andhra Pradesh coast.


Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over Gulf of Mannar, along and off Sri Lanka, Tamil Nadu coasts, over Gulf of Mannar, many parts of southwest Bay of Bengal.

Squally weather with wind speeds reaching 50 kmph to 60 kmph gusting to 70 kmph will prevail over parts of southwest Bay of Bengal off north Sri Lanka coast.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






30 November (Day 6)

♦ Heavy to Very Heavy Rainfall likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



1 December (Day 7)

- Heavy to Very Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- * Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands and Andhra Pradesh.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



Table-1

7 Days Rainfall Forecast

| | r Days Kallli | all | | cca | Sι | | | |
|-------|------------------------------|-------|-------|-------|-------|-------|-------|--------|
| S.No. | Subdivision | 25- | 26- | 27- | 28- | 29- | 30- | 1- Dec |
| | | Nov | Nov | Nov | Nov | Nov | Nov | |
| | | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 |
| 1 | ANDAMAN & NICOBAR ISLANDS | FWS | FWS | FWS | FWS | FWS | SCT | SCT |
| 2 | ARUNACHAL PRADESH | ISOL | DRY | DRY | DRY | DRY | DRY | DRY |
| 3 | ASSAM & MEHGHALAYA | DRY |
| 4 | N. M. M. & T. | DRY |
| 5 | S.H. WEST BENGAL & SIKKIM | DRY |
| 6 | GANGETIC WEST BENGAL | DRY |
| 7 | ODISHA | DRY |
| 8 | JHARKHAND | DRY |
| 9 | BIHAR | DRY |
| 10 | EAST UTTAR PRADESH | DRY |
| 11 | WEST UTTAR PRADESH | DRY |
| 12 | UTTARAKHAND | DRY |
| 13 | HARYANA, CHD & DELHI | DRY |
| 14 | PUNJAB | DRY |
| 15 | HIMACHAL PRADESH | DRY |
| 16 | JAMMU AND KASHMIR AND LADAKH | DRY |
| 17 | WEST RAJASTHAN | DRY |
| 18 | EAST RAJASTHAN | DRY |
| 19 | WEST MADHYA PRADESH | DRY |
| 20 | EAST MADHYA PRADESH | DRY |
| 21 | GUJRAT REGION | DRY |
| 22 | SAURASHTRA & KUTCH | DRY |
| 23 | KONKAN & GOA | DRY |
| 24 | MADHYA MAHARASHTRA | DRY |
| 25 | MARATHWADA | DRY |
| 26 | VIDARBHA | DRY |
| 27 | CHATTISGARH | DRY |
| 28 | COASTAL ANDHRA PRADESH | ISOL | ISOL | ISOL | SCT | FWS | WS | WS |
| 29 | TELANGANA | DRY |
| 30 | RAYALASEEMA | ISOL | ISOL | ISOL | SCT | FWS | WS | WS |
| 31 | TAMILNADU & PUDUCHERRY | ISOL | ISOL | ISOL | SCT | FWS | ISOL | ISOL |
| 32 | COSTAL KARNATAKA | DRY |
| 33 | NORTH INTERIOR KARNATAKA | DRY |
| 34 | SOUTH INTERIOR KARNATAKA | DRY |
| 35 | KERALA | SCT |
| 36 | LAKSHDWEEP | FWS | SCT | SCT | SCT | SCT | SCT | SCT |

| Legend | Category | %Stations |
|--------|-------------------------------|-----------|
| WS | Widespread/Most Places | 76-100 |
| FWS | Fairly Widespread/Many Places | 51-75 |
| SCT | Scattered/ A Few Places | 26-50 |
| ISOL | Isolated Places | 1-25 |
| DRY | No Rain | 0 |



Fig. 1: Maximum Temperatures Dated 2025-11-24




Fig. 3: Minimum Temperatures Dated 2025-11-25




Fig. 2: Departure of Maximum Temp. Dated 2025-11-24






Fig. 4: Departure of Minimum Temp. Dated 2025-11-25









Impact & Action Suggested due to

• Isolated **very heavy rainfall** over Tamil Nadu during 28th-30th, Andaman & Nicobar Islands during 26th & 27th, Coastal Andhra Pradesh & Yanam and Rayalaseema on 30th November.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- · Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- · Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy Rainfall

- In **Tamil Nadu**, drain out excess rain water from fields of rice, groundnut, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, arecanut, mango, rubber, cinnamon and black pepper. Strengthen irrigation channels and field bunds in rice to avoid crop lodging. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Kerala**, ensure adequate drainage facilities in fields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana to prevent their falling due to heavy rainfall. Undertake staking for vegetables grown in pandals.
- In **Andaman and Nicobar Islands**, store the harvested produce of rice in well-covered elevated places to prevent moisture damage. Avoid early sowing of pulses and lentil during heavy rainfall. Provide mechanical support to banana and papaya plants at fruiting stage. Drain out excess water from vegetable nurseries and protect young seedlings using temporary rain shelters or plastic covers.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from
 escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

| % Stations | Category | % Stations | Category |
|------------|-------------------------------------|------------|-------------------------------|
| 76-100 | Widespread (WS/Most Places) | 26-50 | Scattered (SCT/ A Few Places) |
| 51-75 | Fairly Widespred (FWS/ Many Places) | 1-25 | Isolated (ISOL) |

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Very Heavy Rain Heavy Rain Thunderstorm & Lightning

Strong surface winds

Cold Wave

Hot & Humid







Extremely Heavy Rain 🗼 Heavy Snow

2 Dust Strom



Dust Raising Winds



Ground Frost

Hot Day

FOG FOG



| | <u> </u> | EGENDS |
|---|---|---|
| | WARNING | Probabilistic Forecast |
| | WARNING (TAKE ACTION) | Terms Probability of Occurrence (%) |
| | ALERT (BE PREPARED) | Unlikely < 25 Likely 25 - 50 |
| | WATCH (BE UPDATED) | Very Likely 50 - 75 |
| 10 | NO WARNING (NO ACTION) | Most Likely > 75 |
| / Ç | Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm * | |
| | (a) Based on Departure from norma | |
| | Heat Wave: Maximum Temperature Depa Severe Heat Wave: Maximum Temperature | |
| j+ | (b). Based on Actual maximum temperature | |
| at Wave | Heat Wave: When actual maximum temper | |
| | Severe Heat Wave: When actual maximu | N. A. of S. |
| | (c). Criteria for heat wave for coast: When maximum temperature departure is temperature ≥37°C | al stations >4.5°C from normal. Heat Wave may be described provided |
| a . | When maximum temperature rema | |
| m Night | Warm Night: When minimum temperature | |
| | Severe Warm Night: When minimum tem | perature departure 20.4 °C. |
| | (a). Based on departure | station ≤10°C for plains and ≤0°C for hilly region |
| | Cold Wave: Minimum Temperature Depart Severe Cold Wave: Minimum Temperature | |
| Ĵ- | (b) Based on actual Minimum Temperatur | |
| ld Wave | Cold Wave : When Minimum Temperature | |
| | Severe Cold Wave: When Minimum Term | |
| | (c) For Coastal Stations | |
| | | s ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C |
| Q - | When minimum temperature of a st Based on departure Cold Day: Maximum Temperature Depart | ation ≤10°C for plains and ≤0°C for hilly regions |
| old Day | Severe Cold Day: Maximum Temperature | |
| | Dhamanan of amali danalata | |
| | Moderate Fog: When the visibility between | suspended in air and the horizontal visibilit |
| | Dense Fog: when the visibility between 5 | |
| _ | Delice Log. When the Helbinty Bethreen't | 200 11101100 |
| Fog | Very Dense Fog: when the visibility < 50 | |
| | Very Dense Fog: when the visibility < 50 | |
| Fog | Very Dense Fog: when the visibility < 50 s Sudden electrical discharges manife sound (thunder) | metres |
| Fog ## Inderstorm ust/Sand | Very Dense Fog: when the visibility < 50 sound (sound (thunder) An ensemble of particles of dust or turbulent wind. | ested by a flash of light (Lightning) and a sharp ru |
| Fog My nderstorm ust/Sand Storm | Very Dense Fog: when the visibility < 50 Sudden electrical discharges manife sound (thunder) An ensemble of particles of dust or | ested by a flash of light (Lightning) and a sharp ru |
| Fog ## nderstorm sst/Sand Storm | Very Dense Fog: when the visibility < 50 sound (sound (thunder)) An ensemble of particles of dust or turbulent wind. | ested by a flash of light (Lightning) and a sharp ru |
| Fog ## Inderstorm ust/Sand | Very Dense Fog: when the visibility < 50 months of the visibility | ested by a flash of light (Lightning) and a sharp ru sand energetically lifted to great heights by a stro |
| Fog St/Sand Storm Frost | Very Dense Fog: when the visibility < 50 months of the visibility | ested by a flash of light (Lightning) and a sharp ru sand energetically lifted to great heights by a stro |
| Fog Wynderstorm ust/Sand Storm Frost | Very Dense Fog: when the visibility < 50 months of the visibility | ested by a flash of light (Lightning) and a sharp runs sand energetically lifted to great heights by a stro |
| Fog Wynderstorm ust/Sand Storm Frost | Very Dense Fog: when the visibility < 50 months of the visibility | ested by a flash of light (Lightning) and a sharp runs sand energetically lifted to great heights by a strought, lasts for atleast 1 minute. |
| Fog Wynderstorm ust/Sand Storm Frost Gquall | Very Dense Fog: when the visibility < 50 most of the visi | ested by a flash of light (Lightning) and a sharp runs sand energetically lifted to great heights by a stro |
| Fog Wy nderstorm sst/Sand Storm Frost | Very Dense Fog: when the visibility < 50 most of the visi | ested by a flash of light (Lightning) and a sharp rules sand energetically lifted to great heights by a stro nly, lasts for atleast 1 minute. ever specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre nph (34-63 knots) & Wave height 6-14 metre |
| Frost Frost | Very Dense Fog: when the visibility < 50 meshadown sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea of Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 km Phenomenal: Wind speed >117 kmph (>60) | ested by a flash of light (Lightning) and a sharp runs and energetically lifted to great heights by a stroinly, lasts for atleast 1 minute. Every specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 33 knots) & Wave height >14 metre |
| Frost Frost | Very Dense Fog: when the visibility < 50 mostly sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤ 4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea of Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 km | ested by a flash of light (Lightning) and a sharp runs and energetically lifted to great heights by a stroinly, lasts for atleast 1 minute. Experimental energy and the strong area of |
| st/Sand Storm | Sudden electrical discharges manife sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea of Rough to very rough: Wind speed 41-62 High to very high: Wind speed 63-117 km Phenomenal: Wind speed >117 kmph (>60 Cyclonic Storm: Wind speed 62-87 kmph | ested by a flash of light (Lightning) and a sharp runs and energetically lifted to great heights by a stroinly, lasts for atleast 1 minute. Ever specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre and (34-63 knots) & Wave height 6-14 metre and knots) & Wave height 5-14 metre and (34-47 knots) 1 (34-47 knots) 1 (34-47 knots) 1 (34-63 knots) 1 (34-65 kmph (64 - 89 knots) |