



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-09-29

Time of Issue: 12:56:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

West India:

Light to moderate rain/thunderstormat most/many places with heavy rainfall likely over Konkan & Goa, Madhya Maharashtra during next 6 days (except on 30th September); Gujarat Region on 29th September; Saurashtra & Kutch during 29th September-02nd October with isolated Extremely heavy rainfall over Saurashtra & Kutch on 29th September and very heavy rainfall on 30th September.

East & Central India:

- Light to moderate rain/thunderstorm at most/many places with isolated heavy rainfall likely over Andaman & Nicobar Islands on 29th & 30th September; West Bengal & Sikkim during 02nd -04th October; Bihar during 01st -04th October; Jharkhand during 02nd-04th; West Madhya Pradesh on 05th October; East Madhya Pradesh, Vidarbha on 04th & 05th October; Chhattisgarh, Odisha during 29th September-03rd October with isolated very heavy rainfall over Gangetic West Bengal on 02nd October; Sub-Himalayan West Bengal & Sikkim on 03rd & 04th October; Bihar on 04th & 05th October.
- Thunderstorm & gusty winds (speed reaching 40-50 kmph) very likely over Andaman & Nicobar Islands during next 5 days.
- Thunderstorm & gusty winds (speed reaching 30-40 kmph) very likely over Bihar during next 7 days; West Bengal, Jharkhand, Odisha during next 5 days; Andaman & Nicobar Islands during 29th September-02nd October.

Northeast India:

Light/moderate rain/thunderstorm at many/some places with isolated heavy rainfall likely over Assam & Meghalaya during 30th September-05th October; Nagaland, Manipur, Mizoram & Tripura during 29th September-02nd October; Arunachal Pradesh during 01st-05th October with very heavy rainfall over Assam & Meghalaya on 02nd & 03rd October.

South Peninsular India:

- Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** likely over north Tamil Nadu on 29th September, Coastal Andhra Pradesh & Yanam during 29th September-02nd October.
- Strong surface winds (speed reaching 30-40 kmph) very likely over Kerala & Mahe, Lakshadweep on 29th & 30th September; Tamil Nadu, Coastal Andhra Pradesh & Yanam, Rayalaseema, Telangana during 29th September-03rd October.

Northwest India:

• Thunderstorm with lightning very likely at isolated places over Uttarakhand on 29th September, Rajasthan during 29th September-03rd October and Jammu-Kashmir & Himachal Pradesh on 04th & 05th October.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Andaman & Nicobar Islands, Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Vidarbha, Coastal Karnataka and Kerala & Mahe; at many places over West Madhya Pradesh, Madhya Maharashtra, South Interior Karnataka and Lakshadweep; at a few places over Nagaland, Manipur, Mizoram & Tripura, Odisha, East Madhya Pradesh, Marathwada, Coastal Andhra Pradesh & Yanam, Rayalaseema and North Interior Karnataka; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Jharkhand, Bihar, East Uttar Pradesh, West Uttar Pradesh, Uttarakhand, Punjab, West Rajasthan, East Rajasthan, Telangana and Tamil Nadu, Puducherry & Karaikal; Dry over rest of the country.
- Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Saurashtra & Kutch: Diu (dist Diu) 26; Sutrapada (dist Gir Somnath) 22; Mangrol(j) (dist Junagadh) 18; Una (dist Gir Somnath) 14; Kodinar (dist Gir Somnath) 13; Veraval (dist Gir Somnath), Talala (dist Gir Somnath), Keshod (dist Junagadh) 12 Each; Visavadar (dist Junagadh), Kalyanpur (dist Devbhoomi Dwarka) 10 Each; Khambhalia (dist Devbhoomi Dwarka), Malia (dist Junagadh) 9 Each; Gir Gadhada (dist Gir Somnath) 8; Amreli (dist Amreli), Mahuva(b) (dist Bhavnagar), Bhesan (dist Junagadh), Bagasra (dist Amreli), Babra (dist Amreli) 7 Each; Konkan & Goa: Talasari (dist Palghar) 24; Jawhar (dist Palghar), Palghar ARG (dist Palghar) 18 Each; Vikramgad (dist Palghar), Wada (dist Palghar) 17 Each; Murbad (dist Thane) 14; Matheran (dist Raigad), Mokheda - Fmo (dist Palghar) 13 Each; Vasai (dist Palghar), Dahanu (dist Palghar) 12 Each; Bhiwandi (dist Thane) 11; Shahapur (dist Thane), Colaba (dist Mumbai City) 10 Each; Panvel ARG (dist Raigad), Canacona (dist South Goa), Ambernath (dist Thane) 9 Each; Santacruz (dist Mumbai Suburban), Tbia IMD Part Time (dist Thane), Thane (dist Thane), Uran (dist Raigad) 8 Each; Mangaon (dist Raigad), Harnai IMD (dist Ratnagiri), Karjat ARG (dist Raigad), Pen (dist Raigad), Khalapur (dist Raigad), Kalyan (dist Thane), Ulhasnagar (dist Thane) 7 Each; Gujarat Region: Khanvel (dist Dadara & Nagar Haveli) 24; Madhbun (dist Dadara & Nagar Haveli) 22; Silvassa (dist Dadara & Nagar Haveli) 19; Nanipalson (dist Valsad) 13; Vapi (dist Valsad), Umergam (dist Valsad), Kaprada (dist Valsad) 11 Each; Dharampur (dist Valsad), Ankleshwer (dist Bharuch), Bharuch (dist Bharuch), Dediapada (dist Narmada) 10 Each; Daman (dist Daman) 9; Pardi (dist Valsad), Valsad (dist Valsad), Umerpada (dist Surat) 8 Each; Hansot (dist Bharuch), Devgadh Baria (dist Dahod), Daman AWS (dist Daman), Jhagadia (dist Bharuch), Daman Fmo (dist Daman) 7 Each; Madhya Maharashtra: Ozharkheda - Fmo (dist Nashik) 19; Harsul - Fmo (dist Nashik) 14; Nandgaon (dist Nashik) 12; Lonavala ARG (dist Pune), Trimbakshwar (dist Nashik) 10 Each; Peth (dist Nashik) 8; Igatpuri (dist Nashik) 7; Odisha: Bandhugaon (dist Koraput) 14; Coastal Karnataka: Honavar (dist Uttara Kannada), Manki (dist Uttara Kannada), Shirali PTO (dist Uttara Kannada), Gersoppa (dist Uttara Kannada) 12 Each; Kumta (dist Uttara Kannada) 10; Gokarna (dist Uttara Kannada) 9; Karwar (dist Uttara Kannada) 8; Ankola (dist Uttara Kannada) 7; West Madhya Pradesh: Nasrullahganj (dist Sehore) 10; Nagaland, Manipur, Mizoram & Tripura: Kanchanpur (dist North Tripura) 8; South Interior Karnataka: Hunchadakatte (dist Shivamogga) 7; Kerala & Mahe: Ayyankunnu AWS (dist Cannur) 7; Andaman & Nicobar Islands: Long Island (dist North & Middle Andaman) 7; Uttarakhand: Sama (dist Bageshwar) 7.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Extremely heavy rain at isolated places over Gujarat Region, Saurashtra & Kutch and Konkan & Goa. Heavy to very heavy rain at isolated places over Odisha, Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Coastal Karnataka. Heavy rain at a few places over Konkan & Goa and at isolated places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Uttarakhand, West Madhya Pradesh, South Interior Karnataka and Kerala & Mahe.
- ♦ Minimum Temperature Departures (as on 29-09-2025): markedly above normal(> 5.1°C) at many places over Himachal Pradesh; at few places over Assam & Meghalaya, West Rajasthan, East Rajasthan and West Madhya Pradesh; at isolated places over Sub Himalayan West Bengal & Sikkim, Bihar, East Uttar Pradesh, West Uttar Pradesh and Punjab. appreciably above normal(3.1°C to 5.0°C) at few places over Uttarakhand, Haryana-Chandigarh-Delhi, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Madhya Pradesh and Gujarat Region; at isolated places over Odisha and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at few places over Arunachal Pradesh, Gangetic West Bengal and Tamil Nadu, Puducherry & Karaikal; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Vidarbha, Chhattisgarh and Coastal Andhra Pradesh & Yanam. near normal(-1.5°C to 1.5°C) at many places over Marathwada; at most places over Andaman & Nicobar Islands, Jharkhand, Madhya Maharashtra, Telangana, Rayalaseema, Coastal Karnataka, South Interior Karnataka, Kerala & Mahe and Lakshadweep; at few places over Konkan & Goa and North Interior Karnataka. The lowest minimum temperature of 17.5°C is reported at JEUR (MAHARASHTRA) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 28-09-2025): markedly above normal(> 5.1°C) at few places over



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Himachal Pradesh; at isolated places over Punjab and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad. appreciably above normal(3.1°C to 5.0°C) at few places over Arunachal Pradesh, Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim and Haryana-Chandigarh-Delhi; at isolated places over Gangetic West Bengal, Bihar and Uttarakhand. above normal(1.6°C to 3.0°C) at many places over West Uttar Pradesh; at few places over Nagaland, Manipur, Mizoram & Tripura, East Uttar Pradesh, West Rajasthan and Saurashtra & Kutch; at isolated places over East Rajasthan, Gujarat Region, Chhattisgarh, Coastal Andhra Pradesh & Yanam and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar Islands, Odisha, Jharkhand and Kerala & Mahe; at most places over Lakshadweep; at few places over East Madhya Pradesh, Rayalaseema and South Interior Karnataka; at isolated places over West Madhya Pradesh and Vidarbha. The highest maximum temperature of 39.8°C is reported at JAISALMER (RAJASTHAN).

- * Maximum Temperature Changes (as on 28-09-2025): Markedly fall at at few places over Gujarat Region and Saurashtra & Kutch; at isolated places over Himachal Pradesh, Konkan & Goa and Madhya Maharashtra. Appreciable fall at at isolated places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Bihar, East Uttar Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Madhya Pradesh, Telangana, Rayalaseema and Coastal Karnataka. Appreciable rise at at many places over Assam & Meghalaya, Odisha, Jharkhand, Coastal Andhra Pradesh & Yanam and North Interior Karnataka; at most places over Arunachal Pradesh, Gangetic West Bengal, West Uttar Pradesh, Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, West Rajasthan, East Rajasthan, East Madhya Pradesh, Marathwada, Vidarbha, Chhattisgarh, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka, Kerala & Mahe and Lakshadweep.
- * Minimum Temperature Changes (as on 29-09-2025): markedly fall at at isolated places over Andaman & Nicobar Islands. Appreciable fall at at isolated places over Saurashtra & Kutch, Marathwada and Rayalaseema. Appreciable rise at at most places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Jharkhand, Bihar, East Uttar Pradesh, West Uttar Pradesh, Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan, East Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Konkan & Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe and Lakshadweep.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Meteorological Analysis (Based on 0830 hours IST)


- The **line of withdrawal of southwest monsoon** continues to pass through 20°N/ 69°E, Veraval, Bharuch, Ujjain, Jhansi, Shahjahanpur and 30°N/81°E.
- The **well-marked low-pressure** area over Gulf of Cambay and neighbourhood persisted over the same region at 0830 hours IST of today, the 29th September 2025 and the associated **cyclonic circulation** extended upto 7.6 km above mean sea level tilting southwestwards with height. It is likely to continue to move west-northwestwards across Saurashtra and emerge into northeast Arabian sea around 1st October, 2025. There is a possibility of its intensification into a **depression** around the time of emergence into the northeast Arabian sea.
- The **trough** from the **well-marked low pressure area** over Gulf of Cambay and neighbourhood to westcentral Bay of Bengal across south Gujarat, Vidarbha, south Chhattisgarh, south Odisha, north Coastal Andhra Pradesh at 0.9 km above mean sea level persists.
- The upper air **cyclonic circulation** over north coastal Andhra Pradesh and neighbourhood between 1.5 & 5.8 km above mean sea level tilting southward with height persists.
- The upper air **cyclonic circulation** over north Haryana and neighbourhood at 3.1 km above mean sea level persists.
- An upper air cyclonic circulation is likely to emerge into north Andaman Sea on 30th September. Under it influence a low-pressure area is likely to form over north & adjoining central Bay of Bengal around 01st October 2025.
- A fresh **Western Disturbance** likely to affect western Himalayan region from 04th October 2025.

Weather Outlook for subsequent 3 days


isolated to scattered rainfall activity likley over many parts of the country except Gengatic Plains, East Rajasthan, Madhya Pradesh, West & Central India where fairywidespread rainfall activity is likely.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences









29 September (Day 1)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Saurashtra & Kutch.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Chhattisgarh, Coastal Andhra Pradesh, Gujarat Region, Konkan & Goa, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jharkhand, Odisha, Telangana, West Bengal & Sikkim and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Gujarat State, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Rajasthan, Tamil Nadu Puducherry & Karaikal and Uttarakhand.
- **Strong Surface Winds** very likely at isolated places over Andaman & Nicobar Islands, Coastal Andhra Pradesh, Coastal Karnataka, Konkan & Goa, Saurashtra & Kutch and Tamil Nadu Puducherry & Karaikal.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.


Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, Konkan, Goa, Karnataka coast, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, off north Tamil Nadu coasts, over Andaman Sea




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off Gujarat and adjoining sea areas, north Konkan and adjoining some parts of northeast and eastcentral Arabian sea, many parts of south and central Bay of Bengal.







30 September (Day 2)

- Heavy to Very Heavy Rainfall very likely at isolated places over Saurashtra & Kutch.
- **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Nagaland, Manipur, Mizoram and Tripura and Odisha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jharkhand, Odisha, Telangana, West Bengal & Sikkim and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Gujarat State, Marathwada, Nagaland, Manipur, Mizoram and Tripura and Rajasthan.
- * Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands, Coastal Andhra Pradesh, Konkan & Goa and Saurashtra & Kutch.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, Konkan & off Goa coasts, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, Tamil Nadu coasts, over Andaman Sea


Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off south




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Gujarat and adjoining sea areas, north Konkan and adjoining some parts of northeast and eastcentral Arabian sea, many parts of south and central Bay of Bengal.







1 October (Day 3)

- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Konkan & Goa, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha and Saurashtra & Kutch.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jharkhand, Odisha, Telangana and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Rajasthan and Vidarbha.
- ♦ Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands, Coastal Andhra Pradesh, Gangetic West Bengal, Konkan & Goa, Odisha and Saurashtra & Kutch.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, Konkan coast, many parts of northeast & eastcentral Arabian Sea, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central & north Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, off Tamil Nadu, Odisha, West Bengal, Bangladesh, Myanmar coasts, over Andaman Sea.

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail over many parts of





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

central and north Bay of Bengal.

Page 11







2 October (Day 4)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya, Coastal Andhra Pradesh and Gangetic West Bengal.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Bihar, Chhattisgarh, Jharkhand, Konkan & Goa, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Saurashtra & Kutch and Sub Himalayan West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Gangetic West Bengal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Jharkhand, Odisha, Sub Himalayan West Bengal & Sikkim and Telangana.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Rajasthan, Saurashtra & Kutch, Tamil Nadu Puducherry & Karaikal and Vidarbha.
- ❖ Strong Surface Winds likely at isolated places over Andaman & Nicobar Islands, Coastal Andhra Pradesh, Gangetic West Bengal, Odisha and Saurashtra & Kutch.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, many parts of northeast adjoining eastcentral Arabian Sea, over Gulf of Mannar & adjoining Comorin area, over south, central & north Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, off Tamil Nadu, Odisha, West





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Bengal, Odisha coasts, Bangladesh, Myanmar coasts over Andaman Sea.

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail over many parts of central and north Bay of Bengal.







3 October (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya and Sub Himalayan West Bengal & Sikkim.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Bihar, Chhattisgarh, Gangetic West Bengal, Jharkhand, Konkan & Goa, Madhya Maharashtra and Odisha.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Gangetic West Bengal.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jharkhand, Odisha and Telangana.
- * Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Rajasthan, Tamil Nadu Puducherry & Karaikal and Vidarbha.
- ♦ Strong Surface Winds likely at isolated places over Coastal Andhra Pradesh, Gangetic West Bengal, Odisha and Saurashtra & Kutch.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest Arabian Sea, along and off Somalia coast.


Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, many parts of northeast adjoining eastcentral Arabian Sea, over Gulf of Mannar & adjoining Comorin area, over south, central & north Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, off Tamil Nadu, Odisha, West Bengal, Odisha coasts, Bangladesh, Myanmar coasts.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail over many parts of central and north Bay of Bengal.









4 October (Day 6)

- * Heavy to Very Heavy Rainfall likely at isolated places over Bihar and Sub Himalayan West Bengal & Sikkim.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Madhya Pradesh, Gangetic West Bengal, Jharkhand, Konkan & Goa, Madhya Maharashtra and Vidarbha.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and Gangetic West Bengal.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Marathwada and North Interior Karnataka.

No Fishermen Warning







5 October (Day 7)

- Heavy to Very Heavy Rainfall likely at isolated places over Bihar.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Madhya Pradesh, Sub Himalayan West Bengal & Sikkim and Vidarbha.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and North Interior Karnataka.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 30-09-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Saurashtra & Kutch - Amreli, Bhavnagar, Botad, Devbhoomi Dwarka, Gir Somnath, Jamnagar, Junagarh, Porbandar, Rajkot, Surendranagar and Morbi districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Table-1

7 Days Rainfall F	orecast
-------------------	---------

	1 Days Kallli	ruiecasi						
S.No.	Subdivision	29- Sep	30- Sep	1- Oct	2- Oct	3- Oct	4- Oct	5- Oct
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	FWS	FWS	SCT	SCT
2	ARUNACHAL PRADESH	SCT	FWS	FWS	FWS	SCT	SCT	SCT
3	ASSAM & MEHGHALAYA	SCT	FWS	FWS	FWS	FWS	SCT	SCT
4	N. M. M. & T.	SCT	FWS	FWS	FWS	FWS	FWS	SCT
5	S.H. WEST BENGAL & SIKKIM	ISOL	SCT	FWS	WS	WS	WS	WS
6	GANGETIC WEST BENGAL	ISOL	SCT	FWS	WS	WS	WS	FWS
7	ODISHA	SCT	SCT	FWS	FWS	FWS	FWS	FWS
8	JHARKHAND	ISOL	SCT	FWS	WS	WS	WS	WS
9	BIHAR	ISOL	SCT	SCT	FWS	FWS	WS	WS
10	EAST UTTAR PRADESH	ISOL	ISOL	SCT	ISOL	ISOL	ISOL	ISOL
11	WEST UTTAR PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
12	UTTARAKHAND	SCT	ISOL	ISOL	ISOL	ISOL	SCT	SCT
13	HARYANA, CHD & DELHI	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	ISOL
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	ISOL	SCT
15	HIMACHAL PRADESH	ISOL	DRY	DRY	DRY	DRY	ISOL	SCT
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	DRY	SCT	FWS
17	WEST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
18	EAST RAJASTHAN	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
19	WEST MADHYA PRADESH	FWS	FWS	SCT	SCT	FWS	FWS	FWS
20	EAST MADHYA PRADESH	FWS	FWS	FWS	FWS	WS	WS	WS
21	GUJRAT REGION	WS	WS	WS	FWS	FWS	FWS	WS
22	SAURASHTRA & KUTCH	WS	WS	WS	FWS	SCT	SCT	FWS
23	KONKAN & GOA	WS	WS	WS	WS	WS	WS	WS
24	MADHYA MAHARASHTRA	SCT	ISOL	ISOL	SCT	SCT	FWS	SCT
25	MARATHWADA	ISOL	ISOL	SCT	FWS	FWS	FWS	SCT
26	VIDARBHA	FWS	SCT	FWS	FWS	FWS	WS	WS
27	CHATTISGARH	FWS	WS	WS	WS	FWS	FWS	FWS
28	COASTAL ANDHRA PRADESH	SCT	SCT	FWS	WS	FWS	SCT	SCT
29	TELANGANA	SCT	SCT	SCT	SCT	SCT	FWS	FWS
30	RAYALASEEMA	ISOL	ISOL	ISOL	SCT	SCT	SCT	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
32	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
33	NORTH INTERIOR KARNATAKA	FWS	SCT	SCT	FWS	FWS	FWS	FWS
34	SOUTH INTERIOR KARNATAKA	SCT	SCT	SCT	FWS	FWS	FWS	FWS
35	KERALA	WS	FWS	FWS	FWS	FWS	FWS	FWS
36	LAKSHDWEEP	FWS	FWS	FWS	FWS	FWS	FWS	FWS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-09-28




Fig. 3: Minimum Temperatures Dated 2025-09-29




Fig. 2: Departure of Maximum Temp. Dated 2025-09-28






Fig. 4: Departure of Minimum Temp. Dated 2025-09-29









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to

- Extremely heavy rainfall (≥21 cm) at isolated places over Saurashtra & Kutch on 29th September.
- Very heavy rainfall (12-20 cm) at isolated places over Saurashtra & Kutch on 30th September; Gangetic West Bengal on 02nd October; Sub-Himalayan West Bengal & Sikkim on 03rd & 04th October; Bihar on 04th & 05th October; Assam & Meghalaya on 02nd & 03rd October.

Impact Expected

- Water logging/ flooding in many parts of low lying area and river banks
- Localized and short term disruption to municipal services (water, electricity, etc.)
- Major disruption of traffic flow. Major roads/local trains affected.
- Possibility of danger to very old buildings and unmaintained structures, falling of trees etc
- Closure of roads crossing low water bridges.

Action Suggested

- Traffic may be regulated effectively
- People in the affected area may restrict their movement.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

- In **Gujarat**, keep the harvested produce of crops such as groundnut, sesame, maize, pearl millet, soybean etc. at safer places. Make necessary arrangements to drain out excess water from fields of rice, sugarcane, cotton, pigeon pea, soybean, groundnut, maize, pearl millet, castor, vegetables and fruit orchards in **Gujarat region** and cotton, pigeon pea, groundnut, black gram, green gram, castor, pearl millet, soybean, sesame and vegetables in **Saurashtra & Kutch.**
- In **Maharashtra**, drain out excess water from fields of rice, groundnut, ginger, vegetables and fruit orchards in the districts of **Konkan**. In **Madhya Maharashtra**, keep the harvested produce of black gram, soybean and kidney beans (rajma) at safer places and drain out excess water from fields of rice, pigeon pea, soybean, maize, cotton, sugarcane, vegetables and fruit orchards.
- In **Odisha**, make provision to drain out excess water from fields of rice, finger millet, maize, pulses, groundnut, cotton, sesame, vegetables and fruit orchards. Make arrangement for covering vegetables nurseries like chilli, okra and brinjal with plastic cover or polythene sheet.
- In **Arunachal Pradesh**, undertake harvesting of matured crops of rice, maize, vegetables, finger millet and matured bunches of banana and shift the produce to properly covered shelter to avoid losses.
- In **Nagaland**, ensure proper drainage in fields of maize, pulses and vegetables.
- In **Coastal Karnataka**, drain out excess water from fields of rice, cotton, ginger and plantations of arecanut, coconut, banana and black pepper.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

• Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants /



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

fruit-bearing plants to avoid lodging due to strong winds.

Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

- Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)		
Unlikely	< 25		
Likely	25 - 50		
Very Likely	50 - 75		
Most Likely	> 75		

Heavy Rain

Hailstrom





Thunderstorm & Lightning Strong surface winds

Heat Wave

Hot Day



E Dust Raising Winds

Hot & Humid

Cold Wave





Ground Frost

2 Dust Strom

FOG FOG



		EGENDS	
	WARNING	Probal	oilistic Forecast
	WARNING (TAKE ACTION)	Terms	Probability of Occurrence (%
	ALERT (BE PREPARED)	Unlikely Likely	< 25 25 - 50
	WATCH (BE UPDATED)	Very Likely	50 - 75
	NO WARNING (NO ACTION)	Most Likely	>75
:/0	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm*		
n/ Snow	Extremely Heavy: > 204.4 mm/cm *		
	When maximum temperature of a s (a) Based on Departure from normal		°C for plains and ≥30°C for
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5	C to 6.4° C.
Î+	Severe Heat Wave: Maximum Temperat		mal ≥6.5° C
at Wave	(b). Based on Actual maximum tem		
	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coast	tal stations	
	When maximum temperature departure is temperature ≥37°C	s >4.5°C from normal. H	eat Wave may be described provide
î+	When maximum temperature rema		
m Night	Warm Night: When minimum temperatur Severe Warm Night: When minimum ter		
	Severe manni rright. When minimum ter	inperature departure >0	i T Vi
	When minimum temperature of a	station ≤10°C for	plains and ≤0°C for hilly re
	(a). Based on departure		
	Cold Wave: Minimum Temperature Depa		
<u>]</u> -	Severe Cold Wave: Minimum Temperatu		
old Wave	(b) Based on actual Minimum Tem Cold Wave : When Minimum Temperatur		s only)
	Severe Cold Wave: When Minimum Ter		
	(c) For Coastal Stations		
	When Minimum Temperature departure	is ≤-4.5 °C & actual N	Minimum Temperature is ≤ 15 °C
	When minimum temperature of a s	station ≤10°C for pla	ains and ≤0°C for hilly region
1-	Based on departure		
Cold Day	Cold Day: Maximum Temperature Depar		
oola bay	Severe Cold Day: Maximum Temperatur	re Departure from norm	al ≤ -6.5 °C
	Phenomenon of small droplets	-	and the horizontal visibi
(Moderate Fog: When the visibility between Dense Fog: when the visibility between		
Fog	Very Dense Fog: when the visibility < 50		
44	Sudden electrical discharges manif	ested by a flash of	ight (Lightning) and a sharp
understorm	sound (thunder)		, , , , , , , , , , , , , , , , , , , ,
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically	lifted to great heights by a st
Storm	taroalent wind.		
"	Ice deposits on ground		
22	Air temperature ≤4°C (over Plains)		
Frost			
	A strong wind that rises sudde	enly, lasts for atle	east 1 minute.
	Moderate: Wind speed 52-61 kmph		
€	Severe: Wind speed 62-87 kmph		
Squall	Very Severe: Wind speed >87 kmph		
Squall	Very Severe: Wind speed >87 kmph		
Squall	Effect of various waves in the sea		Ways height 2 E C mater
Squall	Effect of various waves in the sea Rough to very rough: Wind speed 41-6	32 kmph (22-33 knots) 8	
"	Effect of various waves in the sea	62 kmph (22-33 knots) & mph (34-63 knots) & V	/ave height 6-14 metre
Squall ea State	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (>	62 kmph (22-33 knots) & cmph (34-63 knots) & W 63 knots) & Wave heigt	/ave height 6-14 metre
W.	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	62 kmph (22-33 knots) 8 kmph (34-63 knots) & W +63 knots) & Wave heigt h (34-47 knots)	/ave height 6-14 metre nt >14 metre
	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmp Severe Cyclonic Storm: Wind speed 88	32 kmph (22-33 knots) & cmph (34-63 knots) & W +63 knots) & Wave heigl oh (34-47 knots) 8-117 kmph (48-63 knot	/ave height 6-14 metre nt >14 metre
	Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k Phenomenal: Wind speed >117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	32 kmph (22-33 knots) & 4mph (34-63 knots) & W 463 knots) & Wave height 50h (34-47 knots) 8-117 kmph (48-63 knotal) 8eed 118-165 kmph (64 -	/ave height 6-14 metre nt >14 metre ss) 89 knots)