2026-10-30
Time of Issue: 21:37:00 hours IST
(Night)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

South Peninsular India:

- **Isolated to Scattered** rainfall likely over Tamil Nadu, Puducherry & Karaikal during 30th October-5th November; Kerala & Mahe during 30th-31st October and during 3rd-4th November; Lakshadweep during 1st-5th November; Coastal Karnataka during 31st October-2nd November; North Interior Karnataka during 30th October-2nd November and during 4th-5th November; South Interior Karnataka during 31st October-1st November; Coastal Andhra Pradesh & Yanam and Telangana during 30th October-1st November and during 4th-5th November; Rayalaseema during 30th October-1st November and during 3rd-5th November.
- **Fairly Widespread to Widespread** rainfall likely over Kerala & Mahe during 1st-2nd November and on 5th November; Coastal Karnataka during 3rd-5th November; North Interior Karnataka on 3rd November; South Interior Karnataka during 2nd-5th November; Coastal Andhra Pradesh & Yanam and Telangana during 2nd-3rd November; Rayalaseema on 2nd November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Tamil Nadu, Puducherry & Karaikal during 1st-3rd November; Coastal Andhra Pradesh & Yanam and Rayalaseema during 2nd-3rd November; Telangana during 30th-31st October and during 2nd-3rd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe, North Interior Karnataka and South Interior Karnataka during 1st-3rd November; Coastal Andhra Pradesh & Yanam and Rayalaseema during 30th October-1st November; Telangana on 1st November.
- Isolated **thunderstorm & lightning** likely over Coastal Karnataka during 1st-3rd November.
- Isolated **heavy rainfall** likely over Rayalaseema and Tamil Nadu, Puducherry & Karaikal during 2nd-3rd November; Kerala & Mahe during 1st-3rd November; Coastal Karnataka during 3rd-5th November; North Interior Karnataka during 3rd-4th November; South Interior Karnataka during 2nd-5th November; Coastal Andhra Pradesh & Yanam on 1st November and on 4th November; Telangana during 1st-2nd November with isolated **very heavy rainfall** also likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November.
- Strong Surface Winds likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 30th October-3rd November.

Central India:

- **Isolated to Scattered** rainfall likely over East Madhya Pradesh and West Madhya Pradesh during 30th October-4th November; Vidarbha during 30th October-1st November; Chhattisgarh on 1st November and during 4th-5th November.
- **Fairly Widespread to Widespread** rainfall likely over Chhattisgarh during 30th-31st October and during 2nd-3rd November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Chhattisgarh on 2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over East Madhya Pradesh and West Madhya Pradesh during 30th-31st October; Vidarbha on 30th October.
- Isolated **thunderstorm & lightning** likely over Chhattisgarh during 30th October-1st November.
- Isolated **heavy rainfall** likely over Chhattisgarh on 2nd November.

East India:

- **Fairly Widespread to Widespread** rainfall likely over Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim during 30th-31st October; Bihar, Gangetic West Bengal and Jharkhand on 30th October; Odisha on 30th October and on 1st November.
- **Isolated to Scattered** rainfall likely over Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim during 1st-5th November; Bihar, Gangetic West Bengal and Jharkhand during 31st October-5th November; Odisha on 31st October and during 2nd-5th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Odisha during 30th October-3rd November, **with gusty winds (speed reaching 30-40 kmph gusting to**

50 kmph) likely over Andaman & Nicobar Islands and Sub-Himalayan West Bengal & Sikkim during 30th-31st October; Bihar, Gangetic West Bengal and Jharkhand on 30th October.

- Isolated **heavy rainfall** likely over Andaman & Nicobar Islands, Bihar, Jharkhand and Sub-Himalayan West Bengal & Sikkim on 30th October; Odisha on 2nd November.

Northwest India:

- **Fairly Widespread to Widespread** rainfall likely over Uttarakhand on 30th October.
- **Fairly Widespread to Widespread** rainfall likely over East Uttar Pradesh on 30th October.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Uttarakhand on 30th October.
- **Isolated to Scattered** rainfall likely over Himachal Pradesh and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 30th October-2nd November; Uttarakhand during 31st October-2nd November.
- **Isolated to Scattered** rainfall likely over Punjab and West Rajasthan on 30th October; Haryana Chandigarh & Delhi on 30th October and on 2nd November; East Rajasthan and West Uttar Pradesh during 30th-31st October; East Uttar Pradesh during 31st October-2nd November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Haryana Chandigarh & Delhi and Punjab on 30th October, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over East Rajasthan, East Uttar Pradesh and West Uttar Pradesh on 30th October.
- Isolated **thunderstorm & lightning** likely over Uttarakhand on 31st October.
- Isolated **Very heavy rainfall** likely over Uttarakhand on 30th October.
- Isolated **heavy rainfall** likely over Uttar Pradesh on 30th October.

Northeast India:

- **Isolated to Scattered** rainfall likely over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 30th October-5th November.
- Isolated **thunderstorm & lightning** likely over Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 30th October.
- Isolated **heavy rainfall** likely over Arunachal Pradesh during 31st October-1st November.
- **West India:**
- **Isolated to Scattered** rainfall likely over Konkan & Goa and Marathawada on 30th October; Gujarat Region, Madhya Maharashtra and Saurashtra & Kutch during 30th-31st October.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Madhya Maharashtra on 30th October.

Fisherman warning:

- **Bay of Bengal:** Over Andaman Sea and over some parts of eastcentral & southeast Bay of Bengal till 01st November; along and off Andhra Pradesh coast adjoining westcentral Bay of Bengal during 01st to 04th November.
- **Arabian Sea:** No Warning.

Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST to 1730 hours IST of today): **at most places** over Gangetic West Bengal, Uttarakhand, Bihar and Sub-himalayan West Bengal & Sikkim; **at many places** over Odisha, East Madhya Pradesh, East Rajasthan, Haryana Chandigarh & Delhi, West Uttar Pradesh, Jharkhand, Assam & Meghalaya, West Madhya Pradesh, East Uttar Pradesh, Coastal Andhra Pradesh & Yanam, Konkan & Goa , Chhattisgarh and Andaman & Nicobar Islands; **Dry** over rest of the country.

❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST to 1730 hours IST of today): **Gangetic West Bengal**: Asansol (dist Paschim Bardhaman) 8, Suri (dist Birbhum) 5; **Odisha**: Balasore (dist Balasore) 5; **East Uttar Pradesh**: Gorakhpur (dist Gorakhpur) 4; **Coastal Andhra Pradesh & Yanam**: Tuni (dist Kakinada) 4.


❖ **Heavy Rainfall observed** (from 0830 hours IST to 1730 hours IST of today):**Heavy rain** at isolated places over Gangetic West Bengal

❖ **Minimum Temperature Departures (as on 30-10-2026): markedly above normal(> 5.1°C)** at many places over Gujarat Region and Madhya Maharashtra; at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Odisha, East Uttar Pradesh, West Uttar Pradesh, Uttarakhand, Himachal Pradesh, East Rajasthan, West Madhya Pradesh and East Madhya Pradesh. **appreciably above normal(3.1°C to 5.0°C)** at few places over Nagaland, Manipur, Mizoram & Tripura, Odisha, West Uttar Pradesh, Punjab, East Rajasthan, West Madhya Pradesh, Marathwada and Vidarbha; at isolated places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, East Uttar Pradesh, Haryana-Chandigarh-Delhi, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Madhya Maharashtra, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and North Interior Karnataka. **above normal(1.6°C to 3.0°C)** at many places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Jharkhand, Chhattisgarh and Lakshadweep; at few places over Andaman & Nicobar Islands, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Odisha, Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, West Rajasthan, Konkan & Goa, Vidarbha, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and North Interior Karnataka; at isolated places over Gangetic West Bengal, Bihar, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Madhya Maharashtra, Marathwada and Tamil Nadu, Puducherry & Karaikal. **near normal(-1.5°C to 1.5°C)** at many places over Bihar, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Saurashtra & Kutch, Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka and Kerala & Mahe; at few places over Andaman & Nicobar Islands, Arunachal Pradesh, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Haryana-Chandigarh-Delhi, Himachal Pradesh, West Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Konkan & Goa, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, North Interior Karnataka, South Interior Karnataka and Lakshadweep; at isolated places over Assam & Meghalaya, Jharkhand, East Uttar Pradesh, West Uttar Pradesh, Uttarakhand, East Rajasthan, Marathwada, Vidarbha and Chhattisgarh. **The lowest minimum temperature** of 11.6°C was reported at UNA (HIMACHAL PRADESH) over the Plains of India.

❖ **Maximum Temperature Departures (as on 30-10-2026): markedly above normal(> 5.1°C)** at few places over Rayalaseema; at isolated places over Coastal Andhra Pradesh & Yanam, Telangana and Tamil Nadu, Puducherry & Karaikal. **appreciably above normal(3.1°C to 5.0°C)** at many places over South Interior Karnataka; at most places over Arunachal Pradesh; at few places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura and North Interior Karnataka; at isolated places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Madhya Maharashtra, Marathwada and Kerala & Mahe. **above normal(1.6°C to 3.0°C)** at few places over Coastal Karnataka and Lakshadweep; at isolated places over Odisha, Himachal Pradesh, Saurashtra & Kutch and Konkan & Goa. **near normal(-1.5°C to 1.5°C)** at many places over Gangetic West Bengal and Vidarbha; at most places over Gujarat Region; at few places over Andaman & Nicobar Islands, Punjab, West Rajasthan and Chhattisgarh; at isolated places over West Uttar Pradesh, Uttarakhand and Haryana-Chandigarh-Delhi. **The highest maximum temperature** of 37.9°C was reported at RAJKOT (A) (GUJARAT).

Meteorological Analysis (Based on 1730 hours IST)

- The **Low Pressure Area (Remnant of Very Severe Cyclonic Storm "Arnab")** overnorth Chhattisgarh & adjoining East Madhya Pradesh lay over north Chhattisgarh & adjoining East Madhya Pradesh, southeast Uttar Pradesh and west Jharkhand at 1730 hrs IST of 30th October, 2026. The associated **cyclonic circulation** extends upto 4.5 km above mean sea level.
- The **Low Pressure Area** over South Andaman Sea and adjoining Andaman Nicobar Island lay over South Andaman Sea & adjoining North Andaman Sea and Andaman & Nicobar Islands at 1730 hrs IST of today, the 30th October 2026. The associated **cyclonic circulation** extends upto 5.8 km above mean sea level. It is very likely to move west-northwestwards and concentrate into a **Depression** over southeast Bay of Bengal and adjoining areas of Andaman & Nicobar Islands and Andaman Sea around 31st October. Thereafter, it is likely to move west-northwestwards towards Andhra Pradesh coast during subsequent 2 days.
- The **Western Disturbance** as a **cyclonic circulation** over north Punjab & neighbourhood lay over north Haryana & neighbourhood at 4.5 km above mean sea level with the trough aloft in middle & upper tropospheric westerlies with axis at 5.8 km above mean sea level now runs roughly along Long. 74°E to the north of Lat. 25°N.
- The **trough** now runsfrom northwest Uttar Pradesh to the cyclonic circulation associated with the **Low Pressure Area** over north Chhattisgarh & adjoining East Madhya Pradesh, southeast Uttar Pradesh and west Jharkhand at 3.1 km above mean sea level.
- The **upper air cyclonic circulation** over South Gujarat & neighbourhood at 0.9 km above mean sea level persists.
- The **upper air cyclonic circulation** over Assam & neighbourhood at 1.5 km above mean sea level persists.
- The **trough** now runs from eastcentral Arabian Sea off Maharashtra coast to cyclonic circulation associated with the **Low Pressure area** over north Chhattisgarh & adjoining East Madhya Pradesh, southeast Uttar Pradesh and west Jharkhand across Konkan & Goa, Madhya Maharashtra, Marathwada, Vidarbha at 1.5 km above mean sea level.



30 October (Day 1)

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Uttarakhand.

❖ **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands, Bihar, East Uttar Pradesh, Jharkhand, Sub Himalayan West Bengal & Sikkim and Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Haryana, Chandigarh & Delhi, Odisha, Punjab and Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Bihar, East Rajasthan, Jharkhand, Madhya Maharashtra, Madhya Pradesh, Uttar Pradesh, Uttarakhand, Vidarbha and West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Chhattisgarh and Nagaland, Manipur, Mizoram and Tripura.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Bay of Bengal: Squally weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail over some parts of eastcentral & southeast Bay of Bengal and over Andaman Sea



31 October (Day 2)

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Odisha and Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Madhya Pradesh and Sub Himalayan West Bengal & Sikkim.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Chhattisgarh and Uttarakhand.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Bay of Bengal: Squally weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail over Andaman Sea, some parts of central adjoining southeast Bay of Bengal.

❖ Squally weather with wind speed 45-55 kmph gusting to 65 kmph is likely to prevail over some parts of eastcentral & southeast Bay of Bengal.



1 November (Day 3)

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Coastal Andhra Pradesh and Kerala & Mahe.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Odisha and Tamil Nadu Puducherry & Karaikal.


❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andhra Pradesh, Interior Karnataka, Kerala & Mahe and Telangana.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Chhattisgarh and Coastal Karnataka.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ Bay of Bengal: Squally weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off Andhra Pradesh coasts, over many parts of westcentral Bay of Bengal.

❖ Squally weather with wind speed 45-55 kmph gusting to 65 kmph is likely to prevail over some parts of westcentral Bay of Bengal.



2 November (Day 4)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh.

❖ **Heavy Rainfall** likely at isolated places over Chhattisgarh, Kerala & Mahe, Odisha, Rayalaseema, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh, Chhattisgarh, Odisha, Tamil Nadu Puducherry & Karaikal and Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Interior Karnataka and Kerala & Mahe.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Coastal Karnataka.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh.

❖ Bay of Bengal: Squally weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off Andhra Pradesh coasts, over some parts of westcentral Bay of Bengal.

❖ Squally weather with wind speed 45-55 kmph gusting to 65 kmph is likely to prevail along and off Andhra Pradesh coast adjoining westcentral Bay of Bengal.



3 November (Day 5)

❖ **Heavy to Very Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh.

❖ **Heavy Rainfall** likely at isolated places over Karnataka, Kerala & Mahe, Rayalaseema, Tamil Nadu Puducherry & Karaikal and Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andhra Pradesh, Odisha, Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Interior Karnataka and Kerala & Mahe.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Coastal Karnataka.

❖ **Strong Surface Winds** likely at isolated places over Andhra Pradesh.


❖ Bay of Bengal: Squally weather with wind speed 40-50 kmph gusting to 60 kmph is likely to prevail along and off Andhra Pradesh coasts adjoining westcentral Bay of Bengal.



4 November (Day 6)

❖ **Heavy Rainfall** likely at isolated places over Coastal Andhra Pradesh and Karnataka.

No Fishermen Warning



5 November (Day 7)

❖ **Heavy Rainfall** likely at isolated places over South Interior Karnataka.

No Fishermen Warning

Flash Flood Warnings

Flash Flood Risk (FFR) till 1130 IST of 31-10-2026:

Low to moderate flash flood risk likely few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Bihar: East Champaran and Sitamarhi districts

Sub-Himalayan West Bengal & Sikkim: Mangan, Gangtok, Gyalshing, Soreng and Darjeeling Districts

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




Table-1

7 Days Rainfall Forecast

S.No.	Subdivision	30-Oct	31-Oct	1- Nov	2- Nov	3- Nov	4- Nov	5- Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	FWS	SCT	SCT	SCT	SCT	SCT
2	ARUNACHAL PRADESH	ISOL	ISOL	ISOL	SCT	SCT	ISOL	ISOL
3	ASSAM & MEHGHALAYA	ISOL	ISOL	ISOL	SCT	SCT	ISOL	ISOL
4	N. M. M. & T.	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	WS	FWS	ISOL	ISOL	ISOL	ISOL	DRY
6	GANGETIC WEST BENGAL	FWS	SCT	ISOL	ISOL	ISOL	DRY	DRY
7	ODISHA	FWS	SCT	SCT	SCT	SCT	ISOL	ISOL
8	JHARKHAND	FWS	SCT	SCT	SCT	SCT	ISOL	DRY
9	BIHAR	FWS	ISOL	ISOL	ISOL	DRY	DRY	DRY
10	EAST UTTAR PRADESH	WS	ISOL	ISOL	ISOL	DRY	DRY	DRY
11	WEST UTTAR PRADESH	SCT	ISOL	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	FWS	ISOL	ISOL	ISOL	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	SCT	DRY	DRY	SCT	DRY	DRY	DRY
14	PUNJAB	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
17	WEST RAJASTHAN	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	SCT	ISOL	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
21	GUJRAT REGION	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	ISOL	ISOL	DRY	ISOL	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
25	MARATHWADA	DRY	DRY	ISOL	ISOL	DRY	DRY	DRY
26	VIDARBHA	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
27	CHATTISGARH	WS	FWS	SCT	FWS	FWS	SCT	ISOL
28	COASTAL ANDHRA PRADESH	ISOL	ISOL	SCT	FWS	FWS	SCT	ISOL
29	TELANGANA	ISOL	ISOL	SCT	FWS	FWS	SCT	ISOL
30	RAYALASEEMA	ISOL	ISOL	ISOL	FWS	SCT	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	DRY	ISOL	ISOL	SCT	FWS	FWS	FWS
33	NORTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	SCT	FWS	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	DRY	ISOL	SCT	FWS	FWS	FWS	FWS
35	KERALA	ISOL	ISOL	FWS	FWS	SCT	SCT	FWS
36	LAKSHDWEEP	DRY	DRY	SCT	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-10-30




Fig. 2: Departure of Maximum Temp. Dated 2026-10-30




Fig. 3: Minimum Temperatures Dated 2026-10-30






Fig. 4: Departure of Minimum Temp. Dated 2026-10-30



24 Hr cumulative rainfall recorded over different stations during 0830 IST of 29-10-2026 to 0830 IST of 30-10-2026



Impace and Actions

Impact Expected and Action Suggested due to very heavy / heavy rainfall:

- **Isolated very heavy rainfall** likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November.

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Sub-Himalayan West Bengal**, keep the harvested produce at safer places. Maintain proper draiage in standing crops fields and vegeatbles.
- In **Bihar**, ensure proper drainage in standing crops and vegetables. Harvest the early duration rice immediately wherever feasible and move the already harvested produce to safer places or cover with plastic / polythene sheets.
- In **Jharkhand**, Maintain effective drainage in standing crop fields and vegetables. Keep the harvested produce of early sown rice, maize, pigeon pea, finger millets immediately to safer places or cover with plastic / polythene sheets.
- In **Uttar Pradesh**, keep the harvested produce to a safe place or cover it with plastic or polythene sheets. Ensure proper drainage in sugarcane, basmati rice, other standing crops and vegetables; prop sugarcane and stake vegetable plants.
- In **Uttarakhand,** harvest mature rice immediately if feasible and shift the already harvested produce to safer places. Maintain proper drainage in standing crop fields and vegetables.
- In **Andaman & Nicobar Islands**, ensure proper drainage in crop fields and nurseries, and harvest mature rice and vegetables during rain-free intervals, drying the produce under cover. Support banana plants with props and raise vegetable nurseries on raised beds under rain shelter.
- In **Arunachal Pradesh** - Undertake harvesting of mature WRC rice & finger millets and dry them properly during sunny weather and keep the harvested produce in safe places. Maintain proper drainage in standing crops and vegetables.
- In **Odisha**, provide adequate drainage in rice, cotton, maize, groundnut, pulses and sugarcane to remove

excess water and avoid prolonged water logging. After cessation of rainfall, apply 2 % salt solution on early maturing paddy varieties to reduce the risk of grain sprouting in the field. Support rain affected newly planted fruit plants and vegetables by providing bamboo stakes to prevent further lodging and mechanical injury.

- In **Chhattisgarh**, drain out excess water in standing crops and vegetables.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds


- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
-

Advisories for likely impact of Heavy Rainfall for Livestock / Poultry / Fisheries

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

LEGENDS

WARNING

WARNING (TAKE ACTION)
ALERT (BE PREPARED)
WATCH (BE UPDATED)
NO WARNING (NO ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Rain/ Snow *

Heavy: 64.5 to 115.5 mm/cm *
Very Heavy: 115.6 to 204.4 mm/cm*
Extremely Heavy: > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions

(a) Based on Departure from normal

Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C

(b). Based on Actual maximum temperature

Heat Wave: When actual maximum temperature ≥45°C.
Severe Heat Wave: When actual maximum temperature ≥47°C

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

Warm Night

When maximum temperature remains 40°C

Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
Severe Warm Night: When minimum temperature departure >6.4 °C.

Cold Wave

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.

(a). Based on departure

Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C

(b) Based on actual Minimum Temperature (for Plains only)

Cold Wave : When Minimum Temperature is ≤ 4.0 °C
Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C

(c) For Coastal Stations

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

Cold Day

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions

Based on departure

Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility < 1km

Moderate Fog: When the visibility between 500-200 metres
Dense Fog: when the visibility between 50- 200 metres
Very Dense Fog: when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

Air temperature ≤4°C (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

Moderate: Wind speed 52-61 kmph
Severe: Wind speed 62-87 kmph
Very Severe: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
Super Cyclone Strom: Wind speed >220 kmph (>119 knots)