



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-10-17

Time of Issue: 13:12:00 hours IST (Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Systems and Warnings:

The **upper air cyclonic circulation** over southeast Arabian Sea & adjoining Lakshadweep area over the same region extending upto 5.8 km above mean sea level tilting southward with height persists. Under its influence, a **low pressure area** is likely to form over southeast Arabian Sea & Lakshadweep area off Kerala-Karnataka coasts around 18th October, 2025. Thereafter, it is likely to move west north-westwards and intensify into a depression during subsequent 48 hours.

South Peninsular India:

- Light to moderate rain/thunderstorm at many/some places with isolated heavy rainfall overTamil Nadu, Puducherry & Karaikal, Kerala & Mahe, South Interior Karnataka during 17th -23rd; Lakshadweep on 17th & 18th; Coastal Karnataka on 17th & 23rd; Coastal Andhra Pradesh & Yanam, Rayalaseema on 17th, 18th, 22nd & 23rd October; with very heavy rainfall over Tamil Nadu, Puducherry & Karaikal and Lakshadweep on 17th October.
- Thunderstorm with lightning/gusty winds (speed reaching 30-40 kmph) likely over the region during next 5 days.
- Strong surface winds (speed reaching 40-50 kmph) likely over South Interior Karnataka and Coastal Andhra Pradesh & Yanam on 22nd & 23rd October.

East & Central India:

- Light to moderate rain/thunderstorm at many places with isolated **heavy rainfall** over Andaman & Nicobar Islands on 20th & 21st October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over Odisha on 19th & 20th; Andaman & Nicobar Islands on 20th & 21st; with lightning over Chhattisgarh on 20th & 21st October.

West India:

Thunderstorm with lightning likely over Konkan & Goa and Madhya Maharashtra during 17th -21st; Marathawada on 21st October.

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka, Kerala & Mahe and Lakshadweep; at many places over Rayalaseema and South Interior Karnataka; at a few places over Konkan & Goa; at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Madhya Maharashtra, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana and North Interior Karnataka; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Nalumukku (dist Tirunelveli) 16; Oothu (dist Tirunelveli) 15; Kakkachi (dist Tirunelveli) 14; Manjolai (dist Tirunelveli) 11; Kalugumalai (dist Toothukudi) 9; Ambasamudram (dist Tirunelveli), Theerthandathanam (dist Ramanathapuram), Kalakadu (dist Tirunelveli) 8 Each; Manamelkudi (dist Pudukkottai) 7; Coastal Karnataka: Dharmasthala (dist Dakshina Kannada) 9; Puttur HMS (dist Dakshina Kannada), Kota (dist Udupi) 8 Each; Lakshadweep: Minicoy (dist Lakshadweep) 7; Rayalaseema: Atlur (dist Ysr District) 7.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today):Heavy to very heavy rain at isolated places over Tamil Nadu, Puducherry & Karaikal. Heavy rain at a few places over Lakshadweep and at isolated places over Rayalaseema and Coastal Karnataka.
- * Minimum Temperature Departures (as on 17-10-2025): markedly above normal(> 5.1°C) at isolated places over Assam & Meghalaya and Bihar. appreciably above normal(3.1°C to 5.0°C) at few places over Sub Himalayan West Bengal & Sikkim and West Uttar Pradesh; at isolated places over Haryana-Chandigarh-Delhi, Himachal Pradesh, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Coastal Andhra Pradesh & Yanam. above normal(1.6°C to 3.0°C) at many places over Uttarakhand; at most places over Andaman & Nicobar Islands; at few places over Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Vidarbha and South Interior Karnataka; at isolated places over Nagaland, Manipur, Mizoram & Tripura, East Uttar Pradesh, West Rajasthan, West Madhya Pradesh, Telangana, Tamil Nadu, Puducherry & Karaikal and North Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over Odisha, East Rajasthan, East Madhya Pradesh and Chhattisgarh; at most places over Arunachal Pradesh, Gujarat Region, Marathwada, Rayalaseema, Coastal Karnataka and Kerala & Mahe; at few places over Gangetic West Bengal and Lakshadweep. The lowest minimum temperature of 13.9°C is reported at UNA (HIMACHAL PRADESH) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 16-10-2025): markedly above normal(> 5.1°C) at isolated places over Himachal Pradesh and Chhattisgarh. appreciably above normal(3.1°C to 5.0°C) at few places over Arunachal Pradesh, Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim and Uttarakhand; at isolated places over Jharkhand, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Vidarbha and South Interior Karnataka. above normal(1.6°C to 3.0°C) at most places over Coastal Karnataka; at few places over Nagaland, Manipur, Mizoram & Tripura, Saurashtra & Kutch and Lakshadweep; at isolated places over Bihar, Madhya Maharashtra, Marathwada, Telangana, North Interior Karnataka and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Odisha, East Uttar Pradesh, West Uttar Pradesh, West Rajasthan, West Madhya Pradesh and East Madhya Pradesh; at most places over Andaman & Nicobar Islands, Gangetic West Bengal, Punjab and Gujarat Region; at few places over Haryana-Chandigarh-Delhi, East Rajasthan and Coastal Andhra Pradesh & Yanam; at isolated places over Rayalaseema and Tamil Nadu, Puducherry & Karaikal. The highest maximum temperature of 36.9°C is reported at BARMER (RAJASTHAN).

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)

- The upper air cyclonic circulation over southeast Arabian Sea & adjoining Lakshadweep area extending upto 5.8 km above mean sea level tilting southward with height persists. Under its influence, a low pressure area is likely to form over southeast Arabian Sea & Lakshadweep area off Kerala-Karnataka coasts around 18th October, 2025. Thereafter, it is likely to move west north-westwards and intensify into a depression during subsequent 48 hours.
- A trough runs from the above upper air cyclonic circulation over southeast Arabian Sea & adjoining Lakshadweep area to southwest Bay of Bengal across Comorin area & Sri Lanka and extends upto 1.5 km above mean sea level.
- The **upper air cyclonic circulation** over north Jharkhand & neighbourhood at 3.1 km above mean sea level persists.
- A Feeble Western Disturbance will impact western Himalayan region from 21st October 2025.

Weather Outlook for subsequent 3 days

• A **low pressure area** is likely to form over southeast Bay of Bangal around 24th October, it is likely to move west-northwestwards and intensify further thereafter.







17 October (Day 1)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Coastal Karnataka, Kerala & Mahe and South Interior Karnataka.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Kerala & Mahe, Lakshadweep, South Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Karnataka, Konkan & Goa, Madhya Maharashtra, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Kerala, Karnataka coasts and adjoining sea areas, over Lakshadweep, Comorin areas, Maldives, many parts of southeast Arabian Sea, over Gulf of Mannar, along & off Tamilnadu & adjoining south Andhra Pradesh coasts.








18 October (Day 2)

- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Coastal Karnataka, Kerala & Mahe, Lakshadweep, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Kerala & Mahe, Lakshadweep, South Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Karnataka, Konkan & Goa, Madhya Maharashtra, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Kerala, Karnataka coasts and adjoining sea areas, over Lakshadweep, Comorin areas, Maldives, many parts of southeast Arabian Sea, over Gulf of Mannar.







19 October (Day 3)

- ♦ Heavy Rainfall very likely at isolated places over Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Kerala & Mahe, Lakshadweep, Odisha, South Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Karnataka, Konkan & Goa, Madhya Maharashtra, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Kerala, Karnataka coasts and adjoining sea areas, over Lakshadweep, Comorin areas, Maldives, most parts of southeast Arabian Sea & adjoining parts of eastcentral Arabian Sea, over Gulf of Mannar.









20 October (Day 4)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe, Lakshadweep, Odisha, South Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Chhattisgarh, Coastal Karnataka, Konkan & Goa, Madhya Maharashtra, North Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Kerala, Karnataka coasts and adjoining sea areas, over Lakshadweep, Comorin areas, Maldives, southeast Arabian Sea & adjoining, some parts of southwest, eastcentral Arabian Sea, over Gulf of Mannar, Andaman Sea.
 - Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over Lakshadweep area, some parts of southeast Arabian Sea.









21 October (Day 5)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Interior Karnataka, Kerala & Mahe, Lakshadweep and Telangana.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Chhattisgarh, Coastal Karnataka, Konkan & Goa, Madhya Maharashtra, Marathwada and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Kerala, Karnataka coasts and adjoining sea areas, over Lakshadweep, Comorin areas, Maldives, southeast Arabian Sea & adjoining, some parts of southwest, westcentral, eastcentral Arabian Sea, over Gulf of Mannar, Andaman Sea.
 - Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over some parts of southeast Arabian Sea, adjoining parts of southwest, eastcentral Arabian Sea.








22 October (Day 6)

- ♦ Heavy Rainfall likely at isolated places over Andhra Pradesh, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Coastal Andhra Pradesh and South Interior Karnataka.
- Strong Surface Winds likely at isolated places over Coastal Andhra Pradesh and South Interior Karnataka.

No Fishermen Warning





23 October (Day 7)

- ♦ Heavy Rainfall likely at isolated places over Andhra Pradesh, Coastal Karnataka, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Coastal Andhra Pradesh and South Interior Karnataka.
- Strong Surface Winds likely at isolated places over Coastal Andhra Pradesh and South Interior Karnataka.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Table-1

	r Days Maini	••••						
S.No.	Subdivision	17- Oct	18- Oct	19- Oct	20- Oct	21- Oct	22- Oct	23- Oct
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1 /	ANDAMAN & NICOBAR ISLANDS	SCT	SCT	FWS	FWS	FWS	FWS	FWS
2 /	ARUNACHAL PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	ISOL
3 /	ASSAM & MEHGHALAYA	ISOL	DRY	DRY	DRY	ISOL	ISOL	ISOL
4 [N. M. M. & T.	ISOL						
5 5	S.H. WEST BENGAL & SIKKIM	DRY	ISOL	ISOL	DRY	DRY	ISOL	ISOL
6 (GANGETIC WEST BENGAL	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
7 (ODISHA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
8 .	JHARKHAND	DRY	DRY	DRY	ISOL	DRY	DRY	DRY
9 [BIHAR	DRY						
10 I	EAST UTTAR PRADESH	DRY						
11 \	WEST UTTAR PRADESH	DRY						
12 (UTTARAKHAND	DRY						
13 I	HARYANA, CHD & DELHI	DRY						
14 I	PUNJAB	DRY						
15 I	HIMACHAL PRADESH	DRY						
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	DRY	ISOL	DRY	DRY
17	WEST RAJASTHAN	DRY						
18 I	EAST RAJASTHAN	DRY						
19 \	WEST MADHYA PRADESH	ISOL	DRY	DRY	DRY	ISOL	ISOL	ISOL
20 I	EAST MADHYA PRADESH	ISOL	DRY	DRY	DRY	ISOL	ISOL	ISOL
21 (GUJRAT REGION	ISOL	DRY	DRY	ISOL	ISOL	ISOL	DRY
22	SAURASHTRA & KUTCH	DRY						
23 I	KONKAN & GOA	ISOL						
24 [MADHYA MAHARASHTRA	ISOL						
25 [MARATHWADA	ISOL						
26	VIDARBHA	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
27 (CHATTISGARH	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
28 (COASTAL ANDHRA PRADESH	SCT	SCT	SCT	FWS	FWS	FWS	WS
29	TELANGANA	ISOL						
30 I	RAYALASEEMA	SCT	SCT	SCT	FWS	FWS	FWS	WS
31	TAMILNADU & PUDUCHERRY	FWS	FWS	SCT	FWS	SCT	FWS	FWS
32 (COSTAL KARNATAKA	FWS	FWS	FWS	FWS	FWS	FWS	WS
33	NORTH INTERIOR KARNATAKA	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
34 \$	SOUTH INTERIOR KARNATAKA	FWS	SCT	FWS	FWS	FWS	FWS	WS
35 I	KERALA	WS						
36 I	LAKSHDWEEP	WS	WS	WS	WS	WS	FWS	FWS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-10-16




Fig. 3: Minimum Temperatures Dated 2025-10-17




Fig. 2: Departure of Maximum Temp. Dated 2025-10-16






Fig. 4: Departure of Minimum Temp. Dated 2025-10-17









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to:

Very heavy rainfall at isolated places over Tamil Nadu, Puducherry & Karaikal and Lakshadweep on 17th
October.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- · Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- · Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments mainly over Bihar, Jharkhand and West Bengal (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

(Based on the IBF and advisories issued by different AMFUs)

- In **Tamil Nadu**, store the harvested produce of rice and groundnut in safer places. Provide adequate drainage facilities in fields of rice, cotton, turmeric, garlic, ginger and vegetables and plantations of coconut, banana and black pepper to avoid water stagnation.
- In **Kerala**, make provision to drain out excess water from fields of rice and plantations of banana, coconut, arecanut and black pepper.
- In Coastal Karnataka, undertake harvesting of arecanut and cocnut and keep the harvested produce at safer places. In South Interior Karnataka, keep the harvested produce of groundnut, maize pepper, cardamom, turmeric and coffeeto dry, covered and ventilated areas or cover with tarpaulins in the fields. Make necessary arrangements to drain out excess water from fields of rice, maize, finger millet, pigeon pea, soybean, groundnut and vegetables and plantations of banana, black pepper, coconut and arecanut to avoid waterlogging.
- In **Coastal Andhra Pradesh,** provide adequate drainage facilities in fields of rice, maize, pigeon pea, black gram, green gram, groundnut, turmeric, ginger, vegetables and plantations of coconut, arecanut, banana, coffee and black pepper.
- In Rayalseema, maintain proper drainage in fields of rice, groundnut, cotton, turmeric and vegetables.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

(Based on the IBF and advisories issued by different AMFUs)

- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
- Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning

Strong surface winds

Cold Wave Hot & Humid





Extremely Heavy Rain 🗼 Heavy Snow







Dust Raising Winds





Ground Frost

Hot Day



FOG FOG



		LEGENDS
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING (NO ACTION)	Most Likely > 75
/0	Heavy: 64.5 to 115.5 mm/cm *	
/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *	
I/ SHOW		
	When maximum temperature of a (a) Based on Departure from norn	station reaches ≥40° C for plains and ≥30° C for hilly re nal
	Heat Wave: Maximum Temperature De	
î.	Severe Heat Wave: Maximum Tempera	ature Departure from normal ≥6.5° C
t Wave	(b). Based on Actual maximum ter	
vvave	Heat Wave: When actual maximum ten Severe Heat Wave: When actual maximum	
	(c). Criteria for heat wave for coa	
	When maximum temperature departure	is >4.5°C from normal. Heat Wave may be described provided maxi-
	temperature ≥37°C	
Î+	When maximum temperature rem	the state of the s
m Night	Warm Night: When minimum temperate Severe Warm Night: When minimum to	
	The state of the s	
	The state of the s	a station ≤10°C for plains and ≤0°C for hilly regions.
	(a). Based on departure	northura from normal A E CC to C 4 CC
	Cold Wave: Minimum Temperature Dep Severe Cold Wave: Minimum Tempera	
] -	(b) Based on actual Minimum Terr	
d Wave	Cold Wave : When Minimum Temperate	
	Severe Cold Wave: When Minimum Te	
	(c) For Coastal Stations	
	When Minimum Temperature departure	e is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
		station ≤10°C for plains and ≤0°C for hilly regions
] -	Based on departure Cold Day: Maximum Temperature Dep	erture from normal -4.5 °C to -6.4 °C
old Day	Severe Cold Day: Maximum Temperature Dep	
	Phenomenon of small droplet Moderate Fog: When the visibility betw	s suspended in air and the horizontal visibility < 1
©	Dense Fog: when the visibility between	
Fog	Very Dense Fog: when the visibility < 5	
<i>r</i> -		
1	Sudden electrical discharges man sound (thunder)	ifested by a flash of light (Lightning) and a sharp rumblir
derstorm	osaa (manaor)	
	An annually developed to the	and an analysis of the state of
t/Sand	An ensemble of particles of dust of turbulent wind.	or sand energetically lifted to great heights by a strong ar
torm		
torm	Ice deposits on ground	
55	Ice deposits on ground Air temperature ≤4°C (over Plains)	
55		
55	Air temperature ≤4°C (over Plains) A strong wind that rises sudd	denly, lasts for atleast 1 minute.
55	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph	denly, lasts for atleast 1 minute.
rost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	denly, lasts for atleast 1 minute.
rost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	
Frost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	a over specific area
rost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41.	
rost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41.	a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre
rost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41 High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (a over specific area -62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre (>63 knots) & Wave height >14 metre
rost	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41- High to very high: Wind speed 63-117	a over specific area -62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre (>63 knots) & Wave height >14 metre aph (34-47 knots)
rost quall	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the see Rough to very rough: Wind speed 41- High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed Very Severe Cyclonic Storm: Win	a over specific area -62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre aph (34-47 knots) 88-117 kmph (48-63 knots)