



2025-10-29

Time of Issue: 13:44:00 hours IST

(Mid-Day)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

**Significant Weather Features** 

# Weather warning:

#### **South Peninsular India:**

- Light to moderate rainfall/thunderstorm at most/many places with isolated heavy rainfall over Kerala & Mahe and North Interior Karnataka on 29<sup>th</sup> and Coastal Andhra Pradesh & Yanam and Telangana during 29<sup>th</sup> 30<sup>th</sup>October with isolated very heavy rainfall over Coastal Andhra Pradesh & Yanam and Rayalaseema on 29<sup>th</sup> October.
- Extremely heavy rainfall (≥21 cm) likely at isolated places over Telangana on 29<sup>th</sup> October.
- Thunderstorm with lightning & gusty winds (speed reaching 40-50 kmph) likely over Kerala & Mahe and Lakshadweep on 29<sup>th</sup> and Telangana on 29<sup>th</sup> & 30<sup>th</sup> October with thunderstorm and lightning over Tamil Nadu and Rayalaseema on 29<sup>th</sup> & 30<sup>th</sup>; North Interior Karnataka on 29<sup>th</sup> and Coastal Andhra Pradesh & Yanam during 29<sup>th</sup> October -31<sup>st</sup> October.

#### **East & Central India:**

- Light to moderate rain/thunderstorm at some/isolated places with isolated heavy rainfall over Gangetic West Bengal during 29<sup>th</sup> October -31<sup>st</sup> October; Bihar and Jharkhand on 30<sup>th</sup> & 31<sup>st</sup>; Sub-Himalayan West Bengal & Sikkim during 30<sup>th</sup> October 01<sup>st</sup> November; Odisha on 29<sup>th</sup> October; East Madhya Pradesh, Vidarbha and Chhattisgarh on 29<sup>th</sup> & 30<sup>th</sup>; West Madhya Pradesh on 29<sup>th</sup> withisolated very heavy rainfall over Bihar on 30<sup>th</sup> & 31<sup>st</sup> and Sub-Himalayan West Bengal & Sikkim on 31<sup>st</sup> and Vidarbha on 29<sup>th</sup> October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) over East Madhya Pradesh on 29<sup>th</sup> & 30<sup>th</sup>; Vidarbha on 29<sup>th</sup> October (speed reaching 40-50 kmph); with thunderstorm and lightning over West Madhya Pradesh for next 5 days; East Madhya Pradesh during 31<sup>st</sup> October- 02<sup>nd</sup> November; Vidarbha on 30<sup>th</sup> & 31<sup>st</sup>; Chhattisgarh on 29<sup>th</sup> & 30<sup>th</sup>; Gangetic West Bengal and Bihar during 29th October- 01st November; Odisha and Sub-Himalayan West Bengal & Sikkim during 29<sup>th</sup> -31<sup>st</sup>; Jharkhand on 29<sup>th</sup> & 30<sup>th</sup> October.

#### West India:

- Light to moderate rain/thunderstorm at many/some places with isolated heavy rainfall over Konkan & Goa and Madhya Maharashtra on 29<sup>th</sup>; Gujarat State during 29<sup>th</sup> October- 01<sup>st</sup> November with isolated very heavy rainfall over Marathawada on 29<sup>th</sup>; Saurashtra & Kutch during 29<sup>th</sup> -31<sup>st</sup> October.
- Thunderstorm with lightning likely over Gujarat State during next 5 days; over Maharashtra for next 2 days.

#### **Northeast India:**

- Light to moderate rain/thunderstorm at many/some places with isolated heavy rainfall over Arunachal Pradesh and Assam & Meghalaya on 31<sup>st</sup> October – 01<sup>st</sup> November and Nagaland, Manipur, Mizoram & Tripura on 01<sup>st</sup> November.
- Thunderstorm with lightning over the region during 30<sup>th</sup> October 01<sup>st</sup> November.

#### **Northwest India:**

- Light to moderate rain/thunderstorm at isolated places with isolated heavy rainfall likely over East Uttar Pradesh on 30<sup>th</sup> & 31<sup>st</sup> October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over East Uttar Pradesh on 30<sup>th</sup> & 31<sup>st</sup> October with thunderstorm with lightning East Rajasthan on 29<sup>th</sup> and 30<sup>th</sup> and West Uttar Pradesh on 29<sup>th</sup> October
- No significant change in temperature over the region for next 5-7 days.



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- \* Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Gangetic West Bengal, Odisha, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and Kerala & Mahe; at many places over Andaman & Nicobar Islands, Jharkhand, Saurashtra & Kutch, Coastal Karnataka and Lakshadweep; at a few places over East Uttar Pradesh, East Rajasthan, West Madhya Pradesh, Gujarat Region, Konkan & Goa, Vidarbha, Chhattisgarh and Tamil Nadu, Puducherry & Karaikal; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Bihar, West Uttar Pradesh, West Rajasthan, East Madhya Pradesh, Madhya Maharashtra, North Interior Karnataka and South Interior Karnataka; Dry over rest of the country.
- Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Coastal Andhra Pradesh & Yanam: Ongole (dist Prakasam) 25; Chimakurthi (dist Prakasam) 24; Kavali (dist Spsr Nellore), Kandukur (dist Spsr Nellore) 22 Each; Darsi (dist Prakasam) 19; Addanki (dist Bapatla) 18; Podili (dist Prakasam) 17; Konakanamitla (dist Prakasam) 16; Markapur (dist Prakasam) 15; Cumbum (dist Prakasam) 14; Marripudi (dist Prakasam), Racherla (dist Prakasam), Yerragondapalem (dist Prakasam), Mundlamuru (dist Prakasam) 13 Each; Srungavarapukota (dist Vizianagaram), Karamchedu (dist Bapatla), Bestavaripeta (dist Prakasam), Udayagiri (dist Spsr Nellore), Bapatla (dist Bapatla), Vinjamur (dist Spsr Nellore) 12 Each; Veligandla (dist Prakasam) 11; Anakapalle AP (dist Anakapalli), Ardhaveedu (dist Prakasam), Araku Valley (dist Alluri Sitharamaraju), Nellore (dist Spsr Nellore), Piduguralla (dist Palnadu), Seetharamapuram (dist Spsr Nellore) 10 Each; Nandigama (dist Ntr District), Atmakur (dist Spsr Nellore) 9 Each; Santhamaguluru (dist Bapatla), Palasa (dist Srikakulam), Repalle (dist Bapatla), Sompeta (dist Srikakulam), Paderu (dist Alluri Sitharamaraju), Bondapalle (dist Vizianagaram), Mentada (dist Vizianagaram), Jangamaheswarapuram (dist Palnadu), Tiruvuru (dist Ntr District) 8 Each; Chodavaram (dist Anakapalli), Mandasa (dist Srikakulam), Macherla (dist Palnadu), Gantyada (dist Vizianagaram), Merakamudidam (dist Vizianagaram), Guntur (dist Guntur) 7 Each; Rayalaseema: Srisailam (dist Nandyal) 20; Atmakur (dist Nandyal) 14; Porumamilla (dist Ysr District) 13; Jupadu Bungalow (dist Nandyal) 12; Nandyal (dist Nandyal), Rudravaram (dist Nandyal) 11 Each; Allagadda (dist Nandyal), Nandikotkur (dist Nandyal) 10 Each; Pagidyala (dist Nandyal) 9; Badvel (dist Ysr District), Dornipadu (dist Nandyal) 8 Each; Gudur (dist Tirupati), Koilkuntla (dist Nandyal), Atlur (dist Ysr District), Duvvur (dist Ysr District) 7 Each; Marathwada: Renapur (dist Latur) 19; Latur (dist Latur) 11; Deoni (dist Latur) 10; Gangakhed (dist Parbhani), Pathri (dist Parbhani), Parli Vaijnath (dist Beed), Badnapur (dist Jalna) 7 Each; Telangana: Achampeta (dist Nagarkurnool) 17; Kalwakurthy (dist Nagarkurnool) 16; Devarakonda (dist Nalgonda) 13; Pedda Adiserlapalle (dist Nalgonda) 12; Dornakal (dist Mahabubabad), Vangoor (dist Nagarkurnool), Midjil (dist Mahabubnagar) 11 Each; Jadcherla (dist Mahabubnagar) 10; Garla (dist Mahabubabad), Kollapur (dist Nagarkurnool), Bonakal (dist Khammam), Nagar Kurnool (dist Nagarkurnool), Thollada (dist Khammam), Thimmajipeta (dist Nagarkurnool), Gopalpet (dist Wanaparthy) 9 Each; Nagarjunsagar (dist Nalgonda), Madhira (dist Khammam), Marriguda (dist Nalgonda), Mattampally (dist Suryapet), Wyra Kvk(agro) (dist Khammam) 8 Each; Wanaparthy (dist Wanaparthy), Khila Ghanpur (dist Wanaparthy), Bala Nagar (dist Mahabubnagar) 7 Each; Odisha: Gosani (dist Gajapati) 15; Patrapur (dist Ganjam) 12; Jaipur (dist Balasore) 11; Udala (dist Mayurbhanj), Purushottampur (dist Ganjam) 10 Each; Pottangi (dist Koraput), Nilgiri (dist Balasore), Balasore (dist Balasore), Gumma (dist Gajapati), Sankheimundi (dist Ganjam), Aul (dist Kendrapara) 9 Each; Nh5 Gobindpur (dist Balasore), Mahendragarh (dist Gajapati), Soro (dist Balasore), Tihidi (dist Bhadrak), Aska (dist Ganjam), Betanati (dist Mayurbhanj), Kaptipada (dist Mayurbhanj), Polsara (dist Ganjam), Oupada (dist Balasore), Daringibadi (dist Kandhamal) 8 Each; R.udaigiri (dist Gajapati), Bhuban (dist Dhenkanal), Remuna (dist Balasore), Chandbali (dist Bhadrak), Balimundali (dist Mayurbhanj), Hatadihi (dist Keonjhargarh), Sheragada (dist Ganjam), G B Nagar (dist Mayurbhanj), Hinjili (dist Ganjam) 7 Each; North Interior Karnataka: Bhalki (dist Bidar) 9; Aurad (dist Bidar) 7; Gangetic West Bengal: Contai (dist East Midnapore) 8; Tamil Nadu, Puducherry & Karaikal: Nalumukku (dist Tirunelveli) 7; East Rajasthan: Dungla SR (dist Chittorgarh) 7; Bihar: Dobhi (dist Gaya) 7.
- \* Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Extremely heavy rain at isolated places over Coastal Andhra Pradesh & Yanam. Heavy to very heavy rain at isolated places over Odisha, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana and Rayalaseema. Heavy rain at isolated places over Gangetic West Bengal, Bihar, East Rajasthan, Tamil Nadu, Puducherry & Karaikal and North Interior Karnataka.
- ♦ Minimum Temperature Departures (as on 29-10-2025): markedly above normal(> 5.1°C) at many places over Bihar; at few places over Madhya Maharashtra and Vidarbha; at isolated places over Assam & Meghalaya, Sub



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Himalayan West Bengal & Sikkim, West Uttar Pradesh, Marathwada and Chhattisgarh. appreciably above normal(3.1°C to 5.0°C) at few places over Gangetic West Bengal, Jharkhand, West Rajasthan and Telangana; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Odisha, East Uttar Pradesh, Haryana-Chandigarh-Delhi, Punjab, East Rajasthan, East Madhya Pradesh, Gujarat Region and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at many places over Lakshadweep; at few places over Arunachal Pradesh, Konkan & Goa and Coastal Karnataka; at isolated places over Andaman & Nicobar Islands, Uttarakhand, West Madhya Pradesh, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal, North Interior Karnataka and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at most places over Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and South Interior Karnataka. The lowest minimum temperature of 11.5°C is reported at UNA (HIMACHAL PRADESH) over the Plains of India.

\* Maximum Temperature Departures (as on 28-10-2025): markedly above normal(> 5.1°C) at isolated places over Nagaland, Manipur, Mizoram & Tripura, Odisha and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad. appreciably above normal(3.1°C to 5.0°C) at few places over Assam & Meghalaya and Gangetic West Bengal; at isolated places over Sub Himalayan West Bengal & Sikkim. above normal(1.6°C to 3.0°C) at few places over Bihar; at isolated places over Himachal Pradesh, Chhattisgarh, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Jharkhand, Marathwada and Vidarbha; at most places over Punjab and Lakshadweep; at few places over Andaman & Nicobar Islands, Arunachal Pradesh, Telangana and Coastal Karnataka; at isolated places over West Uttar Pradesh, Uttarakhand, Haryana-Chandigarh-Delhi, West Madhya Pradesh, Konkan & Goa, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, North Interior Karnataka and South Interior Karnataka. The highest maximum temperature of 36.0°C is reported at KAILASHAHAR (A) (TRIPURA).



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


#### Meteorological Analysis (Based on 0830 hours IST)


- The Cyclonic Storm "Montha" over coastal Andhra Pradesh moved north-northwestwards with a speed of 15 kmph during past six hours, weakened into a Deep Depression and lay centered at 0830 hrs IST of today, the 29th October 2025 over coastal Andhra Pradesh & adjoining Telangana near latitude 17.3°N & longitude 81.2°E, about 50 km south-southeast of Bhadrachalam (Andhra Pradesh), 110 km east of Khammam (Telangana), 130 km south-southwest of Malkangiri (Odisha) and 220 km south-southwest of Jagdalpur (Chhattisgarh). It is likely to move north-northwestwards across Andhra Pradesh and adjoining Telangana & south Chhattisgarh and weaken into a depression during next 6 hours.
- The **Depression** over eastcentral Arabian Sea remained practically stationary during past 3 hours and lay centered at 0830 hrs IST of today, the 29th October 2025, over the same region, near latitude 17.9°N & longitude 69.2°E, about 410 km west-southwest of Mumbai (Maharashtra), 430 km southwest of Veraval (Gujarat), 560 km west-northwest of Panjim (Goa), 820 km northwest of Mangalore (Karnataka), 850 km northnorthwest of Aminidivi (Lakshadweep). It is likely to move northeastwards across Eastcentral Arabian Sea during next 36 hours.
- The **upper air cyclonic circulation** over south Haryana & adjoining Rajasthan at 3.1 km above mean sea level persists.
- The **Western Disturbance** as a trough in middle tropospheric westerlies with its axis at 5.8 km above mean sea level roughly along Long. 75°E to the north of Lat. 32°N persists.

#### Weather Outlook for subsequent 3 days

- Scattered to Fairly widespread rainfall activity likely over the southern part of India.
- Isolated to scattered rainfall activity likely over Northeast and East India.







#### 29 October (Day 1)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Telangana.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Andhra Pradesh, Marathwada, Saurashtra & Kutch and Vidarbha.
- ♦ Heavy Rainfall very likely at isolated places over Chhattisgarh, Gangetic West Bengal, Gujarat Region, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, North Interior Karnataka and Odisha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Kerala & Mahe, Lakshadweep, Telangana and Vidarbha.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over East Madhya Pradesh, Gujarat State and Sub Himalayan West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Bihar, Chhattisgarh, East Rajasthan, East Uttar Pradesh, Gangetic West Bengal, Jharkhand, Konkan & Goa, Madhya Maharashtra, Marathwada, North Interior Karnataka, Odisha, Tamil Nadu Puducherry & Karaikal and West Madhya Pradesh.

Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Karnataka, Gujarat, Konkan, Goa coasts and adjoining sea areas, over eastcentral Arabian Sea and adjoining areas, over Gulf of Mannar, along and off Tamil Nadu, Andhra Pradesh, Odisha coasts, over westcentral Bay of Bengal and adjoining south Bay of Bengal, many parts of northwest Bay of Bengal.


Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmphlikely to prevail over some parts of



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

eastcentral Arabian Sea and adjoining areas, along and off north Tamil Nadu, Andhra Pradesh and adjoining south Odisha coasts and adjoining sea areas, over most parts of westcentral Bay of Bengal & adjoining southwest Bay of Bengal.






#### 30 October (Day 2)


- Heavy to Very Heavy Rainfall very likely at isolated places over Bihar and Saurashtra & Kutch.
- ♦ Heavy Rainfall very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, East Uttar Pradesh, Gujarat Region, Jharkhand, Telangana, Vidarbha and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Telangana.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over East Madhya Pradesh, Gujarat State, Sub Himalayan West Bengal & Sikkim and Uttar Pradesh.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Bihar, Chhattisgarh, East Rajasthan, Gangetic West Bengal, Jharkhand, Konkan & Goa, Maharashtra, Odisha, Tamil Nadu Puducherry & Karaikal and West Madhya Pradesh.

Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Karnataka, Gujarat, Konkan, Goa coasts and adjoining sea areas, over eastcentral Arabian Sea and adjoining areas, along and off Andhra Pradesh and adjoining south Odisha coasts and adjoining sea areas, over many parts of westcentral Bay of Bengal and adjoining northwest Bay of Bengal.

Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmphlikely to prevail over some parts of eastcentral Arabian Sea.








#### 31 October (Day 3)


- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Bihar, Saurashtra & Kutch and Sub Himalayan West Bengal & Sikkim.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Uttar Pradesh, Gangetic West Bengal, Gujarat Region and Jharkhand.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, East Uttar Pradesh, Gujarat State and Sub Himalayan West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Coastal Andhra Pradesh, Gangetic West Bengal, Madhya Pradesh, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Odisha and Vidarbha.

Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Gujarat, north Konkan coasts and adjoining sea areas, over many parts of eastcentral, northeast Arabian Sea and adjoining areas.

Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmphlikely to prevail along and off north Gujarat and adjoining south Gujarat coast and adjoining sea areas, over some parts of eastcentral, northeast Arabian Sea.







#### 1 November (Day 4)


- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Gujarat State, Nagaland, Manipur, Mizoram and Tripura and Sub Himalayan West Bengal & Sikkim.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Gujarat State.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Gangetic West Bengal, Madhya Pradesh and Nagaland, Manipur, Mizoram and Tripura.

Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Gujarat, adjoining north Konkan coasts and adjoining sea areas, over many parts of eastcentral, northeast Arabian Sea and adjoining areas.

Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmphlikely to prevail along and off north Gujarat and adjoining south Gujarat coast and adjoining sea areas, over some parts of eastcentral, northeast Arabian Sea.








#### 2 November (Day 5)


- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Gujarat State.
- \* Thunderstorm accompanied with Lightning likely at isolated places over Madhya Pradesh.

Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Gujarat, adjoining north Konkan coasts and adjoining sea areas, over many parts of eastcentral, northeast Arabian Sea and adjoining areas.



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






3 November (Day 6)


**No Warning** 

No Fishermen Warning



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





4 November (Day 7)

**No Warning** 

No Fishermen Warning



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### **Flash Flood Warnings**

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 30-10-2025 :


**Low to Moderate flash flood risk** likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

**Telangana** - Jagtial, Nirmal, Nizamabad and Rajanna Sircilla districts.

Marathawada - Hingoli, Nanded and Parbhani districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours..

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





# Table-1

|       | Idbi                         |       |       |       |        |        |        |        |
|-------|------------------------------|-------|-------|-------|--------|--------|--------|--------|
|       | 7 Days Rainf                 | all I | For   | eca   | st     |        |        |        |
| S.No. | Subdivision                  | 29-   | 30-   | 31-   | 1- Nov | 2- Nov | 3- Nov | 4- Nov |
|       |                              | Oct   | Oct   | Oct   |        |        |        |        |
|       |                              | Day 1 | Day 2 | Day 3 | Day 4  | Day 5  | Day 6  | Day 7  |
| 1     | ANDAMAN & NICOBAR ISLANDS    | FWS   | WS    | WS    | WS     | FWS    | FWS    | FWS    |
| 2     | ARUNACHAL PRADESH            | ISOL  | SCT   | WS    | FWS    | SCT    | ISOL   | ISOL   |
| 3     | ASSAM & MEHGHALAYA           | ISOL  | SCT   | WS    | WS     | FWS    | SCT    | ISOL   |
| 4     | N. M. M. & T.                | ISOL  | ISOL  | SCT   | SCT    | SCT    | SCT    | ISOL   |
| 5     | S.H. WEST BENGAL & SIKKIM    | ISOL  | FWS   | WS    | FWS    | ISOL   | ISOL   | DRY    |
| 6     | GANGETIC WEST BENGAL         | WS    | WS    | FWS   | SCT    | ISOL   | DRY    | DRY    |
| 7     | ODISHA                       | FWS   | SCT   | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 8     | JHARKHAND                    | WS    | WS    | SCT   | ISOL   | DRY    | DRY    | DRY    |
| 9     | BIHAR                        | ISOL  | SCT   | FWS   | FWS    | ISOL   | ISOL   | DRY    |
| 10    | EAST UTTAR PRADESH           | SCT   | WS    | SCT   | ISOL   | DRY    | DRY    | DRY    |
| 11    | WEST UTTAR PRADESH           | ISOL  | SCT   | ISOL  | DRY    | DRY    | DRY    | DRY    |
| 12    | UTTARAKHAND                  | DRY   | DRY   | DRY   | DRY    | DRY    | DRY    | DRY    |
| 13    | HARYANA, CHD & DELHI         | DRY   | DRY   | DRY   | DRY    | DRY    | DRY    | DRY    |
| 14    | PUNJAB                       | DRY   | DRY   | DRY   | DRY    | DRY    | DRY    | DRY    |
| 15    | HIMACHAL PRADESH             | DRY   | DRY   | DRY   | DRY    | DRY    | DRY    | DRY    |
| 16    | JAMMU AND KASHMIR AND LADAKH | DRY   | DRY   | DRY   | DRY    | DRY    | DRY    | DRY    |
| 17    | WEST RAJASTHAN               | ISOL  | ISOL  | ISOL  | ISOL   | DRY    | DRY    | DRY    |
| 18    | EAST RAJASTHAN               | ISOL  | SCT   | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 19    | WEST MADHYA PRADESH          | SCT   | SCT   | SCT   | ISOL   | ISOL   | ISOL   | ISOL   |
| 20    | EAST MADHYA PRADESH          | FWS   | WS    | FWS   | SCT    | ISOL   | ISOL   | ISOL   |
| 21    | GUJRAT REGION                | FWS   | WS    | FWS   | SCT    | SCT    | SCT    | SCT    |
| 22    | SAURASHTRA & KUTCH           | FWS   | WS    | FWS   | SCT    | SCT    | SCT    | ISOL   |
| 23    | KONKAN & GOA                 | WS    | FWS   | SCT   | ISOL   | ISOL   | ISOL   | ISOL   |
| 24    | MADHYA MAHARASHTRA           | FWS   | SCT   | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 25    | MARATHWADA                   | WS    | SCT   | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 26    | VIDARBHA                     | FWS   | FWS   | SCT   | ISOL   | ISOL   | ISOL   | DRY    |
| 27    | CHATTISGARH                  | FWS   | SCT   | SCT   | ISOL   | ISOL   | ISOL   | ISOL   |
| 28    | COASTAL ANDHRA PRADESH       | WS    | FWS   | SCT   | ISOL   | ISOL   | ISOL   | SCT    |
| 29    | TELANGANA                    | WS    | SCT   | ISOL  | ISOL   | ISOL   | DRY    | DRY    |
| 30    | RAYALASEEMA                  | WS    | SCT   | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 31    | TAMILNADU & PUDUCHERRY       | ISOL  | ISOL  | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 32    | COSTAL KARNATAKA             | SCT   | ISOL  | ISOL  | DRY    | ISOL   | DRY    | DRY    |
| 33    | NORTH INTERIOR KARNATAKA     | ISOL  | ISOL  | DRY   | DRY    | DRY    | DRY    | DRY    |
| 34    | SOUTH INTERIOR KARNATAKA     | ISOL  | DRY   | DRY   | DRY    | DRY    | DRY    | DRY    |
| 35    | KERALA                       | FWS   | SCT   | ISOL  | ISOL   | ISOL   | ISOL   | ISOL   |
| 36    | LAKSHDWEEP                   | FWS   | SCT   | SCT   | SCT    | SCT    | SCT    | SCT    |

| Legend | Category                      | %Stations |
|--------|-------------------------------|-----------|
| WS     | Widespread/Most Places        | 76-100    |
| FWS    | Fairly Widespread/Many Places | 51-75     |
| SCT    | Scattered/ A Few Places       | 26-50     |
| ISOL   | Isolated Places               | 1-25      |
| DRY    | No Rain                       | 0         |

Fig. 1: Maximum Temperatures Dated 2025-10-28




Fig. 3: Minimum Temperatures Dated 2025-10-29




Fig. 2: Departure of Maximum Temp. Dated 2025-10-28






Fig. 4: Departure of Minimum Temp. Dated 2025-10-29









# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### Impact & Action Suggested due to

Extremely heavy rainfall (≥21 cm) at isolated places over Telangana on 29<sup>th</sup> October.

**Very heavy rainfall (12-20 cm)** at isolated places over Marathwada, Vidarbha, Coastal Andhra Pradesh & Yanam, Rayalaseema on 29<sup>th</sup>; Saurashtra & Kutch during 29<sup>th</sup> -31<sup>st</sup>; Bihar on 30<sup>th</sup> & 31<sup>st</sup> and Sub-Himalayan West Bengal & Sikkim on 31<sup>st</sup> October.

#### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
  of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments mainly over Bihar, Jharkhand and West Bengal (for riverine flooding please visit Web page of CWC)

#### **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure.

#### Agromet advisories for various parts of the country

#### Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

#### (Based on the IBF and advisories issued by different AMFUs)

- In **Telangana**, avoid harvesting of matured cotton crop during heavy rainfall periods and store the already harvested produce in safe places. Cover the already harvested produce of maize and soybean crops lying on the fields with taurpalin or shift to a safer place. Drain out excess water from fields of rice, cotton, pigeon pea, green gram, groundnut, turmeric and vegetables.
- In **Andhra Pradesh**,postpone harvesting of groundnut and maize crops during heavy rainfall periods and store the already harvested produce in safe places. Drain out excess water from fields of rice, maize, sugarcane, pigeon pea, black gram, green gram, finger millet, cotton, groundnut, turmeric, ginger, vegetables and plantations of banana, mango, cashew, coconut and arecanut. Avoid sowing of *rabi* crops (*rabi* maize, Bengal gram etc.) until the soil moisture reaches at optimum level.
- In **Kerala**,harvest matured rice crop immediately and keep the produce in safe places. Ensure adequate drainage facilities in fields of rice, ginger, vegetables and plantations of banana, coconut, arecanut, cardamom and black pepper.
- In **Odisha**, drain out excess water from fields of rice, black gram, green gram, pigeon pea, maize, groundnut, cotton, sugarcane and vegetables and fruit orchards. Postpone sowing / planting of *rabi* crops (*rabi* pulses, vegetables etc.) till cessation of rains.
- In **West Bengal**, make arrangements to drain out excess water from fields of rice, groundnut, pulses, ginger and vegetables.
- In Jharkhand, harvest matured rice crop only during fair weather and store the harvested produce in safer places.



# National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- In **Bihar**, harvest matured crops of rice and maize only during fair weather / non-rainy period and shift the produce to safer places.
- In **East Uttar Pradesh**, harvest matured crops of rice and vegetables only during fair weather / non-rainy period and store the produce in safe places.
- In **Gujarat,**harvest the matured crops of rice, groundnut, soybean, black gram, green gram, sesame, maize, pearl mllet and vegetables (tomato, brinjal, chilli, okra, cucurbits etc.) only during fair weather and store the produce in safe places. Make provision to drain out excess water from standing crop fields.
- In **Chhattisgarh**, harvest matured crops of rice, minor millets, maize, black gram, horse gram, groundnut and pigeon pea only during fair weather and keep the harvested produce at safer places. Make arrangements to drain out excess water from standing crop fields.
- In **Madhya Pradesh**, harvest matured crops of rice, maize and soybean during fair weather only and and shift the produce to safer places.
- In Konkan, keep the harvested produce of rice and finger millet in safer places. In Madhya Maharashtra, store the harvested produce of rice, soybean, maize, groundnut and pearl millet in safe places. In Marathwada, continue picking of cotton only during fair weather / non-rainy period and shift the harvested produce of cotton and soybean to safer places. In Vidarbha, continue picking of cotton only during fair weather / non-rainy period and keep the already harvested produce of rice, soybean and cotton at safer places, if storage is not possible cover the produce with plastic / tarpaulin sheets. In East Vidarbha, postpone harvesting of matured rice during heavy rainfall periods.

#### **Livestock / Fishery**

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from
  escaping in case of overflow.


Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
- Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.







### SPATIAL DISTRIBUTION (% of Stations reporting)

| % Stations | Category                            | % Stations | Category                      |
|------------|-------------------------------------|------------|-------------------------------|
| 76-100     | Widespread (WS/Most Places)         | 26-50      | Scattered (SCT/ A Few Places) |
| 51-75      | Fairly Widespred (FWS/ Many Places) | 1-25       | Isolated (ISOL)               |

#### Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

# Probabilistic Forecast

| Terms       | Probability of Occurrence (%) |
|-------------|-------------------------------|
| Unlikely    | < 25                          |
| Likely      | 25 - 50                       |
| Very Likely | 50 - 75                       |
| Most Likely | > 75                          |

Heavy Rain



Very Heavy Rain 🌨 Extremely Heavy Rain 🗼 Heavy Snow



Thunderstorm & Lightning Strong surface winds

Hailstrom **Heat Wave** 





Cold Wave Hot & Humid





2 Dust Strom



|   |  | LEGENDS   |
|---|--|---|
|   | WARNING  | Probabilistic Forecast  |
|   | WARNING (TAKE ACTION)  | Terms Probability of Occurrence (%)   |
|   | ALERT ( BE PREPARED)   | Unlikely < 25  Likely 25 - 50   |
|   | WATCH (BE UPDATED)   | Very Likely 50 - 75   |
| 10                                      | NO WARNING ( NO ACTION)  | Most Likely > 75  |
| / Snow *                                | Heavy: 64.5 to 115.5 mm/cm* Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *   |   |
|   | (a) Based on Departure from norm   |   |
|   | Heat Wave: Maximum Temperature De<br>Severe Heat Wave: Maximum Tempera   |   |
| <b>j</b> +                              | (b). Based on Actual maximum ter   |   |
| t Wave                                  | Heat Wave: When actual maximum ten   |   |
|   | Severe Heat Wave: When actual maxim  |   |
|   | ( c). Criteria for heat wave for coa<br>When maximum temperature departure<br>temperature ≥37°C  | astal stations<br>e is >4.5°C from normal. Heat Wave may be described provided maxim  |
| ۵.                                      | When maximum temperature ren   | mains 40°C  |
| m Night                                 | Warm Night: When minimum temperat  |   |
| 3111                                    | Severe Warm Night: When minimum to   | temperature departure ≥6.4 °C.  |
|   | (a). Based on departure  | f a station ≤10°C for plains and ≤0°C for hilly regions.  |
|   |  | eparture from normal -4.5 °C to -6.4 °C.  |
| <b>I</b> -                              | Severe Cold Wave: Minimum Tempera  |   |
| ld Wave                                 | (b) Based on actual Minimum Ter<br>Cold Wave : When Minimum Temperat   |   |
|   | Severe Cold Wave: When Minimum To  |   |
|   | ( c) For Coastal Stations  |   |
|   | When Minimum Temperature departure   | re is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C  |
| <u>n</u> -                              | Based on departure   | a station ≤10°C for plains and ≤0°C for hilly regions   |
| Cold Day                                | Cold Day: Maximum Temperature Dep<br>Severe Cold Day: Maximum Temperat   |   |
|   |  |   |
|   | Phenomenon of small droplet  Moderate Fog: When the visibility between   | ets suspended in air and the horizontal visibility < 1  |
|   | Moderate rog. When the visibility bett   |   |
| 0                                       | Dense Fog: when the visibility between   | en 50- 200 metres   |
| Fog                                     | Dense Fog: when the visibility between<br>Very Dense Fog: when the visibility < 5  |   |
| Fog  ## understorm                      | Very Dense Fog: when the visibility < 5  | 50 metres   |
| Fog                                     | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)   | 50 metres<br>nifested by a flash of light (Lightning) and a sharp rumblin   |
| Fog  Inderstorm  ust/Sand               | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  | 50 metres nifested by a flash of light (Lightning) and a sharp rumblin  |
| Fog  // nderstorm  ust/Sand Storm       | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of  | 50 metres nifested by a flash of light (Lightning) and a sharp rumblin  |
| Fog  ## nderstorm sst/Sand Storm        | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  |   |
| Fog  My nderstorm ust/Sand Storm        | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph   | 50 metres nifested by a flash of light (Lightning) and a sharp rumblin  |
| derstorm st/Sand storm strost           | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph   | 50 metres  nifested by a flash of light (Lightning) and a sharp rumblin  or sand energetically lifted to great heights by a strong an   |
| Fog  ## nderstorm ust/Sand Storm  Frost | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph   | 50 metres  nifested by a flash of light (Lightning) and a sharp rumblin  or sand energetically lifted to great heights by a strong an   |
| Fog  ## nderstorm ust/Sand Storm  Frost | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea   | nifested by a flash of light (Lightning) and a sharp rumblin or sand energetically lifted to great heights by a strong an idenly, lasts for atleast 1 minute.   |
| Fog  Wynderstorm  ust/Sand Storm  Frost | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the see Rough to very rough: Wind speed 41  | nifested by a flash of light (Lightning) and a sharp rumblin or sand energetically lifted to great heights by a strong an idenly, lasts for atleast 1 minute.   |
| Frost  Guall                            | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the see Rough to very rough: Wind speed 41  | nifested by a flash of light (Lightning) and a sharp rumblin or sand energetically lifted to great heights by a strong an idenly, lasts for atleast 1 minute.  Sea over specific area 1-62 kmph (22-33 knots) & Wave height 2.5-6 metre 7 kmph ( 34-63 knots) & Wave height 6-14 metre  |
| Fog  ## nderstorm ust/Sand              | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the see Rough to very rough: Wind speed 41 High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph  | nifested by a flash of light (Lightning) and a sharp rumblin or sand energetically lifted to great heights by a strong an idenly, lasts for atleast 1 minute.  dea over specific area 1-62 kmph (22-33 knots) & Wave height 2.5-6 metre 7 kmph (34-63 knots) & Wave height 6-14 metre (>63 knots) & Wave height >14 metre   |
| Frost  Frost                            | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41  High to very high: Wind speed 63-117   | or sand energetically lifted to great heights by a strong an denily, lasts for atleast 1 minute.  denly, lasts for atleast 1 minute.  ea over specific area 1-62 kmph (22-33 knots) & Wave height 2.5-6 metre 7 kmph (34-63 knots) & Wave height 6-14 metre 1(>63 knots) & Wave height >14 metre 1(>63 knots) & Wave height >14 metre   |
| Frost  Frost                            | Very Dense Fog: when the visibility < 5 Sudden electrical discharges man sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41 High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph Cyclonic Storm: Wind speed Very Severe Cyclonic Storm: Wind speed Very Severe Cyclonic Storm: Wind speed | nifested by a flash of light (Lightning) and a sharp rumbling or sand energetically lifted to great heights by a strong an energetically lifted to great heights by a strong an energetically lifted to great heights by a strong an energetically lifted to great heights by a strong an energy |