



### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Friday, January 17, 2025 Time of Issue: 1330 hours IST (MID-DAY)

### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

## **Significant Weather Features:**

#### Weather Systems, Forecast and warning:

- Under the influence of Western Disturbance as a trough in lower and middle tropospheric levels roughly along Long. 54°E to the north of Lat. 30°N, isolated to scattered rainfall/snowfall likely over Western Himalayan Region till 20th.
  - ✓ The distribution and intensity of rainfall/snowfall likely to increase over Western Himalayan region during 21<sup>st</sup>-23<sup>rd</sup> January (with peak intensity on 22<sup>nd</sup> & 23<sup>rd</sup>) due to the likely merging of a fresh Western disturbance with the above system. Isolated to scattered rainfall is also likely over Punjab, Haryana, Chandigarh & Delhi, north Rajasthan and West Uttar Pradesh during 21<sup>st</sup>-23<sup>rd</sup> January.
  - ✓ Thunderstorm activity at isolated places likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Himachal Pradesh on 21<sup>st</sup> January.
- ❖ Light to moderate rainfall accompanied with thunderstorm & lightning very likely at a few places over Tamil Nadu, Puducherry & Karaikal on 18<sup>th</sup> & 19<sup>th</sup> and Kerala & Mahe on 19<sup>th</sup> January. Isolated **heavy rainfall** likely over Tamilnadu, Puducherry & Karaikal during 17<sup>th</sup>-19<sup>th</sup> and Kerala & Mahe on 19<sup>th</sup> January.

## ii. Temperature, Cold Day and Fog Forecast:

#### Temperature Conditions during past 24 hours till 0830 hours IST of today:

- Minimum temperatures are below 0°C over many parts of Jammu, Kashmir & Ladakh; 1-5°C over some parts of Himachal Pradesh; 6-10°C over many parts of Northwest India; 10-15°C over many parts of Central & East India; 15-20°C over many parts of West India. Today, the lowest minimum temperature of 6.3°C is reported at Nahan (Haryana) over the plains of the country.
- During the past 24 hours, there has been fall in minimum temperatures by 3-5°C in some parts of Himachal Pradesh; by 1-3°C in many parts of Odisha; in some parts of Haryana, Chandigarh & Delhi, Uttar Pradesh, West Madhya Pradesh, Tamilnadu Puducherry & Karaikal; in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Uttarakhand, Rajasthan, Telangana and rise by 1-3°C in some parts of Bihar, West Bengal & Sikkim, Gujarat State; in isolated pockets of East Madhya Pradesh, Assam & Meghalaya, Chhattisgarh and Madhya Maharashtra.
- Minimum temperatures are below normal (-1°C to -3°C) at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad. These are appreciably above normal (3°C to 5°C) at isolated places over West Madhya Pradesh, Konkan & Goa, Bihar; above normal (1°C to 3°C) at isolated places over East Uttar Pradesh, Telangana, Rayalaseema, Coastal Andhra Pradesh & Yanam, Madhya Maharashtra, Sub-Himalayan West Bengal & Sikkim, East Madhya Pradesh, Assam & Meghalaya, Tamil Nadu, Puducherry & Karaikal and near normal over rest part of the country.

#### Forecast of temperature:

- Gradual rise in minimum temperatures by 2-3°C likely over Gujarat Region during next 48 hours and no significant change thereafter.
- No significant change in minimum temperatures likely over northwest India during next 48 hours and gradual rise by 2-3°C thereafter.
- No significant change in minimum temperatures likely over Central & East India and Maharashtra region during next 5 days.

## **Cold Wave Warnings:**

**Cold wave** conditions very likely in isolated pockets over Himachal Pradesh during 17th-19th January.

#### **Dense Fog Warnings:**

**Dense to very Dense fog Condition** very likely to continue to prevail during night/early morning hours in many parts of Punjab, Haryana, Chandigarh on 17<sup>th</sup>; in some parts on 18<sup>th</sup>; in isolated pockets of Punjab, Haryana, Chandigarh on 19<sup>th</sup>; Uttar Pradesh & West Rajasthan on 17<sup>th</sup> and East Rajasthan on 17<sup>th</sup> & 18<sup>th</sup> January.

**Dense fog conditions** very likely to continue to prevail during night/early morning hours in isolated pockets of Uttarakhand till 18th; Uttar Pradesh & West Rajasthan on 18th & 19th; East Rajasthan on 19th & 20th; Himachal Pradesh till 20th January.

## **Cold Day Warnings:**

 $\textbf{Cold day} \ conditions \ very \ likely \ in \ isolated \ pockets \ of \ Punjab, \ Haryana, \ Chandigarh \ on \ 17^{th} \ \& \ 18^{th} \ and \ Rajasthan \ on \ 17^{th} \ January.$ 

#### **Ground Frost Warnings:**

Ground frost conditions very likely in isolated pockets of Himachal Pradesh and Uttarakhand on 17th January.

### Fishermen Warnings (Annexure V):

Fishermen are advised not to venture into Comorin area & adjoining Gulf of Mannar during  $17^{th}$ - $19^{th}$ ; southern parts of southeast Bay of Bengal and adjoining southwest Bay of Bengal, Somalia coast & adjoining sea area on  $17^{th}$  January.







#### Main Weather Observations:

- \* Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at a few places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh; at isolated places over Uttarakhand, West Uttar Pradesh.
- ❖ Significant amount of rainfall (from 0830 hours IST of yesterday to 0830 hours IST of today) (in cm): Tamilnadu Puducherry & Karaikal: Oothu (dist Tirunelveli), Nalumukku (dist Tirunelveli) 7 each, Kakkachi (dist Tirunelveli) 5, Manjolai (dist Tirunelveli) 4.
- ❖ Heavy rainfall recorded (from 0830 hours IST of yesterday to 0830 hours IST of today): Heavy rainfall recorded at isolated places over Tamil Nadu.
- **Cold day conditions** prevailed in isolated pockets of East Rajasthan.
- ❖ Dense fog (at 0830 hours IST of today): Dense to very dense fog (visibility < 50 m) reported in most parts of Punjab; in some parts of Haryana; in isolated pockets of Chandigarh, West Uttar Pradesh, Rajasthan, West Madhya Pradesh, Odisha and dense fog (visibility 50-199 m) reported in isolated pockets of Himachal Pradesh, East Uttar Pradesh and Tripura.
- ❖ Visibility reported (at 0830 hours IST of today) (≤200 m): Punjab: Amritsar, Pathankot, Adampur, Ludhiana 0 each; Haryana: Sirsa, Nahan 0 each, Bhiwani, Hisar 10 each; Chandigarh 40; Delhi: Palam 0, Safdarjung 200; West Uttar Pradesh: Agra Airport, Jhansi 0 each; East Rajasthan: Pilani, Ajmer 0 each, Jaipur 200; West Rajasthan: Ganganagar 0, Bikaner & Churu 200 each; West Madhya Pradesh: Gwalior & Bhopal 0 each; Himachal Pradesh: Bilaspur 50, Sundernagar, Mandi 100; East Uttar Pradesh: Lucknow Airport 50, Varanasi 200; Tripura: Agartala 50.
- ❖ **Ground Frost conditions** reported in isolated pockets of Himachal Pradesh.
- ❖ Minimum Temperature Departures (as on 17-01-2025): Minimum temperatures are appreciably above normal (3.1°C to 5.0°C) at isolated places over West Madhya Pradesh, Konkan & Goa, Bihar; above normal (1.6°C to 3.0°C) at isolated places over East Uttar Pradesh, Telangana, Rayalaseema, Coastal Andhra Pradesh & Yanam, Madhya Maharashtra, Sub-Himalayan West Bengal & Sikkim, East Madhya Pradesh, Assam & Meghalaya, Tamil Nadu, Puducherry & Karaikal. These are below normal (-1.6°C to -3.0°C) at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and near normal over rest part of the country (Fig. 4). Today, the lowest minimum temperature of 2.8°C is reported at Pathankot (Punjab) over the plains of the country.
- ❖ Maximum Temperature Departures (as on 16-01-2025): Maximum temperatures were appreciable above normal (3.1°C to 5.0°C) at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura; above normal (1.6°C to 3.0°C) at isolated places over Kerala & Mahe, Chhattisgarh. These were markedly below normal (-5.1°C or less) at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan, West Madhya Pradesh; appreciable below normal(-3.1°C to 5.0°C) at isolated places over East Uttar Pradesh, Himachal Pradesh, West Rajasthan, Bihar; below normal (-1.6°C to -3.0°C) at a few places over Andaman & Nicobar Islands; at isolated places over Saurashtra & Kutch, Telangana, Odisha, Gangetic West Bengal, Tamil Nadu, Puducherry & Karaikal, Uttarakhand and near normal over rest part of the country (Fig. 2). Yesterday, the highest maximum temperature of 37.0°C was reported at Kannur Airport (Kerala) over the plains of the country.








## Meteorological Analysis (Based on 0830 hours IST)


- ❖ The Western Disturbance as a cyclonic circulation over northwest Uttar Pradesh & neighbourhood at 3.1 km above mean sea level persists.
- ❖ A fresh **Western Disturbance** is seen as a trough in lower and middle tropospheric level with its axis at 3.1 km above mean sea level roughly along Long. 54°E to the north of Lat. 30°N.
- ❖ A **cyclonic circulation** lies over northeast Assam & neighbourhood at 3.1 km above mean sea level.
- Subtropical **westerly Jet Stream** with core winds of the order upto 115 knots at 12.6 km above mean sea level is prevailing over North India.
- The upper air **cyclonic circulation** over southeast Arabian Sea off south Kerala coast at 1.5 km above mean sea level has become less marked.





## Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 24th January, 2025)







# 17th January (Day 1):

- **♦ Heavy rainfall** (≥7 cm) very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Dense to very dense fog conditions very likely in many parts of Punjab and Haryana-Chandigarh; isolated places over Uttar Pradesh and Rajasthan; Dense fog conditions in isolated pockets of Himachal Pradesh, Uttarakhand during night/morning hours.
- **Cold day conditions** very likely in isolated pockets of Punjab, Haryana-Chandigarh and Rajasthan.
- **Cold wave conditions** very likely in isolated pockets of Himachal Pradesh.
- **Ground frost conditions** very likely at isolated places over Himachal Pradesh, Uttarakhand.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph very likely to prevail over Comorin area and adjoining gulf of Mannar, over southern parts of southeast Bay of Bengal and adjoining southwest Bay of Bengal. Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over Somalia coast and adjoining sea areas. Fishermen are advised not to venture in to these areas.

#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







# 18th January (Day 2):

- **♦ Heavy rainfall (≥7 cm)** very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Thunderstorm accompanied with lightning very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- ❖ Dense to very dense fog conditions very likely at a few places over Punjab and Haryana-Chandigarh, at isolated places over East Rajasthan; dense fog conditions likely at isolated pockets of Himachal Pradesh, Uttar Pradesh, West Rajasthan during night/morning hours.
- **Cold day conditions** very likely in isolated pockets of Punjab, Haryana-Chandigarh.
- ❖ **Cold wave conditions** very likely in isolated pockets of Himachal Pradesh.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over Comorin area and adjoining gulf of Mannar. Fishermen are advised not to venture in to these areas.










# 19th January (Day 3):


- ❖ Heavy rainfall (≥7 cm) very likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- **❖ Thunderstorm accompanied with lightning** very likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- **Cold wave conditions** very likely in isolated pockets of Himachal Pradesh.
- ❖ Dense to very dense fog conditions very likely at isolated pockets over Punjab, Haryana-Chandigarh; Dense fog conditions likely in isolated pockets of Himachal Pradesh, East Rajasthan during night/morning hours.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph very likely to prevail over Comorin area and adjoining gulf of Mannar. Fishermen are advised not to venture in to these areas.





## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






# 20th January (Day 4):


**❖** No Weather Warning.





### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







# 21st January (Day 5):

**Thunderstorm accompanied with lightning** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







# 22<sup>nd</sup> January (Day 6):

**❖** No Weather Warning.



#### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





# 23rd January (Day 7):

**❖** No Weather Warning.

## Weather Outlook for subsequent 3 days (During 24th January - 26th January , 2025)

- ❖ Fairly widespread to widespread rainfall/snowfall over western Himalayan region & scattered to fairly widespread rainfall over adjoining plains of Northwest India.
- ❖ Isolated rainfall over Tamil Nadu and scattered to fairly widespread rainfall over Nicobar Islands.
- ❖ Isolated rainfall/snowfall over Arunachal Pradesh.


Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.

- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Fig. 1: Maximum Temperatures

Fig. 2: Departure of Maximum Temperatures






Fig. 3: Minimum Temperatures




Fig. 4: Departure of Minimum Temperatures









Fig. 5: Accumulated Rainfall (mm) during past 24 hours







### National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### Impact expected due to dense/very dense fog in the night /morning hour:

- ❖ Transport and Aviation:
  - May affect some airports, highways and railway routes in the areas of met-sub-division.
  - Difficult driving conditions with slower journey times.
  - Unless taken precautionary measures, it may lead to some road traffic collisions.
- ❖ Power Sector:
  - Chances of Tripping of Power lines in the very dense fog routes.
- ❖ Human Health:
  - Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
  - Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
  - Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

#### Action suggested:

- ❖ Transport and Aviation:
  - Be careful while driving or outing through any transport.
  - Use fog lights during driving.
  - Be in touch with airlines, railways and state transport for schedule of your journey.
- ❖ Power Sector:
  - To keep ready Maintenance Team.
  - Human Health: To avoid outing until unless emergency and to cover the face.

## Impact expected due to Cold Day/Severe Cold day conditions

- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- ❖ Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- \* Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

### Action suggested:

- ❖ Wear several layers of loose fitting, light weight; warm woollen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm Woolen clothing rather than one layer of heavy cloth.
- \* Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- ❖ Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- $\ensuremath{ \diamondsuit}$  If the affected skin area turns black, immediately consult a doctor.
- Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- \* Take safety measures while using electrical and gas heating devices.
- Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- Protect livestock from cold weather.

## Agromet advisories for likely impact of Heavy Rainfall / Cold Wave/ Ground Frost

- In **Himachal Pradesh** and **Uttarakhand**, apply light and frequent irrigation to the standing crops in the evening to protect them from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw/polythene sheets to maintain optimum soil temperature.
- > Drain out excess water from rice, sugarcane, cotton, vegetables and other standing crop fields, as well as orchards in **Tamil Nadu** and keep the harvested produce in safe places.
- Provide mechanical support to horticultural crops and staking to vegetables.

#### Livestock

- > Keep the animals inside the shed during heavy rainfall period and provide them balanced feed. Store feed and fodder in a safe place to prevent spoilage.
  - To protect from cold, keep cattle inside the sheds during night and provide dry bedding. Also keep the chicks warm by providing artificial light in the poultry sheds.





## **LEGENDS**

16

15

13

- 1. अंडमान और निकोबार द्वीपसमूह 2. अरुणाच्<sub>ल</sub> प्रदेश
- 3. असम और मेघालय 4. नागालैंड, मणिपुर, मिजोरम और त्रिपुरा

5. उप-हिमालयी पश्चिम बंगाल और सिक्किम

6. गंगीय पश्चिम बंगाल



- 8. झारखंड
- 9. बिहार
- 10. पूर्वी उत्तर प्रदेश
- 11. पश्चिम उत्तर प्रदेश
- 12. उत्तराखंड
- 13. हरियाणा, चंडीगढ़ और दिल्ली
- 14. पंजाब
- 15. हिमाचल प्रदेश
- 16. जम्मू और कश्मीर और लद्दाख
- 17. पश्चिम राजस्थान
- 18. पूर्वी राजस्थान
- 19. पश्चिम मध्य प्रदेश
- 20. पूर्वी मध्य प्रदेश
- 21. गुजरात
- 22. सौराष्ट्र
- 23. कोंकण और गोवा
- 24. मध्य महाराष्ट
- 25. मराठवाड़ा
- 26. विदर्भ
- 27. छत्तीसगढ़
- 28. तटीय आंध्र प्रदेश और यनम
- 29. तेलंगाना
- 30. रायलसीमा
- 31. तमिलनाडु, पुडुचेरी और कराईकल
- 32. तटीय कर्नाटक
- 33. आतंरिक उत्तरी कर्नाटक
- 34. आतंरिक दक्षिणी कर्नाटक

**Thunder & Lightning** 

Sust Raising Winds

Hailstorm

- 35. केरल और माहे
- 36. लक्षद्वीप

- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Bihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Punjab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha

1

- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal
- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe
- 36. Lakshadweep

## **SPATIAL DISTRIBUTION** (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



# Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

**Hot & Humid** 

Strong Surface Winds





	DEFINITION/CRITERIA
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Wave	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
	(b). Based on Actual maximum temperature  Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
Warm Night	When maximum temperature remains 40°C
	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Wave	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave: When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.  Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km  Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C ( over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Squall	Moderate: Wind speed 52-61 kmph
Oquali	Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area  Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Sea State	High to very high: Wind speed 41-62 kmph (22-33 knots) & Wave height 6-14 metre
	Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cualania Starra: Wind annual C2 97 Ironh /24 47 Ironh
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)  Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)  Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)