



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

# Saturday, December 14, 2024 Time of Issue: 1400 hours IST (MID-DAY)

# ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

# **Significant Weather Features:**

### Weather Systems:

- The low pressure area over Lakshadweep & adjoining Maldives area with the associated upper air cyclonic circulation extending upto 5.8 km above mean sea level persists. It is likely to move westwards and become less marked during next 24 hours.
- Yesterday's upper air cyclonic circulation over central parts of Andaman Sea and adjoining Gulf of Thailand now lies over south Andaman Sea and adjoining area and extends upto 3.1 km above mean sea level at 0830 hours IST of today 14th December, 2024. Under its influence, a low pressure area is likely to form over southeast Bay of Bengal around 15th December. Thereafter, it is likely to become more marked and move west-northwestwards towards Tamil Nadu coast during subsequent two days.
- A fresh Western disturbance seen as a trough in middle and upper tropospheric westerlies and runs roughly along Long. 42°E to the north of Lat. 25°N. It is likely to move faster affecting Jammu-Kashmir-Ladakh and adjoining areas with isolated light to moderate rainfall/snowfall on 16<sup>th</sup> & 17<sup>th</sup> December.

#### Forecast & Warnings (upto 7 days):

- Tamil Nadu: heavy to very heavy rainfall at isolated places on 17th & 18th December. Isolated heavy rainfall is also very likely on 14th and during 16th-19th December.
- **Kerala:** Isolated **heavy rainfall** is also very likely on 14<sup>th</sup>, 18<sup>th</sup> & 19<sup>th</sup> December.
- Coastal Andhra Pradesh, Rayalaseema & South Interior Karnataka: Heavy rainfall at isolated places very likely on 17th & 18th December.
- **Calculate States Control Cont**
- Andaman & Nicobar Islands: Heavy rainfall at isolated places very likely on 14<sup>th</sup> & 15<sup>th</sup> December.
- Light to moderate rainfall at isolated places accompanied with isolated thunderstorm & lightning very likely over Tamil Nadu, Puducherry during 14<sup>th</sup>-18<sup>th</sup> and Coastal Andhra Pradesh & Yanam on 17<sup>th</sup> & 18<sup>th</sup> December.
  - **Fisherman Warning:** Fishermen are advised not to venture into along and off Kerala coasts and Lakshadweep on 14<sup>th</sup>; Andaman Sea, Southwest Bay of Bengal on 14<sup>th</sup> & 15<sup>th</sup>; South Bay of Bengal on 16<sup>th</sup>; Somalia Coast, Westcentral Arabian Sea 16<sup>th</sup> & 17<sup>th</sup>, Tamil Nadu coast, Comorin area, Gulf of Mannar on 17<sup>th</sup> & 18<sup>th</sup> December.

## ii. Temperature, Cold Wave and Fog Forecast:

#### Forecast of temperature:

- No significant change in minimum temperatures likely over Northwest India during next 24 hours and gradual rise by 2°C during subsequent 3 days.
- No significant change in minimum temperatures likely over Central India during next 3 days and gradual rise by 2-3°C during subsequent 2 days.
- No significant change in minimum temperatures likely over West & East India during next 5 days.

### **Cold Wave Warnings:**

- Cold wave to severe cold wave conditions very likely in some parts of Punjab on 14th and over Madhya Pradesh in isolated pockets on 14th & 15th December.
- Cold wave conditions very likely in isolated pockets over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 14<sup>th</sup>-16<sup>th</sup>, Himachal Pradesh, Vidarbha, Bihar, Jharkhand, Telangana on 14<sup>th</sup>; Punjab on 15<sup>th</sup>; Haryana-Chandigarh, Uttar Pradesh, Chhattisgarh, Gangetic West Bengal, Odisha on 14<sup>th</sup> & 15<sup>th</sup>; West Rajasthan on 14<sup>th</sup> and during 17<sup>th</sup>-20<sup>th</sup>; East Rajasthan during 14<sup>th</sup>-20<sup>th</sup>; Madhya Pradesh on 16<sup>th</sup> December.

#### **Cold Day Warnings:**

✤ Cold Day conditions very likely in isolated pockets over Madhya Pradesh on 14<sup>th</sup> & 15<sup>th</sup> December.

## Dense Fog Warnings:

Dense fog conditions very likely to prevail during late night/early morning hours in isolated pockets of Haryana-Chandigarh, West Uttar Pradesh during 16<sup>th</sup>-18<sup>th</sup>; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura till 17<sup>th</sup> December morning hours.

## Weather forecast (during 14<sup>th</sup> Dec. to 17<sup>th</sup> Dec. 2024) over Delhi/NCR

**14.12.2024**: Mainly clear sky. The predominant surface wind is likely to be northwest direction with wind speed less than 12 kmph till evening. It would decrease thereafter becoming less than 08 kmph from northwest direction during night. Smog/mist is likely in the evening/night.

**15.12.2024**: Mainly clear sky. The predominant surface wind is likely to be from northwest direction with speed less than 06 kmph during morning hours. Smog/mist is likely in the morning. The wind speed will increase thereafter becoming less than 08 kmph from north-northwest direction during afternoon. It will decrease thereafter becoming less than 04 kmph from variable direction during evening and night. Smog/mist is likely in the evening/night.

**16.12.2024**: Mainly clear sky. The predominant surface wind is likely to be from northeast direction with speed less than 04 kmph during morning hours. Smog/shallow to moderate fog is likely in the morning. The wind speed will gradually increase becoming 04-06 kmph from variable direction during afternoon. It will decrease thereafter becoming less than 04 kmph from variable direction during evening and night. Smog/shallow fog is likely in the evening/night.

**17.12.2024**: Mainly clear sky. The predominant surface wind is likely to be from variable direction with wind speed less than 04 kmph during morning hours. Smog/moderate fog is likely in the morning. The wind speed will increase thereafter becoming 04-06 kmph from variable direction during afternoon. It will gradually decrease becoming less than 04 kmph from variable direction during evening and night. Smog/mist is likely in the evening/night.





## **Main Weather Observations:**

- Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Lakshadweep; at isolated places over Arunachal Pradesh, South Interior Karnataka, Coastal Andhra Pradesh & Yanam Andaman & Nicobar Islands.
- Heavy rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Heavy to very heavy rainfall with extremely heavy falls at isolated places over Tamil Nadu;
- Today, Cold wave to severe cold wave conditions observed in few places of Punjab; in isolated pockets over Madhya Pradesh; Cold wave conditions in isolated pockets over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Uttarakhand, Haryana-Chandigarh, Uttar Pradesh, Rajasthan, Chhattisgarh, Gangetic West Bengal, Bihar, Vidarbha, Saurashtra & Kutch.
- **Yesterday, Cold day conditions** observed in isolated pockets of Madhya Pradesh.
- Dense fog (50-200 m) reported in isolated pockets of Manipur, Meghalaya.
- ❖ Visibility reported (≤ 200 m) (in meter): Manipur: Imphal 50; Meghalaya: Barapani 50.
- Significant amount of rainfall (from 0830 hours IST of yesterday to 0830 hours IST of today) (in cm): Tamil Nadu: Gadana Dam (dist Tenkasi) 26, Oothu (dist Tirunelveli) 23, Nalumukku (dist Tirunelveli) 22, Tuticorin Airport ARG (dist Thoothukudi) 21, Kakkachi (dist Tirunelveli) 19, Manjolai (dist Tirunelveli) 18, Tuticorin (dist Thoothukudi) 16, Ramanadhi Dam Section (dist Tenkasi), Kodiayakarai (dist Nagapattinam), Papanasam (dist Tirunelveli) 15 each, Needamangalam (dist Thiruvarur), Shencottah (dist Tenkasi), Gundar Dam (dist Tenkasi), Servalar Dam (dist Tirunelveli) 14 each', Orthanad (dist Thanjavur), Virudunagar AWS (dist Virudhunagar), Kurungulam (dist Thanjavur) 13 each, Kayalpattinam (dist Thoothukudi) 12; Kerala & Mahe: Ponmudi (Thiruvanathapuram) 6, Pampadumpara (dist Idukki) 5
- Minimum Temperatures Departures (as on 14-12-2024): Minimum temperatures are above normal (1.6°C to 3.1°C) at a few places over Rayalaseema, Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka, Tamil Nadu, Puducherry & Karaikal; at isolated places over Interior Karnataka. These are markedly below normal (-5.1°C or less) at many places over Madhya Pradesh; at isolated places over East Rajasthan, Uttar Pradesh, Bihar, Vidarbha; appreciably below normal (-3.1°C to -5.0°C) at isolated places over West Rajasthan; below normal (-1.6°C to -3.0°C) at many places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Haryana-Chandigarh, Jharkhand, Chhattisgarh, Odisha, West Bengal; at a few places over Himachal Pradesh, Punjab; at isolated places over Uttarakhand, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Madhya Maharashtra, Gujarat state, Marathwada, Telangana and near normal over rest parts of the country. Today, the lowest minimum temperature of 0.7°C is reported at Adampur IAF (Punjab) over the plains of the country. (Fig.4)

**\* Maximum Temperature Departures (as on 13-12-2024):** Maximum temperatures were above normal (1.6°C to 3.0°C) at isolated places over Himachal Pradesh, Uttarakhand, Odisha, Telangana. These were markedly below normal (-5.1°C or less) at isolated places over Rajasthan, West Madhya Pradesh, Madhya Maharashtra, Kerala & Mahe, Tripura; appreciably below normal (-3.1°C to -5.0°C) at isolated places over Tamil Nadu, Puducherry & Karaikal; below normal (-1.6°C to -3.0°C) at most places Gujarat state; at many places over Gangetic West Bengal, South Interior Karnataka; at a few places over East Madhya Pradesh; at isolated places over Marathwada, Vidarbha, Haryana-Chandigarh-Delhi, Arunachal Pradesh, Rayalaseema near normal over rest parts of the country. Yesterday, **the** highest maximum and temperature of **34.8°C** was reported at Alibagh (Konkan & Goa) over the plains of the country. (Fig. 2)






# Meteorological Analysis (Based on 0830 hours IST)

- The low pressure area over Lakshadweep & adjoining Maldives area with the associated upper air cyclonic circulation extending upto 5.8 km above mean sea level persists. It is likely to move westwards and become less marked during next 24 hours.
- Yesterday's upper air cyclonic circulation over central parts of Andaman Sea and adjoining Gulf of Thailand now lies over south Andaman Sea and adjoining areas and extends upto 3.1 km above mean sea level at 0830 hours IST of today 14<sup>th</sup> December, 2024. Under its influence, a low pressure area is likely to form over southeast Bay of Bengal around 15<sup>th</sup> December. Thereafter, it is likely to become more marked and move west-northwestwards towards Tamil Nadu coast during subsequent two days.
- ✤ A fresh cyclonic circulation lies over northeast Assam at 3.1 km above mean sea level.
- ✤ A fresh Western disturbance seen as a trough in middle & upper tropospheric westerlies and runs roughly along Long. 42°E to the north of Lat. 25°N.
- Subtropical westerly Jet Stream with core winds of the order upto 120 knots at 12.6 km above mean sea level prevails over Northeast India.
- The cyclonic circulation over central Assam at 1.5 km above mean sea level has become less marked.






Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 21st December, 2024)




# 14 December (Day 1):

- ✤ Heavy rainfall (≥7 cm) very likely at isolated places over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Lakshadweep, Andaman & Nicobar Islands.
- Thunderstorm accompanied with lightning very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Dense fog very likely in isolated pockets of Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- Cold Wave to severe cold wave Conditions very likely in some parts of Punjab; in isolated parts over Madhya Pradesh; Cold Wave Conditions very likely in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Haryana, Uttar Pradesh, Rajasthan, Chhattisgarh, Vidarbha, Telangana, Gangetic West Bengal, Bihar, Jharkhand, Odisha.
- Cold Day Conditions very likely in isolated pockets of Madhya Pradesh.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph very likely to prevail over Lakshadweep area and adjoining Maldives area, along and off south Kerala coast, over Andaman sea and adjoining Southeast Bay of Bengal. Fishermen are advised not to venture into these areas.




## 15 December (Day 2):

- ✤ Heavy rainfall (≥7 cm) very likely at isolated places over Andaman & Nicobar Islands.
- Dense fog very likely in isolated pockets of Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- Cold Wave to severe cold wave Conditions very likely in isolated parts over Madhya Pradesh; Cold Wave Conditions very likely in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Haryana-Chandigarh, Uttar Pradesh, East Rajasthan, Chhattisgarh, Gangetic West Bengal, Odisha.
- Cold Day Conditions very likely in isolated pockets of Madhya Pradesh.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over most parts of southeast Bay of Bengal & adjoining areas and Andaman sea. Fishermen are advised not to venture into these areas.




# 16 December (Day 3):

- ♦ Heavy rainfall (≥7 cm) very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Thunderstorm accompanied with lightning very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Dense fog very likely in isolated pockets of Haryana, West Uttar Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura in night/morning hours.
- Cold Wave Conditions very likely in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan, Madhya Pradesh.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over Central parts of south Bay of Bengal and adjoining central Bay of Bengal. Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over along and of Somalia coast, adjoining westcentral Arabian sea. Fishermen are advised not to venture into these areas.




## 17 December (Day 4):

- ✤ Heavy to very heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal; Heavy rainfall (≥7 cm) at isolated places over South Interior Karnataka, Rayalaseema, Coastal Andhra Pradesh & Yanam.
- Thunderstorm accompanied with lightning likely at isolated places over Rayalaseema, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal.
- **Dense fog** very likely in isolated pockets of Haryana, West Uttar Pradesh in night/morning hours.
- Cold Wave Conditions likely in isolated pockets of Rajasthan.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevail over Gulf of Mannar and adjoining Comorin area, southwest Bay of Bengal, adjoining westcentral Bay of Bengal, along and off Tamil Nadu coast. Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over along and of Somalia coast, adjoining westcentral Arabian sea. Fishermen are advised not to venture into these areas.




## 18 December (Day 5):

- ✤ Heavy to very heavy rainfall (≥ 12 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal; Heavy rainfall (≥7 cm) likely at isolated places over South Interior Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema and Kerala & Mahe.
- Thunderstorm accompanied with lightning likely at isolated places over Rayalaseema, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal.
- **Cold Wave Conditions** likely in isolated pockets of Rajasthan.
- Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevail over Gulf of Mannar, along and off Tamil Nadu coast and adjoining Southwest Bay of Bengal. Fishermen are advised not to venture into these areas.



# 19 December (Day 6):

- ✤ Heavy rainfall (≥7 cm) likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- Cold Wave Conditions likely in isolated pockets of Rajasthan.



# Weather Outlook for subsequent 3 days (During 21st December – 23rd December, 2024)

- Isolated to Scattered to light to moderate rainfall likely over some parts of south peninsular India and light rainfall over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- Mainly dry weather will prevail over rest parts of country.
- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.





### Impact due to very heavy rainfall:

• Isolated heavy to very heavy rainfall very likely over Tamil Nadu, Puducherry & Karaikal on 17<sup>th</sup> & 18<sup>th</sup> December.

### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities and roadways due to water logging in roads leading to increased travel time. ✓ Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mud slips/land sinks/mud sinks.
- Damage to horticulture and standing crops in some areas due to inundation and wind.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

### **Action Suggested**

- Judicious regulation of surface transports including railways and roadways.
- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

### Impact expected due to dense fog in the night /morning hour:

- Transport and Aviation:
  - May affect some airports, highways and railway routes in the areas of met- sub-division.
  - Difficult driving conditions with slower journey times.
  - Unless taken precautionary measures, it may lead to some road traffic collisions.
- Power Sector:
  - Chances of Tripping of Power lines in the very dense fog routes.
- ✤ Human Health:
  - Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
  - Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
  - Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

### Action suggested:

- Transport and Aviation:
  - Be careful while driving or outing through any transport.
  - Use fog lights during driving.
  - Be in touch with airlines, railways and state transport for schedule of your journey.
- Power Sector:
  - To keep ready Maintenance Team
  - Human Health: To avoid outing until unless emergency and to cover the face.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

## Impact expected due to cold wave/severe cold wave conditions:

- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

## Action suggested:

- Wear several layers of loose fitting, light weight; warm woolen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm woolen clothing rather than one layer of heavy cloth.
- Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- ✤ Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- ♦ Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- ✤ If the affected skin area turns black, immediately consult a doctor.
- Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- Take safety measures while using electrical and gas heating devices.
- Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- Protect livestock from cold weather.

## Agromet advisories for Heavy Rainfall / Cold Wave likely over various parts of the country

- Drain out excess water from rice, sugarcane, cotton, turmeric, vegetables, and other standing crop fields, as well as coconut and banana orchards in **Tamil Nadu**; from rice, coffee, banana, coconut, arecanut, ginger, pepper, cardamom and other standing crops in **Kerala**.
- Provide adequate drainage facilities for removal of excess water from standing crop fields and fruit orchards in Andaman & Nicobar Islands.
- Keep the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields.
- Provide mechanical support to horticultural crops and staking to vegetables.
- In Jammu & Kashmir, Himachal Pradesh, Punjab, Haryana, Uttar Pradesh, Rajasthan, Madhya Pradesh, Chhattisgarh, Gangetic West Bengal, Odisha, Bihar and Jharkhand, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low-temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw/polythene sheets to maintain optimum soil temperature.

## **Livestock and Fishery**

- Keep the animals inside the shed during heavy rainfall and provide balanced feed.
- Store the feed and fodder at safer place to avoid spoilage from rainfall.
- Check and disinfect poultry houses to prevent disease outbreaks due to dampness.
- Check the huts and other weaker structures before relocation of the animals.
- Remove excess water from fish ponds to avoid losses of fish (if feasible).
- To protect from cold, keep cattle inside the sheds during night and provide dry bedding. Also keep the chicks warm by providing artificial light in the poultry sheds.




राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


### Fig. 1: Maximum Temperatures

#### Fig. 2: Departure of Maximum Temperatures



#### Fig. 3: Minimum Temperatures

### Fig. 4: Departure of Minimum Temperatures



\* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action". Forecast and Warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day. For more details, kindly visit https://mausam.imd.gov.in or contact: 011-2434-4599 (Service to the Nation since 1875)




राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







🐢 Hailstorm

Sust Raising Winds



#### **National Weather Forecasting Centre** India Meteorological Department **Ministry of Earth Sciences**

< 25


25 - 50

50 - 75

> 75

Very Likely Most Likely

# **LEGENDS**



Hot & Humid

🔦 Strong Surface Winds





Rain/ Snow *	Heavy: 64.5 to 115.5 mm/cm *
	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *
Heat Wave	When maximum temperature of a station reaches $\geq$ 40° C for plains and $\geq$ 30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
	(b). Based on Actual maximum temperature
	Heat Wave: When actual maximum temperature ≥45°C. Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature ≥47°C When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
Cold Wave	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C (b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is $\leq 4.0$ °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	( c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
Cold Day	When minimum temperature of a station $\le 10^\circ$ C for plains and $\le 0^\circ$ C for hilly regions Based on departure
	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
Fog	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
understorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
Frost	Ice deposits on ground
	Air temperature ≤4°C ( over Plains)
Squall	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph
	Severe: Wind speed 62-87 kmph
	Very Severe: Wind speed >87 kmph
Sea State	Effect of various waves in the sea over specific area         Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre         High to very high: Wind speed 63-117 kmph ( 34-63 knots) & Wave height 6-14 metre         Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
Cyclone	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
	Severe Cyclonic Storm: Wind speed 62-67 Kingh (34-47 Kinds) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
	Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots) Super Cyclone Strom: Wind speed >220 kmph (>119 knots)
	Cuper Cyclone Stront. Wind Speed 220 Milph (2113 MID(S)