



2025-06-10

Time of Issue: 13:15:00 hours IST (Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings

South Peninsular India:

Light/moderate rainfall at most/many places over Kerala & Mahe, Karnataka, Lakshadweep during next 7 days and Light/moderate rainfall at many/some places accompanied with isolated thunderstorm, lightning & gusty winds speed reaching 30-50 kmph over Tamil Nadu, Puducherry & Karaikal, Interior Karnataka, Telangana during 10th-14th June.

Strong surface winds (speed 50-60 kmph) very likely over Coastal Andhra Pradesh & Yanam, Rayalaseema during 10th -12th, Kerala & Mahe, Lakshadweep on 14th June.

Isolated heavy rainfall likely over Tamilnadu Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam during 10th-12th, Karnataka on 10th &11th, Lakshadweep on 13th & 14th, Rayalaseema and Telangana on 11th & 12th with very heavy rainfall over Tamilnadu Puducherry & Karaikal, Kerala & Mahe during 12th-16th, Coastal Karnataka on 16th, North Interior Karnataka during 12th-15th, South Interior Karnataka on15th & 16th with Extremely heavy rainfall likely over Kerala & Mahe during 14th-16th, Coastal Karnataka during 12th-16th, South Interior Karnataka during 12th-14th and over North Interior Karnataka on 13th, Tamilnadu Puducherry & Karaikal on 14th & 15th June.

West India:

Light/moderate rainfall at some/isolated places accompanied with accompanied with thunderstorm, lightning & gusty winds speed reaching 30-50 kmph likelyover Madhya Maharashtra, Marathawada, Konkan & Goa on 10th & 11th June with Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph) very likely at isolated places over Madhya Maharashtra, Marathawada, Konkan & Goa during 12th-14th June.

Isolated heavy rainfall likely over Madhya Maharashtra on 10th & 11th, Marathawada during 11th-14th with very heavy rainfall on Konkan & Goa, Madhya Maharashtra during 12th-16th June with Extremely heavy rainfall likely over Konkan & Goa on 13th & 14th June.

East & Central India:

Light/moderate rainfall at some placeslikely to continueoverSub-Himalayan West Bengal & Sikkim during next 7 days and Light/moderate rainfall at isolated/some places accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likelyover Andaman & Nicobar Islands during 10th-12th, Madhya Pradesh, West Bengal & Sikkim, Jharkhand, Odisha during 11th-14th, Bihar during 13th-16th June with Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph) very likely at isolated places over Vidarbha on 11th & 12th, Chhattisgarh during 11th-14th, Bihar on 12th& 13th June.

Isolated heavy rainfall also likely over Andaman & Nicobar Islands on 12th; Sub-Himalayan West Bengal & Sikkim during 13th-16th and over Odisha on 10th and during 14th-16th June.

Northwest India:

Light/moderate rainfall at some/isolated places accompanied with accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likelyover Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 10th-12th, Himachal Pradesh, Haryana, Uttar Pradesh, Uttarakhand during 12th-16th, West Rajasthan during



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

14th-16th June.

Isolated heavy rainfall likely over Uttarakhand during 12th-16th June.

Northeast India:

Light/moderate rainfall at many/some places likely to continue over northeast India during next 7 days with **isolated heavy rainfall** over Arunachal Pradesh, Assam & Meghalaya during 11th-16th; Nagaland, Manipur, Mizoram & Tripura during 10th-16th June.

Light/moderate rainfall at some/isolated places accompanied with **thunderstorm**, **lightning & gusty winds speed reaching 30-40 kmph** over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura on 10th & 11th June.

Maximum Temperature Forecast:

No significant change in maximum temperatures likely over Northwest India during next 4 days and gradual fall by 2-4°C thereafter.

No significant change in maximum temperatures likely over Central & East India during next 2-3 days and gradual fall by 2-3°C thereafter.

No significant change in maximum temperatures likely over rest parts of the country.

Heat wave, Hot & Humid weather and Warn Night warnings:

Heat wave condition very likely at many/some places over West Rajasthan during 10th-16th with severe heat wave conditions at isolated/some parts during 10th-13th June.

Heat wave to severe heat wave conditions very likely at isolated/some parts are likely to prevail over East Rajasthan during 10th-13th June.

Heat wave conditions are likely to prevail over East Uttar Pradesh on 10th & 11th, Punjab during 10th-13th, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Haryana, West Uttar Pradesh, north Madhya Pradesh during 10th-12th June.

Hot & humid weather is likely to prevail over Sub-Himalayan West Bengal & Sikkim on 10th, Gangetic West Bengal, Bihar, Odisha on 10th & 11th June.

Warm night conditions very likely in isolated pockets over Punjab, Haryana on 10th & 11th, West Uttar Pradesh on 10th, Rajasthan during 10th-12th June.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- ❖ Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Andaman & Nicobar Islands, Odisha, Vidarbha, Coastal Karnataka and Lakshadweep; at a few places over Nagaland, Manipur, Mizoram & Tripura, Konkan & Goa, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana, Tamil Nadu, Puducherry & Karaikal, North Interior Karnataka, South Interior Karnataka and Kerala & Mahe; at isolated places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Jharkhand, Uttarakhand, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Madhya Maharashtra, Chhattisgarh and Rayalaseema; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Odisha: Chikiti (dist Ganjam) 9; Phiringia (dist Kandhamal), Tikabali (dist Kandhamal), Akhuapada (dist Bhadrak) 8 Each; Bhanjnagar (dist Ganjam), Madanpur Rampur (dist Kalahandi) 7 Each; Tamil Nadu, Puducherry & Karaikal: Perambalur (dist Perambalur) 7; Marathwada: Renapur (dist Latur) 7.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Heavy rain at isolated places over Odisha, Marathwada and Tamil Nadu, Puducherry & Karaikal.
- * Minimum Temperature Departures (as on 10-06-2025): markedly above normal(> 5.1°C) at few places over Assam & Meghalaya and East Madhya Pradesh; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Bihar, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh, West Rajasthan, West Madhya Pradesh, Gujarat Region and Saurashtra & Kutch; appreciably above normal(3.1°C to 5.0°C) at few places over Gangetic West Bengal and Uttarakhand; at isolated places over Haryana-Chandigarh-Delhi, Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Rajasthan, Vidarbha, Coastal Andhra Pradesh & Yanam and Tamil Nadu, Puducherry & Karaikal; above normal(1.6°C to 3.0°C) at most places over Arunachal Pradesh; at few places over Rayalaseema, Kerala & Mahe and Lakshadweep; at isolated places over Andaman & Nicobar Islands, Odisha, Jharkhand, Madhya Maharashtra and Chhattisgarh; near normal(-1.5°C to 1.5°C) at many places over Marathwada and North Interior Karnataka; at most places over Konkan & Goa, Coastal Karnataka and South Interior Karnataka; at few places over Telangana. The lowest minimum temperature of 20.5°C is reported at BENGALURU (South Interior Karnataka) over the Plains of India.
- * Maximum Temperature Departures (as on 09-06-2025): markedly above normal(> 5.1°C) at most places over Arunachal Pradesh; at few places over Assam & Meghalaya, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and East Madhya Pradesh; at isolated places over Sub Himalayan West Bengal & Sikkim, East Uttar Pradesh, Haryana-Chandigarh-Delhi, Himachal Pradesh, West Madhya Pradesh and Coastal Andhra Pradesh & Yanam. appreciably above normal(3.1°C to 5.0°C) at most places over Bihar and Punjab; at few places over West Uttar Pradesh and West Rajasthan; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Odisha, Uttarakhand, East Rajasthan, Vidarbha, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe. above normal(1.6°C to 3.0°C) at few places over Lakshadweep; at isolated places over Jharkhand, Saurashtra & Kutch and Chhattisgarh. near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar Islands, Madhya Maharashtra, Marathwada and South Interior Karnataka; at most places over Gujarat Region, Konkan & Goa and Coastal Karnataka; at few places over Telangana, Rayalaseema and North Interior Karnataka. The highest maximum temperature of 47.3°C was reported at SRIGANGANAGAR (RAJASTHAN).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)

- ❖ The Northern Limit of Monsoon continues to pass through 17.0°N/55°E, 17.5°N/60°E, 18°N/65°E, 18.5°N/70°E, Mumbai, Ahilyanagar, Adilabad, Bhawanipatna, Puri, Sandhead Island, 23.5°N/89.5°E, Balurghat, 30°N/85°E.
- Conditions are favourable for advance of Monsoon over some more parts of Central and adjoining East India around 14th June.
- An upper air cyclonic circulation lies over north Chhattisgarh and neighbourhood at 0.9 km above mean sea level.
- ❖ A **trough** runs from northwest Uttar Pradesh to west central Bay of Bengal across north Madhya Pradesh, south Chhattisgarh and central Odisha at 0.9 km above mean sea level.
- * The **upper air cyclonic circulation** over northwest Uttar Pradesh and neighbourhood now lies over north Haryana & neighborhood at 1.5 km above mean sea level.
- An upper air cyclonic circulation lies over north Pakistan & neighbourhood off Punjab at 1.5 km above mean sea level.
- An upper air cyclonic circulation over central parts of south Uttar Pradesh & neighbourhood at 1.5 km above mean sea level.
- ❖ The **upper air cyclonic circulation** over northwest Bay of Bengal and adjoining north coastal Odisha & south Gangetic West Bengal now lies over north Odisha & neighbourhood between 1.5 & 5.8 km above mean sea level tilting southwards with height.
- ❖ The **trough** from north Tamil Nadu to south Maharashtra coast now runs as a **shear zone** roughly along Lat. 15°N over the Indian Region between 3.1 and 4.5 km above mean sea level.
- ❖ The **Western Disturbance** as a trough in middle tropospheric westerlies with its axis at 5.8 km above mean sea level now runs roughly along Long. 62°E to the north of Lat. 28°N.
- * The **upper air cyclonic circulation** over Southeast & adjoining eastcentral Bay of Bengal over central parts of Bay of Bengal between 5.8 & 7.6 km above mean sea level has becomes less marked.


Weather Outlook for subsequent 3 days


- ❖ Fairly widespread to widespread rainfall activity likely over Northeast India, Sub-Himalayan West Bengal &Sikkim, Andaman & Nicobar Islands, Lakshadweep, Konkan & Goa, Marathwada, Madhya Maharashtra Coastal and Interior Karnataka, Telangana, Rayalaseema and Kerala &Mahe.
- Isolated to scattered rainfall likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Uttarakhand, Odisha, south Chhattisgarh, Vidarbha, Madhya Pradesh, Uttar Pradesh, Bihar and Jharkhand.











10 June (Day 1)


- ♦ Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh, Costal Karnataka, Interior Karnataka, Kerala & Mahe, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Tamil Nadu Puducherry & Karaikal and Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Interior Karnataka, Jharkhand, Madhya Maharashtra, Marathwada, Odisha and Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Assam & Meghalaya, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal, Uttarakhand and Vidarbha.
- **❖ Thunderstorm accompanied with Lightning** very likely at isolated places over Andhra Pradesh, Arunachal Pradesh and Chhattisgarh.
- ❖ Strong Surface Winds (40-60 KMPH) very likely at isolated places over Andhra Pradesh, Costal Karnataka, Kerala & Mahe and Lakshadweep.
- ♦ Heat Wave conditions very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Punjab, Rajasthan and Uttar Pradesh.
- Hot and Humid weather very likely at isolated places over Bihar, Odisha and West Bengal & Sikkim.
- ❖ Warm Night conditions very likely at isolated places over Haryana, Chandigarh & Delhi, Punjab, Rajasthan and West Uttar Pradesh.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

❖ Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and adjoining parts of southwest and westcentral Arabian Sea, and Gulf of Mannar. Squally weather with wind speed 35 - 45 kmph gusting to 55 kmph likely to prevail over Comorin area, most parts of south Bay of Bengal, along and off Sri Lanka coast, Tamil Nadu and adjoining south Andhra Pradesh coasts, and over Andaman Sea. Fisherman are not advised not to venture into the sea.







11 June (Day 2)


- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Assam & Meghalaya, Costal Karnataka, Interior Karnataka, Kerala & Mahe, Madhya Maharashtra, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal and Telangana.
- **❖ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Bihar, Chhattisgarh and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Gangetic West Bengal, Interior Karnataka, Jharkhand, Madhya Maharashtra, Marathwada, Telangana and Uttarakhand.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Assam & Meghalaya, East Madhya Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, Odisha, Sub Himalayan West Bengal & Sikkim and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh and Arunachal Pradesh.
- ❖ Strong Surface Winds (40-60 KMPH) very likely at isolated places over Andhra Pradesh, Costal Karnataka, Kerala & Mahe and Lakshadweep.
- ♦ Heat Wave conditions very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Punjab, Rajasthan and Uttar Pradesh.
- Hot and Humid weather very likely at isolated places over Bihar, Gangetic West Bengal and Odisha.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- ❖ Warm Night conditions very likely at isolated places over Haryana, Chandigarh & Delhi, Punjab and Rajasthan.
- *Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and adjoining parts of southwest and westcentral Arabian Sea, and Gulf of Mannar. Squally weather with wind speed 35 45 kmph gusting to 55 kmph likely to prevail over Comorin area, over south Bay of Bengal, along and off Sri Lanka coast, Tamil Nadu and south Andhra Pradesh coasts, and over Andaman Sea. Squally weather with wind speed 45 55 kmph gusting to 65 kmph likely to prevail over off south Sri Lanka coast and adjoining southwest Bay of Bengal. Fisherman are not advised not to venture into the sea.







12 June (Day 3)


- ❖ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Costal Karnataka and South Interior Karnataka.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Kerala & Mahe, Konkan & Goa, Madhya Maharashtra and North Interior Karnataka.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal, Telangana and Uttarakhand.
- **❖ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Bihar, Chhattisgarh, Interior Karnataka, Konkan & Goa and Maharashtra.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, East Uttar Pradesh, Jharkhand, Telangana, Uttarakhand and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Odisha and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- ❖ Strong Surface Winds (40-60 KMPH) very likely at isolated places over Andhra Pradesh, Costal Karnataka, Kerala & Mahe and Lakshadweep.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- ♦ Heat Wave conditions very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Madhya Pradesh, Punjab, Rajasthan and West Uttar Pradesh.
- ❖ Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and adjoining parts of southwest and westcentral Arabian Sea, and Gulf of Mannar. Squally weather with wind speed 35 45 kmph gusting to 55 kmph likely to prevail along and off south Konkan, Goa, Karnataka, Kerala coasts, Lakshadweep, Maldives, Comorin areas, over south Bay of Bengal, adjoining central Bay of Bengal, along and off Sri Lanka, Tamil Nadu, south Andhra Pradesh coasts, and over Andaman Sea. Fisherman are not advised not to venture into the sea.







13 June (Day 4)


- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Costal Karnataka, Interior Karnataka and Konkan & Goa.
- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Kerala & Mahe, Madhya Maharashtra and Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Lakshadweep, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- ❖ Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Chhattisgarh, Interior Karnataka, Konkan & Goa, Madhya Maharashtra and Marathwada.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andhra Pradesh, Bihar, Odisha, Tamil Nadu Puducherry & Karaikal, West Bengal & Sikkim and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- ❖ Strong Surface Winds (40-60 KMPH) likely at isolated places over Costal Karnataka, Kerala & Mahe and Lakshadweep.
- Heat Wave conditions likely at isolated places over Punjab and Rajasthan.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

*Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and adjoining parts of southwest and westcentral Arabian Sea, and Gulf of Mannar. Squally weather with wind speed 35 - 45 kmph gusting to 55 kmph likely to prevail along and off south Konkan & adjoining north Konkan coasts, Goa, Karnataka, Kerala coasts, Lakshadweep, Maldives, Comorin areas, over south Bay of Bengal, adjoining central Bay of Bengal, along and off Sri Lanka, Tamil Nadu coasts, off south Andhra Pradesh coasts and over Andaman Sea. Fisherman are not advised not to venture into the sea.







14 June (Day 5)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Costal Karnataka, Kerala & Mahe, Konkan & Goa, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- Heavy to Very Heavy Rainfall likely at isolated places over Madhya Maharashtra and North Interior Karnataka.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Lakshadweep, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Odisha, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- ❖ Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Chhattisgarh, Interior Karnataka, Konkan & Goa, Madhya Maharashtra and Marathwada.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Punjab, Telangana, Uttar Pradesh, Uttarakhand, Vidarbha and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andhra Pradesh, Bihar, Tamil Nadu Puducherry & Karaikal, West Bengal & Sikkim and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- ❖ Strong Surface Winds (40-60 KMPH) likely at isolated places over Costal Karnataka, Kerala & Mahe and Lakshadweep.
- ❖ Heat Wave conditions likely at isolated places over West Rajasthan.





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

❖ Squally wind with speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail along and off Somalia coast and adjoining parts of southwest and westcentral Arabian Sea, and Gulf of Mannar. Squally weather with wind speed 35 - 45 kmph gusting to 55 kmph likely to prevail over southeast Arabian Sea & northern parts of southwest, southern parts of westcentral Arabian Sea, many parts of eastcentral Arabian Sea, along and off Konkan, Goa, Karnataka, Kerala coasts, Lakshadweep, Maldives, Comorin areas, over south Bay of Bengal, adjoining central Bay of Bengal, along and off Sri Lanka, Tamil Nadu coasts, and over Andaman Sea. Fisherman are not advised not to venture into the sea.

Page 15









15 June (Day 6)

- ❖ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Costal Karnataka, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **♦ Heavy to Very Heavy Rainfall** likely at isolated places over Interior Karnataka, Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram and Tripura, Odisha, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- * Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Madhya Maharashtra.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Marathwada, Punjab, Uttar Pradesh, Uttarakhand and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar.
- ❖ Strong Surface Winds likely at isolated places over Costal Karnataka.

No Fishermen Warning







16 June (Day 7)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Costal Karnataka, Kerala & Mahe, Konkan & Goa, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- Heavy to Very Heavy Rainfall likely at isolated places over Madhya Maharashtra and North Interior Karnataka.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Lakshadweep, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Odisha, Sub Himalayan West Bengal & Sikkim and Uttarakhand.
- ❖ Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Chhattisgarh, Interior Karnataka, Konkan & Goa, Madhya Maharashtra and Marathwada.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Punjab, Telangana, Uttar Pradesh, Uttarakhand, Vidarbha and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andhra Pradesh, Bihar, Tamil Nadu Puducherry & Karaikal, West Bengal & Sikkim and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.
- ❖ Strong Surface Winds (40-60 KMPH) likely at isolated places over Costal Karnataka, Kerala & Mahe and Lakshadweep.
- ❖ Heat Wave conditions likely at isolated places over West Rajasthan.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

No Fishermen Warning



Table-1

7 Days Rainfall Forecast

	7 Bayo Ramman 1 orocast							
S.No.	Subdivision	10-	11-	12-	13-	14-	15-	16-
		Jun						
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	FWS	FWS	FWS	FWS
2	ARUNACHAL PRADESH	ISOL	SCT	SCT	FWS	FWS	FWS	FWS
3	ASSAM & MEHGHALAYA	SCT	FWS	SCT	SCT	SCT	FWS	FWS
4	N. M. M. & T.	FWS	FWS	SCT	SCT	FWS	FWS	FWS
5	S.H. WEST BENGAL & SIKKIM	ISOL	SCT	FWS	FWS	FWS	FWS	FWS
6	GANGETIC WEST BENGAL	ISOL	SCT	FWS	FWS	FWS	FWS	FWS
7	ODISHA	SCT						
8	JHARKHAND	ISOL	SCT	SCT	SCT	FWS	FWS	FWS
9	BIHAR	ISOL	SCT	FWS	SCT	SCT	SCT	SCT
10	EAST UTTAR PRADESH	DRY	ISOL	ISOL	SCT	SCT	SCT	ISOL
11	WEST UTTAR PRADESH	DRY	DRY	ISOL	ISOL	ISOL	SCT	SCT
12	UTTARAKHAND	ISOL	SCT	FWS	FWS	FWS	FWS	FWS
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	ISOL	ISOL	ISOL	SCT
14	PUNJAB	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
15	HIMACHAL PRADESH	DRY	DRY	DRY	ISOL	ISOL	SCT	SCT
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	ISOL	ISOL	ISOL
19	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	SCT
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	SCT	SCT
21	GUJRAT REGION	ISOL						
22	SAURASHTRA & KUTCH	ISOL						
23	KONKAN & GOA	SCT	SCT	FWS	WS	WS	WS	WS
24	MADHYA MAHARASHTRA	ISOL	ISOL	SCT	SCT	FWS	WS	WS
25	MARATHWADA	SCT	SCT	SCT	FWS	FWS	SCT	SCT
26	VIDARBHA	ISOL	SCT	SCT	SCT	FWS	FWS	FWS
27	CHATTISGARH	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
28	COASTAL ANDHRA PRADESH	ISOL	FWS	FWS	SCT	ISOL	ISOL	ISOL
29	TELANGANA	SCT	SCT	FWS	FWS	FWS	SCT	SCT
30	RAYALASEEMA	SCT	WS	WS	FWS	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	SCT						
32	COSTAL KARNATAKA	WS						
33	NORTH INTERIOR KARNATAKA	FWS	FWS	WS	WS	WS	WS	WS
34	SOUTH INTERIOR KARNATAKA	WS						
35	KERALA	WS						
36	LAKSHDWEEP	WS						

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-06-10




Fig. 3: Minimum Temperatures Dated 2025-06-10




Fig. 2: Departure of Maximum Temp. Dated 2025-06-10






Fig. 4: Departure of Minimum Temp. Dated 2025-06-10











Impact & Action Suggested due to extremely heavy falls/ very heavy rainfall over

Extremely heavy rainfall over Kerala & Mahe during 14th-16th, Coastal Karnataka during 12th-16th, South Interior Karnataka during 12th-14th and over North Interior Karnataka on 13th, Konkan & Goa on 13th & 14th, Tamilnadu Puducherry & Karaikal on 14th & 15th June.

Very heavy rainfall over Tamilnadu Puducherry & Karaikal, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra during 12th-16th, Coastal Karnataka on 16th, North Interior Karnataka during 12th-15th, South Interior Karnataka on15th & 16th June.

Impact Expected

Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.

Occasional reduction in visibility due to heavy rainfall.

Disruption of traffic in major cities due to water logging in roads leading to increased travel time.

Minor damage to kutcha roads.

Possibilities of damage to vulnerable structure.

Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.

Damage to horticulture and standing crops in some areas due to inundation.

It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

Check for traffic congestion on your route before leaving for your destination.

Follow any traffic advisories that are issued in this regard.

Avoid going to areas that face the water logging problems often.

Avoid staying in vulnerable structure.

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds over

Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph) at isolated places over Madhya Maharashtra, Marathawada, Konkan & Goa during 12th-14th, Vidarbha on 11th & 12th, Chhattisgarh during 11th-14th, Bihar on 12th& 13th June.

Strong surface winds (speed 50-60 kmph) very likely over Coastal Andhra Pradesh & Yanam, Rayalaseema during 10th -12th, Kerala & Mahe, Lakshadweep on 14th June.





Impact expected:

Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.

Minor to Major damage to banana and papaya trees.

Minor to major damage to power and communication lines due to breaking of branches.

Strong wind/hail may damage plantation, horticulture and standing crops.

Partial damage to vulnerable structures due to strong winds.

Minor damage to kutcha houses/walls and huts.

Loose objects may fly.

Action suggested:

People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.

Stay indoors, close windows & doors and avoid travel if possible.

Take safe shelters; do not take shelter under trees.

Do not lie on concrete floors and do not lean against concrete walls.

Unplug electrical/ electronic appliances.

Immediately get out of water bodies.

Keep away from all the objects that conduct electricity.

Impact expected and action suggested due to

Heat wave condition very likely at many/some places over West Rajasthan during 10th-16th with severe heat wave conditions at isolated/some parts during 10th-13th June.

Heat wave to severe heat wave conditions very likely at isolated/some parts are likely to prevail over East Rajasthan during 10th-13th June.

Heat wave conditions are likely to prevail over East Uttar Pradesh on 10th & 11th, Punjab during 10th-13th, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh, Haryana, West Uttar Pradesh, north Madhya Pradesh during 10th-12th June.

Red alert Areas



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Very high likelihood of developing heat illness and heat stroke in all ages.
Extreme care needed for vulnerable people.
Orange alert Areas:
➤ High temperature & increased likelihood of heat illness symptoms in people who are either exposed to sun for a prolonged period or doing heavy work.
➤ High health concern for vulnerable people e.g. infants, elderly, people with chronic diseases.
➤ Avoid heat exposure– keep cool. Avoid dehydration.
➤ Drink sufficient water- even if not thirsty.
Use ORS, homemade drinks like lassi, torani (rice water), lemon water, buttermilk, etc. to keep yourself hydrated.
Yellow alert Areas:
Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
Avoid heat exposure.
Wear lightweight, light colour, loose, cotton clothes.
Cover your head, use a cloth, hat or umbrella.
Agromet advisories for various parts of the country
Agromet advisories for likely impact of Rainfall / Gusty Winds / Heat Wave
Drain out excess water and ensure proper drainage in standing crops, vegetables and orchards in Tamil Nadu ,





Kerala, Karnataka, Andhra Pradesh, Telangana, Madhya Maharashtra, Marathwada and NMMT.

Provide mechanical support and propping to horticultural crops and staking to vegetables to avoid lodging.

In Jammu & Kashmir, Himachal Pradesh, Punjab, Haryana, Uttar Pradesh, Rajasthan and north Madhya Pradesh apply light and frequent irrigation in the evening to protect standing crops, vegetables and orchards from the adverse effects of heat waves and high temperatures. Undertake mulching with crop residue, straw, polythene or soil to conserve soil moisture.

Livestock / Poultry / Fishery

Keep the animals inside the shed during heavy rainfall / hailstorm and provide them balanced feed.


Store feed and fodder in a safe place to prevent spoilage.

Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)


Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain Thunderstorm & Lightning







Strong surface winds







Cold Wave Hot & Humid









	L	EGENDS	_		
	WARNING	Probabi	listic Forecast		
- 1	WARNING (TAKE ACTION)	Terms P	robability of Occurrence (9		
1	ALERT (BE PREPARED)	Likely	25 - 50		
ų,	WATCH (BE UPDATED)	Very Likely	50 - 75		
	NO WARNING (NO ACTION)	Most Likely	> 75		
1/0	Heavy: 64.5 to 115.5 mm/cm *				
n/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *				
illi/ Ollow					
	When maximum temperature of a s (a) Based on Departure from normal		for plains and ≥30° C fo		
	Heat Wave: Maximum Temperature Dep		to 6.4° C.		
î.	Severe Heat Wave: Maximum Temperat	ure Departure from normal	≥6.5° C		
leat Wave	(b). Based on Actual maximum tem				
leat wave	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim				
	(c). Criteria for heat wave for coas When maximum temperature departure is		Wave may be described prov		
	temperature ≥37°C	and the second s			
1.	When maximum temperature rema	Control of the Contro			
arm Night	Warm Night: When minimum temperatu Severe Warm Night: When minimum ter				
	service many regular minimum tel	reportations departure 20.4	•		
	When minimum temperature of a	station ≤10°C for pla	ains and ≤0°C for hilly re		
	(a). Based on departure				
	Cold Wave: Minimum Temperature Depa Severe Cold Wave: Minimum Temperature				
<u> </u>	War and the second seco				
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only) Cold Wave: When Minimum Temperature is ≤ 4.0 °C				
	Severe Cold Wave: When Minimum Ter				
	(c) For Coastal Stations				
	When Minimum Temperature departure	is ≤-4.5 °C & actual Min	imum Temperature is ≤ 15 °C		
			s and ≤0°C for hilly regio		
	When minimum temperature of a s	tation ≤10°C for plain			
<u> 1</u> -	Based on departure				
J- Cold Day	Based on departure Cold Day: Maximum Temperature Departure	ture from normal -4.5 °C t	o -6.4 °C.		
☐- Cold Day	Based on departure	ture from normal -4.5 °C t	o -6.4 °C.		
∬– Cold Day	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets	rture from normal -4.5 °C to be Departure from normal suspended in air a	o -6.4 °C. ≤ -6.5 °C		
Cold Day	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperatu Phenomenon of small droplets Moderate Fog: When the visibility between	rture from normal -4.5 °C to be Departure from normal see Suspended in air a see 500-200 metres	o -6.4 °C. ≤ -6.5 °C		
	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperatu Phenomenon of small droplets Moderate Fog: When the visibility between Dense Fog: when the visibility between	rture from normal -4.5 °C to be Departure from normal suspended in air a ten 500-200 metres 50-200 metres	o -6.4 °C. ≤ -6.5 °C		
©	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperatu Phenomenon of small droplets Moderate Fog: When the visibility between	rture from normal -4.5 °C to be Departure from normal suspended in air a ten 500-200 metres 50-200 metres	o -6.4 °C. ≤ -6.5 °C		
©	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	rture from normal -4.5 °C to be Departure from normal : suspended in air a seen 500-200 metres 50-200 metres metres	o -6.4 °C. ≤ -6.5 °C nd the horizontal visib		
©	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility < 50	rture from normal -4.5 °C to be Departure from normal : suspended in air a seen 500-200 metres 50-200 metres metres	o -6.4 °C. ≤ -6.5 °C nd the horizontal visib		
Fog	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	rture from normal -4.5 °C to be Departure from normal : suspended in air a seen 500-200 metres 50-200 metres metres	o -6.4 °C. ≤ -6.5 °C nd the horizontal visib		
Fog ## understorm	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light	o -6.4 °C. c -6.5 °C nd the horizontal visib nt (Lightning) and a sharp		
Fog	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light	o -6.4 °C. c -6.5 °C nd the horizontal visib nt (Lightning) and a sharp		
Fog ## understorm Dust/Sand	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind.	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light	o -6.4 °C. c -6.5 °C nd the horizontal visib nt (Lightning) and a sharp		
Fog ## understorm Dust/Sand	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light	o -6.4 °C. c -6.5 °C nd the horizontal visib nt (Lightning) and a sharp		
Fog ## understorm Dust/Sand	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind.	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light	o -6.4 °C. c -6.5 °C nd the horizontal visib nt (Lightning) and a sharp		
Fog ## understorm Dust/Sand Storm	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature \$4°C (over Plains)	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light sand energetically lift.	o -6.4 °C. c -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp ited to great heights by a second content of the		
Fog ## understorm Dust/Sand Storm	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light sand energetically lift.	o -6.4 °C. c -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp ited to great heights by a second content of the		
Fog Fog Understorm Dust/Sand Storm Frost	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light sand energetically lift.	o -6.4 °C. c -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp ited to great heights by a second content of the		
Fog ## understorm Dust/Sand Storm	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature <4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph	rture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres fested by a flash of light sand energetically lift.	o -6.4 °C. c -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp ited to great heights by a second content of the		
Fog Fog Understorm Dust/Sand Storm Frost	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	rture from normal -4.5 °C to re Departure from normal -4.5 °C to r	o -6.4 °C. c -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp ited to great heights by a second content of the		
Fog Fog Understorm Dust/Sand Storm Frost	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64	rture from normal -4.5 °C to be Departure from normal at suspended in air at een 500-200 metres 500-200 metres metres Tested by a flash of light and energetically lift energy light at least over specific area 12 kmph (22-33 knots) & W.	o -6.4 °C. s -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp Ited to great heights by a second to great heights.		
Fog Fog Understorm Dust/Sand Storm Sys Frost Squall	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility > 50 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed 52-87 kmph Very Severe: Wind speed 52-87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe 117 kmph Severe 1	rture from normal -4.5 °C to be Departure from normal at the Departure from normal at the suspended in air at the sen 500-200 metres are suspended in air at the sen 5	o -6.4 °C. s -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp Ited to great heights by a second to great height by a second to		
Fog Fog Understorm Dust/Sand Storm Frost	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64	rture from normal -4.5 °C to be Departure from normal at the Departure from normal at the suspended in air at the sen 500-200 metres are suspended in air at the sen 5	o -6.4 °C. s -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp Ited to great heights by a second to great height by a second to		
Fog Fog Understorm Dust/Sand Storm Sys Frost Squall	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (2 Cyclonic Storm: Wind speed 62-87 kmph	rture from normal -4.5 °C to re Departure from normal -4.5 °C to re Suspended in air a respective from normal -4.5 °C to represent the suspended in air	o -6.4 °C. s -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp Ited to great heights by a second to great height by a second to		
Fog Fog Understorm Dust/Sand Storm Sys Frost Squall	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manification of the control	re Departure from normal -4.5 °C to be Departure from normal -4.5 °C to be Departure from normal : suspended in air a seen 500-200 metres 500-200 metres metres rested by a flash of light sand energetically lift sand energetically lift energy in the sand ener	o -6.4 °C. s -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp Ited to great heights by a set of the set of		
Fog Fog Junderstorm Just/Sand Storm SS Frost Squall	Based on departure Cold Day: Maximum Temperature Depa Severe Cold Day: Maximum Temperature Phenomenon of small droplets Moderate Fog: When the visibility between Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manifesound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (2 Cyclonic Storm: Wind speed 62-87 kmph	reture from normal -4.5 °C to be Departure from normal : suspended in air a sen 500-200 metres 500-200 metres metres rested by a flash of light sand energetically lift sand energetically lift energy flash (22-33 knots) & Way (34-63 knots) & Way (34-63 knots) & Way (34-64 knots) & Way (48-63 knots) & Way	o -6.4 °C. c -6.5 °C Ind the horizontal visib Int (Lightning) and a sharp Ited to great heights by a second to great height by a second to		