

National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-10-26

Time of Issue: 13:40:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather warning:

South Peninsular India:

- Light to moderate rainfall/thunderstorm at most/many places with isolated heavy rainfall over Tamil Nadu & Puducherry, Kerala & Mahe, Coastal Karnataka during 26th-28th; North Interior Karnataka on 27th; South Interior Karnataka on 27th & 28th; Coastal Andhra Pradesh & Yanam during 26th 30th; Rayalaseema during 26th-29th; Telangana during 27th-30th October with isolated very heavy rainfall over Rayalaseema, Tamil Nadu, on 27th & 28th, Kerala & Mahe on 27th; Coastal Karnataka on 26th & 27th, Coastal Andhra Pradesh & Yanam during 27th-29th and Telangana on 28th & 29th October.
- Extremely heavy rainfall (≥21 cm) likely at isolated places over Coastal Andhra Pradesh & Yanam during 27th–29th and Telangana on 28th October.
- Thunderstorm with lightning & gusty winds (speed reaching 30-40 kmph) likely over Tamil Nadu during 26th
 -28th October. Thunderstorm with lightning likely over the region during next 4-5 days.

East & Central India:

- Light to moderate rain/thunderstorm at some/isolated places with isolated **heavy rainfall** over West Madhya Pradesh during 26th-28th; East Madhya Pradesh on 29th & 30th; Vidarbha during 28th -30th; Chhattisgarh and Odisha during 27th- 30th; Andaman & Nicobar Islands on 26th; Bihar and Jharkhand during 29th-31st, Sub-Himalayan West Bengal & Sikkim on 30th & 31st; Gangetic West Bengal during 28th-31st October with isolated **very heavy rainfall** over Odisha during 27th-29th; Vidarbha on 28th and Chhattisgarh on 28th & 29th October.
- Extremely heavy rainfall (≥21 cm) likely at isolated places over south Odisha on 28th & 29th; Chhattisgarh on 28th October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over West Madhya Pradesh, Vidarbha during 26th-28th; Jharkhand during 29th -31st October.
- Thunderstorm with lightning and gusty winds (speed reaching 40-50 kmph) likely over West Madhya Pradesh on 29th & 30th; Chhattisgarh on 28th & 29th; Andaman & Nicobar Islands during 26th -28th.

West India:

- Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** over south Konkan & Goa on 26th & 27th; Madhya Maharashtra on 26th; Gujarat Region during 26th-29th; Saurashtra & Kutch during 26th-30th October with isolated **very heavy rainfall** over Gujarat Stateon 26th & 27th October.
- Thunderstorm with lightning and gusty winds (speed reaching 30-40 kmph) likely over Gujarat State during next 5 days.
- Thunderstorm with lightning and gusty winds (speed reaching 40-50 kmph) likely over Konkan & Goa during next 5 days and Madhya Maharashtra on 26th October.

Northeast India:

- Light to moderate rain/thunderstorm at many/some places with isolated heavy rainfall over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during 30th October – 01st November.
- Thunderstorm with lightning and gusty winds (speed reaching 40-50 kmph) likely over Arunachal Pradesh and Assam & Meghalaya on 29th & 30th October.

Northwest India:

• Light to moderate rain/thunderstorm at isolated places with isolated heavy rainfall likely over East Rajasthan



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

on 27th & 28th October with isolated **very heavy rainfall** over East Rajasthan on 27th October.

• Thunderstorm with lightning likely over West Uttar Pradesh on 26th & 27th; East Uttar Pradesh on 30th & 31st; West Rajasthan on 27th & 28th and East Rajasthan during next 5 days.

Page 2



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Andaman & Nicobar Islands, Vidarbha and Coastal Karnataka; at many places over Konkan & Goa, Madhya Maharashtra and Telangana; at a few places over West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Marathwada, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal, North Interior Karnataka, Kerala & Mahe and Lakshadweep; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Jharkhand, Bihar, East Rajasthan, Saurashtra & Kutch, Rayalaseema and South Interior Karnataka; Dry over rest of the country.
- * Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Gujarat Region: Navsari (dist Navsari) 16; Umergam (dist Valsad) 9; Jalalpor (dist Navsari), Khergam (dist Navsari), Dangs (ahwa) (dist Dangs) 7 Each; Tamil Nadu, Puducherry & Karaikal: Nalumukku (dist Tirunelveli) 13; Oothu (dist Tirunelveli) 12; Kakkachi (dist Tirunelveli) 10; Uthukottai (dist Tiruvallur) 9; Manjolai (dist Tirunelveli) 8; Katpadi (dist Vellore) 7; Madhya Maharashtra: Devla (dist Nashik) 11; Igatpuri (dist Nashik), Vani-arg (dist Nashik) 9 Each; Niphad (dist Nashik) 8; Pimpalgaonbaswant ARG (dist Nashik) 7; Saurashtra & Kutch: Sutrapada (dist Gir Somnath) 9; Coastal Karnataka: Honavar (dist Uttara Kannada) 9; Shirali PTO (dist Uttara Kannada) 8; Chhattisgarh: Khadgaon (dist Mohala Manpur Chowki) 8; Manpur (dist Mohala Manpur Chowki), Aundhi (dist Mohala Manpur Chowki) 7 Each; Rayalaseema: Palamaner (dist Chittoor) 7; Coastal Andhra Pradesh & Yanam: Cumbum (dist Prakasam) 7; Konkan & Goa: Dahanu (dist Palghar) 7; West Madhya Pradesh: Bhainsdehi (dist Betul) 7.
- * Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today):Heavy to very heavy rain at isolated places over Gujarat Region and Tamil Nadu, Puducherry & Karaikal. Heavy rain at isolated places over West Madhya Pradesh, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Rayalaseema and Coastal Karnataka.
- ♦ Minimum Temperature Departures (as on 26-10-2025): markedly above normal(> 5.1°C) at few places over Bihar and Gujarat Region; at isolated places over Assam & Meghalaya, East Uttar Pradesh, Madhya Maharashtra, Marathwada and Chhattisgarh. appreciably above normal(3.1°C to 5.0°C) at many places over Jharkhand; at few places over Sub Himalayan West Bengal & Sikkim, Saurashtra & Kutch and Vidarbha; at isolated places over Gangetic West Bengal, Odisha, West Uttar Pradesh, Himachal Pradesh and East Rajasthan. above normal(1.6°C to 3.0°C) at many places over Nagaland, Manipur, Mizoram & Tripura, Punjab and Telangana; at few places over Haryana-Chandigarh-Delhi, West Rajasthan, East Madhya Pradesh, North Interior Karnataka and Lakshadweep; at isolated places over Andaman & Nicobar Islands, Uttarakhand, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Coastal Andhra Pradesh & Yanam, Rayalaseema and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over West Madhya Pradesh; at most places over Arunachal Pradesh, Coastal Karnataka, South Interior Karnataka and Kerala & Mahe. The lowest minimum temperature of 12.7°C is reported at NAGAUR (RAJASTHAN) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 25-10-2025): appreciably above normal(3.1°C to 5.0°C) at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, East Uttar Pradesh, Uttarakhand and Himachal Pradesh. above normal(1.6°C to 3.0°C) at many places over Nagaland, Manipur, Mizoram & Tripura and Chhattisgarh; at few places over Jharkhand, Bihar, Haryana-Chandigarh-Delhi and Lakshadweep; at isolated places over Odisha, West Uttar Pradesh, Punjab, Saurashtra & Kutch, Telangana and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over Konkan & Goa, Coastal Andhra Pradesh & Yanam, Rayalaseema, Coastal Karnataka and North Interior Karnataka; at most places over West Rajasthan, East Rajasthan and South Interior Karnataka; at few places over Andaman & Nicobar Islands, Arunachal Pradesh, East Madhya Pradesh, Gujarat Region, Marathwada, Vidarbha and Kerala & Mahe; at isolated places over West Madhya Pradesh and Madhya Maharashtra. The highest maximum temperature of 37.2°C is reported at DEESA (GUJARAT).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The **Deep depression** over southeast Bay of Bengal moved west-northwestwards with a speed of 6 kmph during past 6 hours, and lay centred at 0830 hrs IST of today, the 26th October 2025, over the same region, near latitude 11.2°N & longitude 87.1°E, about 620 km west of Port Blair (Andaman & Nicobar Islands), 780 km east-southeast of Chennai (Tamil Nadu), 830 km south-southeast of Visakhapatnam (Andhra Pradesh), 830 km southeast of Kakinada (Andhra Pradesh) and 930 km south-southeast of Gopalpur (Odisha). It is likely to move nearly west-northwestwards, intensify further into a cyclonic storm over southwest & adjoining westcentral Bay of Bengal during next 24 hours. Thereafter it is likely to move northwestwards, then northnorthwestwards and intensify into a severe cyclonic storm by morning of 28th October. Continuing to move further north-northwestwards, it is very likely to cross Andhra Pradesh coast between Machilipatnam and Kalingapatnam around Kakinada during evening/night of 28th October as a severe cyclonic storm with a maximum sustained wind speed of 90-100 kmph gusting to 110 kmph.
- The **Depression** over eastcentral Arabian Sea moved nearly southwestwards with a speed of 13 kmph during past 6 hours and lay centered at 0830 hrs IST of today, the 26th October 2025, over the same region, near latitude 16.0°N & longitude 66.5°E, about 760 km west-southwest of Mumbai (Maharashtra), about 790 km west of Panjim (Goa), 870 km northwest of Aminidivi (Lakshadweep) and about 970 km west-northwest of Mangalore (Karnataka).It is likely to move nearly southwestwards initially and then south-southwestwards across Eastcentral Arabian Sea during next 24 hours
- The trough from the upper air cyclonic circulation associated with Depression over eastcentral Arabian sea to
 west Madhya Pradesh across northeast Arabian sea and south Gujarat region between 1.5 & 3.1 km above
 mean sea level persists.
- A Fresh **Western Disturbance** seen as a trough in middle tropospheric westerlies with its axis at 5.8 km above mean sea level runs roughly along Long. 61°E to the north of Lat. 28°N.

Weather Outlook for subsequent 3 days

- Scattered to Fairly widespread rainfall activity likely over the southern part of India.
- · Isolated to scattered rainfall activity likely over Northeast and East India.









26 October (Day 1)

- Heavy to Very Heavy Rainfall very likely at isolated places over Coastal Karnataka and Gujarat State.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Tamil Nadu Puducherry & Karaikal and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands and Konkan & Goa.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Gujarat State, Marathwada, Tamil Nadu Puducherry & Karaikal, Vidarbha and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Assam & Meghalaya, Chhattisgarh, East Rajasthan, Interior Karnataka, Madhya Maharashtra, Madhya Pradesh, Telangana, Vidarbha and West Uttar Pradesh.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail over northeast Arabian Sea and along & off Maharashtra and Gujarat coasts, along & off Tamil Nadu Puducherry coast, along & off Andhra Pradesh & Yanam (of Puducherry) coasts, along & off south Odisha coast.
 - Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail around the system center and continue to prevail over Eastcentral and adjoining Southeast Arabian Sea, Lakshadweep & Comorin Area and along & off Karnataka and Kerala coasts.
 - Gale wind speed reaching 60-70 kmph gusting to 80 kmph over southwest and adjoining areas of southeast & West central Bay of Bengal Bay of Bengal from evening. Fishermen are advised not to venture into Eastcentral and adjoining Southeast Arabian Sea a, Lakshadweep & Comorin Area and along & off Karnataka and Kerala coasts, along & off Odisha coast.









27 October (Day 2)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Coastal Karnataka, East Rajasthan, Gujarat State, Kerala & Mahe, Odisha, Rayalaseema and Tamil Nadu Puducherry & Karaikal.
- ♦ Heavy Rainfall very likely at isolated places over Chhattisgarh, Interior Karnataka, Konkan & Goa, Telangana and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands and Konkan & Goa.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Gujarat State, Odisha, Tamil Nadu Puducherry & Karaikal and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Chhattisgarh, Interior Karnataka, Madhya Pradesh, Maharashtra, Rajasthan, Telangana and West Uttar Pradesh.
 - Squally weather with, along & off south Odisha wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to along & off Tamil Nadu Puducherry coast.
 - Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over along and off south Odisha coast, along & off Andhra Pradesh & Yanam (of Puducherry) coasts.
 - Gale wind speed reaching 80-90 kmph gusting to 100 kmph over westcentral and adjoining northwest Bay
 of Bengal.









28 October (Day 3)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Odisha and Telangana.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Rayalaseema, Tamil Nadu Puducherry & Karaikal and Vidarbha.
- ♦ Heavy Rainfall very likely at isolated places over Coastal Karnataka, East Rajasthan, Gangetic West Bengal, Gujarat State, Jharkhand, Kerala & Mahe, South Interior Karnataka and West Madhya Pradesh.
- * Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Odisha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Chhattisgarh and Konkan & Goa.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Gujarat State, Jharkhand, Tamil Nadu Puducherry & Karaikal and West Madhya Pradesh.
- **Thunderstorm accompanied with Lightning** very likely at isolated places over Andhra Pradesh, Gangetic West Bengal, Interior Karnataka, Jharkhand, Madhya Pradesh, Maharashtra, Rajasthan and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail aalong & off Tamil Nadu - Puducherry coast.
 - Squally weather with wind speed 60-70 kmph gusting to 80 kmph likely to prevail over along & off south Odisha coast.
 - Gale wind speed reaching 80-90 kmph gusting to 100 kmph over westcentral and adjoining northwest Bay of Bengal.









29 October (Day 4)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh and Odisha.
- Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh and Telangana.
- ♦ Heavy Rainfall likely at isolated places over Bihar, East Madhya Pradesh, Gangetic West Bengal, Gujarat State, Jharkhand, Rayalaseema and Vidarbha.
- * Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Odisha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Arunachal Pradesh, Chhattisgarh, Konkan & Goa and West Madhya Pradesh.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Assam & Meghalaya, Gujarat State and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, East Rajasthan, Madhya Pradesh, Maharashtra, Telangana and West Bengal & Sikkim.
 - Squally weather with wind speed 40-50 kmph gusting to 60 kmph likely to prevail over along and off south Odisha coast.
 - Squally weather with wind speed 60-70 kmph gusting to 80 kmph likely to prevail over along & off along & off Andhra Pradesh & Yanam (of Puducherry) coasts.









30 October (Day 5)

- **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Jharkhand, Nagaland, Manipur, Mizoram and Tripura, Odisha, Saurashtra & Kutch, Telangana, Vidarbha and West Bengal & Sikkim.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Arunachal Pradesh, Konkan & Goa and West Madhya Pradesh.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, Gujarat State and Jharkhand.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, East Rajasthan, Madhya Maharashtra, Madhya Pradesh, Odisha, Telangana, Vidarbha and West Bengal & Sikkim.

No Fishermen Warning








31 October (Day 6)


- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Jharkhand, Nagaland, Manipur, Mizoram and Tripura and West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, East Uttar Pradesh and Jharkhand.
- * Thunderstorm accompanied with Lightning likely at isolated places over West Bengal & Sikkim.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences





1 November (Day 7)

♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram and Tripura.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Table-1

7 Days Rainfall Foreca	ast
------------------------	-----

S.No. Subdivision 26- 27- 28- 29- 30- 31- 1- Oct O
Day 1 Day 2 Day 3 Day 4 Day 5 Day 6 Day 6 Day 1
1 ANDAMAN & NICOBAR ISLANDS WS FWS
2 ARUNACHAL PRADESH ISOL ISOL ISOL ISOL SCT FWS FWS<
SOL
4 N. M. M. & T. ISOL ISOL ISOL SCT FWS
5 S.H. WEST BENGAL & SIKKIM ISOL DRY ISOL SCT FWS
6 GANGETIC WEST BENGAL DRY ISOL SCT FWS
7 ODISHA ISOL FWS F
8 JHARKHAND 9 BIHAR 10 EAST UTTAR PRADESH 11 WEST UTTAR PRADESH 12 UTTARAKHAND 13 HARYANA, CHD & DELHI 14 PUNJAB 15 HIMACHAL PRADESH 16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 18 EAST RAJASTHAN 18 EAST RAJASTHAN 18 UTTARAKHAND 18 UTTARA
9 BIHAR DRY DRY ISOL SCT FWS FWS F 10 EAST UTTAR PRADESH DRY DRY DRY ISOL ISOL ISOL ISOL 11 WEST UTTAR PRADESH DRY
10 EAST UTTAR PRADESH 11 WEST UTTAR PRADESH 12 UTTARAKHAND 13 HARYANA, CHD & DELHI 14 PUNJAB 15 HIMACHAL PRADESH 16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 31 KEST LISOL BRY DRY DRY BRY DRY DRY DRY DRY DRY DRY DRY DRY DRY D
11 WEST UTTAR PRADESH 12 UTTARAKHAND DRY
12 UTTARAKHAND 13 HARYANA, CHD & DELHI 14 PUNJAB 15 HIMACHAL PRADESH 16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA DRY
13 HARYANA, CHD & DELHI 14 PUNJAB DRY
14 PUNJAB DRY
15 HIMACHAL PRADESH 16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA DRY
16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA DRY
17 WEST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA DRY ISOL I
18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA 18 EAST RAJASTHAN 18 ISOL SCT SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA FWS FWS FWS SCT SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA FWS SCT SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
21 GUJRAT REGION FWS FWS FWS SCT SCT IS 22 SAURASHTRA & KUTCH FWS FWS FWS FWS SCT SCT IS 23 KONKAN & GOA WS FWS SCT SCT ISOL IS
22 SAURASHTRA & KUTCH FWS FWS FWS SCT SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
23 KONKAN & GOA WS FWS SCT SCT ISOL IS
24 MADHYA MAHARASHTRA FWS SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
25 MARATHWADA ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
26 VIDARBHA SCT SCT WS WS FWS ISOL IS
27 CHATTISGARH SCT SCT FWS WS FWS ISOL IS
28 COASTAL ANDHRA PRADESH SCT FWS WS SCT ISOL IS
29 TELANGANA SCT SCT FWS FWS SCT ISOL IS
30 RAYALASEEMA SCT SCT FWS FWS SCT ISOL IS
31 TAMILNADU & PUDUCHERRY SCT SCT SCT ISOL ISOL ISOL ISOL
32 COSTAL KARNATAKA WS WS FWS SCT SCT S
33 NORTH INTERIOR KARNATAKA SCT FWS SCT SCT ISOL ISOL IS
34 SOUTH INTERIOR KARNATAKA SCT SCT SCT ISOL ISOL IS
35 KERALA FWS WS FWS SCT ISOL IS
36 LAKSHDWEEP FWS WS FWS SCT SCT S

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-10-25




Fig. 3: Minimum Temperatures Dated 2025-10-26




Fig. 2: Departure of Maximum Temp. Dated 2025-10-25






Fig. 4: Departure of Minimum Temp. Dated 2025-10-26









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to

- Extremely heavy rainfall (≥21 cm) at isolated places over Coastal Andhra Pradesh & Yanam during 27th–29th and Telangana on 28th; south Odisha on 28th & 29th; Chhattisgarh on 28th October.
- Very heavy rainfall (12-20 cm) at isolated places Rayalaseema, Tamil Nadu, on 27th & 28th, Kerala & Mahe on 27th; Coastal Karnataka on 26th & 27th, Coastal Andhra Pradesh & Yanam during 27th–29th and Telangana on 28th & 29th; Odisha during 27th-29th; Vidarbha on 28th and Chhattisgarh on 28th & 29th; Gujarat Stateon 26th & 27th; East Rajasthan on 27th October.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
 of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments mainly over Bihar, Jharkhand and West Bengal (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

(Based on the IBF and advisories issued by different AMFUs)

- In **Andhra Pradesh**,postpone harvesting of groundnut crop during heavy rainfall periods and store the already harvested produce in safe places. Drain out excess water from fields of rice, maize, pigeon pea, black gram, green gram, cotton, groundnut, turmeric, ginger, vegetables and plantations of banana, coconut and arecanut. Avoid sowing of *rabi* crops (*rabi* maize, Bengal gram etc.) until the soil moisture reaches at optimum level.
- In Tamil Nadu, harvest matured rice and groundnut crops only during fair weather and store the harvested
 produce of rice, groundnut and harvested banana bunches in safer places. Make arrangements to drain out
 excess water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of
 coconut, banana and black pepper to avoid water stagnation. Avoid transplanting or direct sowing of rice and
 sowing of maize during heavy rainfall.
- In **Kerala**, harvest matured rice crop immediately and keep the produce in safe places. Ensure adequate drainage facilities in fields of rice, vegetables and plantations of banana, coconut, arecanut, cardamom and black pepper.
- In **Coastal Karnataka**, postpone harvesting of rice during heavy rainfall periods and shift the already harvested produce to safer places. Provide adequate drainage facilities in fields of rice and plantations of coconut, arecanut and black pepper.
- In Telangana, harvest matured cotton crop immediately and store the produce in safer places. Cover the
 already harvested produce of maize and soybean crops lying on the fields with taurpalin or shift to a safer
 place.
- In Andaman and Nicobar Islands, store the harvested produce of rice at safe places to avoid degradation.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Drain out excess water from fields of rice, vegetables and plantation crops.

- In **Odisha**, harvest rice crop if 85% of grains are matured and store in safer places before commencement of rains or cover the harvested produce in the fields with polythene. Harvest matured black gram, maize, vegetables (pumpkin, okra, bitter gourd etc.) and matured cobs of maize and keep the produce in safer places. Make provision for draining out excess water from fields of rice, black gram, pigeon pea, maize, groundnut, cotton, sugarcane and vegetables. Postpone sowing / planting of *rabi* crops (*rabi* pulses, vegetables etc.) till cessation of rains.
- In **Gujarat, keep the** harvested produce of rice, groundnut, soybean, black gram, green gram, sesame, maize, pearl mllet and vegetables (tomato, brinjal, chilli, okra, cucurbits etc.) in safe places.
- In **Konkan**, keep the harvested produce of rice and finger millet in safer places. In **Madhya Maharashtra**, store the harvested produce of rice, soybean, maize, groundnut and pearl millet in safe places. In **Vidarbha**, harvest the matured crops of rice (early maturing varieties) and soybean only during fair weather and keep the harvested produce at safer places.
- In Chhattisgarh, keep the harvested produce of minor millets, maize, black gram and horse gram at safer places.
- In **East Rajasthan**, complete the harvesting of matured crops like maize and soybean. Keep the harvested produce od rice, maize and soybean at safer places.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.


Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
- Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning







Cold Day













Ground Frost



	(<u> </u>	EGENDS)
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING (NO ACTION)	Most Likely > 75
/0	Heavy: 64.5 to 115.5 mm/cm *	
* *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *	
ain/ Snow		
	When maximum temperature of a s (a) Based on Departure from normal	station reaches ≥40° C for plains and ≥30° C for l
	Heat Wave: Maximum Temperature Dep	
	Severe Heat Wave: Maximum Temperat	ure Departure from normal ≥6.5° C
J+	(b). Based on Actual maximum tem	perature
leat Wave	Heat Wave: When actual maximum temp	
	Severe Heat Wave: When actual maxim	v and the second
	(c). Criteria for heat wave for coast When maximum temperature departure is	tal stations s >4.5°C from normal. Heat Wave may be described provide
	temperature ≥37°C	
ı.	When maximum temperature rema	
arm Night	Warm Night: When minimum temperatur	
- Ingili	Severe Warm Night: When minimum ter	nperature departure >6.4 °C.
	When minimum temperature of a	a station ≤10°C for plains and ≤0°C for hilly reg
	(a). Based on departure	station 210 0 for plants and 20 0 for filling regi
	Cold Wave: Minimum Temperature Depart	
Q -	Severe Cold Wave: Minimum Temperatu	
Cold Wave	(b) Based on actual Minimum Tem	
Join Have	Cold Wave : When Minimum Temperatur Severe Cold Wave: When Minimum Ter	
	(c) For Coastal Stations	inputation is a 2.0 o
		is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a s	station ≤10°C for plains and ≤0°C for hilly regions
N _	Based on departure	,
Cold Day	Cold Day: Maximum Temperature Depart	
Cold Day	Severe Cold Day: Maximum Temperatur	re Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets	suspended in air and the horizontal visibili
0	Moderate Fog: When the visibility between	
	Dense Fog: when the visibility between	50- 200 metres
Fog		50- 200 metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres) metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	50- 200 metres) metres
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or	50- 200 metres) metres
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder)	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind.	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind.	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden Moderate: Wind speed 52-61 kmph	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres 0 metres 1 metre
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64	50-200 metres 0 metres 1 metre
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research as a sharp research a
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (>Phenomenal: Wind speed 62-87 kmph Cyclonic Storm: Wind speed 82-87 kmph Severe Cyclonic Storm: Wind speed 88-87 kmph	50-200 metres netres fested by a flash of light (Lightning) and a sharp reserved by a flash of light (Lightning) and a sharp reserved by a street of the sharp reserved by a sharp r
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	fested by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a structure of the sharp