



2025-11-20

Time of Issue: 13:12:00 hours IST

(Mid-Day)

## ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

### **Significant Weather Features**

### Weather Forecast and Warnings:

- Light to moderate rainfall/thunderstorm at many/some places with isolated heavy rainfall very likely over Tamil Nadu during 21<sup>st</sup> -26<sup>th</sup>; Kerala & Mahe during 21<sup>st</sup> 23<sup>rd</sup>; Coastal Andhra Pradesh & Yanam, Rayalaseema on 26<sup>th</sup>; Andaman & Nicobar Islands on 20<sup>th</sup> & during 23<sup>rd</sup> -24<sup>th</sup> November; with isolated very Heavy rainfall over Andaman & Nicobar Islands on 21<sup>st</sup> & 22<sup>nd</sup> November.
- Thunderstorm with lightning very likely over Tamil Nadu and Kerala & Mahe during 21<sup>st</sup> -24<sup>th</sup>; Coastal Andhra Pradesh & Yanam and Rayalaseema during 22<sup>nd</sup> -24<sup>th</sup> and over Andaman & Nicobar Islands with gusty wind speeds reaching 40-50 kmph on 20<sup>th</sup> & 24<sup>th</sup> and with gusty wind speed reaching 50-60 kmph during 21<sup>st</sup> -23<sup>rd</sup> November.

### Forecast of temperature and cold wave and cold day warnings:

- Gradual rise in minimum temperature likely by 2-4<sup>0</sup>C likely over Central India during next 4 days and no large change thereafter.
- No significant change in minimum temperature likely over plains of northwest India for next 24 hours and thereafter gradual fall in temperature by 2-3 <sup>o</sup>C during next 6 days.
- Gradual rise in minimum temperature likely by 2-4°C over West India for next 5 days and no large change thereafter.
- No large change in the rest part of the country.
- Cold wave conditions at isolated parts over West Madhya Pradesh on 21<sup>st</sup> & 22<sup>nd</sup> November.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- \* Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Andaman & Nicobar Islands; at a few places over Kerala & Mahe and Lakshadweep; at isolated places over Arunachal Pradesh and Tamil Nadu, Puducherry & Karaikal; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Ayikudi (dist Tenkasi) 14; Thenkasi (dist Tenkasi) 12; Ambasamudram (dist Tirunelveli) 11; Kannadaian Anicut (dist Tirunelveli) 10; Tenkasi AWS (dist Tenkasi), Nalumukku (dist Tirunelveli), Oothu (dist Tirunelveli) 9 Each; Karuppanadhi Dam (dist Tenkasi), Kakkachi (dist Tirunelveli) 8 Each; Manjolai (dist Tirunelveli) 7; Andaman & Nicobar Islands: Long Island (dist North & Middle Andaman) 8; Lakshadweep: Minicoy (dist Lakshadweep) 7.
- **Heavy Rainfall observed** (from 0830 hours IST of yesterday to 0830 hours IST of today): **Heavy to very heavy rain** at isolated places over Tamil Nadu, Puducherry & Karaikal. **Heavy rain** at a few places over Lakshadweep and at isolated places over Andaman & Nicobar Islands.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense fog conditions: at isolated places over Himachal Pradesh and Odisha Shallow fog conditions: at a few places over Haryana Chandigarh & Delhi and Punjab, at isolated places over East Uttar Pradesh, Himachal Pradesh and West Madhya Pradesh
- ♦ Visibility reported (at 0830 hours of today): Odisha: Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Chhatrapur (dist Ganjam), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Paralakhemundi-obs (dist Gajapati) Each; Himachal Pradesh: Sundernagar (dist Mandi) 50.0, Mandi (dist Mandi) 500.0; West Madhya Pradesh: Hoshangabad (dist Narmadapuram) 500.0; East Uttar Pradesh: Varanasi (babatpur) AP (dist Varanasi), Fursatganj (dist Amethi), Allahabad (dist Prayagraj), Kanpur Airforce (dist Kanpur Nagar) 500.0 Each; Punjab: Amritsar (rajasansi) AP (dist Amritsar), Ludhiana (dist Ludhiana) 500.0 Each; Haryana Chandigarh & Delhi: New Delhi (safdarjung), New Delhi (palam) AP (dist South West Delhi) 500.0 Each;
- Minimum Temperature Departures (as on 20-11-2025): below normal(-1.6°C to -3.0°C) at many places over Chhattisgarh; at few places over Gujarat Region; at isolated places over Vidarbha. appreciably below normal(-5.0°C to -3.1°C) at most places over Marathwada; at few places over Telangana. The lowest minimum temperature of 7.5°C is reported at Rajgarh (West Madhya Pradesh) over the plains of India.
- **♦ Maximum Temperature Departures (as on 19-11-2025): The highest maximum temperature** of 36.0°C is reported at KARWAR (KARNATAKA).



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


## Meteorological Analysis (Based on 0830 hours IST)


- The Low-Pressure area over Lakshadweep Islands & adjoining Maldives area lay over southeast Arabian Sea & adjoining Lakshadweep area at 0830 hrs IST of today, the 20<sup>th</sup> November 2025. The associated cyclonic circulation extended upto 4.5 km above mean sea level. It is likely to move slowly west-northwestwards during next 24 hours.
- An upper air cyclonic circulation lay over central parts of Strait of Malacca and extended upto 5.8 km above
  mean sea level. Under its influence, aLow Pressure area is likely to form over Southeast Bay of Bengal around
  22<sup>nd</sup> November 2025. Thereafter, it is very likely to move west-northwestwards and intensify into depression
  over central parts of south Bay of Bengal around 24<sup>th</sup> November 2025. Thereafter, it will very likely to continue
  to move west-northwestwards and intensify further over southwest Bay of Bengal during subsequent 48 hours.
- The cyclonic circulation over Southwest Bay of Bengal & neighbourhood has become less marked.

## Weather Outlook for subsequent 3 days

- · fairly widespread to widespread rainfall activity likely over Tamil Nadu, Kerala and Islands.
- Isolated to Scattered rainfall activity over Coastal Andhra Pradesh, Coastal Karnataka and South Interior Karnataka.









## 20 November (Day 1)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands.
- \* Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands.
- **Cold wave conditions** very likely at isolated places over West Madhya Pradesh.
  - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail over Andaman Sea, adjoining parts of southeast, eastcentral Bay of Bengal.









### 21 November (Day 2)

- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **♦ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- **♦ Thunderstorm accompanied with Lightning** very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **Strong Surface Winds** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Cold wave conditions very likely at isolated places over West Madhya Pradesh.
  - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, adjoining, many parts of southeast Bay of Bengal.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea.









### 22 November (Day 3)

- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **♦ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands.
  - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over southeast & adjoining, some parts of southwest Bay of Bengal.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea & adjoining southeast Bay of Bengal.









## 23 November (Day 4)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Andaman & Nicobar Islands
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **Strong Surface Winds** likely at isolated places over Andaman & Nicobar Islands.
  - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over southeast & adjoining, many parts of southwest Bay of Bengal.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea & adjoining, many parts of southeast Bay of Bengal.









## 24 November (Day 5)

- Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands and Tamil Nadu Puducherry & Karaikal.
- **♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ❖ Strong Surface Winds likely at isolated places over Andaman & Nicobar Islands.
  - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over south Bay of Bengal & adjoining central Bay of Bengal, Gulf of Mannar & adjoining Comorin area.
  - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over central parts of south Bay of Bengal.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






## 25 November (Day 6)

\* Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



## 26 November (Day 7)

Heavy Rainfall likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



# Table-1

# 7 Days Rainfall Forecast

	r Dayo Mann							
S.No.	Subdivision	20- Nov	21- Nov	22- Nov	23- Nov	24- Nov	25- Nov	26- Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	WS						
2	ARUNACHAL PRADESH	DRY						
3	ASSAM & MEHGHALAYA	DRY						
4	N. M. M. & T.	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	ISOL	ISOL	DRY	DRY
6	GANGETIC WEST BENGAL	DRY						
7	ODISHA	DRY						
8	JHARKHAND	DRY						
9	BIHAR	DRY						
10	EAST UTTAR PRADESH	DRY						
11	WEST UTTAR PRADESH	DRY						
12	UTTARAKHAND	DRY						
13	HARYANA, CHD & DELHI	DRY						
14	PUNJAB	DRY						
15	HIMACHAL PRADESH	DRY						
16	JAMMU AND KASHMIR AND LADAKH	DRY						
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY						
19	WEST MADHYA PRADESH	DRY						
20	EAST MADHYA PRADESH	DRY						
21	GUJRAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY	DRY	ISOL	ISOL	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	ISOL	ISOL	ISOL	DRY	DRY
25	MARATHWADA	DRY						
26	VIDARBHA	DRY						
27	CHATTISGARH	DRY						
28	COASTAL ANDHRA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	SCT
29	TELANGANA	DRY	DRY	ISOL	ISOL	ISOL	ISOL	DRY
30	RAYALASEEMA	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
31	TAMILNADU & PUDUCHERRY	ISOL	SCT	SCT	SCT	SCT	SCT	SCT
32	COSTAL KARNATAKA	DRY	ISOL	ISOL	SCT	SCT	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	ISOL	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	ISOL	SCT	SCT	ISOL	DRY	DRY
	KERALA	SCT	SCT	FWS	FWS	SCT	ISOL	ISOL
36	LAKSHDWEEP	SCT						

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-11-19




Fig. 3: Minimum Temperatures Dated 2025-11-20




Fig. 2: Departure of Maximum Temp. Dated 2025-11-19






Fig. 4: Departure of Minimum Temp. Dated 2025-11-20









#### Impact & Action Suggested due to

• Isolated very Heavy rainfall likely over Andaman & Nicobar Islands on 22<sup>nd</sup> & 23<sup>rd</sup> November.

#### Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
  of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

#### **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure.

#### Impact expected due to Cold Day/Severe Cold day conditions:

• Cold wave to severe cold wave likely to prevail over West Madhya Pradesh on 20<sup>th</sup> November.

## **Impact Expected:**

- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually
  black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite
  needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

## **Action suggested:**

- Wear several layers of loose fitting, light weight; warm woollen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm Woolen clothing rather than one layer of heavy cloth.
- Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- If the affected skin area turns black, immediately consult a doctor.
- Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- Take safety measures while using electrical and gas heating devices.
- Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- · Protect livestock from cold weather.



## National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

### Agromet advisories for various parts of the country

## Agromet advisories for likely impact of Heavy Rainfall

- In **Tamil Nadu**, keep the harvested produce of rice and groundnut crops in safe places. Drain out excess rain water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, cinnamon and black pepper. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Kerala**, drain out excess rain water fromfields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana plants to prevent falling due to heavy rainfall and strong winds.
- In Andaman and Nicobar Islands, store the harvested produce of rice in well-covered elevated places to
  prevent moisture damage. Harvest matured vegetables to avoid damage and provide support to banana,
  papaya and other tall crops with stakes to prevent lodging. Avoid sowing of pulses and oilseed crops during
  heavy rainfall. Protect young seedlings in nursery using temporary rain shelters or plastic covers.

#### Livestock / Fishery

- · Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

#### Agromet advisories for likely impact of Thunderstorm / Gusty Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

## Agromet advisories for likely impact of Cold Waves / Low Temperatures

• In **West Madhya Pradesh**, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature. Cover banana bunches with 6% perforated plastic bags for protection from low temperatures.

## **Livestock / Poultry**

- Keep cattle inside the sheds during night and provide dry bedding to protect them from cold.
- Keep the chicks warm by providing artificial light in the poultry sheds.







## SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

## Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

# WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning









Extremely Heavy Rain 🗼 Heavy Snow





Hot Day



Dust Raising Winds Warm Night





**Ground Frost** 



FOG FOG



	( <u> </u>	EGENDS )
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT ( BE PREPARED)	Unlikely < 25  Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING ( NO ACTION)	Most Likely > 75
/0	Heavy: 64.5 to 115.5 mm/cm *	
* *	Very Heavy: 115.6 to 204.4 mm/cm*  Extremely Heavy: > 204.4 mm/cm *	
ain/ Snow		
	When maximum temperature of a s (a) Based on Departure from normal	station reaches ≥40° C for plains and ≥30° C for l
	Heat Wave: Maximum Temperature Dep	
	Severe Heat Wave: Maximum Temperat	ure Departure from normal ≥6.5° C
J+	(b). Based on Actual maximum tem	perature
leat Wave	Heat Wave: When actual maximum temp	
	Severe Heat Wave: When actual maxim	v and the second
	(c). Criteria for heat wave for coast When maximum temperature departure is	tal stations s >4.5°C from normal. Heat Wave may be described provide
	temperature ≥37°C	
ı.	When maximum temperature rema	
arm Night	Warm Night: When minimum temperatur	
- Ingili	Severe Warm Night: When minimum ter	nperature departure >6.4 °C.
	When minimum temperature of a	a station ≤10°C for plains and ≤0°C for hilly reg
	(a). Based on departure	station 210 0 for plants and 20 0 for filling regi
	Cold Wave: Minimum Temperature Depart	
<b>Q</b> -	Severe Cold Wave: Minimum Temperatu	
Cold Wave	(b) Based on actual Minimum Tem	
Join Have	Cold Wave : When Minimum Temperatur Severe Cold Wave: When Minimum Ter	
	( c) For Coastal Stations	inputation is a 2.0 o
		is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a s	station ≤10°C for plains and ≤0°C for hilly regions
<b>N</b> _	Based on departure	,
Cold Day	Cold Day: Maximum Temperature Depart	
Cold Day	Severe Cold Day: Maximum Temperatur	re Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets	suspended in air and the horizontal visibili
0	Moderate Fog: When the visibility between	
	Dense Fog: when the visibility between	50- 200 metres
Fog		50- 200 metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres ) metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif	50- 200 metres ) metres
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust or	50- 200 metres ) metres
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)	50- 200 metres  metres  fested by a flash of light (Lightning) and a sharp ru
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.	50- 200 metres  metres  fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground	50- 200 metres  metres  fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.	50- 200 metres  metres  fested by a flash of light (Lightning) and a sharp ru
Fog  Wy understorm  Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)	50-200 metres ) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog  Wy understorm  Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)	50- 200 metres  metres  fested by a flash of light (Lightning) and a sharp ru
Fog  Wy understorm  Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudden	50-200 metres ) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog  Wy understorm  Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudde Moderate: Wind speed 52-61 kmph	50-200 metres ) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
understorm  Dust/Sand Storm  Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust or turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudde Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph	50-200 metres ) metres  fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm  Dust/Sand Storm  Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust or turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudde Moderate: Wind speed 52-61 kmph  Severe: Wind speed 62-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea	50-200 metres ) metres  fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm  Dust/Sand Storm  Frost  Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres 0 metres 1 metre
understorm  Dust/Sand Storm  Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust or turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-64	50-200 metres 0 metres 1 metre
understorm  Dust/Sand Storm  Frost  Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres  ) metres  fested by a flash of light (Lightning) and a sharp research as a sharp research a
understorm  Dust/Sand Storm  Frost  Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust or turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudde Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-61 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (>Phenomenal: Wind speed 62-87 kmph  Cyclonic Storm: Wind speed 82-87 kmph  Severe Cyclonic Storm: Wind speed 88-87 kmph	50-200 metres  netres  fested by a flash of light (Lightning) and a sharp reserved by a flash of light (Lightning) and a sharp reserved by a street of the sharp reserved by a sharp r
understorm  Dust/Sand Storm  Frost  Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50  Sudden electrical discharges manif sound (thunder)  An ensemble of particles of dust or turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (>  Cyclonic Storm: Wind speed 62-87 kmph	fested by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a structure of the sharp