



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Tuesday, October 22, 2024 Time of Issue: 1400 hours IST (MID-DAY)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features:

Weather Systems:

- * Yesterday's Low Pressure Area over Eastcentral Bay of Bengal & adjoining north Andaman Sea intensified into a **Depression** over Eastcentral Bay of Bengal at 0530 hours IST of today. It moved west-northwestwards with a speed of 6 kmph during past 3 hours and lay centred at 0830 hrs IST of today over the same region near latitude 15.5°N and longitude 91.0°E, about 700 km southeast of Paradip (Odisha), 750 km south-southeast of Sagar Island (West Bengal) and 730 km south-southeast of Khepupara (Bangladesh). It is very likely to move west-northwestwards and intensify into a **Cyclonic Storm** by 23rd October, 2024 over eastcentral Bay of Bengal. Thereafter, continuing to move northwestwards, it is very likely to intensify into a **Severe Cyclonic Storm** over northwest Bay of Bengal by morning of 24th and cross north Odisha and West Bengal coasts between Puri and Sagar Island during night of 24th to morning of 25th October, 2024 as a Severe Cyclonic Storm with a wind speed of 100-110 kmph gusting 120 kmph.
- ❖ A **trough** runs from the above system to south Tamil Nadu coast in lower tropospheric levels.
- Yesterday's Low Pressure Area over westcentral Arabian Sea persisted over the same region. It is likely to move west-northwestwards away from Indian coast and weaken further during next 12 hours.
- ❖ An **upper air cyclonic circulation** lies over eastcentral Arabian sea off Karnataka coast in lower and middle tropospheric levels.

Forecast & Warnings (upto 7 days):

East India:

- ✓ Light to moderate rainfall at most places with **heavy rainfall** at isolated places very likely over Andaman & Nicobar Islands on 22nd October.
- ✓ Light to moderate rainfall at most places with **heavy rainfall** at isolated places very likely over Odisha on 23rd & 26th; **heavy to very heavy rainfall** at a few places with **extremely heavy rainfall at** isolated places on 24th & 25th October.
- ✓ **Light to moderate rainfall at most places with heavy rainfall** at isolated places very likely over Gangetic West Bengal on 22nd ,23rd & 26th **heavy to very heavy rainfall** at a few places with **extremely heavy rainfall at** isolated places on 24th & 25th October.
- ✓ Light to moderate rainfall at a few places with **heavy rainfall** at isolated places very likely over Jharkhand on 24th; **heavy to very heavy rainfall** at isolated places on 25th October.

South Peninsular India:

- ✓ Light to moderate rainfall at many places accompanied with isolated thunderstorm and lightning very likely over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Costal & South Interior Karnataka during next 3 days and light rainfall at isolated places is likely to prevail subsequent 4 days; light to moderate rainfall at Isolated places very likely over rest of the region during the week.
- ✓ **Isolated very heavy rainfall** very likely over South Interior Karnataka on 22nd October.
- ✓ **Isolated heavy rainfall** very likely over Tamil Nadu, Puducherry & Karaikal and Karnataka, Kerala & Mahe on 22nd & 23rd, Rayalaseema on 22nd, Coastal Andhra Pradesh & Yanam on 25th October.

West India:

- ✓ Light to moderate rainfall at a few places accompanied with isolated thunderstorm and lightning very likely over Konkan & Goa and Madhya Maharashtra during next 3 days and dry weather is likely to prevail subsequent 4 days; light to moderate rainfall at Isolated places very likely over rest of the region during next 2 days and where dry weather is likely to prevail subsequent 5 days.
- ✓ **Isolated heavy rainfall** very likely over Konkan & Goa, Madhya Maharashtra on 22nd October.

Northeast India:

- ✓ Light to moderate rainfall at many places accompanied with isolated thunderstorm and lightning very likely over Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura during next 4 days and light rainfall at isolated places is likely to prevail subsequent 3 days; light to moderate rainfall at Isolated places very likely over Arunachal Pradesh during next 7days.
- ✓ **Isolated heavy rainfall** very likely over Arunachal Pradesh on 23rd, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 23rd & 24th October.

Central & Northwest India:

✓ No significant rainfall likely over these regions during the week.

Northeast, Central & Northwest India:

✓ No significant rainfall likely over these regions during the week.







Main Weather Observations:

- ❖ Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Andaman & Nicobar Islands, Odisha, Lakshadweep, Rayalaseema, Coastal Karnataka and South Interior Karnataka; at a few places over Konkan & Goa, Madhya Maharashtra, Marathwada, Gujarat state, Kerala & Mahe, Coastal Andhra Pradesh & Yanam Telangana, North Interior Karnataka at isolated places over East Rajasthan, West Madhya Pradesh, Chhattisgarh, Bihar, Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Tamil Nadu, Puducherry & Karaikal.
- Heavy rainfall recorded (from 0830 hours IST of yesterday to 0830 hours IST of today): Heavy to very Heavy rainfall at isolated places over South Interior Karnataka; Heavy rainfall at isolated places over Andaman & Nicobar Islands, West Madhya Pradesh, Rayalaseema, Konkan & Goa, Tamil Nadu, Puducherry & Karaikal.
- ❖ Significant amount of rainfall (from 0830 hours IST of yesterday to 0830 hours IST of today): (in cm): South Interior Karnataka: Nayakanahatty (dist Chitradurga) 13, Tyagarthi (dist Shivamogga) 8;Rayalaseema: Ramagiri (dist Sri Sathyasai District) 10, Chenne Kothapalle (dist Sri Sathyasai District) 9, Penu Konda (dist Sri Sathyasai District) 9, Kalyandrug (dist Anantapuramu) 9; Hindupur (dist Sri Sathyasai District) 8, Dharmavaram (dist Sri Sathyasai District) 8, Amadagur(dist Sri Sathyasai District) 7, Madanapalle (dist Annamayya District) 7, Lepakshi (dist SriSathyasai District) 7, Kambadur (dist Anantapuramu) 7; Tamil Nadu, Puducherry & Karaikal: Tiruvarur (dist Thiruvarur) 9, Tiruvarur AWS (dist Thiruvarur) 8, Chinnakalar (dist Coimbatore) 7; Konkan & Goa: Wakwali_agri (dist Ratnagiri) 8; West Madhya Pradesh: Gogawan (dist Khargone) 7; Andaman & Nicobar Islands: Maya Bandar (dist North & Samp; Middle Andaman) 7.
- ❖ Minimum Temperature Departures (as on 22-10-2024): Minimum temperatures are markedly above normal (5.1°C or more) at isolated places over Madhya Maharashtra; appreciably above normal (3.1°C to 5.0°C) at a few places over Vidarbha; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Rajasthan, Uttar Pradesh, Gujarat state, Madhya Maharashtra ,Konkan & Goa; above normal (1.6°C to 3.0°C) at most places over West Uttar Pradesh; a few places over Bihar, Telangana, North Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal; Below normal (-3.0°C to -1.6°C) at isolated places over Assam & Meghalaya. Today, the lowest minimum temperature of 16.9°C is reported at Ridge (Delhi) over the plains of the country. (Fig.4)
 - ❖ Maximum Temperature Departures (as on 21-10-2024): Maximum temperatures were markedly above normal (5.1°C or above) at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad; appreciably above normal (3.1°C to 5.0°C) at isolated places over Assam & Meghalaya; above normal (1.6°C to 3.0°C) at many places over East Uttar Pradesh; at a few place over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura; at isolated places over Himachal Pradesh, Uttarakhand, Rajasthan, Bihar, East Madhya Pradesh, Telangana, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe. Yesterday, the highest Maximum Temperature of 38.0°C was reported at Churu (East Rajasthan) over the country. (Fig. 2)








Meteorological Analysis (Based on 0830 hours IST)


- ❖ The Depression over Eastcentral Bay of Bengal moved west-northwestwards with a speed of 6 kmph during past 3 hours and lay centred at 0830 hrs IST of today, the 22nd October, over the same region near latitude 15.5°N and longitude 91.0°E, about 700 km southeast of Paradip (Odisha), 750 km south-southeast of Sagar Island (West Bengal) and 730 km south-southeast of Khepupara (Bangladesh). It is very likely to move west-northwestwards and intensify into a Cyclonic Storm by 23rd October, 2024 over eastcentral Bay of Bengal. Thereafter, continuing to move northwestwards, it is very likely to intensify into a Severe Cyclonic Storm over northwest Bay of Bengal by morning of 24th and cross north Odisha and West Bengal coasts between Puri and Sagar Island during night of 24th to morning of 25th October, 2024 as a Severe Cyclonic Storm with a wind speed of 100-110 kmph gusting 120 kmph.
- ❖ A **trough** runs from the centre of **Depression** over Eastcentral Bay of Bengal to south Tamil Nadu coast and extends upto 1.5 km above mean sea level.
- ❖ The **Low Pressure Area** over westcentral Arabian Sea with the associated cyclonic circulation extending upto 3.1 km above mean sea level persists over the same region. It is likely to move west-northwestwards away from Indian coast and weaken further during next 12 hours.
- ❖ The **upper air cyclonic circulation** over Eastcentral Arabian Sea off north Karnataka coast now lies over Eastcentral Arabian Sea off Karnataka coast and extends between 1.5 km and 5.8 km above mean sea level.
- ❖ The upper air cyclonic circulation over east Bangladesh & neighbourhood between 1.5 km & 3.1 km above mean sea level less marked.
- ❖ The **upper air cyclonic circulation** over Tamil Nadu & neighbourhood extending upto 5.8 km above mean sea level has become less marked.





Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 29th October, 2024)







22 October (Day 1):

- ❖ Heavy to very heavy rainfall with extremely heavy falls (≥ 20 cm) very likely at isolated places over South Interior Karnataka; Heavy rainfall (≥7cm) very likely at isolated places over Andaman & Nicobar Islands, Konkan & Goa, Madhya Maharashtra, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Rayalaseema, Coastal & North Interior Karnataka.
- ❖ Thunderstorm accompanied with lightning very likely at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Konkan & Goa, Madhya Maharashtra, Marathwada, Gujarat state, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema, Telangana, Karnataka, East Rajasthan, West Madhya Pradesh, Vidarbha.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph very likely to prevail over eastcentral Bay of Bengal and adjoining areas and Andaman Sea. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over Eastcentral and adjoining Areas. Strong winds with speed 50 kmph to 60 kmph gusting to 70 kmph is likely to prevail over Eastcentral & adjoining areas of Bay of B Bengal. Gale winds with speed 60 kmph to 90 kmph gusting to 100 kmph is likely to prevail over many parts of Eastcentral adjoining westcentral bay of Bengal. Fishermen are advised not to venture into these areas.











23 October (Day 2):

- ❖ Heavy rainfall (≥7cm) very likely at isolated places over Gangetic West Bengal, Odisha, Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Karnataka.
- Thunderstorm accompanied gusty winds (speed reaching 30-40 kmph) very likely at isolated places over Gangetic West Bengal, Odisha, Kerala & Mahe; with lightning likely at isolated places over Jharkhand, Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Konkan & Goa, Madhya Maharashtra, Tamil Nadu, Puducherry & Karaikal, Coastal Andhra Pradesh & Yanam, Rayalaseema, Karnataka.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph very likely to prevail over Central and North Bay of Bengal along and off North Andhra Pradesh, Odisha & west Bengal coasts. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over parts of central & north Bay of Bengal. Strong winds with speed 50 kmph to 60 kmph gusting to 70 kmph is likely to prevail over many parts of central adjoining north Bay of Bengal. gale winds with speed 60 kmph to 90 kmph gusting to 100 kmph is likely to prevail over many parts of eastcentral & adjoining westcentral Bay of Bengal. Fishermen are advised not to venture into these areas.











24 October (Day 3):

- ❖ Heavy to very heavy rainfall with extremely heavy falls (≥ 20 cm) very likely at isolated places over Odisha and Gangetic West Bengal; Heavy rainfall (≥7cm) likely at isolated places over Jharkhand, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura.
- ❖ Thunderstorm accompanied gusty winds (speed reaching 30-40 kmph) very likely at isolated places Bihar and Jharkhand; with lightning likely at isolated places over Chhattisgarh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Konkan & Goa, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema, Sub-Himalayan West Bengal & Sikkim.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph very likely to prevail over many parts of central and North Bay of Bengal. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over many parts of Westcentral & North Bay of Bengal and adjoining parts of Eastcentral, along and off Bangladesh coasts. Strong winds with speed 50 kmph to 60 kmph gusting to 70 kmph is likely to prevail over many parts of Westcentral and adjoining Eastcentral and North Bay of Bengal. Gale winds with speed 60 kmph to 90 kmph gusting to 110 kmph is likely to prevail over many parts of Westcentral & Northwest Bay of Bengal along and off Odisha, West Bengal coasts. Gale winds with speed 90 kmph to 110 kmph gusting to 120 kmph is likely to prevail over many parts of Westcentral & Northwest Bay of Bengal along and off Odisha, West Bengal coasts. Fishermen are advised not to venture into these areas.











25 October (Day 4):

- ❖ Heavy to very heavy rainfall with extremely heavy falls (≥ 20 cm) likely at isolated places over Odisha, Gangetic West Bengal; Heavy to very heavy rainfall (≥ 12 cm) likely at isolated places over Jharkhand; Heavy rainfall (≥7cm) likely at isolated places over Nagaland, Manipur, Mizoram & Tripura, Coastal Andhra Pradesh & Yanam.
- ❖ Thunderstorm accompanied gusty winds (speed reaching 30-40 kmph) likely at isolated places Jharkhand with lightning likely at isolated places over Chhattisgarh, Sub-Himalayan West Bengal & Sikkim, Nagaland, Manipur, Mizoram & Tripura, Kerala & Mahe, Coastal Andhra Pradesh & Yanam, Rayalaseema.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevail over many parts of central, Northeast Bay of Bengal, along and off North Andhra Pradesh. Squally weather with wind speed 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over many parts of central and Northeast Bay of Bengal along and off few parts of North Andhra Pradesh. Strong winds with speed 50 kmph to 60 kmph gusting to 70 kmph is likely to prevail over many parts of Westcentral and adjoining Eastcentral and Northeast Bay of Bengal. and Bangladesh coasts Gale winds with speed 60 kmph to 90 kmph gusting to 110 kmph is likely to prevail over many parts of Northwest Bay of Bengal and adjoining parts of Westcentral Bay of Bengal, along and off Odisha, West Bengal coasts. Gale winds with speed 90 kmph to 110 kmph gusting to 120 kmph is likely to prevail over Northwest along and off Odisha, West Bengal coasts. Fishermen are advised not to venture into these areas.











26 October (Day 5):

- **❖ Heavy rainfall (≥12cm)** likely at isolated places over Odisha and Gangetic West Bengal.
- **❖ Thunderstorm accompanied with lightning** likely at isolated places over Rayalaseema, Coastal Andhra Pradesh & Yanam, Chhattisgarh.
- ❖ Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph is likely to prevail over along and off few parts North Andhra Pradesh, Odisha, West Bengal. Fishermen are advised not to venture into these areas.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







27 October (Day 6):

❖ No weather warning.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





28 October (Day 7):

No weather warning.

Weather Outlook for subsequent 3 days (During 29th October - 31st October, 2024)

- ❖ Isolated to Scattered light rainfall likely over some parts of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe and Northeast India.
- ❖ Mainly dry weather will prevail over rest parts of country.
- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact due to

- ✓ **Isolated extremely heavy rainfall** very likely over Odisha, Gangetic West Bengal on 24th & 25th October.
- ✓ **Isolated heavy to very heavy rainfall** very likely over South Interior Karnataka on 22nd; Jharkhand on 25th October.

Impact Expected

- ✓ Major damage to thatched houses/ huts. Roof tops may blow off. Unattached metal sheets may fly.
- ✓ Minor damage to power and communication lines.
- ✓ Major damage to Kutcha and some damage to Pucca roads. Flooding of escape routes.
- ✓ Possibilities of damage to vulnerable structure. Breaking of tree branches and uprooting of trees.
- ✓ Moderate damage to banana and papaya trees. Large dead limbs blown from trees.
- ✓ Damage to horticulture and standing crops in some areas due to inundation and wind.
- ✓ Damage to embankments/ salt pans.
- ✓ Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- ✓ Occasional reduction in visibility due to heavy rainfall.
- ✓ Disruption of traffic in major cities and roadways due to water logging in roads and poor visibility due to heavy rain leading to increased travel time and incidents
- ✓ Localized Landslides/Mudslides/landslips/mud slips/land sinks/mud sinks.
- ✓ Likely disruption of marine and inland water transportation like small boats and trawlers.
- ✓ It may lead to riverine flooding in some river catchments (for riverine flooding please visit Webpage of Central Water Commission)

Action Suggested

- ✓ Judicious regulation of surface transports including railways and roadways.
- ✓ Check for traffic congestion on your route before leaving for your destination.
- ✓ Follow any traffic advisories that are issued in this regard.
- ✓ Avoid going to areas that face the water logging problems often.
- ✓ Avoid staying in vulnerable structure

Agromet advisories for Heavy Rainfall likely over various parts of the country


- ✓ In **Tamil Nadu**, drain out excess water from rice nurseries and fields of rice, maize, pepper and newly planted turmeric. Undertake detrashing and propping of more than five-month-old sugarcane to avoid lodging. Provide support to banana plantations.
- ✓ Make necessary arrangements to drain out excess water from standing crop fields and fruit orchards to avoid water stagnation in Andaman and Nicobar Islands, Kerala, Karnataka and Rayalaseema.
- ✓ Keep the harvested produce at safer places.
- ✓ Provide mechanical support to horticultural crops & staking to vegetables.
- ✓ In **Odisha**, undertake harvesting of rice crop if 85% of grains are matured in a panicle. Immediately harvest matured maize, black gram, green gram, groundnut, vegetables and fruits. Withhold sowing of pre-*rabi* pulses and winter vegetables. Provide propping in sugarcane by tying leaves from four to five plants together to prevent their lodging.
- ✓ In **Gangetic West Bengal,** drain out excess water from *Aman* rice, groundnut, pulses and vegetables. Complete harvesting of *kharif* rice, vegetables, and fruits as soon as possible.
- ✓ Shift the harvested produce to safer places at the earliest.
- ✓ Make arrangements for adequate drainage to avoid water logging in crop fields.
- ✓ Provide mechanical support to young fruit plants and staking in vegetables to prevent their lodging





Fig. 1: Maximum Temperatures

Fig. 2: Departure of Maximum Temperatures






Fig. 3: Minimum Temperatures




Fig. 4: Departure of Minimum Temperatures









Fig. 5: Accumulated Rainfall (mm) during past 24 hours




Sust Raising Winds



National Weather Forecasting Centre India Meteorological Department **Ministry of Earth Sciences**

LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations		Category	% Stations	Category		gory
76-100	Widespread (WS/Most Places)		26-50	Scattered (SCT/A Few Places)		
51-75	Fairly Widespread (FWS/Many Places)		1-25	Isolated (ISOL)		
Fog		Heavy Snow	_ Cold Wa	ve	COLOUR CODED WARNING	
		ineary one in	1		No Warning (No Action)	
Heavy Rain		ي Dust Storm	- Cold Da	y	Watch (Be Aware)	
> Very Heavy Rain		+ Heat Wave	Ground	Frost	Alert (Be Prepared To Take Action)	
Extremely Heavy Rain		+ Warm Night			Warning (Take Action)	
Thunder & Lightning		•1			Probabilistic Forecast	
		+ Hot Day			Terms	Probability of Occurrence (%
Hailstorm		hot & Humid			Unlikely Likely	< 25 25 - 50

Strong Surface Winds





	DEFINITION/CRITERIA					
	Heavy: 64.5 to 115.5 mm/cm *					
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm*					
	Extremely Heavy: > 204.4 mm/cm *					
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal					
Heat Wave	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.					
	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C					
	(b). Based on Actual maximum temperature					
	Heat Wave: When actual maximum temperature ≥45°C.					
	Severe Heat Wave: When actual maximum temperature ≥47°C					
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum					
	temperature ≥37°C					
	When maximum temperature remains 40°C					
Varm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.					
	Severe Warm Night: When minimum temperature departure >6.4 °C.					
Cold Wave	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure					
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.					
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C					
	(b) Based on actual Minimum Temperature (for Plains only)					
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C					
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C					
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C					
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions Based on departure					
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.					
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C					
	Dhannan of and the plate are and disciplined the basic and the basic and the basic and the second of					
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km Moderate Fog: When the visibility between 500-200 metres					
Fog	Dense Fog: when the visibility between 50- 200 metres					
	Very Dense Fog: when the visibility < 50 metres					
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)					
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.					
Frost	Ice deposits on ground					
	Air temperature ≤4°C (over Plains)					
	A strong wind that rises suddenly, lasts for atleast 1 minute					
	A strong wind that rises suddenly, lasts for atleast 1 minute. Moderate: Wind speed 52-61 kmph					
Squall	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph					
Squall	Moderate: Wind speed 52-61 kmph					
Squall	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph					
	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre					
Squall Sea State	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre					
	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre					
	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)					
Sea State	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)					
	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)					