



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-06-25

Time of Issue: 14:57:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Systems, Forecast and Warnings:

West India:

- Extremely heavy rainfall (>20 cm/24 hours) likely at isolated places over Gujarat Region on 25th June.
- Heavy to very heavy rainfall at isolated places likely over Konkan & Goa, Ghat areas of Madhya Maharashtra, Gujarat region and isolated heavy rainfall over Saurashtra & Kutch during 25th June-01st July.
- Light/moderate rainfall at most/many places likelyover the region during next 7 days.

Northwest India:

- Isolated **heavy rainfall** likely over Punjab, Haryana, Himachal Pradesh, Uttarakhand, West Uttar Pradesh during 25th June-01st July; Rajasthan during 25th-29th; Jammu-Kashmir during 25th-27th; East Uttar Pradesh during 28th June-01st July with **very heavy rainfall** overEast Rajasthan during 25th-28th; Uttarakhand during 25th-27th, Haryana, Himachal Pradesh on 25th; West Rajasthan on 27th; Punjab on 25th & 26th, West Uttar Pradesh on 25th June & 01st July 27th; Jammu-Kashmir on 25th June and East Uttar Pradesh on 30th June & 01st July.
- Light/moderate rainfall at most/many places accompanied with accompanied with thunderstorm, lightning
 & gusty winds speed reaching 30-40 kmph likelyoverNorthwest India during 25th June-01st July.

East & Central India:

- Extremely heavy rainfall (>20 cm/24 hours) likely at isolated places over Odisha on 25th June.
- Isolated **heavy rainfall** over Madhya Pradesh, Vidarbha, Chhattisgarh during 25th June-01st July; Jharkhand, Odisha, Gangetic West Bengal during 25th-28th, Sub-Himalayan West Bengal & Sikkim, Bihar during 27th June-01st July with **very heavy rainfall** over Madhya Pradesh on 25th, 26th June & 01st July; Sub-Himalayan West Bengal & Sikkim on 28th; Bihar on 28th & 29th; Jharkhand, Odisha on 26th June.
- Light/moderate rainfall at most/many places accompanied with thunderstorm, lightning & gusty winds speed reaching 40-50 kmph likelyover Andaman & Nicobar Islands, Madhya Pradesh, Vidarbha, Chhattisgarh, Gangetic West Bengal, Bihar, Jharkhand, Odisha during 25th June-01st July.

Northeast India:

• Light/moderate rainfall at most places accompanied with **thunderstorm**, **lightning and isolated heavy** rainfall likely to continueoverNortheast India during next 7 days with **very heavy rainfall** over Arunachal Pradesh on 28th June.

South Peninsular India:

- Isolated **heavy rainfall** likely over Kerala, Karnataka, Tamil Nadu during 25th-28th; Coastal Andhra Pradesh & Yanam and Telangana on 25th June with **very heavy rainfall** over Interior Karnataka on 25th; Ghat areas of Tamil Nadu, Coastal Karnataka and Kerala on 25th & 26th June.
- **Strong surface winds** (speed reaching 40-60 kmph) very likely over Karnataka, Coastal Andhra Pradesh & Yanam, Rayalaseema, Telangana during 25th-29th June.
- Light/moderate rainfall at many/some places over Kerala & Mahe, Lakshadweep, Coastal Karnataka; isolated to scattered rainfall accompanied with isolated **thunderstorm, lightning** over Coastal Andhra Pradesh & Yanam, Telangana, Interior Karnataka during 25th-29th June.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Jharkhand, Uttarakhand, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Konkan & Goa, Vidarbha, Coastal Andhra Pradesh & Yanam, Coastal Karnataka and Kerala & Mahe; at many places over Andaman & Nicobar Islands, Gangetic West Bengal, Odisha, Himachal Pradesh, East Rajasthan, Madhya Maharashtra, Chhattisgarh, Telangana, North Interior Karnataka and South Interior Karnataka; at a few places over Bihar, West Uttar Pradesh, Haryana-Chandigarh-Delhi, Punjab, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan and Lakshadweep; at isolated places over East Uttar Pradesh, Saurashtra & Kutch, Marathwada, Rayalaseema and Tamil Nadu, Puducherry & Karaikal;
- * Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Gujarat Region: Lunawada (dist Mahisagar) 22; Nandod (dist Narmada) 21; Dahod (dist Dahod) 19; Shahera (dist Panchmahal), Jetpur Pavi (dist Chhota Udepur), Dahod Kvk AWS (dist Dahod) 18 Each; Dharampur (dist Valsad), Rajpipala (dist Narmada) 17 Each; Virpur (dist Mahisagar), Morva Hadaf (dist Panchmahal), Tilakwada (dist Narmada) 16 Each; Godhra (dist Panchmahal), Modasa (dist Aravalli), Singvad (dist Dahod) 14 Each; Limkheda (dist Dahod), Khergam (dist Navsari) 13 Each; Pardi (dist Valsad), Santrampur (dist Mahisagar), Garudeshwar (dist Narmada) 12 Each; Jambughoda (dist Panchmahal), Vapi (dist Valsad), Halol (dist Panchmahal), Sankheda (dist Chhota Udepur), Fatepura (dist Dahod), Bodeli (dist Chhota Udepur) 11 Each; Sagbara (dist Narmada), Vyara (dist Tapi), Sanjeli (dist Dahod), Kukarmunda (dist Tapi), Khanpur (dist Mahisagar) 10 Each; Umerpada (dist Surat), Meghraj (dist Aravalli), Netrang (dist Bharuch) 9 Each; Malpur (dist Aravalli), Narmada Kvk AWS (dist Narmada), Songadh (dist Tapi), Ukai (dist Surat), Dediapada (dist Narmada) 8 Each; Devgadh Baria (dist Dahod), Mandvi (dist Surat), Chhota Udepur (dist Chhota Udepur), Daman (dist Daman), Dolvan (dist Tapi), Kalol (dist Panchmahal) 7 Each; Khedbrahma (dist Sabarkantha), Bardoli (dist Surat), Kadana (dist Mahisagar), Valsad (dist Valsad), Daman AWS (dist Daman), Jhalod (dist Dahod), Valod (dist Tapi), Kaprada (dist Valsad), Kamrei (dist Surat), Dhanpur (dist Dahod) 6 Each; West Madhya Pradesh: Kathiwada (dist Alirajpur) 21; Jhabua-aws (dist Jhabua) 9; Kumbhraj (dist Guna) 8; Sarangpur (dist Rajgarh), Isagarh (dist Ashoknagar) 7 Each; Thandla (dist Jhabua), Rajgarh (dist Rajgarh), Ichhawar (dist Sehore), Ujjain-aws (dist Ujjain), Udaigarh (dist Alirajpur) 6 Each; East Rajasthan: Sallopat SR (dist Banswara) 19; Sagwara (dist Dungarpur) 14; Rajsamand (dist Rajsamand) 11; Mandal SR (dist Bhilwara) 10; Mangrol (dist Baran), Aspur (dist Dungarpur), Sangod (dist Kota), Atru SR (dist Baran) 9 Each; Jaipur AP (dist Jaipur), Amet (dist Rajsamand) 8 Each; Banera SR (dist Bhilwara), Jamwaramgarh SR (dist Jaipur), Bagidora SR (dist Banswara) 7 Each; Nathdwara (dist Rajsamand), Shergarh SR (dist Banswara), Asnawar SR (dist Jhalawar), Kherwara (dist Udaipur), Bijoliya SR (dist Bhilwara), Bhopalsagar SR (dist Chittorgarh), Kesarpura SR (dist Banswara), Nimbahera (dist Chittorgarh), Chabra (dist Baran) 6 Each; Haryana-Chandigarh-Delhi: Shahbad (dist Kurukshetra) 17; Babain REV (dist Kurukshetra) 11; Partapnagar REV (dist Yamuna Nagar) 10; Bilaspur (dist Yamuna Nagar) 8; Chhachhrauli (dist Yamuna Nagar) 7; Indri (dist Karnal), Jagadhari (dist Yamuna Nagar), Tajewala (dist Yamuna Nagar) 6 Each; North Interior Karnataka: Khanapur (dist Belagavi) 17; Londa (dist Belagavi) 13; Kittur (dist Belagavi) 10; Madhya Maharashtra: Radhanagari (dist Kolhapur), Ajra (dist Kolhapur) 16 Each; Chandgad (dist Kolhapur) 12; Shahuwadi (dist Kolhapur), Kokrud (dist Sangli) 9 Each; Akkalkuwa (dist Nandurbar) 7; Mahabaleshwar (dist Satara), Gaganbawada (dist Kolhapur) 6 Each; Andaman & Nicobar Islands: Long Island (dist North & Middle Andaman) 16; Himachal Pradesh: Palampur (dist Kangra) 14; Jogindarnagar (dist Mandi) 11; Nahan (dist Sirmaur) 9; Renuka/dadhau (dist Sirmaur), Baijnath (dist Kangra) 8 Each; Paonta (dist Sirmaur) 6; Uttarakhand: Haldwani (dist Nainital) 13; Loharkhet (dist Bageshwar) 7; Jaspur (dist Udham Singh Nagar) 6; East Madhya Pradesh: Mandla (dist Mandla) 13; Vijayraghogarh (dist Katni), Singodi (dist Katni) 12 Each; Kusmi (dist Sidhi), Churhat (dist Sidhi) 10 Each; Jaitpur (dist Shahdol) 9; Mohangarh (dist Tikamgarh) 8; Balaghat-aws (dist Balaghat), Niwas (dist Mandla), Mehadwani (dist Dindori), Mohgaon (dist Mandla), Matiyari (dist Mandla) 7 Each; Shahdole(sohagpur) (dist Shahdol), Pali (dist Umaria), Barhi (dist Katni), Sleemanabad (dist Katni), Kirnapur (dist Balaghat) 6 Each; Coastal Karnataka: Yellapur (dist Uttara Kannada), Castle Rock (dist Uttara Kannada) 13 Each; Mudubidre (dist Dakshina Kannada), Dharmasthala (dist Dakshina Kannada), Belthangadi (dist Dakshina Kannada) 6 Each; Bihar: Imamganj (dist Gaya) 11; Chausha (dist Buxar) 8; Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad: Katra (dist Reasi) 11; Rajouri ARG (dist Rajouri), Reasi ARG (dist Reasi), Reasi Kvk AWS (dist Reasi) 9 Each; Udhampur(IAF) (dist Udhampur) 7; West Rajasthan: Desuri (dist Pali) 11; South Interior Karnataka: Kammardi (dist Chikkamagaluru), Hunchadakatte (dist Shivamogga) 11 Each; Sringeri HMS (dist Chikkamagaluru), Agumbe Emo (dist Shivamogga) 9 Each; Kalasa (dist Chikkamagaluru), Somwarpet (dist Kodagu) 8 Each; Napoklu (dist Kodagu), Koppa (dist Chikkamagaluru) 7 Each; Kottigehara (dist Chikkamagaluru) 6; Odisha: Rajnagar (dist Kendrapara) 11; Aul (dist Kendrapara), Chandua Kuliana (dist Mayurbhanj) 8 Each; Joda (dist



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Keonjhargarh) 7; Pattamundai (dist Kendrapara), Bari (dist Jajpur), Lathikata (dist Sundargarh) 6 Each; West Uttar Pradesh: Nakur (dist Saharanpur) 11; Assam & Meghalaya: Chauldhowaghat (dist Lakhimpur) 10; Kampur (dist Nagaon) 9; Silchar (dist Cachar) 8; Udaipur (dist Tinsukia) 7; Haflong (dist Dima Hasao), Bihubar (dist Sibsagar), Jiagaon (dist Tinsukia), Kheronighat (dist West Karbi Anglong), Srijangram ARG (dist Bongaigaon) 6 Each; Tamil Nadu, Puducherry & Karaikal: Chinnakalar (dist Coimbatore) 9; Valparai PTO (dist Coimbatore) 8; Upasi Tea Research AWS (dist Coimbatore), Sholayar (dist Coimbatore), Cincona (dist Coimbatore) 7 Each; Avalanche (dist Nilgiris), Upper Bhavani (dist Nilgiris) 6 Each; Kerala & Mahe: Vyttiri (dist Wynad), Munnar Kseb (dist Idukki), Sengulam Dam AWS (dist Idukki) 9 Each; Chemberi AWS (dist Cannur) 8; Nilambur (dist Malappuram) 7; Thritla (dist Palakkad), Kannur (dist Cannur), Karipur Ap. (dist Malappuram), Cheruvanchery AWS (dist Cannur), Mangalam Dam AWS (dist Palakkad), Mannarkkad AWS (dist Palakkad), Lower Sholayar AWS (dist Thrissur) 6 Each; Chhattisgarh: Bamhnidih (dist Janjgir) 8; Janjgir (dist Janjgir), Janakpur Bharatpur (dist Manendragarh Bharatpur) 7 Each; Bhopalpatnam (dist Bijapur), Kansabel (dist Jashpur) 6 Each; Arunachal Pradesh: Pasighat AP (dist East Siang), Basar AWS (dist West Siang), Basar (dist West Siang) 8 Each; Tezu AWS (dist Lohit) 7; Vidarbha: Korchi (dist Gadchiroli) 8; Mulchera (dist Gadchiroli) 7; Ballarpur (dist Chandrapur), Bhamragad (dist Gadchiroli), Jalgaon Jamod (dist Buldhana), Etapalli (dist Gadchiroli) 6 Each; Konkan & Goa: Dodamarg (dist Sindhudurg) 7; Sangameshwar Devrukh (dist Ratnagiri) 6; Telangana: Mulug (dist Mulugu), Govindaraopet (dist Mulugu) 7 Each; Asifabad(ARG) (dist Kumaram Bheem), Asifabad (dist Kumaram Bheem), Kagaznagar (dist Kumaram Bheem), Regonda (dist J. Bhupalpally) 6 Each; Nagaland, Manipur, Mizoram & Tripura: Chottabekra (dist Imphal West) 7; Ukhrul (dist Ukhrul) 6; Sub Himalayan West Bengal & Sikkim: Washabari Tea Estate (dist Jalpaiguri) 7; Kalimpong (dist Kalimpong), Oodlabari Tea Estate (dist Jalpaiguri) 6 Each; Jharkhand: Jamtara Fmo (dist Jamtara), Icar Namkum (dist Ranchi), Gola (dist Ramgarh) 7 Each; Panki (dist Palamu), Jamtara (dist Jamtara), Gudri (dist West Singbhum), Goilkera (dist West Singbhum) 6 Each; Punjab: Phangota (dist Pathankot) 6; East Uttar Pradesh: Patti (dist Pratapgarh) 6.

- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Extremely heavy rain at isolated places over West Madhya Pradesh and Gujarat Region. Heavy to very heavy rain at isolated places over Andaman & Nicobar Islands, Uttarakhand, Haryana-Chandigarh-Delhi, Himachal Pradesh, East Rajasthan, East Madhya Pradesh, Gujarat Region, Madhya Maharashtra, Coastal Karnataka and North Interior Karnataka. Heavy rain at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Odisha, Jharkhand, Bihar, East Uttar Pradesh, West Uttar Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan, West Madhya Pradesh, Konkan & Goa, Vidarbha, Chhattisgarh, Telangana, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka and Kerala & Mahe.
- ♦ Minimum Temperature Departures (as on 25-06-2025): markedly above normal(> 5.1°C) at many places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at few places over Himachal Pradesh; at isolated places over Assam & Meghalaya, Bihar, East Uttar Pradesh, West Uttar Pradesh, West Madhya Pradesh and Saurashtra & Kutch. appreciably above normal(3.1°C to 5.0°C) at few places over East Madhya Pradesh; at isolated places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Odisha, Gujarat Region and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at few places over Gangetic West Bengal, Uttarakhand, Haryana-Chandigarh-Delhi, Punjab, West Rajasthan, Konkan & Goa, Coastal Karnataka, Kerala & Mahe and Lakshadweep; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Jharkhand, Madhya Maharashtra, Marathwada, Chhattisgarh, Coastal Andhra Pradesh & Yanam and Rayalaseema. near normal(-1.5°C to 1.5°C) at most places over Vidarbha, Telangana, North Interior Karnataka and South Interior Karnataka; at few places over East Rajasthan. The lowest minimum temperature of 18.6°C is reported at NARSINGHPUR (MADHYA PRADESH) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 24-06-2025): markedly above normal(> 5.1°C) at few places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Odisha. appreciably above normal(3.1°C to 5.0°C) at isolated places over Nagaland, Manipur, Mizoram & Tripura, Himachal Pradesh and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at few places over Lakshadweep; at isolated places over Assam & Meghalaya, Gangetic West Bengal, West Rajasthan and Kerala & Mahe. near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar Islands, Jharkhand, Konkan & Goa, Marathwada and South Interior Karnataka; at most places over Sub Himalayan West Bengal & Sikkim and Coastal Karnataka; at few places over Bihar, East Uttar Pradesh, Uttarakhand, Saurashtra & Kutch, Madhya Maharashtra, Telangana, Rayalaseema and North Interior Karnataka; at isolated places over West Uttar Pradesh, Chhattisgarh and Coastal Andhra Pradesh & Yanam. The highest maximum temperature of 42.8°C was reported at SRIGANGANAGAR (RAJASTHAN).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- Southwest monsoon has further advanced over remaining parts of north Arabian Sea; some more parts of Rajasthan, West Uttar Pradesh, Haryana and Punjab,
- Conditions are favourable for further advance of Southwest monsoon over some more parts of Rajasthan, Punjab, Haryana; Delhi and remaining parts of West Uttar Pradeshduring next 24 hours.
- The **upper air cyclonic circulation** over northeast Madhya Pradesh extending upto 5.8 km above mean sea level tilting southwards with height persists.
- The **upper air cyclonic circulation** over northwest Bay of Bengal and adjoining north Odisha-west Bengal coasts persists and now extends upto 7.6 km above mean sea level tilting southwestwards with height. Under its influence, a **low-pressure** area is likely to form over the same region during next 24 hours.
- The **trough** now runsfrom northeast Arabian Sea to the above cyclonic circulation over northeast Madhya Pradesh across south Gujarat, north Madhya Maharashtra and extends between 3.1 & 5.8 km above mean sea level.
- The trough from central parts of Pakistan tothe cyclonic circulation over northwest Bay of Bengal adjoining north Odisha-West Bengal coasts across northern parts of Rajasthan, cyclonic circulation over central parts of northeast Madhya Pradesh, north Chhattisgarh and north Odisha extending upto 1.5 km above mean sea level has become less marked.

Weather Outlook for subsequent 3 days

- Scattered to fairly widespread rainfall very likely over central India, ghat area of western coast, eastern India & northwest India.
- Isolated to scattered rainfall very likely over the south peninsula India & western India.







25 June (Day 1)


- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Gujarat Region and Odisha.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Costal Karnataka, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Kerala & Mahe, Madhya Maharashtra, Madhya Pradesh, Punjab, Tamil Nadu Puducherry & Karaikal, Uttarakhand and West Uttar Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Gangetic West Bengal, Jharkhand, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, Saurashtra & Kutch, Telangana and Vidarbha.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Gujarat State, Jharkhand, Madhya Maharashtra, Odisha, Rajasthan and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh and Vidarbha.
- ♦ Strong Surface Winds very likely at isolated places over Andhra Pradesh, Costal Karnataka, Gangetic West Bengal, Interior Karnataka, Kerala & Mahe, Konkan & Goa, Odisha and Tamil Nadu Puducherry & Karaikal.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- ♦ Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of eastcentral, adjoining north Arabian Sea & adjoining southwest Arabian Sea.
- Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, northeast, south Arabian Sea, along and off Konkan, Goa, Karnataka, Kerala coasts, along and off Odisha coast and adjoining north Andhra Pradesh coast, along and off West Bengal coast, most parts of northwest and adjoining northeast Bay of Bengal, many parts of westcentral and adjoining eastcentral Bay of Bengal, over Gulf of Mannar.
- Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea, few western parts of westcentral Bay of Bengal.







26 June (Day 2)

- **Heavy to Very Heavy Rainfall** very likely at isolated places over Costal Karnataka, East Rajasthan, Gujarat Region, Jharkhand, Kerala & Mahe, Madhya Maharashtra, Madhya Pradesh, Odisha, Punjab, Tamil Nadu Puducherry & Karaikal and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gangetic West Bengal, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Nagaland, Manipur, Mizoram and Tripura, Saurashtra & Kutch, Vidarbha, West Rajasthan and West Uttar Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Gujarat State, Jharkhand, Odisha, Rajasthan and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh and Vidarbha.
- **Strong Surface Winds** very likely at isolated places over Andhra Pradesh, Costal Karnataka, Gangetic West Bengal, Interior Karnataka, Kerala & Mahe, Odisha and Tamil Nadu Puducherry & Karaikal.
- ♦ Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of eastcentral,





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

adjoining north Arabian Sea & adjoining southwest Arabian Sea.

- Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, northeast, south Arabian Sea, over Lakshadweep area, off south Gujarat, Konkan coasts, along and off Karnataka, Kerala, Odisha, West Bengal coasts, most parts of northwest and adjoining northeast Bay of Bengal, many parts of westcentral & adjoining eastcentral Bay of Bengal, some parts of southwest Bay of Bengal, over Gulf of Mannar.
- Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea.







27 June (Day 3)


- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Gujarat Region, Konkan & Goa, Madhya Maharashtra, Rajasthan and Uttarakhand.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Costal Karnataka, Haryana, Chandigarh & Delhi, Himachal Pradesh, Interior Karnataka, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Kerala & Mahe, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, Punjab, Saurashtra & Kutch, Tamil Nadu Puducherry & Karaikal, Vidarbha, West Bengal & Sikkim and West Uttar Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Gujarat State, Jharkhand, Rajasthan and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Nagaland, Manipur, Mizoram and Tripura, Punjab, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh and Vidarbha.
- * Strong Surface Winds very likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.
- ♦ Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, many parts of eastcentral, adjoining north Arabian Sea & adjoining southwest Arabian Sea.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, northeast, south Arabian Sea, off south Gujarat, Konkan coasts, along and off north Andhra Pradesh coast and adjoining south Odisha coast, most parts of westcentral Bay of Bengal and adjoining parts of northwest, eastcentral, southwest Bay of Bengal.
- Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea, over Gulf of Mannar.







28 June (Day 4)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh, Bihar, East Rajasthan, Gujarat Region, Konkan & Goa, Madhya Maharashtra and Sub Himalayan West Bengal & Sikkim.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Chhattisgarh, Costal Karnataka, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Kerala & Mahe, Madhya Pradesh, Odisha, Saurashtra & Kutch, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh, Uttarakhand and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands, Gujarat State, Jharkhand, Rajasthan and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Nagaland, Manipur, Mizoram and Tripura, Punjab, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh and Vidarbha.
- **Strong Surface Winds** likely at isolated places over Andhra Pradesh, Konkan & Goa, Saurashtra & Kutch and Tamil Nadu Puducherry & Karaikal.

*


♦ Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, many parts of eastcentral, adjoining, some parts of north Arabian Sea & adjoining southwest Arabian Sea.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- ♦ Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of eastcentral & adjoining areas of westcentral, south Arabian Sea, most parts of northeast Arabian Sea, along and off Gujarat, Konkan coasts, many parts of central Bay of Bengal and adjoining parts of northwest, southeast Bay of Bengal.
- Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over western parts of eastcentral & adjoining westcentral Arabian Sea.







29 June (Day 5)


- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Bihar, Gujarat Region, Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Rajasthan, Saurashtra & Kutch, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh and Uttarakhand.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andaman & Nicobar Islands, Bihar, Gujarat State, Jharkhand, Rajasthan and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Nagaland, Manipur, Mizoram and Tripura, Punjab, Telangana, Uttar Pradesh and Vidarbha.
- Strong Surface Winds likely at isolated places over Andhra Pradesh, Konkan & Goa and Saurashtra & Kutch.
- Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, most parts of eastcentral Arabian Sea, most parts of northeast Arabian Sea, many parts of northwest Arabian Sea, northern parts of southwest Arabian Sea.
- Squally weather with wind speed 40 50 kmph gusting to 60 kmph likely to prevail over most parts of central Bay of Bengal, some parts of southwest and southeast Bay of Bengal, off north Andhra Pradesh coast.




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

♦ Squally weather with wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph likely to prevail over over most parts of eastcentral & adjoining areas of westcentral Arabian Sea, over most parts of northeast Arabian Sea, along and off Gujarat, Konkan coasts.









30 June (Day 6)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over East Uttar Pradesh, Gujarat Region, Konkan & Goa and Madhya Maharashtra.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Saurashtra & Kutch, Sub Himalayan West Bengal & Sikkim, Uttarakhand, Vidarbha and West Uttar Pradesh.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands, Bihar and Rajasthan.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Haryana, Chandigarh & Delhi, Punjab and Uttar Pradesh.

No Fishermen Warning







1 July (Day 7)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Bihar, Gujarat Region, Konkan & Goa and Madhya Maharashtra.
- **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Rajasthan, Saurashtra & Kutch, Sub Himalayan West Bengal & Sikkim, Uttar Pradesh and Uttarakhand.
- **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and Uttarakhand.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andaman & Nicobar Islands, Bihar, Gujarat State, Jharkhand, Rajasthan and West Madhya Pradesh.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Haryana, Chandigarh & Delhi, Nagaland, Manipur, Mizoram and Tripura, Punjab, Telangana, Uttar Pradesh and Vidarbha.
- Strong Surface Winds likely at isolated places over Andhra Pradesh, Konkan & Goa and Saurashtra & Kutch.

No Fishermen Warning




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 0530 IST of 26-06-2025

- Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.
- Assam & Meghalya West Khasi Hills, East Khasi Hills, Karimgani, N C Hills districts.
- Nagaland Mizoram Manipur Tripura (NMMT) –
- Nagaland- Dimapur, Kiphire, Kohima, Mon, Peren, Phek, Mokochung, Tuensang and Zunheboto districts.
 - Manipur- Bishnupur, Chandel, Churachandpur, Imphal West, Imphal East, Senapati, Tamenglong, Ukhrul,
- Mizoram- Aizawl, Champhai, Lunglei, Lawngtlai, Saiha, Serchhip,


Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 26-06-2025 :

- Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.
- Jammu & Kashmir Udhampur, Punch, Doda, Ramban, Rajouri, Kupwara, Jammu districts
- Himachal Pradesh- Chamba, Mandi, Kangra, Shimla and Sirmour districts Uttarakhand -Bageshwar, Chamoli, Dehradun, Pauri Garhwal, Pithoragarh and Tehri Garwal, Rudraprayag, districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast

S.No. Subdivision 25- Jun		1 Dayo Raiiii	A		5 5 4				
Day 1 Day 2 Day 3 Day 4 Day 5 Day 6 Day 7	S.No.	Subdivision	25-	1	27-	28-	29-		1- Jul
ANDAMAN & NICOBAR ISLANDS			Jun	Jun	Jun	Jun	Jun	Jun	
2 ARUNACHAL PRADESH FWS			Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
3 ASSAM & MEHGHALAYA	1	ANDAMAN & NICOBAR ISLANDS	FWS	WS	WS	WS	FWS	FWS	FWS
4 N. M. M. & T. WS FWS	2	ARUNACHAL PRADESH	FWS	FWS	FWS	WS	WS	WS	FWS
5 S.H. WEST BENGAL & SIKKIM FWS FWS WS WS FWS	3	ASSAM & MEHGHALAYA	WS	FWS	FWS	FWS	FWS	FWS	FWS
6 GANGETIC WEST BENGAL WS WS FWS	4	N. M. M. & T.	WS	FWS	FWS	FWS	FWS	FWS	FWS
TODISHA	5	S.H. WEST BENGAL & SIKKIM	FWS	FWS	WS	WS	WS	WS	FWS
8 JHARKHAND WS WS WS FWS FWS 9 BIHAR SCT SCT SCT FWS	6	GANGETIC WEST BENGAL	WS	WS	WS	WS	FWS	FWS	FWS
9 BIHAR	7	ODISHA	WS	WS	FWS	FWS	SCT	SCT	SCT
10	8	JHARKHAND	WS	WS	WS	WS	WS	FWS	FWS
11 WEST UTTAR PRADESH	9	BIHAR	SCT	SCT	SCT	FWS	FWS	FWS	FWS
12 UTTARAKHAND WS WS FWS SCT SC	10	EAST UTTAR PRADESH	ISOL	SCT	FWS	FWS	WS	WS	WS
13 HARYANA, CHD & DELHI WS FWS FWS WS WS FWS FWS HS FWS	11	WEST UTTAR PRADESH	SCT	FWS	FWS	FWS	FWS	FWS	FWS
14 PUNJAB WS WS FWS FWS <td>12</td> <td>UTTARAKHAND</td> <td>WS</td> <td>WS</td> <td>WS</td> <td>FWS</td> <td>FWS</td> <td>FWS</td> <td>FWS</td>	12	UTTARAKHAND	WS	WS	WS	FWS	FWS	FWS	FWS
15 HIMACHAL PRADESH WS WS FWS <	13	HARYANA, CHD & DELHI	WS	FWS	FWS	WS	WS	WS	FWS
16 JAMMU AND KASHMIR AND LADAKH WS WS SCT ISOL	14	PUNJAB	WS	WS	FWS	FWS	WS	WS	FWS
17 WEST RAJASTHAN SCT SCT FWS FWS FWS SCT ISOL 18 EAST RAJASTHAN FWS FWS FWS FWS SCT SCT 19 WEST MADHYA PRADESH WS	15	HIMACHAL PRADESH	WS	WS	WS	FWS	FWS	FWS	FWS
18 EAST RAJASTHAN FWS FWS FWS FWS SCT SCT 19 WEST MADHYA PRADESH WS	16	JAMMU AND KASHMIR AND LADAKH	WS	WS	WS	SCT	SCT	SCT	SCT
19 WEST MADHYA PRADESH WS WS WS FWS FWS 20 EAST MADHYA PRADESH WS	17	WEST RAJASTHAN	SCT	SCT	FWS	FWS	FWS	SCT	ISOL
20 EAST MADHYA PRADESH WS WS <td>18</td> <td>EAST RAJASTHAN</td> <td>FWS</td> <td>FWS</td> <td>FWS</td> <td>FWS</td> <td>FWS</td> <td>SCT</td> <td>SCT</td>	18	EAST RAJASTHAN	FWS	FWS	FWS	FWS	FWS	SCT	SCT
21 GUJRAT REGION WS	19	WEST MADHYA PRADESH	WS	WS	WS	WS	WS	FWS	FWS
22 SAURASHTRA & KUTCH WS FWS FWS <td< td=""><td>20</td><td>EAST MADHYA PRADESH</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td></td<>	20	EAST MADHYA PRADESH	WS	WS	WS	WS	WS	WS	WS
23 KONKAN & GOA 24 MADHYA MAHARASHTRA EWS SCT SCT SCT FWS FWS FWS SCT SCT SCT FWS FWS FWS SCT SCT SCT SCT SCT SCT SCT S	21	GUJRAT REGION	WS	WS	WS	WS	WS	WS	WS
24 MADHYA MAHARASHTRA 25 MARATHWADA 180L ISOL ISOL ISOL ISOL ISOL ISOL 26 VIDARBHA 27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 29 TELANGANA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 25 MARATHWADA 180L ISOL ISOL ISOL ISOL ISOL ISOL 180L ISOL ISOL ISOL 180L ISOL ISOL 180L ISOL ISOL 180L	22	SAURASHTRA & KUTCH	WS	WS	WS	WS	WS	WS	WS
25 MARATHWADA 26 VIDARBHA 27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 29 TELANGANA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 35 KERALA 36 WS WS FWS FWS FWS SCT WS FWS FWS 38 WS WS WS WS FWS FWS 39 WS WS WS WS FWS FWS 30 ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	23	KONKAN & GOA	WS	WS	WS	WS	WS	WS	WS
26VIDARBHAWSWSFWSFWSSCTWS27CHATTISGARHWSWSWSWSFWSFWS28COASTAL ANDHRA PRADESHWSFWSSCTSCTSCTSCTSCTSCTSCTSCTSCTSCTSCTSCTSCTISOLISOLISOLISOLISOL30RAYALASEEMASCTISOLISOLISOLISOLISOLISOLISOLISOLISOLISOLISOL31TAMILNADU & PUDUCHERRYISOLSCTSCTSCTISOLISOLISOL32COSTAL KARNATAKAWSWSWSWSWSWSWSWS33NORTH INTERIOR KARNATAKAFWSFWSSCTSCTSCTISOLISOL34SOUTH INTERIOR KARNATAKAFWSFWSSCTSCTSCTISOLISOL35KERALAWSWSWSWSFWSFWSFWSFWSFWS	24	MADHYA MAHARASHTRA	FWS	SCT	SCT	SCT	FWS	FWS	FWS
27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 29 TELANGANA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 35 KERALA WS WS WS WS WS WS FWS FWS FWS WS WS WS WS FWS FWS WS WS WS FWS FWS WS WS WS FWS WS FWS FWS WS FWS WS WS FWS WS FW	25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
28 COASTAL ANDHRA PRADESH 29 TELANGANA SCT SCT ISOL ISOL ISOL ISOL ISOL ISOL 30 RAYALASEEMA SCT ISOL ISOL ISOL ISOL ISOL ISOL 31 TAMILNADU & PUDUCHERRY ISOL SCT SCT SCT ISOL ISOL ISOL ISOL 32 COSTAL KARNATAKA WS WS WS WS WS WS WS WS 33 NORTH INTERIOR KARNATAKA FWS FWS SCT SCT SCT ISOL ISOL 34 SOUTH INTERIOR KARNATAKA FWS FWS SCT SCT SCT ISOL ISOL 35 KERALA WS WS WS FWS FWS SCT	26	VIDARBHA	WS	WS	FWS	FWS	FWS	SCT	WS
29 TELANGANA SCT SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	27	CHATTISGARH	WS	WS	WS	WS	WS	FWS	FWS
30 RAYALASEEMA SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	28	COASTAL ANDHRA PRADESH	WS	FWS	SCT	SCT	SCT	SCT	SCT
31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 35 KERALA 36 SCT SCT SCT ISOL ISOL 37 SCT SCT ISOL ISOL 38 WS	29	TELANGANA	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
32 COSTAL KARNATAKA WS WS WS WS WS WS WS 33 NORTH INTERIOR KARNATAKA FWS FWS SCT SCT SCT ISOL ISOL 34 SOUTH INTERIOR KARNATAKA FWS FWS SCT SCT SCT ISOL ISOL 35 KERALA WS WS WS FWS FWS SCT	30	RAYALASEEMA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
33 NORTH INTERIOR KARNATAKA FWS FWS SCT SCT ISOL ISOL 34 SOUTH INTERIOR KARNATAKA FWS FWS SCT SCT SCT ISOL ISOL 35 KERALA WS WS WS FWS FWS SCT	31	TAMILNADU & PUDUCHERRY	ISOL	SCT	SCT	SCT	ISOL	ISOL	ISOL
34 SOUTH INTERIOR KARNATAKA FWS FWS SCT SCT SCT ISOL ISOL 35 KERALA WS WS WS FWS FWS SCT	32	COSTAL KARNATAKA	WS	WS	WS	WS	WS	WS	WS
35 KERALA WS WS WS FWS FWS SCT	33	NORTH INTERIOR KARNATAKA	FWS	FWS	SCT	SCT	SCT	ISOL	ISOL
	34	SOUTH INTERIOR KARNATAKA	FWS	FWS	SCT	SCT	SCT	ISOL	ISOL
36 LAKSHDWEEP WS WS FWS FWS SCT	35	KERALA	WS	WS	WS	WS	FWS	FWS	SCT
	36	LAKSHDWEEP	WS	WS	WS	WS	FWS	FWS	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-06-25




Fig. 3: Minimum Temperatures Dated 2025-06-25




Fig. 2: Departure of Maximum Temp. Dated 2025-06-25






Fig. 4: Departure of Minimum Temp. Dated 2025-06-25









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Extremely heavy rainfall (>20 cm/24 hours) likely at isolated places over Gujarat Region and Odisha on 25th June.

• Very heavy rainfall at isolated places likely over Konkan & Goa, ghat areas of Madhya Maharashtra, Gujarat region during 25th June-01st July; over East Rajasthan during 25th-28th; Uttarakhand during 25th-27th, Haryana, Himachal Pradesh, Interior Karnataka on 25th; West Rajasthan on 27th; Punjab, Madhya Pradesh, ghat areas of Tamil Nadu, Coastal Karnataka and Kerala on 25th & 26th, West Uttar Pradesh on 25th June & 01st July 27th; Jammu-Kashmir on 25th June and East Uttar Pradesh on 30th June & 01st July; Sub-Himalayan West Bengal & Sikkim on 28th; Bihar on 28th & 29th; Jharkhand, Odisha on 26th June

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

- In **Gujarat**, postpone nursery sowing of rice. Ensure proper drainage facilities in already sown rice nurseries, sugarcane fields, banana and mango plantations to prevent waterlogging. Provide support to sugarcane and banana to prevent lodging. In **Saurashtra & Kutch**, Drain out excess rain water from vegetable nurseries and horticultural plantations.
- In West Madhya Pradesh, Postpone harvesting of maize. Postpone sowing of pearl millet, soybean, pigeon pea and paddy nurseries. Make necessary arrangements to drain out excess water from vegetables and orchards to avoid waterlogging. In Kymore Plateau and Satpura Hill Zone of East Madhya Pradesh, harvest matured green gram and black gram crop and store in a safe place. In Gird Zone of West Madhya Pradesh, harvest matured maize crop and keep it in safe place. Postpone sowing of soybean and transplanting of chilli, tomato, brinjal etc. and ensure proper drainage in already sown / transplanted fields.
- In **East Rajasthan**, harvest the matured vegetables such as okra and cucurbits and store them in safe place. Make arrangement for draining out excess water from the fields of groundnut and green gram.
- In Uttarakhand, make proper drainage channels in rice nurseries, pigeon pea, groundnut, maize, soybean, barnyard millet and finger millet to avoid waterlogging. In Bhabar and Tarai Zone of Uttarakhand, harvest matured spring maize crop and vegetables (pumpkin, tomato, okra, chilli, French bean etc.) and store in safe place during clear weather.
- In Sub-Montane and Low Hills Sub-Tropical Zone of Himachal Pradesh, provide drainage in maize and vegetable fields. Strengthen the support for creepers and tall vegetable crops (tomato, capsicum etc.). In Mid Hills Sub-Humid Zone of Himachal Pradesh, harvest matured fruits of plum, pear and stonefruit to minimize losses due to heavy rains. Make proper drainage channels in the fields of maize, apple, pear, pomegranate, kiwi, cucumber and tomato to avoid waterlogging. Provide support to cucumber vinesand tomato plants to prevent lodging.
- In Punjab, drain out excess water from already sown cotton, rice, vegetables and fruit crops.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

- In Haryana- Make necessary arrangements to drain out excess water from cotton and pearl millet fields.
- In **Jammu and Kashmir** In **Intermediate Zone**, postpone sowing of maize. Drain out excess water from the fields of maize and vegetables. In **Sub Tropical Zone**, drain out excess water from maize fields.
- In **Sub-Himalayan West Bengal**, maintain proper drainage channels in rice nurseries and fields of jute and ginger toavoid water stagnation.
- In **Jharkhand**, make necessary arrangements to drain out excess water from already sown maize fields, rice and vegetable nurseries.
- In **Odisha**, ensure proper drainage from already sown rice nurseries, fields of maize and vegetables to prevent waterlogging. Cover rice and vegetable nurseries with plastic sheets to prevent washing away of seeds.
- In Chhattisgarh, ensure proper drainage in rice nurseries.
- In **Konkan & Goa** make arrangement to drain out excess water from rice nurseries, fields of finger millet, groundnut and orchards to prevent waterlogging. In **ghat** areas of **Madhya Maharashtra**, drain out excess water from rice nurseries, vegetables and orchards to prevent waterlogging.
- In Coastal Karnataka, ensure proper drainage facilities in rice nurseries, banana, coconut and arecanut plantations to prevent water logging. In South Interior Karnataka, cover young seedlings of rice with plastic sheets or agro-shade nets to protect them from heavy rains. Provide adequate drainage to remove excess water from rice nurseries, coffee, cardamom, coconut and arecanut plantations to prevent water logging. Provide support to sugarcane and banana to prevent lodging. In North Interior Karnataka, drain out excess water from the crops which are at seedling stage to prevent water logging.
- In **Kerala**, ensure proper drainage facilities in rice nurseries, transplanted rice fields, coconut and banana plantations to prevent water logging. Undertake propping in banana to protect the plants from heavy rains.
- In **Assam**, keep the harvested produce of sesame, foxtail millet, *Boro* rice, banana and citrus at safer places. Ensure proper drainage in *Sali* rice nursery, maize and sugarcane fields, arecanut and coconut plantations to prevent waterlogging. In **Barak Valley Zone** of **Assam**, postpone nursery sowing of *Sali* rice.
- In **Meghalaya**, postponenursery sowing of rice especially in valleys. Ensure proper drainage in the fields of maize, ginger, French bean, cowpea, vegetables and around rice nurseries to prevent waterlogging. Provide strong bamboo stakes or trellis support to cow pea, cucumber and bottle gourd to prevent vines from trailing on wet ground. Provide support to banana plant to prevent lodging.
- In **Arunachal Pradesh**, keep the harvested produce of soybean and vegetables such as chilli and okra at a safer place. Ensure proper drainage in rice nurseries, kiwi and apple orchards to avoid waterlogging.
- In **Nagaland**, avoid transplanting of TRC/WRC rice. Postpone sowing of soybean. Provide proper staking to vine type plants.

Livestock / Fishery


- · Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION
WARNING (TAKE ACTION)


Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain







Thunderstorm & Lightning Strong surface winds







Cold Wave







Hot & Humid



	(<u> </u>	EGENDS)
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING (NO ACTION)	Most Likely > 75
/ 💭	Heavy: 64.5 to 115.5 mm/cm *	
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *	
iiii onow		
	(a) Based on Departure from norma	station reaches ≥40° C for plains and ≥30° C f al
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.
Î+	Severe Heat Wave: Maximum Temperat	A COLOR OF THE CAMPAGE
eat Wave	(b). Based on Actual maximum tem	•
	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim	
	(c). Criteria for heat wave for coast	
		s >4.5°C from normal. Heat Wave may be described pro
		aine 40°C
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature	
arm Night	Severe Warm Night: When minimum ter	
	When minimum temperature of a (a). Based on departure	station ≤10°C for plains and ≤0°C for hilly
	Cold Wave: Minimum Temperature Depart	arture from normal -4.5 °C to -6.4 °C.
η_	Severe Cold Wave: Minimum Temperatu	ure Departure from normal ≤ -6.5 °C
9-	(b) Based on actual Minimum Tem	perature (for Plains only)
Cold Wave	Cold Wave : When Minimum Temperatur	
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °
	When minimum temperature of a s	station ≤10°C for plains and ≤0°C for hilly regi
0-	Based on departure	,
Cold Day	Cold Day: Maximum Temperature Depar	
Cold Day	Severe Cold Day: Maximum Temperatur	re Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets	suspended in air and the horizontal visi
	Moderate Fog: When the visibility between	een 500-200 metres
©		E0. 200 motros
Fog	Dense Fog: when the visibility between	
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50) metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif) metres
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or) metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a shar
Fog My nunderstorm Dust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind.	ested by a flash of light (Lightning) and a shar
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or	ested by a flash of light (Lightning) and a shar
Fog My nunderstorm Dust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground	ested by a flash of light (Lightning) and a shar
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden	ested by a flash of light (Lightning) and a shar
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph	r sand energetically lifted to great heights by a
Fog Mynunderstorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph	r sand energetically lifted to great heights by a
Fog Winderstorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.
Fog Munderstorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-61 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute.
Fog Junual Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-68	enly, lasts for atleast 1 minute.
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-68	presented by a flash of light (Lightning) and a share and energetically lifted to great heights by a senly, lasts for atleast 1 minute. Over specific area 32 kmph (22-33 knots) & Wave height 2.5-6 metre smph (34-63 knots) & Wave height 6-14 metre
Fog Wy nunderstorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> 117 km	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute. over specific area over
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe Wi	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute. over specific area over
Fog Wy understorm Dust/Sand Storm SFrost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	r sand energetically lifted to great heights by a enly, lasts for atleast 1 minute. over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre cmph (34-63 knots) & Wave height 6-14 metre -63 knots) & Wave height >14 metre -64 knots) & Wave height >14 metre -65 knots) & Wave height >14 metre -65 knots) & Wave height >14 metre -65 knots) & Wave height >14 metre -66 knots) & Wave height >14 metre -67 knots) -68 knots) -69 knots) -69 knots) -69 knots)