

National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Thursday, January 30, 2025 Time of Issue: 1315 hours IST (MID-DAY)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features:

Weather Systems, Forecast and warning:

- ❖ The Western disturbance seen as a cyclonic circulation over East Afghanistan in lower tropospheric levels. Two fresh Western Disturbances are likely to affect Northwest India between 01st to 03rd February, 2025. Under the influence of these systems,
 - ✓ Scattered to fairly widespread light to moderate rainfall/snowfall activity likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 30th January- 05th February; isolated to scattered rainfall/snowfall over Himachal Pradesh during 30th January- 05th February, Uttarakhand during 01st February-05th February and isolated to scattered light to moderate rainfall over Punjab, Haryana during 31st January- 05th February, Uttar Pradesh, Rajasthan during 03rd -05th February.
- ❖ A **cyclonic circulation** lies over northeast Assam in lower tropospheric levels. Under its influence,
 - ✓ Light to moderate rainfall accompanied with thunderstorm & lightning very likely at a few places over Arunachal Pradesh, northeast Assam, Nagaland on 30th & 31st January.
 - ✓ Isolated light to moderate rainfall likely over Sub-Himalayan West Bengal & Sikkim on 30th & 31st January.
 - ✓ **Heavy rainfall/snowfall** likely over Arunachal Pradesh on 30th January.
- ❖ Under the influence of a trough in easterly, Light to moderate rainfall accompanied with thunderstorm & lightning very likely at a few places over Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe during 30th January − 02nd February with isolated **heavy rainfall** likely over Tamil Nadu, Puducherry & Karaikal on 30th & 31st January.

Temperature and Fog Forecast:

Forecast of temperature:

❖ Gradual rise in minimum temperatures by 2-3°C likely over the Northwest, East, Central and West India during next 3 days and no significant change thereafter.

Dense Fog Warning:

Dense to very Dense fog Conditions very likely to continue to prevail during night/early morning hours in isolated pockets of Uttar Pradesh till 01st February

Dense fog conditions very likely to continue to prevail during night/early morning hours in isolated pockets of Gangetic West Bengal till $31^{\rm st}$ January; Sub-Himalayan West Bengal & Sikkim till $01^{\rm st}$ February; Bihar, Odisha, Assam & Meghalaya till $02^{\rm nd}$ February.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall/Snowfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at isolated places over Himachal Pradesh; Rainfall at a few places over Andaman & Nicobar Islands; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura and Tamil Nadu, Puducherry & Karaikal.
- Significant amount of rainfall (from 0830 hours IST of yesterday to 0830 hours IST of today): (in cm): Andaman & Nicobar Islands: Car Nicobar-6
- Heavy rainfall recorded (from 0830 hours IST of yesterday to 0830 hours IST of today): Nil.
- Fog reported (at 0830 hours IST of today): Dense to very dense fog condition in isolated pockets of Uttar Pradesh, Bihar, Meghalaya and Saurashtra & Kutch. Shallow to moderate fog conditions in isolated pockets of Haryana-Chandigarh-Delhi, West Bengal & Sikkim, West Rajasthan and Assam & Meghalaya.
- ❖ Visibility reported (at 0830 hours IST of today) (≤500 m): Delhi: Safdarjung, Palam and Ridge -500 each; West Uttar Pradesh: Bareilly & Shahjahanpur -00 each; Moradabad-500; East Uttar Pradesh: Prayagraj, Balia, Azamgarh, & Mirdha -00 each, Gorakhpur & Kushinagar -50 each; Lucknow, Varanasi, Baharaich, Fursatganj & Sultanpur -200 each; Gorakhpur -500; Bihar: Purnea & Bhagalpur -00 each, Patna -500 each; West Bengal & Sikkim: Asansol, Gangtok, Pakyong, Cooch Behar & Bankura 200 each; Shantiniketan, Jalpaiguri & Darjeeling- 500 each; Assam & Meghalaya: Barapani -30; Shillong- 200; Haflong & Dibrugarh -500each; West Rajasthan: Bikaner -200; Saurashtra & Kutch: Keshod-00.
- * Minimum Temperature Departures (as on 30-01-2025): Minimum temperatures are markedly above normal (5.1°C or above) at isolated places over Gangetic West Bengal and Madhya Maharashtra; appreciably above normal (3.1°C to 5.0°C) at some places over Vidarbha; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Himachal Pradesh, Punjab, Chhattisgarh, East Madhya Pradesh, Marathwada, kg and Saurashtra & Kutch; above normal (1.6°C to 3.0°C) at most places over Gujarat Region; at many places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Rajasthan, Bihar, Nagaland, Manipur, Mizoram & Tripura, East Madhya Pradesh, Jharkhand, and Sub-Himalayan West Bengal & Sikkim; at a few places over p and Haryana-Chandigarh-Delhi; at isolated places over Uttarakhand, Coastal Andhra Pradesh & Yanam, North Interior Karnataka, Telangana, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe. These are below normal (-1.6°C to -3.0°C) at many places over Delhi; at isolated places over East Madhya Pradesh, Konkan & Goa, Rayalaseema and near normal over rest parts of the country (Fig. 4). Today, the lowest minimum temperature of 6.1°C is reported at Fursatganj (East Uttar Pradesh) over the plains of the country.
- ★ Maximum Temperature Departures (as on 29-01-2025): Maximum temperatures were markedly above normal (5.1°C or above) at a few over West Rajasthan; at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad; appreciably above normal (3.1°C to 5.0°C) at a few places over East Rajasthan, Gujarat state, Chhattisgarh, Jharkhand, Vidarbha, Marathwada, Madhya Maharashtra; at isolated places over Himachal Pradesh, Madhya Pradesh, Odisha; above normal (1.6°C to 3.0°C) at most places over Punjab, Haryana-Chandigarh-Delhi, Uttarakhand, North Interior Karnataka; at many places over Uttar Pradesh, Bihar, Coastal Karnataka, Konkan & Goa, Telangana; at isolated places over Rayalaseema, South Interior Karnataka and Gangetic West Bengal. These were below normal (-1.6°C to -3.0°C) at isolated places over Kerala & Mahe and near normal over rest parts of the country (Fig. 2). Yesterday, the highest maximum temperature of 36.3°C was reported at Akola (Vidarbha) over the plains of the country.






Meteorological Analysis (Based on 0830 hours IST)


- ❖ The Western Disturbance as a cyclonic circulation over east Afghanistan & neighbourhood at 3.1 km above mean sea level with a trough aloft in middle & upper tropospheric westerlies with its axis at 5.8 km above mean sea level, roughly along Long. 68°E to the north of Lat. 33°N persists.
- ❖ The cyclonic circulation over northeast Assam & neighbourhood persists and now extends upto 1.5 km above mean sea level.
- Subtropical westerly Jet Stream with core winds of the order upto 145 knots at 12.6 km above mean sea level is prevailing over Northeast India.
- ❖ An induced cyclonic circulation lies over west Rajasthan and extends upto 1.5 km above mean sea level.
- ❖ A trough in easterlies lies over Southwest Bay of Bengal and extends upto 0.9 km above mean sea level.
- ❖ Two fresh Western Disturbances are likely to affect Northwest India during 01st & 03rd February, 2025.
- ❖ The cyclonic circulation over South Haryana & neighbourhood at 1.5 km above mean sea level has become less marked.





Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 06th February, 2025)







30th January (Day 1):

- ❖ Dense to very dense fog conditions very likely in some parts of Uttar Pradesh; Dense fog conditions very likely in isolated pockets of West Bengal & Sikkim, Bihar, Assam & Meghalaya and Odisha.
- ❖ Heavy Rainfall very likely at isolated places over Arunachal Pradesh and Tamil Nadu, Puducherry & Karaikal;
- * Thunderstorm accompanied with lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura and Tamil Nadu, Puducherry & Karaikal.









31st January (Day 2):

- **Dense to very dense fog conditions** very likely in isolated places over Uttar Pradesh; **Dense fog conditions** very likely in isolated pockets of Sub- Himalayan West Bengal & Sikkim, Bihar, Assam & Meghalaya and Odisha.
- **Heavy Rainfall** very likely at isolated places over Tamil Nadu, Puducherry & Karaikal.
- Thunderstorm accompanied with lightning very likely at isolated places over Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.






01st February (Day 3):


❖ Dense fog conditions likely in isolated pockets of Uttar Pradesh, Odisha, Bihar, Assam & Meghalaya.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






02nd February (Day4):


❖ No Weather Warning.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







03rd February (Day 5):

No Weather Warning.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







04th February (Day 6):

No Weather Warning.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





05th February (Day 7):

❖ No Weather Warning.

Weather Outlook for subsequent 3 days (During 06th February- 08th February, 2025)

❖ Isolated to scattered rainfall likely over western Himalayan region, Uttar Pradesh, adjoining Central India, Tamil Nadu, Puducherry & Karaikal, Kerala & Mahe, Lakshadweep and Andaman & Nicobar Islands.


Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.


- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Fig. 1: Maximum Temperatures

Fig. 2: Departure of Maximum Temperatures









Fig. 4: Departure of Minimum Temperatures







National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected due to dense fog in the night /morning hours over plains of North Uttar Pradesh, East India:

- ❖ Transport and Aviation:
- May affect some airports, highways and railway routes in the areas of met-sub-division.
 - Difficult driving conditions with slower journey times.
- Unless taken precautionary measures, it may lead to some road traffic collisions.
- ❖ Power Sector:
- Chances of Tripping of Power lines in the very dense fog routes.
 - ❖ Human Health:
 - Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
 - Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
 - Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

Action suggested:

- Transport and Aviation:
- Be careful while driving or outing through any transport.
- Use fog lights during driving.
- Be in touch with airlines, railways and state transport for schedule of your journey.
- ❖ Power Sector:
 - To keep ready Maintenance Team.
 - Human Health: To avoid outing until unless emergency and to cover the face.


Agromet advisories for likely impact of Heavy Rainfall

- > In **Tamil Nadu**, harvest the matured paddy immediately in order to protect from rainfall. Provide support to banana plants with wooden poles to avoid lodging due to rain and wind. Ensure adequate drainage facility in turmeric and sugarcane fields.
- > In **Arunachal Pradesh**, immediately harvest matured rice and store the harvested produce in proper covered shelters. Provide extensive drainage in the fields of mustard, pea, vegetables, potato and horticultural crops.





Fig. 5: Accumulated Rainfall (mm) during past 24 hours



30. रायलसीमा

32. तटीय कर्नाटक

35. केरल और माहे

S Dust Raising Winds

36. लक्षद्वीप

33. आतंरिक उत्तरी कर्नाटक

34. आतंरिक दक्षिणी कर्नाटक

31. तमिलनाडु, पुडुचेरी और कराईकल

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Rihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Puniab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha
- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal
- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe

Most Likely

> 75

36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



Strong Surface Winds





	DEFINITION/CRITERIA
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Wave	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
	(b). Based on Actual maximum temperature Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
Warm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Wave	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave: When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day	Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km
Fog	Moderate Fog: When the visibility between 500-200 metres Dense Fog: when the visibility between 50-200 metres
	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Squall	Moderate: Wind speed 52-61 kmph
	Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area
Sea State	Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre High to very high: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
	Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cualania Charma Mind and CO 07 Imagh (OA 47 Imagh)
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
	Very Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots) Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Cyclone	very severe Cyclonic Storm. Wind speed 116-165 kmph (64 - 69 knots)
Cyclone	Extremely Severe Cyclonic Storm: Wind speed 116-165 kmph (64 - 89 knots)