



2025-10-08

Time of Issue: 13:13:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather warnings:

South Peninsular India:

- Light to moderate rain/thunderstorm at many/some places with isolated heavy rainfall likely over Tamil Nadu, Kerala & Mahe during 08th-12th; South Interior Karnataka, Coastal Andhra Pradesh & Yanam during 8th – 10th; Rayalaseema on 09th & 10th; Telangana on 08th; Coastal Karnataka on 10th October.
- Thunderstorm with gusty wind (speed reaching 30-40 kmph) likely over Tamil Nadu, Kerala & Mahe and Telangana during next 5 days; North Interior Karnataka on 08th; Lakshadweep and Coastal Karnataka during next 2-3 days; with lightning over Coastal Andhra Pradesh & Yanam during next 5 days; Rayalaseema ring 08th 10th October.

Northwest India:

• Isolated to scattered rainfall accompanied with thunderstorm, lightning & gusty wind (speed reaching 30-40 kmph) very likely over Uttarakhand on 08th October.

East India:

• Light to moderate rain/thunderstorm at some/ isolated places with isolated heavy rainfall likely over Gangetic West Bengal during 08th -10th, Sub-Himalayan West Bengal & Sikkim on 08th; Odisha during 09th - 11th October.

Northeast India:

• Light/moderate rain/thunderstorm at some/isolated places with isolated **heavy rainfall** likely over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura during 08th-10th; Arunachal Pradesh on 10th October.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Andaman & Nicobar Islands, Uttarakhand and Himachal Pradesh; at many places over West Uttar Pradesh, Haryana-Chandigarh-Delhi and Punjab; at a few places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Odisha, East Uttar Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Coastal Andhra Pradesh & Yanam and Lakshadweep; at isolated places over Sub Himalayan West Bengal & Sikkim, Jharkhand, Bihar, West Rajasthan, East Rajasthan, West Madhya Pradesh, East Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Telangana, Rayalaseema, Tamil Nadu, Puducherry & Karaikal and South Interior Karnataka; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Himachal Pradesh: Naina Davi (dist Bilaspur) 13; Solan (dist Solan) 12; Pachhad (dist Sirmaur), Barthin (dist Bilaspur) 8 Each; Kasauli (dist Solan) 7; Odisha: Aul (dist Kendrapara) 10; Champua (dist Keonjhargarh) 8; East Uttar Pradesh: Banda (dist Banda) 9; Punjab: Kotla (dist Rupnagar) 8; Bharatgarh (dist Rupnagar), Ganguwal (dist Rupnagar), Ghanauli (dist Rupnagar), Lohand (dist Rupnagar) 7 Each; Telangana: Choutuppal(ARG) (dist Y. Bhuvanagiri) 7; Coastal Andhra Pradesh & Yanam: Cheepurupalle (dist Vizianagaram) 7; West Uttar Pradesh: Aligarh (dist Aligarh) 7.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today):Heavy to very heavy rain at isolated places over Himachal Pradesh, Heavy rain at isolated places over Odisha, East Uttar Pradesh, West Uttar Pradesh, Punjab, Coastal Andhra Pradesh & Yanam and Telangana.
- * Minimum Temperature Departures (as on 08-10-2025): markedly above normal(> 5.1°C) at isolated places over Assam & Meghalaya and Bihar. appreciably above normal(3.1°C to 5.0°C) at few places over Sub Himalayan West Bengal & Sikkim; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Odisha, East Uttar Pradesh, West Uttar Pradesh and Konkan & Goa. above normal(1.6°C to 3.0°C) at many places over East Madhya Pradesh; at few places over Rayalaseema; at isolated places over Gangetic West Bengal, Jharkhand, East Rajasthan, West Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Marathwada, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, Tamil Nadu, Puducherry & Karaikal and North Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over Himachal Pradesh, West Rajasthan and South Interior Karnataka; at most places over Andaman & Nicobar Islands, Arunachal Pradesh, Uttarakhand, Madhya Maharashtra, Vidarbha, Coastal Karnataka, Kerala & Mahe and Lakshadweep; at few places over Haryana-Chandigarh-Delhi and Punjab; at isolated places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad. The lowest minimum temperature of 10.2°C is reported at UNA (HIMACHAL PRADESH) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 07-10-2025): appreciably above normal(3.1°C to 5.0°C) at few places over Lakshadweep; at isolated places over Coastal Andhra Pradesh & Yanam and Kerala & Mahe. above normal(1.6°C to 3.0°C) at few places over Arunachal Pradesh; at isolated places over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Madhya Maharashtra, Vidarbha, Tamil Nadu, Puducherry & Karaikal, North Interior Karnataka and South Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over East Uttar Pradesh, East Madhya Pradesh and Rayalaseema; at most places over Andaman & Nicobar Islands, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Jharkhand, Konkan & Goa, Marathwada, Chhattisgarh, Telangana and Coastal Karnataka; at few places over Bihar and Saurashtra & Kutch. The highest maximum temperature of 37.3°C is reported at NELLORE (ANDHRA PRADESH).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)

- The **line of withdrawal of southwest monsoon** continues to pass through 20°N/ 69°E, Veraval, Bharuch, Ujjain, Jhansi, Shahjahanpur and 30°N/81°E.
- Conditions are favourable for further withdrawal of southwest monsoon from remaining parts of Gujarat; some more parts of Madhya Pradesh and Uttar Pradesh and some parts of Maharashtra during next 2-3 days.
- The well-marked low pressure (Remnant of Cyclonic Storm "Shakhti" [Pronunciation: Shakhti])over westcentral Arabian Sea persists over the same region at 0830 hrs IST of today, the 8th October, 2025. The associated cyclonic circulation upto 5.8 km above mean sea level. It is likely to continue to move east-southeastwards over westcentral Arabian Sea and weaken further into a low pressure area during next 12 hours.
- The **Western Disturbance** as an **induced low pressure area** now lies as a upper air cyclonic circulation over east Haryana& neighbourhood upto 4.5 km with a trough aloft roughly along Long. 77°E to the north of Lat. 28°N at 5.8 above mean sea level.
- The **upper air cyclonic circulation** over south Bangladesh & neighbourhood persists and now extends upto 0.9 km above mean sea level.
- The **upper air cyclonic circulation** over northeast Assam & neighbourhood now lies over central Assam & neighbourhood at 0.9 km above mean sea level.
- A **trough** runs from south Chhattisgarh to Gulf to Mannar across Telangana, Rayalaseema, interior Tamil Nadu at 0.9 km above mean sea level.
- An upper air cyclonic circulation lies over Comorin area & neighbourhood at 1.5 km above mean sea level.
- An upper air cyclonic circulation is likely to form over north Bay of Bengal around 10th October, 2025.
- The **trough** from north coastal Odisha to east Telangana across interior Odisha, south Chhattisgarh at 1.5 km above mean sea level has become less marked.
- The **upper air cyclonic circulation** over southwest Bay of Bengal off Tamil Nadu coast at 3.1 km above mean sea level has become less marked.
- The **trough** from the cyclonic circulation over southwest Bay of Bengal off Tamil Nadu coast to Coastal Karnataka across Tamil Nadu, Rayalaseema and South Interior Karnataka at 3.1 km above mean sea level has become less marked.


Weather Outlook for subsequent 3 days

Isolated to scattered rainfall activity likely over South peninsular India.











8 October (Day 1)

- ♦ Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Coastal Andhra Pradesh, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over South Interior Karnataka.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Coastal Karnataka, Odisha, Telangana, Uttarakhand and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Chhattisgarh, Himachal Pradesh, Jharkhand, Kerala & Mahe, Konkan & Goa, Lakshadweep, Madhya Pradesh, North Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Vidarbha.
 - Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail along and off Kerala coasts, Lakshadweep Area, Gulf of Mannar adjoining Comorin area, westcentral adjoining northwest Arabian sea.









9 October (Day 2)

- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Assam & Meghalaya, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura, Odisha, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over South Interior Karnataka.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Coastal Karnataka, Gangetic West Bengal and Odisha.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe, Konkan & Goa, Lakshadweep, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail over along and off Karnataka, Kerala coasts, Lakshadweep Area, Gulf of Mannar adjoining Comorin area and westcentral adjoining northwest Arabian sea.









10 October (Day 3)

- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Coastal Karnataka, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura, Odisha, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- * Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over South Interior Karnataka.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Coastal Karnataka, Gangetic West Bengal and Odisha.
- **♦ Thunderstorm accompanied with Lightning** very likely at isolated places over Andhra Pradesh, Kerala & Mahe, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail over Gulf Mannar and adjoining Comorin Area.








11 October (Day 4)

- Heavy Rainfall likely at isolated places over Kerala & Mahe, Odisha and Tamil Nadu Puducherry & Karaikal.
- * Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Odisha.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail over Gulf Mannar and adjoining Comorin Area.






12 October (Day 5)


- Heavy Rainfall likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed reaching 35-45 kmph gusting to 55 kmph likely to prevail over Gulf Mannar and adjoining Comorin Area.

Page 9



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences






13 October (Day 6)


No Warning

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences





14 October (Day 7)

No Warning

No Fishermen Warning



Table-1

7 Days Rainfall Forec	ast
-----------------------	-----

	I Days Kallli	all		-ca	J L			
S.No.	Subdivision	8- Oct	9- Oct	10- Oct	11- Oct	12- Oct	13- Oct	14- Oct
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	FWS	FWS	FWS	SCT	SCT
2	ARUNACHAL PRADESH	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
3	ASSAM & MEHGHALAYA	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
4	N. M. M. & T.	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
6	GANGETIC WEST BENGAL	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
7	ODISHA	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
8	JHARKHAND	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
9	BIHAR	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	SCT	ISOL	ISOL	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	SCT	ISOL	ISOL	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
21	GUJRAT REGION	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
23	KONKAN & GOA	SCT	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
27	CHATTISGARH	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
28	COASTAL ANDHRA PRADESH	SCT	SCT	SCT	ISOL	ISOL	SCT	SCT
29	TELANGANA	SCT	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	FWS	SCT	SCT	SCT	SCT	SCT	SCT
32		SCT	SCT	SCT	SCT	ISOL	ISOL	DRY
33	NORTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	SCT	FWS	SCT	SCT	ISOL	ISOL	ISOL
35		WS	WS	FWS	FWS	FWS	FWS	FWS
36	LAKSHDWEEP	FWS	FWS	FWS	SCT	SCT	SCT	SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-10-07




Fig. 3: Minimum Temperatures Dated 2025-10-08




Fig. 2: Departure of Maximum Temp. Dated 2025-10-07






Fig. 4: Departure of Minimum Temp. Dated 2025-10-08









Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

(Based on the IBF and advisories issued by different AMFUs)

- In **Tamil Nadu**, harvest matured crops of rice and groundnut and shift the harvested produce to safer places. Provide adequate drainage facilities in fields of rice, cotton, turmeric and vegetables and plantations of coconut and banana to avoid water stagnation.
- In **Kerala**, make provision to drain out excess water from fields of rice and plantations of banana, coconut, arecanut and black pepper.
- In **South Interior Karnataka**, harvest matured crops of groundnut and maize and store the produce in safer places. Shift the harvested produce of pepper, cardamom, turmeric and coffeeto dry, covered and ventilated areas or cover with tarpaulins in the fields. Ensure proper drainage in fields of rice, maize, finger millet, pigeon pea, soybean, groundnut and vegetables and plantations of banana, black pepper, coconut and arecanut to avoid waterlogging.
- In Coastal Andhra Pradesh, harvest the matured fruits and vegetables. Provide adequate drainage facilities in fields of rice, maize, pigeon pea, black gram, green gram, groundnut, turmeric, vegetables and plantations of coconut, arecanut, banana, coffee and black pepper.
- In **Rayalseema**, harvest matured fruits and vegetables and store in safer places. Make provision to drain out excess water from fields of rice, groundnut, cotton, turmeric and vegetables.
- In Coastal Karnataka, make necessary arrangements to drain out excess water from fields of rice and plantations of coconut and arecanut.
- In **Assam**, harvest all the matured vegetables (tomato, cucumber, brinjal etc). Ensure proper drainage of excess water from fields of *Sali* rice, black gram, green gram and vegetables.
- In **Meghalaya**, make necessary arrangements to drain out excess water from fields of standing crops, vegetables and fruit orchards.
- In **Odisha,**ensure proper drainage in fields of rice, maize, green gram, black gram, groundnut, cotton and vegetables to prevent waterlogging.
- In **Himachal Pradesh**, drain out excess water from fields of rice, maize, kidney beans, finger millet, vegetables and fruit orchards.
- In **Punjab**, drain out excess water from fields of rice, maize, cotton and vegetables.
- In **Uttar Pradesh**, drain out excess water from fields of rice, maize, green gram, sugarcane, groundnut and vegetables.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.


Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

(Based on the IBF and advisories issued by different AMFUs)

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning

Strong surface winds

Cold Wave Hot & Humid





Extremely Heavy Rain 🗼 Heavy Snow







Dust Raising Winds





Ground Frost

Hot Day



FOG FOG



		EGENDS	
	WARNING	Probabilistic Forecas	st
	WARNING (TAKE ACTION)	Terms Probability of Occurre	nce (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
	NO WARNING (NO ACTION)	Most Likely > 75	
./ 💭	Heavy: 64.5 to 115.5 mm/cm *		
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *		
iiii onow			0 C f L
	(a) Based on Departure from norma	tation reaches ≥40° C for plains and ≥30 al	o tor n
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.	
Î+	Severe Heat Wave: Maximum Temperat		
eat Wave	(b). Based on Actual maximum tem	•	
iout maro	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coast		
	When maximum temperature departure is	>4.5°C from normal. Heat Wave may be describe	d provide
	temperature ≥37°C		
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature		
Varm Night	Severe Warm Night: When minimum temperatur		
		station ≤10°C for plains and ≤0°C for h	illy regi
	(a). Based on departure Cold Wave: Minimum Temperature Depart	urture from normal A 5 9C to 6 4 9C	
	Severe Cold Wave: Minimum Temperature Depa		
J-	(b) Based on actual Minimum Tem		
Cold Wave	Cold Wave : When Minimum Temperatur		
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C	
	(c) For Coastal Stations		
	When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤	15 °C
		tation ≤10°C for plains and ≤0°C for hilly	regions
 -	Based on departure Cold Day: Maximum Temperature Depar	ture from normal -4.5 °C to -6.4 °C	
Cold Day	Severe Cold Day: Maximum Temperatur		
	Pharaman of amall devotate		! - !!- !!!
A	Moderate Fog: When the visibility between	suspended in air and the horizontal	VISIDIII
•	Dense Fog: when the visibility between		
Fog	Very Dense Fog: when the visibility < 50	metres	
7.			
75	Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a	sharp r
nunderstorm	(
luliderstorm			
understorm	An annumble of continuous states	and annualisable life of the count but the	h
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically lifted to great heights	by a str
		sand energetically lifted to great heights	by a str
Dust/Sand		sand energetically lifted to great heights	by a str
Dust/Sand Storm	turbulent wind.	sand energetically lifted to great heights	by a str
Dust/Sand	lce deposits on ground [Air temperature ≤4°C (over Plains)		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde	sand energetically lifted to great heights l	by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde [Moderate: Wind speed 52-61 kmph]		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde		by a sti
Dust/Sand Storm Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute.	by a sti
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre	by a str
Dust/Sand Storm Frost Squall	Lice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64 High to very high: Wind speed 63-117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre	by a str
Dust/Sand Storm Frost Squall	turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre h (34-47 knots)	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 63-117 kmph (>Phenomenal: Wind speed >117 kmph (>Cyclonic Storm: Wind speed 62-87 kmph	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre th (34-47 knots) 3-117 kmph (48-63 knots) seed 118-165 kmph (64 - 89 knots)	by a str