



2025-10-13

Time of Issue: 14:07:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

South Peninsular India:

- Light to moderate rain/thunderstorm at some/ isolated places with Isolated **heavy to very heavy rainfall** over Coastal Andhra Pradesh on 13th and isolated **heavy rainfall** likely over Telangana on 13th, Tamil Nadu and Kerala & Mahe during 13th -19th; South Interior Karnataka, Coastal Andhra Pradesh & Yanam and Rayalaseema during 13th 16th; Lakshadweep on 17th & 18th October.
- Thunderstorm with lightning and gusty wind (speed reaching 30-40 kmph) over the region for next 4-5 days.

East & Central India:

- Light to moderate rain/thunderstorm at some/ isolated places with **isolated heavy rainfall** likely over Odisha on 13th October
- Thunderstorm with lightning over Chhattisgarh during 13th -15th; Vidarbha during 14th -16th; Odisha on 14th & 15th October.

West India:

 Thunderstorm with lightning over Konkan & Goa and Madhya Maharashtra during 14th -17th and Marathawada during 14th -16th October.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- ♦ Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Coastal Andhra Pradesh & Yanam and Kerala & Mahe; at a few places over Andaman & Nicobar Islands, Telangana, Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka and Lakshadweep; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Odisha, Chhattisgarh, Rayalaseema and South Interior Karnataka; Dry over rest of the country.
- * Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Telangana: Manuguru (dist B. Kothagudem) 13; Atmakur M (dist Y. Bhuvanagiri) 12; Gundala (dist B. Kothagudem), Mahabubabad (dist Mahabubabad), Aswapuram (dist B. Kothagudem) 11 Each; Burgampadu (dist B. Kothagudem) 10; Gudurwrgl (dist Mahabubabad), Venkatapuram (dist Mulugu), Kothaguda (dist Mahabubabad), Nallabelly (dist Warangal) 9 Each; Bayyaram (dist Mahabubabad), Chennaraopet (dist Warangal), Tadwai Mlg (dist Mulugu) 7 Each; Coastal Andhra Pradesh & Yanam: Kalingapatnam (dist Srikakulam) 13; Kaikalur (dist Eluru) 9; Sompeta (dist Srikakulam) 7; Kerala & Mahe: Kanjirappally (dist Kottayam) 11; Padannakkad AWS (dist Kasargod), Ranni AWS (dist Pathanamthitta) 9 Each; Thodupuzha (dist Idukki), Punalur (dist Kollam) 7 Each; Tamil Nadu, Puducherry & Karaikal: Tenkasi AWS (dist Tenkasi), Ammundi (dist Vellore), Ayinkudi (dist Pudukkottai), Palar Anicut (dist Ranipet) 8 Each; Nanguneri (dist Tirunelveli), Thenkasi (dist Tenkasi), Wallajah (dist Ranipet), Virinjipuram AWS (dist Vellore) 7 Each; Odisha: Purushottampur (dist Ganjam) 8; Coastal Karnataka: Puttur HMS (dist Dakshina Kannada) 7.
- **Heavy Rainfall observed** (from 0830 hours IST of yesterday to 0830 hours IST of today): **Heavy to very heavy rain** at isolated places over Coastal Andhra Pradesh & Yanam and Telangana. **Heavy rain** at isolated places over Odisha, Tamil Nadu, Puducherry & Karaikal, Coastal Karnataka and Kerala & Mahe.
- * Minimum Temperature Departures (as on 13-10-2025): markedly above normal(> 5.1°C) at isolated places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim and Bihar. appreciably above normal(3.1°C to 5.0°C) at isolated places over Nagaland, Manipur, Mizoram & Tripura, West Uttar Pradesh and Konkan & Goa. above normal(1.6°C to 3.0°C) at few places over Punjab and Himachal Pradesh; at isolated places over Odisha, Haryana-Chandigarh-Delhi, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Chhattisgarh, Telangana and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over West Rajasthan, East Madhya Pradesh, Gujarat Region and Marathwada; at most places over Andaman & Nicobar Islands, Arunachal Pradesh, Gangetic West Bengal, Jharkhand, Uttarakhand, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe and Lakshadweep; at few places over East Uttar Pradesh, East Rajasthan, West Madhya Pradesh and Vidarbha; at isolated places over Saurashtra & Kutch. The lowest minimum temperature of 13.8°C is reported at UNA (HIMACHAL PRADESH) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 12-10-2025): appreciably above normal(3.1°C to 5.0°C) at isolated places over Konkan & Goa, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe. above normal(1.6°C to 3.0°C) at many places over Coastal Karnataka; at few places over Arunachal Pradesh, Sub Himalayan West Bengal & Sikkim and Lakshadweep; at isolated places over Assam & Meghalaya, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and North Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over Bihar, Saurashtra & Kutch, Vidarbha and Chhattisgarh; at most places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Odisha, Jharkhand, Uttarakhand, Marathwada and South Interior Karnataka; at few places over East Uttar Pradesh, West Uttar Pradesh, Haryana-Chandigarh-Delhi, Punjab and Gujarat Region; at isolated places over West Rajasthan and West Madhya Pradesh. The highest maximum temperature of 36.9°C is reported at BARMER (RAJASTHAN).




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The **line of withdrawal of southwest monsoon** now passes through 14°N/72°E, Karwar, Kalburgi, Nizamabad, Kanker, Keonjhargarh, Sagar Island, Guwahati and 28.0°N/ 92.5°E.
- Southwest monsoon further withdrawn from some parts of Karnataka, some parts of Telangana, most parts of Maharashtra, entire Goa, remaining parts of Madhya Pradesh, Uttar Pradesh, most parts of Chhattisgarh, remaining parts of Bihar, entire Jharkhand, West Bengal & Sikkim and some parts of Odisha & northeastern states.
- Conditions are favourable for further withdrawal of **southwest monsoon** from remaining parts Odisha, Chhattisgarh, Telangana, Maharashtra and northeast States during next 2-3 days.
- The **upper air cyclonic circulation over** central parts of Uttar Pradesh persists and now seen between 1.5 & 3.1 km above mean sea level.
- An upper air cyclonic circulation lies over Coastal Andhra Pradesh & neighbourhood at 0.9 km above mean sea level.
- An upper air cyclonic circulation lies over south Assam at 3.1 km above mean sea level
- The **upper air cyclonic circulation** over southwest Bay of Bengal & adjoining south Tamil Nadu coast persists and now seen between 1.5 & 3.1 km above mean sea level.
- The **upper air cyclonic circulation** over westcentral Arabian Sea extending upto 1.5 km above mean sea level persists.













13 October (Day 1)

- Heavy to Very Heavy Rainfall very likely at isolated places over Coastal Andhra Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Kerala & Mahe, Odisha, Rayalaseema, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Kerala & Mahe, Lakshadweep, North Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Chhattisgarh, Kerala & Mahe, Lakshadweep, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off north Andhra Pradesh & adjoining south Andhra Pradesh coasts and adjoining sea areas.









14 October (Day 2)

- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Kerala & Mahe, Lakshadweep, North Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Chhattisgarh, Kerala & Mahe, Konkan & Goa, Maharashtra, Odisha, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and Telangana.
 - No Warning









15 October (Day 3)

- ♦ Heavy Rainfall very likely at isolated places over Andhra Pradesh, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Coastal Karnataka, Kerala & Mahe, North Interior Karnataka and Telangana.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Chhattisgarh, Karnataka, Kerala & Mahe, Konkan & Goa, Maharashtra, Odisha, Tamil Nadu Puducherry & Karaikal and Telangana.
 - No Warning








16 October (Day 4)

- ♦ Heavy Rainfall likely at isolated places over Andhra Pradesh, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Coastal Karnataka, Kerala & Mahe and North Interior Karnataka.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Karnataka, Kerala & Mahe, Konkan & Goa, Maharashtra and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Tamil Nadu, Kerala coasts and adjoining sea areas, over Lakshadweep, Comorin areas, over Gulf of Mannar.






17 October (Day 5)

- ♦ Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Kerala & Mahe
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Konkan & Goa, Madhya Maharashtra, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
 - Squally weather with wind speed 35 kmph to 45 kmph gusting to 55 kmph likely to prevail along and off Tamil Nadu, Kerala coasts and adjoining sea areas, over Lakshadweep, Comorin areas, over Gulf of Mannar.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences




18 October (Day 6)


♦ Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences





19 October (Day 7)

♦ Heavy Rainfall likely at isolated places over Coastal Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



Table-1

7 Days Rainfall Foreca	ast
------------------------	-----

	I Days Kallli	anı		56a	JL			
S.No.	Subdivision	13- Oct	14- Oct	15- Oct	16- Oct	17- Oct	18- Oct	19- Oct
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	SCT	ISOL	ISOL	SCT	SCT	SCT
2	ARUNACHAL PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	ISOL
3	ASSAM & MEHGHALAYA	ISOL	ISOL	DRY	DRY	DRY	DRY	ISOL
4	N. M. M. & T.	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
5	S.H. WEST BENGAL & SIKKIM	DRY						
6	GANGETIC WEST BENGAL	DRY						
7	ODISHA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
8	JHARKHAND	DRY						
9	BIHAR	DRY						
10	EAST UTTAR PRADESH	DRY						
11	WEST UTTAR PRADESH	DRY						
12	UTTARAKHAND	DRY						
13	HARYANA, CHD & DELHI	DRY						
14	PUNJAB	DRY						
15	HIMACHAL PRADESH	DRY						
16	JAMMU AND KASHMIR AND LADAKH	DRY						
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY						
19	WEST MADHYA PRADESH	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
20	EAST MADHYA PRADESH	DRY	DRY	ISOL	ISOL	ISOL	ISOL	ISOL
21	GUJRAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY	ISOL	SCT	SCT	ISOL	ISOL	ISOL
24	MADHYA MAHARASHTRA	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
25	MARATHWADA	ISOL	ISOL	SCT	ISOL	ISOL	ISOL	ISOL
26	VIDARBHA	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
27	CHATTISGARH	ISOL						
28	COASTAL ANDHRA PRADESH	WS	WS	FWS	SCT	SCT	SCT	SCT
29	TELANGANA	ISOL	SCT	SCT	ISOL	ISOL	ISOL	ISOL
30	RAYALASEEMA	SCT	WS	FWS	FWS	FWS	SCT	SCT
31	TAMILNADU & PUDUCHERRY	FWS	SCT	SCT	SCT	FWS	FWS	FWS
32	COSTAL KARNATAKA	ISOL	FWS	SCT	WS	FWS	FWS	SCT
33	NORTH INTERIOR KARNATAKA	ISOL	SCT	FWS	SCT	SCT	SCT	SCT
34	SOUTH INTERIOR KARNATAKA	ISOL	FWS	WS	FWS	FWS	FWS	SCT
35	KERALA	WS	WS	FWS	FWS	WS	WS	WS
36	LAKSHDWEEP	WS	WS	FWS	FWS	WS	WS	WS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-10-12




Fig. 3: Minimum Temperatures Dated 2025-10-13




Fig. 2: Departure of Maximum Temp. Dated 2025-10-12






Fig. 4: Departure of Minimum Temp. Dated 2025-10-13









Impact & Action Suggested due to

• Very heavy rainfall over Coastal Andhra Pradesh on 13th October.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
 of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- · Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments mainly over Bihar, Jharkhand and West Bengal (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

(Based on the IBF and advisories issued by different AMFUs)

- In **Tamil Nadu**, store the harvested produce of rice and groundnut in safer places. Provide adequate drainage facilities in fields of rice, cotton, turmeric, garlic, ginger and vegetables and plantations of coconut, banana and black pepper to avoid water stagnation.
- In **Kerala**, make provision to drain out excess water from fields of rice and plantations of banana, coconut, arecanut and black pepper.
- In **South Interior Karnataka**,keep the harvested produce of groundnut, maize pepper, cardamom, turmeric and coffeeto dry, covered and ventilated areas or cover with tarpaulins in the fields. Make necessary arrangements to drain out excess water from fields of rice, maize, finger millet, pigeon pea, soybean, groundnut and vegetables and plantations of banana, black pepper, coconut and arecanut to avoid waterlogging.
- In **Coastal Andhra Pradesh**, provide adequate drainage facilities in fields of rice, maize, pigeon pea, black gram, green gram, groundnut, turmeric, ginger, vegetables and plantations of coconut, arecanut, banana, coffee and black pepper.
- In Rayalseema, maintain proper drainage in fields of rice, groundnut, cotton, turmeric and vegetables.
- In Coastal Karnataka, drain out excess water from fields of rice and plantations of coconut and arecanut.
- In Telangana, drain out excess water from fields of rice, maize, cotton, soybean, pigeon pea and turmeric.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

(Based on the IBF and advisories issued by different AMFUs)

- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.
- Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning







Cold Day













Ground Frost



	(<u> </u>	EGENDS)
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
	NO WARNING (NO ACTION)	Most Likely > 75
/0	Heavy: 64.5 to 115.5 mm/cm *	
* *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *	
ain/ Snow		
	When maximum temperature of a s (a) Based on Departure from normal	station reaches ≥40° C for plains and ≥30° C for l
	Heat Wave: Maximum Temperature Dep	
	Severe Heat Wave: Maximum Temperat	ure Departure from normal ≥6.5° C
J+	(b). Based on Actual maximum tem	perature
leat Wave	Heat Wave: When actual maximum temp	
	Severe Heat Wave: When actual maxim	v and the second
	(c). Criteria for heat wave for coast When maximum temperature departure is	tal stations s >4.5°C from normal. Heat Wave may be described provide
	temperature ≥37°C	
۱.	When maximum temperature rema	
arm Night	Warm Night: When minimum temperatur	
- Ingili	Severe Warm Night: When minimum ter	nperature departure >6.4 °C.
	When minimum temperature of a	a station ≤10°C for plains and ≤0°C for hilly reg
	(a). Based on departure	station 210 0 for plants and 20 0 for filling regi
	Cold Wave: Minimum Temperature Depart	
Q -	Severe Cold Wave: Minimum Temperatu	
Cold Wave	(b) Based on actual Minimum Tem	
Join Have	Cold Wave : When Minimum Temperatur Severe Cold Wave: When Minimum Ter	
	(c) For Coastal Stations	inputation is a 2.0 o
	•	is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a s	station ≤10°C for plains and ≤0°C for hilly regions
N _	Based on departure	,
Cold Day	Cold Day: Maximum Temperature Depart	
Cold Day	Severe Cold Day: Maximum Temperatur	re Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets	suspended in air and the horizontal visibili
0	Moderate Fog: When the visibility between	
	Dense Fog: when the visibility between	50- 200 metres
Fog		50- 200 metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres) metres
	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50	50- 200 metres
Fog	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif	50- 200 metres) metres
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or	50- 200 metres) metres
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder)	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog ## understorm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind.	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog understorm Oust/Sand	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind.	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains)	50- 200 metres metres fested by a flash of light (Lightning) and a sharp ru
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
Fog Wy understorm Dust/Sand Storm	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudden Moderate: Wind speed 52-61 kmph	50-200 metres) metres fested by a flash of light (Lightning) and a sharp run r sand energetically lifted to great heights by a str
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research to great heights by a street to great heights by
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres 0 metres 1 metre
understorm Dust/Sand Storm Frost	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64	50-200 metres 0 metres 1 metre
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph Severe Wind Severe Wind speed 63-117 kmph Severe Wind Severe W	50-200 metres) metres fested by a flash of light (Lightning) and a sharp research as a sharp research a
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmp Severe Cyclonic Storm: Wind speed 88 kmp	50-200 metres netres fested by a flash of light (Lightning) and a sharp reserved by a flash of light (Lightning) and a sharp reserved by a street of the sharp reserved by a sharp r
understorm Dust/Sand Storm Frost Squall	Dense Fog: when the visibility between Very Dense Fog: when the visibility < 50 Sudden electrical discharges manif sound (thunder) An ensemble of particles of dust or turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-67 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 kmph (> Cyclonic Storm: Wind speed 62-87 kmph	fested by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a flash of light (Lightning) and a sharp restricted by a structure of the sharp