



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-08-20

Time of Issue: 19:22:00 hours IST

(Night)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

West India:

Heavy to very heavy rainfall at a few places with isolated Extremely to Exceptionally heavy rainfall (≥30 cm) is very likely over Saurashtra & Kutch and south Gujarat region on 20th and over Saurashtra on 21st August, 2025.

Rainfall activity is likely to reduce over Konkan and Madhya Maharashtra from today onwards with isolated heavy to very heavy rainfall over north Konkan (including Mumbai) and isolated very heavy to extremely heavy rainfall (≥21 cm) over North Madhya Maharashtra on 20th and isolated heavy rainfall over the region during subsequent 3 days.

Strong surface winds (speed reaching 40-50 kmph) very likely over the region till 23rd August.

Light to moderate rainfall at most/many places very likely over the region during next 7 days.

Increase in rainfall activity over Konkan and Madhya Maharashtra and adjoining Gujarat from 25th Onwards.

East & Central India:

Isolated heavy rainfall likely over Madhya Pradesh, Chhattisgarh, Sub-Himalayan West Bengal & Sikkim, Bihar during next 7 days; Vidarbha on 20th, 25th & 26th; Odisha, Jharkhand, Gangetic West Bengal during 21st-25th August with isolated very heavy rainfall over south Madhya Pradesh on 20th; Jharkhand on 22nd; Bihar on 22nd & 23rd and Chhattisgarh on 25th & 26th August.

Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over the region during next 5 days.

Northwest India:

Isolated **heavy rainfall** likely over Jammu-Kashmir during 22nd-26th; Himachal Pradesh,Uttarakhand, East Rajasthan during next 7 days; Punjab, Haryana on 20th, during 22nd-26th; East Uttar Pradesh during 22nd-25th; West Rajasthan on 23rd & 24th August with **isolated very heavy rainfall over Punjab on 20th and 23rd; over Uttarakhand, Himachal Pradesh during 23rd-25th; Haryana and East Rajasthan on 23rd August.**

Light/moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Uttarakhand & Rajasthan during next 7 days.

Northeast India:

Isolated **heavy rainfall** likely to continue over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Arunachal Pradesh during 7 days with **very heavy rainfall over Arunachal Pradesh, Tripura, Mizoram during 21st-24th and Assam & Meghalaya during 20th-23rd August.**

Light/moderate rainfall at many places accompanied with thunderstorm & lightning likely during next 3 days.

South Peninsular India:

Isolated **heavy rainfall** likely over Coastal & North Interior Karnataka on 20th & 26th; Telangana on 20th, 25th & 26th; Coastal Andhra Pradesh on 26th August.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Strong surface winds (speed reaching 40-50 kmph) very likely over north Coastal Andhra Pradesh and Coastal Karnataka on 20th August.

Light to moderate rainfall at most/many places accompanied with thunderstorm & lightning likely over Tamil Nadu, Coastal Andhra Pradesh & Yanam and Telangana during next 5 days.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST to 1730 hours IST of today): at most places over Konkan & Goa , Subhimalayan West Bengal & Sikkim, Himachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, East Madhya Pradesh, Gangetic West Bengal, Arunachal Pradesh, Gujarat Region, Saurashtra & Kutch, Vidarbha, North Interior Karnataka and South Interior Karnataka; at many places over Odisha, West Uttar Pradesh, Uttarakhand, Madhya Maharashtra , Jharkhand, West Madhya Pradesh, East Uttar Pradesh, Bihar, Haryana Chandigarh & Delhi, Punjab, Jammu & Kashmir and Ladakh, West Rajasthan, East Rajasthan, Assam & Meghalaya, Marathawada, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Tamilnadu Puducherry & Karaikal, Coastal Karnataka, Kerala & Mahe and Andaman & Nicobar Islands; Dry over rest of the country.
- Significant rainfall recorded(in cm) (from 0830 hours IST to 1730 hours IST of today): Saurashtra & kutch: Keshod AP (dist Junagadh) 26, Porbandar AP (dist Porbandar) 21, Mahuva (dist Bhavnagar), Daman (dist Daman) 6 Each, Rajkot AP (dist Rajkot) 4, Naliya, Kandla AP (dist Kachchh), Amreli (dist Amreli) 3 Each; Gujarat Region: Navsari 23, Valsad 17, Tapi 15, Surat 10, Dang 8, Bharuch 8; Himachal pradesh: Una (dist Una) 13; West madhya pradesh: Ratlam-obs (dist Ratlam) 7; Madhya maharashtra: Mahabaleshwar (dist Satara) 6; East madhya pradesh: Damoh-obs (dist Damoh) 6; Andaman & nicobar islands: Mayabandar, Long Island (dist North And Middle Andaman) 4 Each; Konkan & goa: Dahanu (dist Palghar), Matheran (dist Raigad) 3 Each; Sub-himalayan west bengal & sikkim: Kalimpong (dist Kalimpong) 3.
- ♦ Heavy Rainfall observed (from 0830 hours IST to 1730 hours IST of today):Extremely heavy rain at isolated places over Gujarat State; Heavy to very heavy rain at isolated places over Himachal Pradesh Heavy rain at isolated places over West Madhya Pradesh
- ♦ Minimum Temperature Departures (as on 20-08-2025): markedly above normal(> 5.1°C) at many places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at few places over West Madhya Pradesh and East Madhya Pradesh; at isolated places over Assam & Meghalaya, East Uttar Pradesh, West Uttar Pradesh, Himachal Pradesh and West Rajasthan. appreciably above normal(3.1°C to 5.0°C) at isolated places over Sub Himalayan West Bengal & Sikkim, Odisha, Bihar, East Rajasthan, Gujarat Region and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at many places over Lakshadweep; at isolated places over Gangetic West Bengal, Uttarakhand, Haryana-Chandigarh-Delhi, Madhya Maharashtra, Vidarbha, Rayalaseema and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over Konkan & Goa, Chhattisgarh and Telangana; at most places over Andaman & Nicobar Islands, Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Jharkhand, Punjab, Marathwada, Coastal Andhra Pradesh & Yanam, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka and Kerala & Mahe. The lowest minimum temperature of 19.0°C is reported at KHANDWA (MADHYA PRADESH), MATHERAN (MAHARASHTRA), JEUR (MAHARASHTRA), and MYSORE (KARNATAKA) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 20-08-2025): markedly above normal(> 5.1°C) at many places over Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad. appreciably above normal(3.1°C to 5.0°C) at few places over West Rajasthan; at isolated places over Assam & Meghalaya, Uttarakhand, East Rajasthan and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at few places over Jharkhand, East Madhya Pradesh, Kerala & Mahe and Lakshadweep; at isolated places over Odisha, Bihar, East Uttar Pradesh, West Uttar Pradesh, Haryana-Chandigarh-Delhi and West Madhya Pradesh. near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar Islands, Gangetic West Bengal, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana and Rayalaseema; at most places over Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim and Coastal Karnataka; at few places over Arunachal Pradesh, Punjab, Himachal Pradesh, Gujarat Region, Saurashtra & Kutch, Konkan & Goa and Vidarbha; at isolated places over Madhya Maharashtra. The highest maximum temperature of 40.1°C is reported at BARMER (RAJASTHAN).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 1730 hours IST)

- The **upper air cyclonic circulation** over southeast Madhya Pradesh & neighbourhood extending upto 4.5 km above mean sea level persists.
- The **monsoon trough now** passes through Okha, Vallabh Vidyanagar, Ujjain, Mandla, Sambalpur, Chandbali and thence east-southeastwards to eastcentral Bay of Bengal extending upto 1.5 km above mean sea level.
- The **Western Disturbance** as a cyclonic circulation over Jammu division & neighbourhood at 3.1 km above mean sea level persists.
- The **upper air cyclonic circulation** over northeast Assam & neighbourhood extending upto 1.5 km above mean sea level persists.
- The **upper air cyclonic circulation** over northeast Arabian Sea & adjoining Gujarat between 5.8 km & 7.6 km above mean sea level persists.
- The **shear zone** roughly along Lat. 21°N over the Indian region between 3.1 & 4.5 km above mean sea level persists.
- The off shore trough at mean sea level along Gujarat -Maharashtra coasts persists.

	Weather	Outlook	for su	bsequent:	3 days
--	---------	----------------	--------	-----------	--------

• Scattered to Fairly widespread rainfall likely over northern, western India, western peninsular and eastern India.





20 August (Day 1)


- ♦ Heavy to very heavy rainfall at a few places with isolated Extremely to Exceptionally heavy rainfall (≥30 cm) very likely over Saurashtra & Kutch and south Gujarat region.
- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Madhya Maharashtra.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Konkan (Mumbai) & Goa, Madhya Pradesh, Punjab and Assam & Meghalaya.
- ♦ Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Bihar, Chhattisgarh, Coastal Karnataka, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Telangana, Uttarakhand and Vidarbha.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Telangana and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Gujarat State, Himachal Pradesh, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Uttarakhand and Vidarbha.
- **Strong Surface Winds** very likely at isolated places over Coastal Andhra Pradesh, Coastal Karnataka, Gangetic West Bengal, Konkan & Goa, Odisha and Saurashtra & Kutch.
- ♦ Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman coasts, most parts of westcentral Arabian sea, adjoining & some parts of southwest, eastcentral




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Arabian Sea; Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off north Gujarat, north Karnataka coasts, over most parts westcentral & adjoining eastcentral Bay of Bengal, north Bay of Bengal, north Andhra Pradesh & north Odisha, West Bengal coasts, over Gulf of Mannar; Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail over along & off south Gujarat coast, Konkan & Goa coasts and adjoining sea areas, most parts of eastcentral Arabian Sea; Squally wind with speed reaching 50 - 60 kmph gusting to 70 kmph likely to prevail over some parts of eastcentral Arabian sea and off south Gujarat & north Konkan coast.









21 August (Day 2)

- Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Saurashtra & Kutch.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Gujarat Region, Madhya Maharashtra and Nagaland, Manipur, Mizoram and Tripura.
- ♦ Heavy Rainfall very likely at isolated places over Bihar, Chhattisgarh, East Rajasthan, Jharkhand, Konkan & Goa, Madhya Pradesh, Odisha, Uttarakhand and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Telangana and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Uttar Pradesh, Gujarat State, Himachal Pradesh, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Tamil Nadu Puducherry & Karaikal and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Konkan & Goa and Saurashtra & Kutch.
- Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea, adjoining & some parts of southwest, eastcentral Arabian Sea; Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail over few parts of westcentral and north Bay of Bengal, and Gulf of Mannar; Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail over along & off Gujarat Konkan & Goa coasts and adjoining sea areas, most parts of eastcentral, & northeast Arabian Sea.









22 August (Day 3)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Jharkhand and Nagaland, Manipur, Mizoram and Tripura.
- **Heavy Rainfall** very likely at isolated places over Chhattisgarh, East Rajasthan, East Uttar Pradesh, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Odisha, Punjab, Uttarakhand and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, Telangana and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Himachal Pradesh, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Gangetic West Bengal, Konkan & Goa and Saurashtra & Kutch.
- Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, most parts of westcentral Arabian sea, adjoining & some parts of southwest, eastcentral Arabian Sea; Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off south Konkan, Goa coasts, some parts of southeast Arabian Sea, over few parts of westcentral & north Bay of Bengal, off North Andhra Pradesh coast; Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail over Gujarat, north Konkan coasts and adjoining sea areas, most parts of eastcentral, northeast Arabian Sea.









23 August (Day 4)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, East Rajasthan, Haryana, Chandigarh & Delhi, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab and Uttarakhand.
- ♦ Heavy Rainfall likely at isolated places over Chhattisgarh, Gujarat State, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Konkan & Goa, Madhya Pradesh, Odisha, Uttar Pradesh, West Bengal & Sikkim and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and Telangana.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh, Uttarakhand and Vidarbha.
- * Strong Surface Winds likely at isolated places over Gangetic West Bengal, Odisha and Saurashtra & Kutch.
- ♦ Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Yemen, Oman coasts, many parts of northwest Arabian Sea, most parts of westcentral Arabian sea, adjoining & some parts of southwest, eastcentral Arabian Sea; Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off south Konkan, Goa coasts, over many parts of north Bay of Bengal, along and off West Bengal, adjoining Bangladesh coast; Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail over Gujarat, off north Konkan coasts and adjoining sea areas, most parts of eastcentral, northeast Arabian Sea.









24 August (Day 5)

- ♦ Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.
- ♦ Heavy Rainfall likely at isolated places over Assam & Meghalaya, Bihar, Chhattisgarh, Gujarat State, Haryana, Chandigarh & Delhi, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Konkan & Goa, Madhya Pradesh, Odisha, Punjab, Rajasthan, Uttar Pradesh and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and Telangana.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, Gujarat State, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Rajasthan, Tamil Nadu Puducherry & Karaikal, Uttarakhand and Vidarbha.
- **Strong Surface Winds** likely at isolated places over Odisha.
- ♦ Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman coasts, many parts of northwest Arabian Sea, most parts of westcentral Arabian sea, adjoining southwest & eastcentral Arabian Sea; Squally weather with wind speed reaching 40 50 kmph gusting to 60 kmph likely to prevail along and off north Konkan, Goa coasts, over most parts north adjoining westcentral Bay of Bengal, along and off north Odisha, West Bengal and Bangladesh coast; Squally weather with wind speed reaching 45 55 kmph gusting to 65 kmph likely to prevail over south Gujarat, off north Konkan coasts and adjoining sea areas, most parts of eastcentral, northeast Arabian Sea.









25 August (Day 6)

- Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh, Himachal Pradesh and Uttarakhand.
- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, East Rajasthan, Gujarat State, Haryana, Chandigarh & Delhi, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab, Telangana, Uttar Pradesh, Vidarbha and West Bengal & Sikkim.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- * Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.

No Fishermen Warning







26 August (Day 7)

- Heavy to Very Heavy Rainfall likely at isolated places over Chhattisgarh.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Coastal Andhra Pradesh, Coastal Karnataka, East Rajasthan, Gujarat State, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Punjab, Sub Himalayan West Bengal & Sikkim, Telangana, Uttarakhand, Vidarbha and West Uttar Pradesh.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar and Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad.
- Thunderstorm accompanied with Lightning likely at isolated places over Rajasthan and Uttarakhand.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings


24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 21-08-2025 :

Moderate to High flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Gujarat Region - Dadar & Nagar Haveli, Daman, Ahmedabad, Anand, Bharuch, Chhota Udepur, Khera, Mahesana, Narmada, Navsari, Patan, Surat, Tapi, Vadodara and Valsad districts.

Saurashtra & Kutch - Amreli, Bhavnagar, Botad, Devbhoomi Dwarka, Diu, Gir Somnath, Jamnagar, Junagarh, Porbandar, Rajkot, Surendranagar, Morbi and Kachchh districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




24 hours Outlook for the Flash Flood Risk (FFR) till 1730 IST of 21-08-2025 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Konkan & Goa - North Goa, South Goa, Mumbai City, Palghar, Raigarh, Ratnagiri, Sindhudurg, Suburban Mumbai and Thane districts.

Madhya Maharashtra - Kolhapur, Nasik, Pune and Satara districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



24 hours Outlook for the Flash Flood Risk (FFR) till


National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

1730 IST of 21-08-2025:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

Uttarakhand - Almora, Bageshwar, Chamoli, Champawat, Dehradun, Nanital, Pauri Garhwal, Pithoragarh, Rudraprayag and Tehri Garwal districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas overArea of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.





National Weather Forecasting Centre
Indian Meteorological Department
Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast

Aug Day 1 Day 2 Day 3 Day 4 Day 5 Day 6 Day 7 Day 2 ABUNACHAL PRADESH FWS WS WS FWS FWS FWS FWS ABUNACHAL PRADESH FWS WS WS WS FWS FWS FWS FWS ABUNACHAL PRADESH FWS WS WS WS FWS FWS FWS FWS ABUNACHAL PRADESH FWS FWS	S.No.	Subdivision	20-	21-	22-	23-	24-	25-	26-
1 ANDAMAN & NICOBAR ISLANDS			Aug						
ARUNACHAL PRADESH			Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
ASSAM & MEHGHALAYA	1	ANDAMAN & NICOBAR ISLANDS	WS	WS	WS	WS	FWS	FWS	-
4 N. M. M. & T. FWS FWS <td< td=""><td>2</td><td>ARUNACHAL PRADESH</td><td>FWS</td><td>WS</td><td>WS</td><td>WS</td><td>FWS</td><td>FWS</td><td>FWS</td></td<>	2	ARUNACHAL PRADESH	FWS	WS	WS	WS	FWS	FWS	FWS
5 S.H. WEST BENGAL & SIKKIM FWS FWS WS WS <td< td=""><td>3</td><td>ASSAM & MEHGHALAYA</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>WS</td><td>FWS</td><td>FWS</td></td<>	3	ASSAM & MEHGHALAYA	WS	WS	WS	WS	WS	FWS	FWS
6 GANGETIC WEST BENGAL WS WS <td>4</td> <td>N. M. M. & T.</td> <td>FWS</td> <td>FWS</td> <td>WS</td> <td>WS</td> <td>WS</td> <td>FWS</td> <td>FWS</td>	4	N. M. M. & T.	FWS	FWS	WS	WS	WS	FWS	FWS
7 ODISHA FWS FWS FWS FWS FWS FWS FWS FWS FWS WS FWS FWS FWS WS WS FWS FWS </td <td>5</td> <td>S.H. WEST BENGAL & SIKKIM</td> <td>FWS</td> <td>FWS</td> <td>FWS</td> <td>SCT</td> <td>SCT</td> <td>FWS</td> <td>FWS</td>	5	S.H. WEST BENGAL & SIKKIM	FWS	FWS	FWS	SCT	SCT	FWS	FWS
8 JHARKHAND WS SCT PWS SCT PWS WS WS WS PWS SCT PWS SCT PWS WS WS WS PWS	6	GANGETIC WEST BENGAL	WS						
9 BIHAR	7	ODISHA	FWS						
10	8	JHARKHAND	WS						
11 WEST UTTAR PRADESH	9	BIHAR	FWS	FWS	WS	WS	WS	FWS	SCT
12 UTTARAKHAND WS FWS WS WS FWS 13 HARYANA, CHD & DELHI SCT SCT FWS WS WS WS FWS 14 PUNJAB SCT ISOL FWS WS WS WS FWS 15 HIMACHAL PRADESH FWS SCT FWS WS SCT	10	EAST UTTAR PRADESH	ISOL	FWS	WS	WS	WS	FWS	FWS
13 HARYANA, CHD & DELHI SCT SCT FWS WS WS FWS 14 PUNJAB SCT ISOL FWS WS WS WS FWS 15 HIMACHAL PRADESH FWS SCT FWS WS <	11	WEST UTTAR PRADESH	ISOL	SCT	FWS	FWS	WS	WS	FWS
14 PUNJAB SCT ISOL FWS WS WS FWS 15 HIMACHAL PRADESH FWS SCT FWS WS WS WS WS 16 JAMMU AND KASHMIR AND LADAKH SCT ISOL SCT WS WS SCT FWS 17 WEST RAJASTHAN ISOL SCT	12	UTTARAKHAND	WS	FWS	WS	WS	WS	WS	FWS
15 HIMACHAL PRADESH 16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA 24 MADHYA MAHARASHTRA 25 MARATHWADA 26 VIDARBHA 27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 38 RAYALASEEMA 39 RAYALASEEMA 30 RAYALASEEMA 30 RAYALASEEMA 31 KERALA 48 SCT	13	HARYANA, CHD & DELHI	SCT	SCT	FWS	WS	WS	WS	FWS
16 JAMMU AND KASHMIR AND LADAKH 17 WEST RAJASTHAN 18 EAST RAJASTHAN 18 EAST RAJASTHAN 19 WEST MADHYA PRADESH 19 WEST MADHYA PRADESH 20 EAST MADHYA PRADESH 21 GUJRAT REGION 22 SAURASHTRA & KUTCH 23 KONKAN & GOA 24 MADHYA MAHARASHTRA 26 VIDARBHA 27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 28 COASTAL ANDHRA PRADESH 29 TELANGANA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 31 SOUTH INTERIOR KARNATAKA 50 SCT	14	PUNJAB	SCT	ISOL	FWS	WS	WS	WS	FWS
17 WEST RAJASTHAN ISOL SCT	15	HIMACHAL PRADESH	FWS	SCT	FWS	WS	WS	WS	WS
18 EAST RAJASTHAN FWS WS	16	JAMMU AND KASHMIR AND LADAKH	SCT	ISOL	SCT	WS	WS	SCT	FWS
19 WEST MADHYA PRADESH WS FWS FWS WS WS </td <td>17</td> <td>WEST RAJASTHAN</td> <td>ISOL</td> <td>SCT</td> <td>SCT</td> <td>SCT</td> <td>SCT</td> <td>SCT</td> <td>SCT</td>	17	WEST RAJASTHAN	ISOL	SCT	SCT	SCT	SCT	SCT	SCT
20 EAST MADHYA PRADESH WS FWS FWS WS W	18	EAST RAJASTHAN	FWS						
21 GUJRAT REGION WS WS WS WS WS WS WS PWS PWS PWS 22 SAURASHTRA & KUTCH WS WS WS WS WS PWS PWS PWS 23 KONKAN & GOA WS	19	WEST MADHYA PRADESH	WS	WS	FWS	FWS	WS	WS	WS
22 SAURASHTRA & KUTCH WS W	20	EAST MADHYA PRADESH	WS	FWS	FWS	WS	WS	WS	WS
23 KONKAN & GOA 24 MADHYA MAHARASHTRA EWS SCT SCT SCT SCT SCT SCT SCT S	21	GUJRAT REGION	WS						
24 MADHYA MAHARASHTRA 25 MARATHWADA 26 VIDARBHA 27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 29 TELANGANA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 25 MARATHWADA 36 ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	22	SAURASHTRA & KUTCH	WS	WS	WS	WS	WS	FWS	FWS
25 MARATHWADA 1SOL ISOL ISOL ISOL ISOL ISOL SCT 26 VIDARBHA FWS FWS SCT SCT FWS FWS WS 27 CHATTISGARH FWS FWS FWS FWS FWS FWS WS 28 COASTAL ANDHRA PRADESH SCT ISOL ISOL ISOL ISOL SCT SCT 29 TELANGANA FWS SCT ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	23	KONKAN & GOA	WS						
26 VIDARBHA 27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 29 TELANGANA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 35 KERALA FWS FWS FWS FWS FWS FWS WS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS SCT SCT SCT ISOL ISOL ISOL ISOL ISOL SCT SCT SCT SCT ISOL ISOL ISOL SCT SCT SCT SCT SCT FWS SCT SCT SCT SCT FWS FWS FWS FWS FWS FWS FWS FWS SCT SCT SCT SCT SCT FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS SCT SCT SCT SCT FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS	24	MADHYA MAHARASHTRA	FWS	SCT	ISOL	ISOL	ISOL	ISOL	SCT
27 CHATTISGARH 28 COASTAL ANDHRA PRADESH 29 TELANGANA RAYALASEEMA 30 RAYALASEEMA 31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA SCT	25	MARATHWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	SCT
28 COASTAL ANDHRA PRADESH 29 TELANGANA FWS SCT ISOL ISOL ISOL ISOL FWS FWS 30 RAYALASEEMA ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	26	VIDARBHA	FWS	FWS	SCT	SCT	FWS	FWS	WS
29 TELANGANA FWS SCT ISOL ISOL ISOL FWS FWS 30 RAYALASEEMA ISOL ISOL ISOL ISOL ISOL ISOL ISOL 31 TAMILNADU & PUDUCHERRY ISOL ISOL SCT SCT ISOL ISOL ISOL 32 COSTAL KARNATAKA WS WS FWS FWS FWS FWS WS 33 NORTH INTERIOR KARNATAKA FWS SCT SCT SCT ISOL SCT FWS 34 SOUTH INTERIOR KARNATAKA SCT SCT SCT SCT ISOL SCT 35 KERALA FWS SCT SCT SCT SCT FWS FWS	27	CHATTISGARH	FWS	FWS	FWS	FWS	FWS	WS	WS
30 RAYALASEEMA ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL	28	COASTAL ANDHRA PRADESH	SCT	ISOL	ISOL	ISOL	ISOL	SCT	SCT
31 TAMILNADU & PUDUCHERRY 32 COSTAL KARNATAKA 33 NORTH INTERIOR KARNATAKA 34 SOUTH INTERIOR KARNATAKA 35 KERALA 31 SOL ISOL SCT SCT ISOL ISOL SCT FWS 36 SCT SCT SCT SCT ISOL ISOL SCT 37 SCT SCT SCT SCT SCT SCT SCT SCT 38 SCT SCT SCT SCT SCT SCT SCT SCT 39 FWS SCT SCT SCT SCT FWS	29	TELANGANA	FWS	SCT	ISOL	ISOL	ISOL	FWS	FWS
32 COSTAL KARNATAKA WS WS FWS FWS FWS WS 33 NORTH INTERIOR KARNATAKA FWS SCT SCT SCT ISOL SCT FWS 34 SOUTH INTERIOR KARNATAKA SCT SCT SCT SCT ISOL ISOL SCT SCT SCT SCT SCT FWS FWS	30	RAYALASEEMA	ISOL						
33 NORTH INTERIOR KARNATAKA FWS SCT SCT SCT ISOL SCT FWS 34 SOUTH INTERIOR KARNATAKA SCT SCT SCT SCT ISOL ISOL SCT 35 KERALA FWS SCT SCT SCT SCT FWS FWS	31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
34 SOUTH INTERIOR KARNATAKA SCT SCT SCT SCT ISOL ISOL SCT SC KERALA FWS SCT SCT SCT SCT FWS FWS	32	COSTAL KARNATAKA	WS	WS	FWS	FWS	FWS	FWS	WS
35 KERALA FWS SCT SCT SCT FWS FWS	33	NORTH INTERIOR KARNATAKA	FWS	SCT	SCT	SCT	ISOL	SCT	FWS
	34	SOUTH INTERIOR KARNATAKA	SCT	SCT	SCT	SCT	ISOL	ISOL	SCT
36 LAKSHDWEEP SCT SCT SCT SCT SCT SCT	35	KERALA	FWS	SCT	SCT	SCT	SCT	FWS	FWS
	36	LAKSHDWEEP	SCT						

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-08-20




Fig. 3: Minimum Temperatures Dated 2025-08-20




Fig. 2: Departure of Maximum Temp. Dated 2025-08-20






Fig. 4: Departure of Minimum Temp. Dated 2025-08-20









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Extremely to Exceptionally heavy rainfall (≥30 cm) very likely over Saurashtra, Kutch and South Gujarat region on 20th August and over Saurashtra on 21st August.

Extremely heavy rainfall very likely at isolated places overNorth Madya Maharashtra on 20th August.

Isolated **very heavy rainfall** likely to continue over **Konkan (including Mumbai) & Goa, south Madhya Pradesh on 20th;** Madhya Maharashtra on 21st; Gujarat State during 20th-22nd; Jharkhand on 22nd; Bihar on 22nd & 23rd; Chhattisgarh on 25th & 26th; Uttarakhand, Himachal Pradesh during 23rd-25th; Punjab, Haryana, East Rajasthan on 23rd; Arunachal Pradesh, Tripura, Mizoram during 21st-24th and Assam & Meghalaya during 20th-23rd August.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
 of the above region.
- · Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

In **Maharashtra**, make arrangements to drain out excess water from rice fields maintaining 2.5 to 5 cm water level in **Konkan** and **ghat** areas of **Madhya Maharashtra**. To prevent waterlogging, make provision for draining out excess water from fields of finger millet, turmeric, groundnut, vegetables and fruit orchards in **Konkan**; maize, groundnut, soybean, vegetables and fruit orchards in **ghat** areas of **Madhya Maharashtra**; soybean and cotton in **West Vidarbha** and rice, soybean, cotton, pigeon pea, vegetables and fruit orchards in **East Vidarbha**.

In **Gujarat,** provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants to avoid lodging due to heavy rains and strong surface winds. Make arrangements to drain out excess water from fields of rice, sugarcane, vegetables and tuber cropsin **South Gujarat Heavy Rainfall Zone**; rice, cotton, sugarcane and pigeon peain **South Gujarat Zone**; groundnut, cotton, soybean, black gram, green gram, sesame and pigeon pea in **South Saurashtra Zone**; groundnut, cotton and sesame in **North Saurashtra Zone** and rice, cotton, green gram, black gram, pigeon pea, pearl millet and vegetables in **Bhal and Coastal Zone**.

In MadhyaPradesh, provide adequate drainage in fields of maize, soybean, cotton and vegetables in Satpura Plateau Zone; soybean, maize and vegetables in Malwa Plateau Zone; rice, soybean, maize, sugarcane and vegetables in Central Narmada Valley Zone; soybean, pigeon pea, cotton and vegetables in Nimar Valley Zone and maize, soybean, black gram, cotton, and pigeon pea in Vindhyan Plateau Zone.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

In **Chhattisgarh**, drain out excess water from fields of *kharif* maize, rice, minor millets, pulses and vegetables in **Bastar Plateau Zone**.

In **Karnataka**, provide adequate drainage facilities in rice and ginger fields, and plantations of arecanut, coconut and banana in **Coastal Zone**; fields of rice, maize, cotton, ginger and plantations of arecanut in **Hill Zone** and fields of rice, maize and plantations of arecanut and coconut in **Southern Transition Zone**.

In **Telangana**, drain out excess water from fields of rice, cotton, maize, soybean, pigeon pea, turmeric and vegetables in **Northern Telangana Zone** and rice, cotton, soybean, vegetables and vegetable nurseries in **Southern Telangana Zone**.

In Himachal Pradesh, maintain proper drainage channels in ginger, turmeric and maize fields in Mid Hills Sub Humid Zone and rice, maize and vegetable fields in Sub Montane and Low Hills Sub Tropical Zone. In High Hills Sub Temperate Wet Zone, harvest ripened tomatoes and ensure proper drainage in maize, kidney bean, vegetables and orchards.

In **Uttarakhand**, maintain proper drainage channels in fields of soybean, maize, pulses, finger millet, ginger, vegetable fields and fruit orchards in **Hill Zone**; barnyard millet, finger millet and already sown green gram in **Sub Humid Sub Tropic Zone**. Ensure proper drainage in rice, maize, soybean, green gram, and vegetables in Nainital district.

In **Punjab**, maintain proper drainage in chilli fields and remove stagnant rainwater immediately after rainfall in **Undulating Plain Zone**. In **Sub-Montane Undulating Zone**, ensure proper drainage in sugarcane maize, soybean and green gram.

In **Bihar**, ensure proper drainage from standing crops such as pigeon pea, turmeric, yam, sunflower and maize as well as from vegetable nurseries in **South Bihar Alluvial Zone**.

In **Assam**, provide mechanical support to orchards and staking in vegetables. Harvest all the matured vegetables (tomato, cucumber, brinjal etc) at the earliest in **Hill Zone**.

In **Meghalaya**, maintain proper drainage in the field of ginger, vegetable crops and orchards. Provide support (staking) to banana plants to prevent lodging. Maintain a thin 2-3 cm layer of stagnant water in rice fields after transplanting.

In **Arunachal Pradesh**, ensure proper drainage in rice fields and maintain 5-7 cm water level. Maintain drainage channels in finger millet, banana and vegetable fields. Strengthen the bunds in millet fields to prevent erosion and seedling washout.

Livestock / Fishery

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.


Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE

	Terms	Probability of Occurrence (%)
	Unlikely	< 25
	Likely	25 - 50
	Very Likely	50 - 75
ACTION	Most Likely	> 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning







Strong surface winds Cold Wave







Cold Day





		EGENDS	
	WARNING	Probabilistic Forecas	st
	WARNING (TAKE ACTION)	Terms Probability of Occurre	nce (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
	NO WARNING (NO ACTION)	Most Likely > 75	
./ 💭	Heavy: 64.5 to 115.5 mm/cm *		
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *		
iiii onow			0 C f L
	(a) Based on Departure from norma	tation reaches ≥40° C for plains and ≥30 al	o tor n
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.	
Î+	Severe Heat Wave: Maximum Temperat		
eat Wave	(b). Based on Actual maximum tem	•	
iout maro	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coast		
	When maximum temperature departure is	>4.5°C from normal. Heat Wave may be describe	d provide
	temperature ≥37°C		
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature		
Varm Night	Severe Warm Night: When minimum temperatur		
		station ≤10°C for plains and ≤0°C for h	illy regi
	(a). Based on departure Cold Wave: Minimum Temperature Depart	urture from normal A 5 9C to 6 4 9C	
	Severe Cold Wave: Minimum Temperature Depa		
J-	(b) Based on actual Minimum Tem		
Cold Wave	Cold Wave : When Minimum Temperatur		
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C	
	(c) For Coastal Stations		
	When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤	15 °C
		tation ≤10°C for plains and ≤0°C for hilly	regions
 -	Based on departure Cold Day: Maximum Temperature Depar	ture from normal -4.5 °C to -6.4 °C	
Cold Day	Severe Cold Day: Maximum Temperatur		
	Pharaman of annul decide		! - !!- !!!
A	Moderate Fog: When the visibility between	suspended in air and the horizontal	VISIDIII
•	Dense Fog: when the visibility between		
Fog	Very Dense Fog: when the visibility < 50	metres	
7.			
75	Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a	sharp r
nunderstorm	(
luliuerstoriii			
understorm	An annumble of continuous states	and annualisable life of the count but the	h
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically lifted to great heights	by a str
		sand energetically lifted to great heights	by a str
Dust/Sand		sand energetically lifted to great heights	by a str
Dust/Sand Storm	turbulent wind.	sand energetically lifted to great heights	by a str
Dust/Sand	lce deposits on ground [Air temperature ≤4°C (over Plains)		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde	sand energetically lifted to great heights l	by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde		by a sti
Dust/Sand Storm Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute.	by a sti
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre	by a str
Dust/Sand Storm Frost Squall	Lice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64 High to very high: Wind speed 63-117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre	by a str
Dust/Sand Storm Frost Squall	turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre h (34-47 knots)	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 63-117 kmph (>Phenomenal: Wind speed >117 kmph (>Cyclonic Storm: Wind speed 62-87 kmph	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre th (34-47 knots) 3-117 kmph (48-63 knots) seed 118-165 kmph (64 - 89 knots)	by a str