



#### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

2025-07-11

Time of Issue: 13:22:00 hours IST

(Mid-Day)

#### ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

#### **Significant Weather Features**

#### Weather Forecast and Warnings

#### **Northwest India:**

- Isolated **heavy rainfall** likely over East Rajasthan, Uttarakhand, Himachal Pradesh during 11<sup>th</sup>-17<sup>th</sup>; Jammu-Kashmir during 14<sup>th</sup>-17<sup>th</sup>; West Uttar Pradesh during 11<sup>th</sup>-15<sup>th</sup>; south Haryana on 11<sup>th</sup>; East Uttar Pradesh on 12<sup>th</sup> & 15<sup>th</sup>; West Rajasthan during 12<sup>th</sup>-16<sup>th</sup> July with **very heavy rainfall** over Uttar Pradesh on 11<sup>th</sup>; East Rajasthan during 11<sup>th</sup>-15<sup>th</sup>; Uttarakhand on 15<sup>th</sup> & 16<sup>th</sup> July.
- Light/moderate rainfall at most/many places accompanied with thunderstorm, lightning likely over western Himalayan region and some/many places over the plains during next 7 days.

#### East & Central India:

- Isolated **heavy rainfall** very likely to continue over Madhya Pradesh during 11<sup>th</sup>-17<sup>th</sup>; Chhattisgarh during 11<sup>th</sup>-14<sup>th</sup>; Jharkhand during 11<sup>th</sup>-15<sup>th</sup>; Sub-Himalayan West Bengal & Sikkim during 13<sup>th</sup>-16<sup>th</sup>; Gangetic West Bengal on 14<sup>th</sup>; Odisha during 11<sup>th</sup>-16<sup>th</sup>; Bihar on 11<sup>th</sup>, 15<sup>th</sup> & 16<sup>th</sup> July with **very heavy rainfall** over Madhya Pradesh during 11<sup>th</sup>-14<sup>th</sup> July.
- Light/moderate rainfall at most/many places accompanied with accompanied with thunderstorm, lightning & gusty winds speed reaching 30-40 kmph likely over the region during next 7 days.

#### West India:

- **Heavy rainfall** likely at isolated places over Konkan & Goa during 13<sup>th</sup>-15<sup>th</sup>; Gujarat Region during 12<sup>th</sup>-17<sup>th</sup>; Ghat areas of Madhya Maharashtra on 13<sup>th</sup> & 14<sup>th</sup>; Saurashtra on 13<sup>th</sup> July.
- Light/moderate rainfall at many/some places very likelyoverthe region during next 7 days.

#### Northeast India:

- Light/moderate rainfall at most places accompanied with **thunderstorm**, **lightning** likely to continue over Northeast India during next 7 days.
- Isolated **heavy rainfall** very likely over Assam & Meghalaya during 12<sup>th</sup>-17<sup>th</sup>; Mizoram & Tripura during 13<sup>th</sup>-15<sup>th</sup>; Arunachal Pradesh during 14<sup>th</sup>-17<sup>th</sup> July.

#### South Peninsular India:

- Isolated heavy rainfall likely over Coastal Karnataka, Kerala during 11<sup>th</sup>-17<sup>th</sup>and South Interior Karnataka & Tamil Nadu during 15<sup>th</sup>-17<sup>th</sup> July.
- Strong surface winds (speed reaching 40-50 kmph) very likely over South Peninsular India during next 3 days.
- Light/moderate rainfall at many/some places over Kerala & Mahe, Lakshadweep, Karnataka, Rayalaseema; isolated to scattered rainfall over Coastal Andhra Pradesh & Yanam, Telangana during next 7 days.

#### **Hot & Humid weather Warnings:**

 Hot & Humdi weather conditions very likely in isolated pockets of east Assam on 11<sup>th</sup> & 12<sup>th</sup>; Tamil Nadu, Coastal Andhra Pradesh & Yanam and Rayalaseema during 11<sup>th</sup>-13<sup>th</sup> July.



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### **Main Weather Observations:**

- Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Jharkhand, Uttarakhand, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, East Madhya Pradesh, Konkan & Goa, Coastal Karnataka and Kerala & Mahe; at many places over Andaman & Nicobar Islands, Nagaland, Manipur, Mizoram & Tripura, Gangetic West Bengal, Odisha, Haryana-Chandigarh-Delhi, Punjab, Vidarbha, Chhattisgarh and South Interior Karnataka; at a few places over Assam & Meghalaya, Sub Himalayan West Bengal & Sikkim, Bihar, East Uttar Pradesh, West Uttar Pradesh, East Rajasthan, West Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Madhya Maharashtra, North Interior Karnataka and Lakshadweep; at isolated places over Arunachal Pradesh, West Rajasthan, Marathwada, Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema and Tamil Nadu, Puducherry & Karaikal.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): East Uttar Pradesh: Attarra (dist Banda) 19; Chopan Fmo (dist Sonbhadra) 12; Chunar (dist Mirzapur) 9; Ghorawal (dist Sonbhadra), Manikpur (dist Chitrakoot) 7 Each; Punjab: Aliwal (dist Gurdaspur) 13; East Madhya Pradesh: Amarpatan (dist Satna) 12; Majhauli (dist Sidhi), Churhat (dist Sidhi) 10 Each; Rewa-aws (dist Rewa) 9; Sihawal (dist Sidhi), Chitrangi (dist Singrauli) 8 Each; Beohari (dist Shahdol), Rampur (dist Sidhi), Vijayraghogarh (dist Katni), Mada (dist Singrauli), Singodi (dist Katni) 7 Each; Gangetic West Bengal: Diamond Harbour (dist South 24 Parganas) 11; Assam & Meghalaya: Neamatighat (dist Jorhat) 11; Dharamtul (dist Morigaon), Nahar Katia (dist Dibrugarh) 7 Each; Chhattisgarh: Biharpur (dist Suraipur) 10; Doura Kochali (dist Balrampur), Sakri (dist Bilaspur) 9 Each; Wandrafnagar (dist Balrampur) 8; East Rajasthan: Chaksu (dist Jaipur) 10; Bari (dist Dholpur) 9; Baseri SR (dist Dholpur), Jhunjhunu (dist Jhunjhunu) 8 Each; Haryana-Chandigarh-Delhi: Kalanaur (dist Rohtak), Mahendragarh AWS (dist Mahendragarh) 9 Each; Mahendragarh (dist Mahendragarh) 8; West Uttar Pradesh: Chandausi (dist Sambhal) 9; Khairagarh (dist Agra) 7; Kerala & Mahe: Bayar AWS (dist Kasargod) 9; Peringome AWS (dist Cannur) 8; Kudulu (dist Kasargod), Vellanikkara (dist Thrissur), Chemberi AWS (dist Cannur), Muliyar AWS (dist Kasargod) 7 Each; Jharkhand: Hazaribagh Dvc (dist Hazaribag) 9; Tenughat (dist Bokaro), Jamtara Fmo (dist Jamtara), Koner (dist Hazaribag), Bau Kanke (dist Ranchi), Narayanpur (dist Jamtara) 7 Each; Coastal Karnataka: Bantwal (dist Dakshina Kannada) 8; Mudubidre (dist Dakshina Kannada), Shakti Nagar (dist Dakshina Kannada) 7 Each; West Madhya Pradesh: Bhander (dist Datia) 7; Bihar: Adhwara (dist Bhabua) 7.
- ♦ Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today):Heavy to very heavy rain at isolated places over East Uttar Pradesh, Punjab and East Madhya Pradesh. Heavy rain at isolated places over Assam & Meghalaya, Gangetic West Bengal, Jharkhand, Bihar, West Uttar Pradesh, Haryana-Chandigarh-Delhi, East Rajasthan, West Madhya Pradesh, Chhattisgarh, Coastal Karnataka and Kerala & Mahe.
- \* Minimum Temperature Departures (as on 11-07-2025): markedly above normal(> 5.1°C) at few places over Assam & Meghalaya; at isolated places over West Uttar Pradesh, Himachal Pradesh, West Madhya Pradesh and Saurashtra & Kutch. appreciably above normal(3.1°C to 5.0°C) at few places over East Madhya Pradesh and Lakshadweep; at isolated places over Sub Himalayan West Bengal & Sikkim, Odisha, Bihar, Gujarat Region and Rayalaseema. above normal(1.6°C to 3.0°C) at many places over Andaman & Nicobar Islands and Coastal Andhra Pradesh & Yanam; at few places over Konkan & Goa, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe; at isolated places over Gangetic West Bengal, East Uttar Pradesh and West Rajasthan. near normal(-1.5°C to 1.5°C) at many places over Uttarakhand, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and Telangana; at most places over Arunachal Pradesh, Nagaland, Manipur, Mizoram & Tripura, Jharkhand, Punjab, Madhya Maharashtra, Marathwada, Vidarbha, Chhattisgarh, Coastal Karnataka, North Interior Karnataka and South Interior Karnataka; at few places over Haryana-Chandigarh-Delhi and East Rajasthan. The lowest minimum temperature of 18.0°C is reported at KHARGONE-OBS (MADHYA PRADESH) over the Plains of India.
- ♦ Maximum Temperature Departures (as on 10-07-2025): markedly above normal(> 5.1°C) at few places over Arunachal Pradesh; at isolated places over Assam & Meghalaya. appreciably above normal(3.1°C to 5.0°C) at few places over Tamil Nadu, Puducherry & Karaikal; at isolated places over Coastal Andhra Pradesh & Yanam, Rayalaseema and Kerala & Mahe. above normal(1.6°C to 3.0°C) at many places over Coastal Karnataka and Lakshadweep; at few places over Konkan & Goa; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Saurashtra & Kutch, Madhya Maharashtra, Telangana and North Interior Karnataka. near normal(-1.5°C to 1.5°C) at many places over Andaman & Nicobar



### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Islands, East Uttar Pradesh and Chhattisgarh; at most places over Marathwada and South Interior Karnataka; at few places over Bihar, Uttarakhand, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, West Rajasthan, West Madhya Pradesh and Gujarat Region; at isolated places over East Rajasthan, East Madhya Pradesh and Vidarbha. **The highest maximum temperature** of 40.2°C is reported at MADURAI (A) (TAMIL NADU).



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


#### Meteorological Analysis (Based on 0830 hours IST)


- The **Cyclonic circulation** over south Jharkhand & neighbourhood now lies over north Chhattisgarh and neighbourhood and extends upto 5.8 km above mean sea level.
- The **monsoon trough** at mean sea level now passes through Bikaner, Deomali, Hamirpur, Daltonganj, Jamshedpur, Digha and thence southeastwards to northeast Bay of Bengal.
- The **upper air cyclonic circulation** over Haryana & neighbourhood between 1.5 & 3.1 km above mean sea level persists.
- A **trough** runs from southwest Uttar Pradeshto northwest Bay of Bengal across the cyclonic circulation over north Chhattisgarh & neighbourhood, north Odisha between 0.9 & 1.5 km above mean sea level.
- The **trough** from northeast Arabian Sea to the cyclonic circulation over southJharkhand & neighbourhood now runs from northeast Arabian Sea to the cyclonic circulation over north Chhattisgarh & neighbourhood across south Gujarat Region, north Madhya Maharashtra, south Madhya Pradesh at 5.8 km above mean sea level.
- The **upper air cyclonic circulation** over northeast Assam at 1.5 km above mean sea level persists.
- The **Western Disturbance** as a trough in middle & upper tropospheric levels with its axis at 5.8 km above mean sea level now runs roughly along Long. 75°E to the north of Lat. 32°N.
- The **trough** from southeast Rajasthan to north Odishaacross north Madhya Pradesh & north Chhattisgarh, cyclonic circulation over Jharkhand & neighbourhood at 3.1 km above mean sea level has become less marked.

#### Weather Outlook for subsequent 3 days

- Fairly widespread to widespread rainfall very likely over East, Northeast & South Peninsular India, Himachal Pradesh, Uttarahand, Uttar Pradesh and Islands.
- Isolated to Scattered rainfall very likely over rest parts of the country.







#### 11 July (Day 1)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over East Rajasthan, Madhya Pradesh and Uttar Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Bihar, Chhattisgarh, Coastal Karnataka, Haryana, Chandigarh & Delhi, Himachal Pradesh, Jharkhand, Kerala & Mahe, Madhya Maharashtra, Odisha, Uttarakhand and West Rajasthan.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andaman & Nicobar Islands, Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, West Madhya Pradesh and West Rajasthan.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, East Rajasthan, Gujarat State, Marathwada, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh, Uttarakhand and Vidarbha.
- ♦ Strong Surface Winds very likely at isolated places over Andhra Pradesh, Interior Karnataka, Kerala & Mahe, Lakshadweep and Telangana.
- ♦ Hot and Humid weather very likely at isolated places over Andhra Pradesh, Assam & Meghalaya and Tamil Nadu Puducherry & Karaikal.


Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of eastcentral Arabian Sea, northern parts of southwest Arabian Sea, southern parts of northwest Arabian Sea, Gulf of Mannar.




# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Squally weather with wind speed 40 - 50 kmph gusting to 60 kmph likely to prevail over some parts of eastcentral, southeast & southwest Arabian Sea, over many parts of westcentral Bay of Bengal & adjoining parts of southwest Bay of Bengal, some southern parts of southwest & adjoining southeast Bay of Bengal.







#### 12 July (Day 2)

- Heavy to Very Heavy Rainfall very likely at isolated places over East Rajasthan and Madhya Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, Gujarat Region, Himachal Pradesh, Kerala & Mahe, Uttar Pradesh, Uttarakhand and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha, West Madhya Pradesh and West Rajasthan.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, East Rajasthan, Gujarat State, Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal, Telangana, Uttar Pradesh and Uttarakhand.
- ❖ Strong Surface Winds very likely at isolated places over Andhra Pradesh, Interior Karnataka, Kerala & Mahe, Lakshadweep and Telangana.
- ♦ Hot and Humid weather very likely at isolated places over Andhra Pradesh, Assam & Meghalaya and Tamil Nadu Puducherry & Karaikal.

Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining parts of eastcentral Arabian Sea, northern parts of southwest Arabian Sea.


Squally weather with wind speed 40 - 50 kmph gusting to 60 kmph likely to prevail over many parts of eastcentral Arabian Sea and few southern parts of north Arabian Sea, northern parts of south Arabian Sea, Comorin area, over




### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

some parts of westcentral and adjoining parts of southwest Bay of Bengal, some southern parts of south Bay of Bengal.







#### 13 July (Day 3)

- Heavy to Very Heavy Rainfall very likely at isolated places over East Rajasthan and Madhya Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, Gujarat State, Himachal Pradesh, Jharkhand, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Sub Himalayan West Bengal & Sikkim, Uttarakhand, West Rajasthan and West Uttar Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and West Rajasthan.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh and Uttarakhand.
- Strong Surface Winds very likely at isolated places over Andhra Pradesh and Kerala & Mahe.
- ♦ Hot and Humid weather very likely at isolated places over Andhra Pradesh and Tamil Nadu Puducherry & Karaikal.

Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining parts of eastcentral Arabian Sea, northern parts of southwest Arabian Sea.


Squally weather with wind speed 40 - 50 kmph gusting to 60 kmph likely to prevail over many parts of eastcentral



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Arabian Sea and few southern parts of north Arabian Sea, along and off Konkan coast, Comorin area, over some parts of westcentral Bay of Bengal, few parts of eastcentral Bay of Bengal, many parts of southwest Bay of Bengal, some southern parts of south Bay of Bengal.






#### 14 July (Day 4)

- Heavy to Very Heavy Rainfall likely at isolated places over East Rajasthan and West Madhya Pradesh.
- **Heavy Rainfall** likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, East Madhya Pradesh, Gujarat Region, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha, Uttarakhand, West Bengal & Sikkim, West Rajasthan and West Uttar Pradesh.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Gangetic West Bengal, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and West Rajasthan.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Pradesh, Uttar Pradesh and Uttarakhand.

Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of eastcentral Arabian Sea, many parts of southwest Arabian Sea.

Squally weather with wind speed 40 - 50 kmph gusting to 60 kmph likely to prevail over many parts of eastcentral Arabian Sea and few southern parts of north Arabian Sea, along and off Konkan coast, Comorin area, over some parts of westcentral Bay of Bengal, some parts of southwest Bay of Bengal, some southern parts of south Bay of Bengal.






#### 15 July (Day 5)


- Heavy to Very Heavy Rainfall likely at isolated places over East Rajasthan and Uttarakhand.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Coastal Karnataka, Gujarat Region, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Kerala & Mahe, Konkan & Goa, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh and West Rajasthan.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and West Rajasthan.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Pradesh, Uttar Pradesh and Uttarakhand.
- **Strong Surface Winds** likely at isolated places over South Interior Karnataka.

Squally wind speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia, Oman & adjoining Yemen coasts, most parts of westcentral Arabian Sea & adjoining, some parts of eastcentral Arabian Sea, many parts of southwest Arabian Sea.

Squally weather with wind speed 40 - 50 kmph gusting to 60 kmph likely to prevail over many parts of eastcentral Arabian Sea and few southern parts of north Arabian Sea, off south Gujarat, Konkan coasts, over some parts of westcentral Bay of Bengal, some parts of southwest Bay of Bengal, some southern parts of south Bay of Bengal.








#### 16 July (Day 6)

- Heavy to Very Heavy Rainfall likely at isolated places over Uttarakhand.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Coastal Karnataka, Gujarat Region, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Kerala & Mahe, Madhya Pradesh, Odisha, Rajasthan, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad and West Rajasthan.
- Thunderstorm accompanied with Lightning likely at isolated places over East Rajasthan and Uttarakhand.
- ❖ Strong Surface Winds likely at isolated places over South Interior Karnataka.

No Fishermen Warning





#### 17 July (Day 7)

- Heavy to Very Heavy Rainfall likely at isolated places over East Rajasthan and Uttarakhand.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Coastal Karnataka, Gujarat Region, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Kerala & Mahe, Konkan & Goa, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Tamil Nadu Puducherry & Karaikal, Uttar Pradesh and West Rajasthan.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Jharkhand, Odisha and West Rajasthan.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Andhra Pradesh, East Rajasthan, Gujarat State, Madhya Pradesh, Uttar Pradesh and Uttarakhand.
- **Strong Surface Winds** likely at isolated places over South Interior Karnataka.

No Fishermen Warning



# National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


#### **Flash Flood Warnings**

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 12-07-2025 :

**Low to Moderate flash flood risk** likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

**East Madhya Pradesh** - Anuppur, Balaghat, Chhatarpur, Chhindwara, Damoh, Dindori, Jabalpur, Katni, Mandla, Narshimapura, Niwari, Panna, Sagar, Satna, Seoni, Shahdol, Sidhi, Singrauli, Tikamgarh and Umaria districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




# 24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 12-07-2025 :

**Low to Moderate flash flood risk** likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.

**East Rajasthan** - Banswara, Bhilwara, Bundi, Chittaurgarh, Dausa, Jaipur, Pratapgarh, Rajsmand, Sikar, Swaimadhopur, Tonk and Udaipur districts.

**West Madhya Pradesh** - Agar-Malwa, Ashoknagar, Betul, Bhopal, Guna, Indore, Jhabua, Mandsaur, Nimach, Raisen, Rajgarh, Ratlam, Sehore, Shajapur, Shivpuri, Ujjain, Videsha and Hoshangabad districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



# 24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 12-07-2025 :

**Low to Moderate flash flood risk** likely over few watersheds & neighbourhoods of following Met Subdivisions during next 24 hours.


**Himachal Pradesh** - Chamba, Kullu, Mandi, Shimla, Sirmaur and Solan districts.

**Uttarakhand** - Almora, Bageshwar, Chamoli, Dehradun, Nanital, Pauri Garhwal, Pithoragarh, Rudraprayag, Tehri Garwal and Uttarkashi districts.



### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



23 KONKAN & GOA

25 MARATHWADA

27 CHATTISGARH

**TELANGANA** 

30 RAYALASEEMA

KERALA

LAKSHDWEEP

32 COSTAL KARNATAKA

26 VIDARBHA

29

31

35

36

24 MADHYA MAHARASHTRA

28 COASTAL ANDHRA PRADESH

TAMILNADU & PUDUCHERRY

33 NORTH INTERIOR KARNATAKA

34 SOUTH INTERIOR KARNATAKA



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

**FWS** 

**ISOL** 

**ISOL** 

SCT

**FWS** 

**ISOL** 

SCT

**ISOL** 

**ISOL** 

WS

**FWS** 

**FWS** 

**FWS** 

WS

WS

SCT

**ISOL** 

SCT

**FWS** 

**ISOL** 

SCT

**ISOL** 

**ISOL** 

WS

**FWS** 

**FWS** 

WS

**FWS** 

**FWS** 

**ISOL** 

**ISOL** 

SCT

**FWS** 

SCT

SCT

**ISOL** 

SCT

WS

**FWS** 

**FWS** 

WS

WS

**FWS** 

**ISOL** 

**ISOL** 

SCT

**FWS** 

SCT

**FWS** 

SCT

SCT

WS

**FWS** 

**FWS** 

WS

WS

# Table-1

	7 Days Rainf	all I	For	eca	st			
S.No.	Subdivision	11- Jul	12- Jul	13- Jul	14- Jul	15- Jul	16- Jul	17- Jul
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	WS	WS	WS	WS	FWS
2	ARUNACHAL PRADESH	ISOL	SCT	SCT	FWS	FWS	FWS	FWS
3	ASSAM & MEHGHALAYA	SCT	FWS	FWS	FWS	FWS	FWS	FWS
4	N. M. M. & T.	SCT	SCT	SCT	FWS	FWS	FWS	SCT
5	S.H. WEST BENGAL & SIKKIM	SCT	FWS	WS	WS	WS	WS	FWS
6	GANGETIC WEST BENGAL	FWS	FWS	WS	WS	WS	FWS	FWS
7	ODISHA	FWS	FWS	WS	WS	FWS	SCT	SCT
8	JHARKHAND	WS	FWS	WS	WS	WS	SCT	SCT
9	BIHAR	SCT	ISOL	SCT	SCT	FWS	FWS	SCT
10	EAST UTTAR PRADESH	SCT	FWS	FWS	SCT	FWS	FWS	SCT
11	WEST UTTAR PRADESH	SCT	SCT	FWS	FWS	FWS	FWS	SCT
12	UTTARAKHAND	FWS	FWS	FWS	FWS	WS	WS	FWS
13	HARYANA, CHD & DELHI	SCT	SCT	FWS	SCT	SCT	SCT	SCT
14	PUNJAB	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
15	HIMACHAL PRADESH	FWS	SCT	FWS	WS	WS	WS	WS
16	JAMMU AND KASHMIR AND LADAKH	SCT	SCT	SCT	SCT	FWS	FWS	SCT
17	WEST RAJASTHAN	SCT	SCT	SCT	FWS	FWS	FWS	FWS
18	EAST RAJASTHAN	FWS						
19	WEST MADHYA PRADESH	FWS	WS	WS	WS	WS	FWS	FWS
20	EAST MADHYA PRADESH	WS						
21	GUJRAT REGION	FWS	FWS	WS	WS	WS	FWS	FWS
22	SAURASHTRA & KUTCH	SCT	SCT	FWS	FWS	FWS	FWS	FWS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

WS

SCT

**ISOL** 

**FWS** 

**ISOL** 

SCT

**ISOL** 

**ISOL** 

WS

SCT

**FWS** 

WS

**FWS** 

WS

WS

SCT

**ISOL** 

**FWS** 

ISOL

SCT

**ISOL** 

**ISOL** 

WS

SCT

**FWS** 

**FWS** 

WS

WS

WS

SCT

**ISOL** 

FWS

WS

**ISOL** 

SCT

**ISOL** 

**ISOL** 

WS

SCT

**FWS** 

**FWS** 

WS

Fig. 1: Maximum Temperatures Dated 2025-07-11




Fig. 3: Minimum Temperatures Dated 2025-07-11




Fig. 2: Departure of Maximum Temp. Dated 2025-07-11






Fig. 4: Departure of Minimum Temp. Dated 2025-07-11









### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

#### **Impact & Action Suggested**

• **Very heavy rainfall** over Uttar Pradesh on 11<sup>th</sup>; East Rajasthan during 11<sup>th</sup>-15<sup>th</sup>; Madhya Pradesh during 11<sup>th</sup>-14<sup>th</sup>; Uttarakhand on 15<sup>th</sup> & 16<sup>th</sup> July.

#### **Impact Expected**

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- · Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- · Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

#### **Action Suggested**

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- Avoid staying in vulnerable structure.

#### Agromet advisories for various parts of the country

- In **Gird Zone** of **Madhya Pradesh**, postpone sowing of soybean and pearlmillet and drain out excess water from already sown fields. In **Satpura Plateau zone**, make arrangements for proper drainage in the fields of maize, soybean and vegetables. Protect vegetable nurseries with green net or any other medium. In **Kymore Plateau and Satpura Hill Zone**, drain out excess water from vegetables.
- In **Chhattisgarh**, ensure proper drainage in rice nurseries and fields of rice, maize, pigeon pea, minor millets and vegetables.
- In **Mid Hills Sub Humid Zone** of **Himachal Pradesh**, provide support to the cucumber vines and maintain proper drainage in vegetable and maize fields. In **Sub Montane and Low Hills Sub Tropical Zone**, ensure proper drainage in maize fields to avoid water logging.
- In **Uttarakhand**, ensure proper drainage facilities in soybean, maize, barnyard millet, finger millet, pigeon pea, kidney beans, vegetables and orchards. Harvest matured vegetables and fruits and store in safe place.
- In **South Western Semi-Arid Zone** of **West Uttar Pradesh**, make proper arrangements to drain out excess water from the fields of paddy, spring sugarcane, pigeon pea, maize and vegetables.
- In Southeastern Humid Plain Zone of East Rajasthan, make provision to drain out excess water from rice nurseries and fields of maize, soybean and black gram. In Flood Prone Eastern Plain Zone, postpone sowing / re- sowing of sesame, green gram and pearl millet during heavy rains.
- In **Jharkhand**, makenecessary arrangements to drain out excess water from maize fields, rice and vegetable nurseries. Cover the vegetable nurseries with polythene sheets.

#### Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds




### National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

• Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



# **LEGENDS**



#### SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

#### Subdivision Colour

## NO WARNING


WATCH (BE UPDATED)

•
ALERT (BE PREPARED TO TAKE ACTION
WARNING (TAKE ACTION)

#### Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain








Thunderstorm & Lightning Strong surface winds








Cold Wave

Hot & Humid









		LEGENDS				
	WARNING	Probabilistic Forecast				
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)				
	ALERT ( BE PREPARED)	Unlikely < 25  Likely 25 - 50				
	WATCH (BE UPDATED)	Very Likely 50 - 75				
- / -	NO WARNING ( NO ACTION)	Most Likely > 75				
Rain/ Snow	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *					
	(a) Based on Departure from norm		lly region			
	Heat Wave: Maximum Temperature De Severe Heat Wave: Maximum Tempera					
Į+	(b). Based on Actual maximum ten					
Heat Wave	Heat Wave: When actual maximum tem					
	Severe Heat Wave: When actual maxin	/				
	<ul> <li>(c). Criteria for heat wave for coas When maximum temperature departure temperature ≥37°C</li> </ul>	stal stations is >4.5°C from normal. Heat Wave may be described provided	maximu			
8.	When maximum temperature rem					
Varm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.					
3	Severe Warm Night: When minimum to	amperature departure >0.4 °C.				
	(a). Based on departure	a station ≤10°C for plains and ≤0°C for hilly regio	ns.			
	Cold Wave: Minimum Temperature Dep Severe Cold Wave: Minimum Temperat		_			
Ų-						
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)  Cold Wave: When Minimum Temperature is ≤ 4.0 °C					
	Severe Cold Wave: When Minimum Te	emperature is ≤ 2.0 °C				
	( c) For Coastal Stations	e is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C				
n		station ≤10°C for plains and ≤0°C for hilly regions				
Cold Dow	Cold Day: Maximum Temperature Depart	arture from normal -4.5 °C to -6.4 °C.				
Cold Day	Severe Cold Day: Maximum Temperatu	ure Departure from normal ≤ -6.5 °C				
	Phenomenon of small droplet	s suspended in air and the horizontal visibility	< 1ki			
<b>(</b>	Moderate Fog: When the visibility betw					
Fog	Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 5					
/-	Sudden electrical discharges man	ifacted by a fleeb of light (Lightning) and a character	nbling			
**************************************	sound (thunder)	rrested by a flash of light (Lighthing) and a sharp run				
nunderstorm  Dust/Sand Storm	sound (thunder)	or sand energetically lifted to great heights by a stron	ng and			
Dust/Sand	An ensemble of particles of dust of		ng and			
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.		ng and			
Dust/Sand	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd		ng and			
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd  Moderate: Wind speed 52-61 kmph	or sand energetically lifted to great heights by a stron	ng and			
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd	or sand energetically lifted to great heights by a stron	ng and			
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-87 kmph  Very Severe: Wind speed >87 kmph	or sand energetically lifted to great heights by a stron	ng and			
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph  Severe: Wind speed 52-87 kmph  Very Severe: Wind speed >87 kmph  Effect of various waves in the sea	or sand energetically lifted to great heights by a stron	ng and			
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	pr sand energetically lifted to great heights by a strong	ng and			
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-	pr sand energetically lifted to great heights by a strong	ng and			
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C ( over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	or sand energetically lifted to great heights by a strong	ng and			
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature ≤4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 8	denly, lasts for atleast 1 minute.  a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre  ph (34-47 knots) 88-117 kmph (48-63 knots)	ng and			
Dust/Sand Storm  Frost  Squall	An ensemble of particles of dust of turbulent wind.  Ice deposits on ground  Air temperature \$4°C (over Plains)  A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph  Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (  Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 84-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Seve	denly, lasts for atleast 1 minute.  a over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre  ph (34-47 knots) 88-117 kmph (48-63 knots)	ng and			