



2025-11-21

Time of Issue: 13:17:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings:

- Light to moderate rainfall/thunderstorm at many/some places with isolated heavy rainfall very likely over Tamil Nadu during 21st -24th; over Kerala & Mahe during 21st 23rd; over Andaman & Nicobar Islands on 21st, 22nd and 25th November; with isolated very Heavy rainfall over Andaman & Nicobar Islands on 23rd & 24th November.
- Thunderstorm with lightning very likely over Tamil Nadu, Kerala & Mahe, Coastal Andhra Pradesh & Yanam and Rayalaseema during 21st -24th with gusty wind speeds reaching 40-50 kmph; over Andaman & Nicobar Islandswith gusty wind speeds reaching 40-50 kmph on 21st, 22nd & 25th and with gusty wind speed reaching 50-60 kmph on 23rd & 24th November.

Forecast of temperature and cold wave and cold day warnings:

- Gradual rise in minimum temperature likely by 2-3⁰ C over West & Central India during next 3 days and no large change thereafter.
- Gradual fall in minimum temperature likely by 2-4°C over northwest India during the week.
- No large change in the minimum temperature likely over rest part of the country.
- Cold wave conditions at isolated parts over West Madhya Pradesh on 22nd & 23rd November.
- Shallow to moderate fog over northeast India during the week.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at many places over Andaman & Nicobar Islands and Lakshadweep; at isolated places over Arunachal Pradesh, Assam & Meghalaya, Uttarakhand, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe; Dry over rest of the country.
- ♦ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Andaman & Nicobar Islands: Car Nicobar (dist Nicobar), Iaf Carnicobar (dist Nicobar) 6 Each; Tamil Nadu, Puducherry & Karaikal: Karaikal (dist Karaikal), Tiruvarur (dist Tiruvarur) 5 Each; Nagapattinam (dist Nagapattinam), Tiruvarur AWS (dist Tiruvarur) 4 Each; Thalaignayer (dist Nagapattinam) 3; Sirkali (dist Mayiladuthurai), Tirupoondi (dist Nagapattinam), Velankanni (dist Nagapattinam) 2 Each; Kerala & Mahe: Neryamangalam ARG (dist Ernakulam) 4; Thodupuzha (dist Idukki) 2; Coastal Andhra Pradesh & Yanam: Kavali (dist Spsr Nellore), Nellore (dist Spsr Nellore), Udayagiri (dist Spsr Nellore) 2 Each; Arunachal Pradesh: Anini AWS (dist Dibang Valley) 2.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense fog conditions: at isolated places over Himachal Pradesh Shallow fog conditions: at a few places over Punjab, at isolated places over East Uttar Pradesh, West Uttar Pradesh, Haryana Chandigarh & Delhi, Himachal Pradesh, West Madhya Pradesh and East Madhya Pradesh
- ♦ Visibility reported (at 0830 hours of today): West Uttar Pradesh: Bulandshahr (dist Bulandshahr), Aligarh (dist Aligarh) 500.0; Gangetic West Bengal: Suri (dist Birbhum); Odisha: Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Chhatrapur (dist Ganjam), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Paralakhemundi-obs (dist Gajapati) Each; Himachal Pradesh: Sundernagar (dist Mandi) 50.0, Mandi (dist Mandi) 500.0; West Madhya Pradesh: Hoshangabad (dist Narmadapuram) 500.0; East Uttar Pradesh: Varanasi (babatpur) AP (dist Varanasi), Fursatganj (dist Amethi), Kanpur Airforce (dist Kanpur Nagar) 500.0 Each; Punjab: Amritsar (rajasansi) AP (dist Amritsar), Ludhiana (dist Ludhiana) 500.0 Each; Haryana Chandigarh & Delhi: New Delhi (safdarjung) (dist South West Delhi) 500.0; East Madhya Pradesh: Rewa (dist Rewa) 500.0;.
- ♦ Minimum Temperature Departures (as on 21-11-2025): below normal(-1.6°C to -3.0°C) at few places over Marathwada and Rayalaseema. The lowest minimum temperature of 8.0°C is reported at Rajgarh (West Madhya Pradesh) over the plains of India.
- **♦ Maximum Temperature Departures (as on 20-11-2025): The highest maximum temperature** of 35.8°C is reported at KARWAR (KARNATAKA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The **upper air cyclonic circulation** over central parts of Strait of Malacca, extending upto 5.8 km above mean sea level persisted over the same region at 0830 hours IST of today, the 21st November. Under its influence, a **Low-Pressure area** is likely to form over South Andaman Sea on 22nd November 2025. Thereafter, it is very likely to move west-northwestwards and intensify into depression over southeast Bay of Bengal around 24th November 2025. Continuing to move west-northwestwards, it is very likely to intensify further over southwest Bay of Bengal during subsequent 48 hours.
- An **upper air cyclonic circulation** lies over east Bangladesh & neighbourhood and extends upto 1.5 km above mean sea level.
- The cyclonic circulation over southeast Arabian Sea extending upto 3.1 km above mean sea level persists.

Weather Outlook for subsequent 3 days

- fairly widespread to widespread rainfall activity likely over Tamil Nadu, Kerala and Islands.
- Isolated to Scattered rainfall activity over Coastal Andhra Pradesh, Coastal Karnataka and South Interior Karnataka.









21 November (Day 1)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- * Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands.
- Cold wave conditions very likely at isolated places over West Madhya Pradesh.
 - Squally weather with wind speeds reaching 35 kmph to 45 kmph gusting to 55 kmph will prevail over Andaman Sea, adjoining parts of southeast, eastcentral Bay of Bengal.









22 November (Day 2)

- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands.
- Cold wave conditions very likely at isolated places over West Madhya Pradesh.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, adjoining, many parts of southeast Bay of Bengal.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea.









23 November (Day 3)

- Heavy to Very Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands.
- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **♦ Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over southeast & adjoining, some parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea & adjoining southeast Bay of Bengal.









24 November (Day 4)

- Heavy to Very Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands.
- ♦ Heavy Rainfall likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- ❖ Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Andaman & Nicobar Islands.
- ♦ Thunderstorm accompanied with Lightning likely at isolated places over Andhra Pradesh, Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- **Strong Surface Winds** likely at isolated places over Andaman & Nicobar Islands.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over southeast & adjoining, many parts of southwest Bay of Bengal.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over south Andaman Sea & adjoining, many parts of southeast Bay of Bengal.









25 November (Day 5)

- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands.
- **❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** likely at isolated places over Andaman & Nicobar Islands.
- **Strong Surface Winds** likely at isolated places over Andaman & Nicobar Islands.
 - Squally weather with wind speeds reaching 40 kmph to 50 kmph gusting to 60 kmph will prevail over Andaman Sea, over south Bay of Bengal & adjoining central Bay of Bengal, Gulf of Mannar & adjoining Comorin area.
 - Squally weather with wind speeds reaching 45 kmph to 55 kmph gusting to 65 kmph will prevail over central parts of south Bay of Bengal.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences






26 November (Day 6)


No Warning

No Fishermen Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





27 November (Day 7)

No Warning

No Fishermen Warning



Table-1

	1 Days Railli	an i		COU	JL			
S.No.	Subdivision	21-	22-	23-	24-	25-	26-	27-
		Nov						
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	WS	WS	WS	WS	WS
2	ARUNACHAL PRADESH	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
3	ASSAM & MEHGHALAYA	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
4	N. M. M. & T.	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	DRY						
7	ODISHA	DRY						
8	JHARKHAND	DRY						
9	BIHAR	DRY						
10	EAST UTTAR PRADESH	DRY						
11	WEST UTTAR PRADESH	DRY						
12	UTTARAKHAND	DRY						
13	HARYANA, CHD & DELHI	DRY						
14	PUNJAB	DRY						
15	HIMACHAL PRADESH	DRY						
16	JAMMU AND KASHMIR AND LADAKH	DRY						
17	WEST RAJASTHAN	DRY						
18	EAST RAJASTHAN	DRY						
19	WEST MADHYA PRADESH	DRY						
20	EAST MADHYA PRADESH	DRY						
21	GUJRAT REGION	DRY						
22	SAURASHTRA & KUTCH	DRY						
23	KONKAN & GOA	DRY	ISOL	ISOL	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	ISOL	ISOL	ISOL	DRY	DRY	DRY
25	MARATHWADA	DRY						
26	VIDARBHA	DRY						
27	CHATTISGARH	DRY						
28	COASTAL ANDHRA PRADESH	ISOL						
29	TELANGANA	DRY	DRY	ISOL	ISOL	ISOL	DRY	DRY
30	RAYALASEEMA	ISOL	SCT	SCT	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	DRY	ISOL	SCT	SCT	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	ISOL	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	SCT	ISOL	DRY	DRY	DRY
35	KERALA	SCT	SCT	SCT	SCT	ISOL	ISOL	ISOL
36	LAKSHDWEEP	SCT						

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-11-20




Fig. 3: Minimum Temperatures Dated 2025-11-21




Fig. 2: Departure of Maximum Temp. Dated 2025-11-20






Fig. 4: Departure of Minimum Temp. Dated 2025-11-21









Impact & Action Suggested due to

• Isolated very Heavy rainfall likely over Andaman & Nicobar Islands on 23rd & 24th November.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas
 of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides/landslips/mudslips/landsinks/mudsinks.
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC)

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- · Avoid staying in vulnerable structure.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Tamil Nadu**, keep the harvested produce of rice and groundnut crops in safe places. Drain out excess rain water from fields of rice, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, cinnamon and black pepper. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Kerala,** drain out excess rain water fromfields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana plants to prevent falling due to heavy rainfall and strong winds.
- In Andaman and Nicobar Islands, store the harvested produce of rice in well-covered elevated places to
 prevent moisture damage. Harvest matured vegetables to avoid damage and provide support to banana,
 papaya and other tall crops with stakes to prevent lodging. Avoid sowing of pulses and oilseed crops during
 heavy rainfall. Protect young seedlings in nursery using temporary rain shelters or plastic covers.

Livestock / Fishery

- · Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Agromet advisories for likely impact of Cold Waves / Low Temperatures

In Madhya Pradesh, Madhya Maharashtra and Telangana, apply light and frequent irrigation to the standing



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

crops in the evening to protect the crops from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature. Cover banana bunches with 6% perforated plastic bags for protection from low temperatures.

Livestock / Poultry

- Keep cattle inside the sheds during night and provide dry bedding to protect them from cold.
- Keep the chicks warm by providing artificial light in the poultry sheds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning









Extremely Heavy Rain 🗼 Heavy Snow





Hot Day



Dust Raising Winds Warm Night





Ground Frost



FOG FOG



		EGENDS	
	WARNING	Probabilistic Forecas	st
	WARNING (TAKE ACTION)	Terms Probability of Occurre	nce (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
	NO WARNING (NO ACTION)	Most Likely > 75	
./ 💭	Heavy: 64.5 to 115.5 mm/cm *		
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *		
iiii onow			0 C f L
	(a) Based on Departure from norma	tation reaches ≥40° C for plains and ≥30 al	o tor n
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.	
Î+	Severe Heat Wave: Maximum Temperat		
eat Wave	(b). Based on Actual maximum tem	•	
iout maro	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coast		
	When maximum temperature departure is	>4.5°C from normal. Heat Wave may be describe	d provide
	temperature ≥37°C		
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature		
Varm Night	Severe Warm Night: When minimum temperatur		
		station ≤10°C for plains and ≤0°C for h	illy regi
	(a). Based on departure Cold Wave: Minimum Temperature Depart	urture from normal A 5 9C to 6 4 9C	
	Severe Cold Wave: Minimum Temperature Depa		
J-	(b) Based on actual Minimum Tem		
Cold Wave	Cold Wave : When Minimum Temperatur		
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C	
	(c) For Coastal Stations		
	When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤	15 °C
		tation ≤10°C for plains and ≤0°C for hilly	regions
 -	Based on departure Cold Day: Maximum Temperature Depar	ture from normal -4.5 °C to -6.4 °C	
Cold Day	Severe Cold Day: Maximum Temperatur		
	Pharaman of annul decide		! - !!- !!!
A	Moderate Fog: When the visibility between	suspended in air and the horizontal	VISIDIII
•	Dense Fog: when the visibility between		
Fog	Very Dense Fog: when the visibility < 50	metres	
7.			
79	Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a	sharp r
nunderstorm	(
luliderstorm			
understorm	An annumble of continuous states	and anamatically life of to according to the	h
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically lifted to great heights	by a str
		sand energetically lifted to great heights	by a str
Dust/Sand		sand energetically lifted to great heights	by a str
Dust/Sand Storm	turbulent wind.	sand energetically lifted to great heights	by a str
Dust/Sand	lce deposits on ground [Air temperature ≤4°C (over Plains)		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde	sand energetically lifted to great heights l	by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde [Moderate: Wind speed 52-61 kmph]		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde		by a sti
Dust/Sand Storm Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute.	by a sti
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre	by a str
Dust/Sand Storm Frost Squall	Lice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64 High to very high: Wind speed 63-117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre	by a str
Dust/Sand Storm Frost Squall	turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre h (34-47 knots)	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 63-117 kmph (>Phenomenal: Wind speed >117 kmph (>Cyclonic Storm: Wind speed 62-87 kmph	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre th (34-47 knots) 3-117 kmph (48-63 knots) seed 118-165 kmph (64 - 89 knots)	by a str