



2025-12-24

Time of Issue: 13:49:00 hours IST (Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings

- Isolated to scattered light/moderate rainfall/snowfall very likely over Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad during 27th -30th and over Himachal Pradesh on 28th & 30th & over Uttarakhand on 29th & 30th December.
- **Isolated Thunderstorm and lightning** with gusty wind speed (30-40kmph) likely to prevail over Andaman & Nicobar Islandsduring 27th -29th December.

Forecast of minimum temperatures:

- Gradual fall in minimum temperature by 2-4°C very likely over Northwest for next 2 days and no significant change thereafter for subsequent 5 days.
- Gradual fall in minimum temperature by 2-3°C very likely over East India for next 3 days and no significant change thereafter for subsequent 4 days.
- No significant change in minimum temperature over northeast India for next 2 days and thereafter gradual fall by 3-4°C for subsequent 5 days.
- No significant change in minimum temperature over remaining parts of the country during next 7days.

Dense Fog & Cold wave Warnings:

- Dense to very dense fog conditions during night/morning hours very likely in many parts of East Uttar Pradesh till 28th; in some parts of East Uttar Pradesh during 29th -31st; West Uttar Pradesh till 28th; Punjab till 27th; in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad till 28th; Himachal Pradesh till 29th; Uttarakhand till 29th; Punjab and Haryana Chandigarh & Delhi during 27th -29th; Uttar Pradesh on 28th & 29th with Dense fog conditions during night/morning hours very likely in some pocket of Bihar till 25th and isolated pockets over East Madhya Pradesh and Sub-Himalayan West Bengal & Sikkim till 26th;over Gangetic West Bengal till 25th; over Odisha till 29th; Assam & Meghalaya till 29th; Nagaland, Manipur, Mizoram & Tripura till 27th; Bihar during 25th -29th; West Uttar Pradesh, Punjab and Haryana Chandigarh & Delhi during 29th -31st December.
- **Cold wave conditions** very likely in isolated pockets of Punjab, Haryana, Chandigarh, Chhattisgarh, Jharkhand and Rajasthan during 25th -27thDecember.
- Cold day to severe cold day conditions very likely in isolated pockets of Uttarakhand during 24th -27th Cold day conditions very likely in some parts of East Uttar Pradesh during 24th -26th; isolated pockets of Bihar 24th -28th December.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- ❖ Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at isolated places over Arunachal Pradesh, Assam & Meghalaya and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; Dry over rest of the country.
- ❖ Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad: Rajouri ARG (dist Rajouri), Sonemarg Dual AWS (dist Ganderbal), Gulmarg AWS (dist Baramula) 1 Each.
- ♦ Fog Condition Observed (at 0830 hours of today): Dense to very Dense fog prevailed in some/many parts of Uttar Pradesh; in isolated pockets of Odisha, Himachal Pradesh; dense fog:reported in isolated pockets of Tripura, West Bengal & Sikkim, Bihar, Uttarakhand, Punjab, Haryana, Chandigarh and Madhya Pradesh.
- ❖ Visibility reported (at 0830 hours of today): Visibility in meter reported: Gangetic West Bengal: Durgapur, Sriniketan (50m) each; Sub-Himalayan West Bengal & Sikkim: Coochbehar (100m); Odisha: Sambalpur, Rourkela (0-49m) each; Jharsuguda, Hirakud (50-199m) each; Bihar: Gaya (50m); Bhagalpur (50-199m); Himachal Pradesh: Bilaspur (20 m) & Sundernagar (70 m); Uttarakhand: Pantnagar (200 m), Khatima (60m); Punjab: Adampur IAF(0m), Pathankot IAF(100m); Haryana and Chandigarh: Chandigarh (100 M); Ambala (150M); West Uttar Pradesh: Sarsawa (IAF) & Bareilly(IAF)-00 each, Etawah-40, Bareilly(O)-50, Najibabad-(80m); East Uttar Pradesh: Prayagraj(IAF) & Kanpur(IAF)-00 Each, Kanpur(City)-10, Prayagraj & Bahraich-20 Each, Fursatganj, Ayodhya, Churk & Varanasi(AP)-50 Each, Fatehgarh & Hardoi-80 Each, Sultanpur, Lucknow(AP) & Barabanki-100 Each; Tripura: Agartala-(100m).
 - Cold day to severe cold day conditions observed at isolated places over Uttarakhand and East Uttar Pradesh; cold day conditions in isolated pockets of West Uttar Pradesh.
- ♦ Minimum Temperatures departures were markedly below normal (<-5.1°C) at a isolated places Chhattisgarh; appreciably below normal (-5.0°C to -3.1°C) at few places over North Interior Karnataka and Telangana; at isolated places over Marathawada, Vidarbha, Tamil Nadu, Puducherry & Karaikal & Andaman & Nicobar Islands and below normal (-1.6°C to -3.0°C) at a few places over Kerala & Mahe, Coastal Karnataka and South Interior Karnataka; at isolated places over Madhya Pradesh, Konkan & Goa, Odisha, Bihar, Gangetic West Bengal, Assam and Lakshadweep. The lowest minimum temperature of 5.0 was observed over Sikar (East Rajasthan) over the plains of India.
- **♦ Maximum Temperature Departures (as on 23-12-2025): below normal(-1.6°C to -3.0°C)** at isolated places over Bihar. **The highest maximum temperature** of 35.0°C is reported at PUNALUR (KERALA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)

- Subtropical westerly Jet Stream with core winds of the order of 130 knots at 12.6 km above mean sea level prevails over Northeast India.
- The **upper air cyclonic circulation** over south east Arabian sea adjoining south Kerala extending upto 1.5 km above mean sea level persists.
- The **Western Disturbance** as a trough in middle and upper tropospheric levels with its axis at 5.8 km above mean sea level roughly along Long. 74°E to the north of Lat. 32°N has moved away in east-northeastwards direction.
- A fresh feeble Western Disturbance is likely to affect Western Himalayan Region from 27th December, 2025.

Weather Outlook for subsequent 3 days

• Isolated to Scattered rainfall activity over Western Himalayana Region, Tamil Nadu, Kerala, Karnataka and Islands.






24 December (Day 1)

- Cold Day conditions very likely at isolated places over Bihar and East Uttar Pradesh.
- Cold Day to Severe Cold Day conditions very likely at isolated places over Uttarakhand.
- ♦ Dense Fog very likely at isolated places over Assam & Meghalaya, Bihar, East Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha and West Bengal & Sikkim.
- ♦ Dense to Very Dense Fog very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Uttar Pradesh and Uttarakhand.
- ❖ Squally winds with speeds reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail along and off Somalia coast, adjoining sea area, over Comorin area & adjoining, some parts of Gulf of Mannar.

Page 4







25 December (Day 2)

- ♦ Cold wave conditions very likely at isolated places over Chhattisgarh, Haryana, Chandigarh & Delhi, Jharkhand, Punjab and Rajasthan.
- ♦ Cold Day conditions very likely at isolated places over Bihar and East Uttar Pradesh.
- ❖ Cold Day to Severe Cold Day conditions very likely at isolated places over Uttarakhand.
- ♦ Dense Fog very likely at isolated places over Assam & Meghalaya, Bihar, East Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha and Sub Himalayan West Bengal & Sikkim.
- ♦ Dense to Very Dense Fog very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Uttar Pradesh and Uttarakhand.
- ❖ Squally winds with speeds reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over Comorin area & adjoining some parts of Gulf of Mannar.









26 December (Day 3)

- ♦ Cold wave conditions very likely at isolated places over Chhattisgarh, Haryana, Chandigarh & Delhi, Jharkhand, Punjab and Rajasthan.
- **Cold Day conditions** very likely at isolated places over Bihar and East Uttar Pradesh.
- ❖ Cold Day to Severe Cold Day conditions very likely at isolated places over Uttarakhand.
- ♦ Dense Fog very likely at isolated places over Assam & Meghalaya, Bihar, Nagaland, Manipur, Mizoram and Tripura and Odisha.
- ♦ Dense to Very Dense Fog very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Uttar Pradesh and Uttarakhand.









27 December (Day 4)

- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andaman & Nicobar Islands.
- **Cold Day conditions** likely at isolated places over Bihar.
- ♦ Dense Fog likely at isolated places over Assam & Meghalaya, Bihar and Odisha.
- ♦ Dense to Very Dense Fog likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, Uttar Pradesh and Uttarakhand.









28 December (Day 5)

- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Andaman & Nicobar Islands.
- Cold Day conditions likely at isolated places over Bihar.
- ♦ Dense Fog likely at isolated places over Assam & Meghalaya, Bihar and Odisha.
- ♦ Dense to Very Dense Fog likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Punjab, Uttar Pradesh and Uttarakhand.









29 December (Day 6)

- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andaman & Nicobar Islands.
- ❖ Dense Fog likely at isolated places over Punjab and West Uttar Pradesh.
- ♦ Dense to Very Dense Fog likely at isolated places over East Uttar Pradesh and Haryana, Chandigarh & Delhi.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





30 December (Day 7)

- ♦ Dense Fog likely at isolated places over Punjab and West Uttar Pradesh.
- ❖ Dense to Very Dense Fog likely at isolated places over East Uttar Pradesh and Haryana, Chandigarh & Delhi.



Table-1

7 Days	Rainfall	Forecast
--------	----------	-----------------

	l Days Kallli	all		- Ca	St			
S.No.	Subdivision	24-	25-	26-	27-	28-	29-	30-
		Dec	Dec	Dec	Dec	Dec	Dec	Dec
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	DRY	DRY	ISOL	SCT	SCT	SCT	SCT
2	ARUNACHAL PRADESH	ISOL	ISOL	DRY	DRY	DRY	ISOL	ISOL
3	ASSAM & MEHGHALAYA	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
4	N. M. M. & T.	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
5	S.H. WEST BENGAL & SIKKIM	ISOL	ISOL	ISOL	DRY	DRY	ISOL	ISOL
6	GANGETIC WEST BENGAL	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	DRY	DRY	DRY	DRY	ISOL	DRY	ISOL
16	JAMMU AND KASHMIR AND LADAKH	DRY	DRY	DRY	ISOL	ISOL	ISOL	ISOL
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJRAT REGION	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHWADA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHATTISGARH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
29	TELANGANA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
30	RAYALASEEMA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	DRY	DRY	ISOL
32	COSTAL KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	DRY	DRY	DRY	DRY	DRY	DRY	DRY
35	KERALA	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
36	LAKSHDWEEP	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-12-23




Fig. 3: Minimum Temperatures Dated 2025-12-24




Fig. 2: Departure of Maximum Temp. Dated 2025-12-23






Fig. 4: Departure of Minimum Temp. Dated 2025-12-24









Impace and Actions

Impact expected due to dense/very dense fog in the night/morning hours:

• Dense to very dense fog conditions during night/morning hours very likely in many parts of East Uttar Pradesh till 28th; in some parts of East Uttar Pradesh during 29th -31st; West Uttar Pradesh till 28th; Punjab till 27th; in isolated pockets of Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad till 28th; Himachal Pradesh till 29th; Uttarakhand till 29th; Punjab and Haryana Chandigarh & Delhi during 27th -29th; Uttar Pradesh on 28th & 29th with Dense fog conditions during night/morning hours very likely in some pocket of Bihar till 25th and isolated pockets over East Madhya Pradesh and Sub-Himalayan West Bengal & Sikkim till 26th;over Gangetic West Bengal till 25th; over Odisha till 29th; Assam & Meghalaya till 29th; Nagaland, Manipur, Mizoram & Tripura till 27th; Bihar during 25th -29th; West Uttar Pradesh, Punjab and Haryana Chandigarh & Delhi during 29th -31st December.

❖ Transport and Aviation:

- May affect some airports, highways and railway routes in the areas of met- sub-division.
- Difficult driving conditions with slower journey times.
- Unless taken precautionary measures, it may lead to some road traffic collisions.

❖ Power Sector:

Chances of Tripping of Power lines in the very dense fog routes.

Human Health:

- Lung related health impacts: Dense fog contains particulate matter and other pollutants and in case exposed it gets lodged in the lungs, clogging them and decreasing their functional capacity which increases episodes of wheezing, coughing and shortness of breath.
- Impact on people having asthma bronchitis: Long time exposure to dense fog may cause respiratory problem for people having asthma bronchitis and other lung related health problems.
- Eye Irritation: Dense fog contains pollutions of various types and these Pollutants in the air if exposed may tend to irritate the membranes of the eye causing various infections leading to redness or swelling of the eye.

Action suggested:

- Transport and Aviation:
 - Be careful while driving or outing through any transport.
 - Use fog lights during driving.
 - Be in touch with airlines, railways and state transport for schedule of your journey.

Power Sector:

- To keep ready Maintenance Team.
- Human Health: To avoid outing until unless emergency and to cover the face.

Impact expected due to

 Cold Wave conditions very likely in isolated pockets of Punjab, Haryana, Chandigarh, Chhattisgarh, Jharkhand and Rajasthan during 25th -27thDecember

Impact expected due to



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

- Cold day to severe cold day conditions very likely in isolated pockets of Uttarakhand during 24th -27th Cold day conditions very likely in some parts of East Uttar Pradesh during 24th -26th; isolated pockets of Bihar 24th -28th December.
- An increased likelihood of various illnesses like flu, running/ stuffy nose or nosebleed, which usually set in or get aggravated due to prolonged exposure to cold.
- Do not ignore shivering. It is the first sign that the body is losing heat. Get Indoors.
- Frostbite can occur due to prolonged exposure to cold. The skin turns pale, hard and numb and eventually black blisters appear on exposed body parts such as fingers, toes, nose and or earlobes. Severe frostbite needs immediate medical attention and treatment.
- Impact on agriculture, crop, livestock, water supply, transport and power sector at some places.

Action suggested:

- Wear several layers of loose fitting, light weight; warm woollen clothing.
- Cover your head, neck, hands and toes adequately as majority of heat loss occurs through these body parts. Wear several layers of loose fitting, light weight; warm Woolen clothing rather than one layer of heavy cloth.
- Eat vitamin-C rich fruits & vegetable and drink sufficient fluids preferably warm fluids to maintain adequate immunity.
- · Avoid or limit outdoor activities.
- Keep dry, if wet, change cloths immediately to prevent loss of body heat. Wear insulated/waterproof shoes.
- Warm the affected area of the body slowly with lukewarm water; do not rub the skin vigorously.
- If the affected skin area turns black, immediately consult a doctor.
- Maintain ventilation while using Heaters to avoid inhaling toxic fumes.
- Take safety measures while using electrical and gas heating devices.
- Extreme care needed for vulnerable people.
- Seek medical attention as soon as possible for someone suffering from frostbite/ Hypothermia.
- · Protect livestock from cold weather.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Cold Waves / below normal Temperatures

• In **Punjab**, **Haryana**, **North Rajasthan**, **Jharkhand** and **Chhattisgarh**, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature.

Livestock / Poultry


- Keep cattle inside the sheds during night and provide dry bedding to protect them from cold.
- Keep the chicks warm by providing artificial light in the poultry sheds.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds for Andaman & Nicobar Islands

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.







SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)


ALERT (BE PREPARED TO TAKE ACTION

Probability of Occurrence (%) Terms < 25 Unlikely Likely 25 - 50Very Likely 50 - 75Most Likely > 75

Probabilistic Forecast

WARNING (TAKE ACTION)

Heavy Rain Thunderstorm & Lightning









Extremely Heavy Rain 🗼 Heavy Snow





Hot Day



Dust Raising Winds Warm Night





Ground Frost



FOG FOG



		EGENDS	
	WARNING	Probabilistic Forecas	st
	WARNING (TAKE ACTION)	Terms Probability of Occurre	nce (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50	
	WATCH (BE UPDATED)	Very Likely 50 - 75	
	NO WARNING (NO ACTION)	Most Likely > 75	
./ 💭	Heavy: 64.5 to 115.5 mm/cm *		
in/ Snow	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *		
iiii onow			0 C f L
	(a) Based on Departure from norma	tation reaches ≥40° C for plains and ≥30 al	o tor n
	Heat Wave: Maximum Temperature Dep	arture from normal 4.5° C to 6.4° C.	
Î+	Severe Heat Wave: Maximum Temperat		
eat Wave	(b). Based on Actual maximum tem	•	
iout maro	Heat Wave: When actual maximum temp Severe Heat Wave: When actual maxim		
	(c). Criteria for heat wave for coast		
	When maximum temperature departure is	>4.5°C from normal. Heat Wave may be describe	d provide
	temperature ≥37°C		
Ĵ+	When maximum temperature rema Warm Night: When minimum temperature		
Varm Night	Severe Warm Night: When minimum temperatur		
		station ≤10°C for plains and ≤0°C for h	illy regi
	(a). Based on departure Cold Wave: Minimum Temperature Depart	urture from normal A 5 9C to 6 4 9C	
	Severe Cold Wave: Minimum Temperature Depa		
J-	(b) Based on actual Minimum Tem		
Cold Wave	Cold Wave : When Minimum Temperatur		
	Severe Cold Wave: When Minimum Ter	nperature is ≤ 2.0 °C	
	(c) For Coastal Stations		
	When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤	15 °C
		tation ≤10°C for plains and ≤0°C for hilly	regions
 -	Based on departure Cold Day: Maximum Temperature Depar	ture from normal -4.5 °C to -6.4 °C	
Cold Day	Severe Cold Day: Maximum Temperatur		
	Pharaman of amall devotate		! - !!- !!!
A	Moderate Fog: When the visibility between	suspended in air and the horizontal	VISIDIII
•	Dense Fog: when the visibility between		
Fog	Very Dense Fog: when the visibility < 50	metres	
7.			
75	Sudden electrical discharges manif sound (thunder)	ested by a flash of light (Lightning) and a	sharp r
nunderstorm	(
luliuerstoriii			
understorm	An annumble of continuous states	and anamatically life of to according to the	h
Dust/Sand	An ensemble of particles of dust or turbulent wind.	sand energetically lifted to great heights	by a str
		sand energetically lifted to great heights	by a str
Dust/Sand		sand energetically lifted to great heights	by a str
Dust/Sand Storm	turbulent wind.	sand energetically lifted to great heights	by a str
Dust/Sand	lce deposits on ground [Air temperature ≤4°C (over Plains)		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde	sand energetically lifted to great heights l	by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde [Moderate: Wind speed 52-61 kmph]		by a str
Dust/Sand Storm	lce deposits on ground [Air temperature ≤4°C (over Plains) A strong wind that rises sudde		by a sti
Dust/Sand Storm Frost	lce deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	enly, lasts for atleast 1 minute.	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute.	by a sti
Dust/Sand Storm Frost	Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre	by a str
Dust/Sand Storm Frost Squall	Lice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-64 High to very high: Wind speed 63-117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117 kmph wind speed >117 kmph (>90 kmph wind speed >117	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre	by a str
Dust/Sand Storm Frost Squall	turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudde Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-6 High to very high: Wind speed 63-117 k	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre h (34-47 knots)	by a str
Dust/Sand Storm Frost Squall	Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudded Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 63-117 kmph (>Phenomenal: Wind speed >117 kmph (>Cyclonic Storm: Wind speed 62-87 kmph	enly, lasts for atleast 1 minute. over specific area 2 kmph (22-33 knots) & Wave height 2.5-6 metre mph (34-63 knots) & Wave height 6-14 metre 63 knots) & Wave height >14 metre th (34-47 knots) 3-117 kmph (48-63 knots) seed 118-165 kmph (64 - 89 knots)	by a str