



2025-12-02

Time of Issue: 13:59:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Forecast and Warnings

- Tamil Nadu & Puducherry: Light to moderate rainfall at most places with heavy to very heavy rainfall at isolated places over North Coastal Tamil Nadu is very likely on 2nd December and heavy rainfall at isolated places on 03rd December, 2025.
- South Coastal Andhra Pradesh & Rayalaseema: Light to moderate rainfall at most places with heavy rainfall at isolated places is very likely on 2nd December, 2025.
- **Kerala**: Light to moderate rainfall at most places with **heavy rainfall** at isolated places is very likely on 2nd and 3rd December, 2025

Forecast of minimum temperatures:

- No significant change in minimum temperature likely over many parts of Northwest India for next 24 hours, fall by 2-4°C during subsequent 4 days and no significant change thereafter.
- No significant change in minimum temperature likely over Central India for next 24 hours, fall by 2-3^oC during subsequent 4 days and no significant change thereafter.
- Gradual fall in minimum temperature likely by 3-4^oC over East India during next 4 days and no significant change thereafter.
- Gradual fall in minimum temperature likely by 2-3^oC over Maharashtra during next 3 days and no significant change thereafter.
- No significant change in minimum temperature likely over Northeast India for next 3 days, fall by 2-3^oC during subsequent 2 days and no significant change thereafter.

Dense Fog & Cold wave warning Warnings:

- **Cold wave conditions** very likely to prevail in isolated pockets over Punjab and north Madhya Maharashtra during 03rd-05th and north Rajasthan during 05th-07th December, 2025.
- Dense fog conditions very likely to prevail during early morning hours in isolated pockets of Himachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, during 03rd-05th; over Odisha on 03rd & 04th December.

Wind Warning, Sea Condition, Fisherman Warning:

(i) Wind Warning:

(a) Southwest and adjoining westcentral Bay of Bengal and along & off north Tamil Nadu, Puducherry and South Andhra Pradesh Coasts

Squally wind speed reaching 45-55 gusting to 65 kmph is very likely to prevail till evening of today, the 2nd December and gradually decrease thereafter becoming 35-45 gusting to 55 kmph by 3rd morning.

(b) Along & off south Tamil Nadu coast, Gulf of Mannar, Comorin area and north Sri Lanka coast

Squally wind speed reaching 40-50 gusting to 60 kmph is very likely to prevail till evening of today, the 2nd December and gradually decrease thereafter becoming 35-45 gusting to 55 kmph by 3rd morning.

(ii) Sea Condition:

(a) Southwest and adjoining westcentral Bay of Bengal and along & off north Tamil Nadu, Puducherry and South Andhra Pradesh Coasts:

Very Rough to Rough Sea conditions are likely to prevail till 3rd December morning and gradually improve thereafter.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

(b) Along & off south Tamil Nadu coast, Gulf of Mannar, Comorin area and north Sri Lanka coast

Very Rough to Rough Sea conditions are likely to prevail till 3rd December morning and gradually improve thereafter.

(iii) Fishermen Warning:

Total suspension of fishing operations over southwest and adjoining westcentral Bay of Bengal and along & off Tamil Nadu, Puducherry, south coastal Andhra Pradesh & north Sri Lanka coasts, Gulf of Mannar and Comorin area till 3rd December morning.

Those out at sea should avoid southwest and adjoining westcentral Bay of Bengal and along & off Tamil Nadu, Puducherry, south coastal Andhra Pradesh & north Sri Lanka coasts, Gulf of Mannar and Comorin area till 3rd December morning.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at a few places over Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe; at isolated places over Arunachal Pradesh, Gangetic West Bengal, Odisha, Jharkhand, Coastal Karnataka and South Interior Karnataka; Dry over rest of the country.
- Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Tamil Nadu, Puducherry & Karaikal: Ennore Zone 1 (Chennai) 26, Ponneri (dist Tiruvallur) 21; Ennore AWS (dist Tiruvallur), Perambur (dist Chennai), Chennai Collectorate Bu (dist Chennai) 20 Each; Dgp Office (dist Chennai), Chennai(n) (dist Chennai), Red Hills (dist Tiruvallur) 18 Each; Gummidipoondi (dist Tiruvallur), Ayanavaram Taluk Office (dist Chennai), Cd Hospital Tondaipet (dist Chennai) 17 Each; Puzhal ARG (dist Tiruvallur) 16; Cholavaram (dist Tiruvallur), Mgr Nagar (dist Chennai) 14 Each; Anna University (dist Chennai) 13; Anna Uty ARG (dist Chennai), Sholinganallur (dist Chennai) 11 Each; Chennai AP (dist Chennai), Sivakasi (dist Virudhunagar), Hindusthan University (dist Chengalpattu), Alandur (dist Chennai), Avadi (dist Tiruvallur) 9 Each; Taramani ARG (dist Chennai) 8; Kolapakkam ARG (dist Chengalpattu), Ambathur (dist Chennai) 7 Each; Satyabama Uty ARG (dist Chengalpattu), Poonamalle ARG (dist Tiruvallur) 6 Each; Kelambakkam (dist Chengalpattu), Poonamallee (dist Tiruvallur), Tiruvallur (dist Tiruvallur), Thamaraipakkam (dist Tiruvallur), Jaya Engg College AWS (dist Tiruvallur) 5 Each; Kerala & Mahe: Irinjalakuda (dist Thrissur) 8; Vadakkancherry (dist Thrissur) 5; Coastal Andhra Pradesh & Yanam: Nellore (dist Spsr Nellore) 5; Rayalaseema: Sullurpeta (dist Tirupati), Tada (dist Tirupati) 5 Each.
- Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today): Extremely heavy
 rain at isolated places over Tamil Nadu, Puducherry & Karaikal. Heavy to very heavy rain at isolated places
 over Tamil Nadu, Puducherry & Karaikal. Heavy rain at isolated places over Kerala & Mahe.
- Fog Condition Observed (at 0830 hours of today): Dense fog conditions: at isolated places over Assam &
 Meghalaya, Odisha and Himachal Pradesh Moderate fog conditions: at isolated places over Odisha Shallow
 fog conditions: at a few places over Nagaland, Manipur, at isolated places over Gangetic West Bengal.
- Visibility reported (at 0830 hours of today): Meghalaya: Barapani-50 m;Odisha: Rourkela 50m; Jharsuguda 100m;Himachal Pradesh: Bilaspur 50m, Sundernagar 70m, Mandi 100m; Manipur:Imphal-100 m; Gangetic West Bengal: Durgapur 150m.
- Cold wave conditions at isolated places over Punjab.
- Minimum Temperature Departures (as on 02-12-2025):The lowest minimum temperature of 3.0 °C is reported at Faridkot (Punjab) over the plains of India.
- Maximum Temperature Departures (as on 01-12-2025): appreciably below normal(-5.0°C to -3.1°C) at many places over Coastal Andhra Pradesh & Yanam. The highest maximum temperature of 35.8°C is reported at KARWAR (KARNATAKA).



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


- The **Depression (Remnant of Cyclonic Storm Ditwah)** over southwest Bay of Bengal and adjoining areas of westcentral Bay of Bengal, North Tamil Nadu, Puducherry & South Andhra Pradesh coasts moved slowly south-southwestwards with the speed of 3 kmph during past 6 hours and lay centered at 0830 hrs IST of today, the 02nd December 2025 over the same region, near latitude 12.8°N and longitude 80.5°E, about 40 km east-southeast of Chennai (India), 120 km northeast of Puducherry (India), 140 km northeast of Cuddalore (India) and 190 km south-southeast of Nellore (India). The minimum distance of the Centre of the depression from north Tamil Nadu-Puducherry coasts is about 25 km. It is very likely to continue to move slowly southwestwards towards the north Tamil Nadu-Puducherry coasts and maintain its intensity of depression during next 12 hours. Thereafter, while moving towards the coast it is very likely to weaken into a Well-marked low-pressure area during subsequent 12 hours.
- The **Western disturbance** as an **upper air cyclonic circulation** over north Pakistan & neighbourhood at 3.1 km above mean sea level persists however the trough aloft in middle tropospheric level with its axis at 5.8 km above mean sea level now runs roughly along Long. 70°E to the north of Lat. 27°N.
- The **induced cyclonic circulation** over north Haryana & neighbourhood now lies over south Himachal Pradesh & neighbourhood and extends upto 1.5 km above mean sea level.
- The **cyclonic circulation** over northeast Assam & neighbourhood at 1.5 km above mean sea level has become less marked.
- A fresh feeble **Western Disturbance** is likely to influence western Himalayan region from 05th December 2025.

Weather Outlook for subsequent 3 days

 Isolated to Scattered rainfall activity over Western Himalayan region, South Kerala, South Tamil Nadu and Islands.








2 December (Day 1)

- Heavy to Very Heavy Rainfall very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- Heavy Rainfall very likely at isolated places over Andhra Pradesh and Kerala & Mahe.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andhra Pradesh.
- Thunderstorm accompanied with Lightning very likely at isolated places over Tamil Nadu Puducherry & Karaikal.
- Cold wave conditions very likely at isolated places over Madhya Maharashtra and Punjab.
- **Dense Fog** very likely at isolated pockets over Assam & Meghalaya, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura and Odisha.
- ♦ Total suspension of fishing operations over southwest and adjoining westcentral Bay of Bengal and along & off Tamil Nadu, Puducherry, south coastal Andhra Pradesh & north Sri Lanka coasts, Gulf of Mannar and Comorin area till 3rd December morning.







3 December (Day 2)

- Heavy Rainfall very likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andhra Pradesh.
- Thunderstorm accompanied with Lightning very likely at isolated places over Coastal Karnataka, Kerala & Mahe, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.
- Cold wave conditions very likely at isolated places over Madhya Maharashtra and Punjab.
- **Dense Fog** very likely at isolated pockets over Assam & Meghalaya, Himachal Pradesh, Nagaland, Manipur, Mizoram and Tripura and Odisha.
- ❖ Total suspension of fishing operations over southwest and adjoining westcentral Bay of Bengal and along & off Tamil Nadu, Puducherry, south coastal Andhra Pradesh & north Sri Lanka coasts, Gulf of Mannar and Comorin area till 3rd December morning.









4 December (Day 3)

- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andhra Pradesh.
- Thunderstorm accompanied with Lightning very likely at isolated places over Kerala & Mahe, Lakshadweep and Tamil Nadu Puducherry & Karaikal.
- Cold wave conditions very likely at isolated places over Madhya Maharashtra, Punjab and Rajasthan.
- **Dense Fog** very likely at isolated pockets over Assam & Meghalaya, Himachal Pradesh and Nagaland, Manipur, Mizoram and Tripura.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







5 December (Day 4)

- * Thunderstorm accompanied with Lightning likely at isolated places over Kerala & Mahe and Lakshadweep.
- **Cold wave conditions** likely at isolated places over Rajasthan.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







6 December (Day 5)

- Thunderstorm accompanied with Lightning likely at isolated places over Kerala & Mahe.
- **Cold wave conditions** likely at isolated places over Rajasthan.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







7 December (Day 6)

No Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





8 December (Day 7)

No Warning



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 03-12-2025 :


Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours

Coastal Andhra Pradesh & Yanam - Nellore district.

Tamil Nadu - Puducherry & Karaikal - Chennai, Dindigul, Kanyakumari, Madurai, Nilgiri, Perambalur, Teni, Tirunelveli, Tiruvallur and Virudhunagar districts.

Kerala & Mahe - Idukki, Palakkad, Pattanamittia and Trishur districts.

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.



36

LAKSHDWEEP



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Table-1

7 Days Rainfall Forecast Subdivision 2- Dec | 3- Dec | 4- Dec | 5- Dec | 6- Dec | 7- Dec | 8- Dec S.No. Day 1 Day 2 Day 3 Day 4 Day 5 Day 6 Day 7 DRY **FWS FWS** ANDAMAN & NICOBAR ISLANDS **ISOL ISOL** SCT SCT ARUNACHAL PRADESH DRY DRY DRY DRY DRY DRY **DRY** 3 ASSAM & MEHGHALAYA DRY 4 N. M. M. & T. DRY DRY DRY DRY S.H. WEST BENGAL & SIKKIM DRY 5 DRY DRY DRY DRY **ISOL ISOL GANGETIC WEST BENGAL** DRY DRY DRY DRY DRY DRY DRY 6 7 **ODISHA** DRY DRY DRY DRY DRY DRY DRY **JHARKHAND** DRY DRY DRY DRY DRY DRY DRY 8 DRY DRY DRY DRY DRY DRY 9 **BIHAR** DRY EAST UTTAR PRADESH DRY DRY DRY DRY DRY DRY DRY 10 DRY 11 WEST UTTAR PRADESH DRY DRY DRY **DRY** DRY **DRY** UTTARAKHAND DRY DRY DRY DRY 12 **ISOL** ISOL **ISOL** HARYANA, CHD & DELHI DRY DRY DRY DRY DRY DRY 13 DRY 14 PUNJAB DRY DRY DRY DRY DRY DRY DRY HIMACHAL PRADESH DRY DRY DRY DRY 15 DRY **ISOL ISOL** 16 JAMMU AND KASHMIR AND LADAKH DRY DRY DRY **ISOL** DRY DRY **ISOL** DRY DRY DRY DRY DRY 17 WEST RAJASTHAN DRY DRY 18 EAST RAJASTHAN DRY DRY DRY DRY DRY DRY DRY WEST MADHYA PRADESH DRY DRY DRY DRY DRY DRY 19 DRY DRY DRY 20 EAST MADHYA PRADESH DRY DRY DRY DRY DRY DRY DRY 21 **GUJRAT REGION** DRY DRY DRY DRY DRY DRY DRY DRY 22 SAURASHTRA & KUTCH DRY DRY DRY DRY 23 **KONKAN & GOA** DRY DRY DRY DRY DRY DRY DRY 24 MADHYA MAHARASHTRA DRY DRY DRY DRY DRY DRY DRY DRY DRY 25 MARATHWADA DRY DRY DRY DRY DRY VIDARBHA DRY DRY DRY DRY DRY DRY 26 DRY CHATTISGARH DRY DRY DRY DRY DRY 27 DRY **ISOL FWS FWS** 28 COASTAL ANDHRA PRADESH **ISOL ISOL ISOL ISOL ISOL** 29 **TELANGANA** DRY DRY DRY DRY DRY DRY DRY 30 RAYALASEEMA SCT SCT SCT ISOL ISOL ISOL **ISOL TAMILNADU & PUDUCHERRY FWS** SCT 31 SCT **ISOL ISOL ISOL ISOL** 32 COSTAL KARNATAKA SCT SCT **ISOL** DRY DRY **DRY ISOL** 33 NORTH INTERIOR KARNATAKA DRY DRY **ISOL** DRY DRY DRY DRY SOUTH INTERIOR KARNATAKA DRY DRY 34 **ISOL** SCT **ISOL** ISOL DRY 35 KERALA SCT **FWS FWS** SCT **ISOL ISOL** SCT

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

SCT

SCT

FWS

FWS

SCT

SCT

SCT



Fig. 1: Maximum Temperatures Dated 2025-12-01




Fig. 3: Minimum Temperatures Dated 2025-12-02




Fig. 2: Departure of Maximum Temp. Dated 2025-12-01






Fig. 4: Departure of Minimum Temp. Dated 2025-12-02









Impace and Actions

 Isolated heavy to very heavy rain and strong winds (coastal districts of north Tamil Nadu, Puducherry and south Andhra Pradesh) up to 2nd December evening.

Impact Expected:

- Breaking of tree branches, uprooting of small trees. Damage to orchards, horticulture & floriculture, standing crops including banana, papaya and drumstick trees due to inundation, winds and sea spray.
- · Damage to Kutcha roads and culverts.
- Inundation/ water logging in low-lying areas in coastal districts due to heavy rainfall and flash flood. Flooding of escape routes and damage to salt pans.
- Riverine flooding in some river catchments. Please refer advisories by Central Water Commission in this
 regard.
- Occasional reduction in visibility due to heavy rainfall.
- · Disruption of traffic due to water logging.
- · Localized Landslides/Mudslides.

Action suggested:

- Total suspension of fishing operations.
- People in affected areas to remain indoors.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- Movement in motor boats unsafe.
- Judicious regulation of offshore/onshore operations
- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Tourism and recreational activities to be regulated.
- Surface transport and helicopter services to be regulated.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy Rainfall

- In **Tamil Nadu**, drain out excess rain water from the fields of rice, groundnut, sugarcane, cotton, black gram, maize and vegetables and plantations of coconut, banana, areca nut, mango, rubber, cinnamon and black pepper. Strengthen irrigation channels and field bunds in rice to avoid crop lodging. Provide support to banana plants with wooden poles to prevent them from falling.
- In **Andhra Pradesh**, provide extensive drainage in *rabi* rice nurseries, transplanted rice, Bengal gram, red gram, maize, jowar, already sown crops of ragi, chickpea, black gram, vegetables and orchards. Keep the harvested produce of rice, maize, groundnut and cotton to safer places. Postpone picking of cotton, harvesting of rice and sowing of ragi, chickpea & black gram.
- In **Kerala**, make necessary arrangements to drain out excess rain water from the fields of rice, vegetables and plantations of banana, coconut, cardamom and black pepper. Carry out propping in banana to prevent their falling due to heavy rainfall. Undertake staking for vegetables grown in pandals.

Livestock / Fishery

- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

 Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Agromet advisories for likely impact of Cold Waves/ Low Temperatures

• In **Punjab**, **Rajasthan** and **north Madhya Maharashtra**, apply light and frequent irrigation to the standing crops in the evening to protect the crops from low temperature stress. Use mulching and cover vegetable nurseries and young fruit plants with straw / polythene sheets to maintain optimum soil temperature. Cover banana bunches with 6% perforated plastic bags for protection from low temperatures. In **north Madhya Maharashtra**, erect shade nets around grape vines and pomegranate orchards to minimize cold impact.


Legends & abbreviations:

Region wise classification of meteorological Sub-Divisions:

- Northwest India: Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana-Chandigarh-Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- Central India: West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- East India: Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- Northeast India: Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- West India: Gujarat Region, Saurashtra & Kutch, Konkan & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

ALERT (BE PREPARED TO TAKE ACTION

WARNING (TAKE ACTION)

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50

Probabilistic Forecast

ierms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain





Thunderstorm & Lightning Strong surface winds

Hailstrom





Cold Wave







Hot & Humid



Ground Frost

FOG FOG



		LEGENDS
	WARNING	Probabilistic Forecast
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50
	WATCH (BE UPDATED)	Very Likely 50 - 75
- / -	NO WARNING (NO ACTION)	Most Likely > 75
Rain/ Snow	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *	
	(a) Based on Departure from norm	
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C. Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C	
Į+	(b). Based on Actual maximum ten	
Heat Wave	Heat Wave: When actual maximum tem	
	Severe Heat Wave: When actual maxin	71 V 1 V 1 V 1 V 1
	 (c). Criteria for heat wave for coas When maximum temperature departure temperature ≥37°C 	stal stations is >4.5°C from normal. Heat Wave may be described provided ma
8.	When maximum temperature remains 40°C	
Varm Night	Warm Night: When minimum temperatu	
3	Severe Warm Night: When minimum to	emperature departure >0.4 °C.
	(a). Based on departure	a station ≤10°C for plains and ≤0°C for hilly regions
	Cold Wave: Minimum Temperature Dep Severe Cold Wave: Minimum Temperat	
Ų-	(b) Based on actual Minimum Ten	
Cold Wave	Cold Wave : When Minimum Temperatu	
	Severe Cold Wave: When Minimum Te	emperature is ≤ 2.0 °C
	(c) For Coastal Stations	is < 4.5 °C & actual Minimum Temperature is < 15 °C
n	When Minimum Temperature departure is \leq -4.5 °C & actual Minimum Temperature is \leq 15 °C When minimum temperature of a station \leq 10 °C for plains and \leq 0 °C for hilly regions Based on departure	
Cold Dow	Cold Day: Maximum Temperature Depart	arture from normal -4.5 °C to -6.4 °C.
Cold Day	Severe Cold Day: Maximum Temperatu	ure Departure from normal ≤ -6.5 °C
	Phenomenon of small droplet	s suspended in air and the horizontal visibility <
0	Moderate Fog: When the visibility betw	
Fog	Very Dense Fog: when the visibility between Very Dense Fog: when the visibility < 5	
/ -	Sudden electrical discharges man	
**************************************	sound (thunder)	ifested by a flash of light (Lightning) and a sharp rumbl
nunderstorm Dust/Sand Storm	sound (thunder)	ifested by a flash of light (Lightning) and a sharp rumbl
Dust/Sand	An ensemble of particles of dust of	
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind.	
Dust/Sand	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd	
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph	or sand energetically lifted to great heights by a strong
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd	or sand energetically lifted to great heights by a strong
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph	or sand energetically lifted to great heights by a strong a
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea	or sand energetically lifted to great heights by a strong a
Dust/Sand Storm Frost Squall	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	denly, lasts for atleast 1 minute. a over specific area -62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre
Dust/Sand Storm	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-	denly, lasts for atleast 1 minute. a over specific area -62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre
Dust/Sand Storm Frost Squall	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117	denly, lasts for atleast 1 minute. a over specific area -62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre (>63 knots) & Wave height >14 metre
Dust/Sand Storm Frost Squall	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 83-117	denly, lasts for atleast 1 minute.
Dust/Sand Storm Frost Squall	An ensemble of particles of dust of turbulent wind. Ice deposits on ground Air temperature \$4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 52-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-High to very high: Wind speed 63-117 Phenomenal: Wind speed >117 kmph (Cyclonic Storm: Wind speed 62-87 km Severe Cyclonic Storm: Wind speed 84-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind speed 85-Very Severe Cyclonic Storm: Wind Seve	denly, lasts for atleast 1 minute.