



2025-09-27

Time of Issue: 14:03:00 hours IST

(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather forecast and warnings:

East & Central India:

Light to moderate rain/thunderstorm at most/many places with isolated **heavy rainfall** likely southwest Madhya Pradesh, Vidarbha on 27th, 28th September, 02nd, 03rd October; southeast Madhya Pradesh, West Bengal & Sikkim on 27th September, 02nd & 03rd October; Chhattisgarh on 27th September & during 30th September-03rd October; Andaman & Nicobar Islands during 27th -30th September; Bihar & Jharkhand on 02nd & 03rd October; Odisha on 27th September & during 01st-03rd October with **very heavy rainfall over southwest Madhya Pradesh and Vidarbha on 27th September.**

Thunderstorm & gusty winds (speed reaching 30-50 kmph) very likely over Andaman & Nicobar Islands, Jharkhand & Odisha during 27th September-01st October; West Bengal & Sikkim, Bihar during next 7 days.

Strong surface winds (speed reaching 30-40 kmph) very likely over Bihar on 27th September.

West India:

Light to moderate rain/thunderstormat many/some places with **isolated heavy rainfall** likely over Konkan & Goa, Madhya Maharashtra during 27th September-03rd October; Marathawada during 27th-29th September; Saurashtra & Kutch during 28th September-01st October; Gujarat Region during 27th-30th September with **very heavy rainfall over Marathawada on 27th & 28th**; **north Konkan, north Madhya Maharashtra on 27th**; **Saurashtra & Kutch on 30th**; **south Gujarat Region on 29th September with isolated Extremely heavy rainfall over north Konkan and Ghat areas of Madhya Maharashtra on 28th & 29th; south Gujarat Region on 28th**; **Saurashtra & Kutch on 29th September**.

Northeast India:

Light/moderate rain/thunderstorm at some/isolated places with isolated **heavy rainfall** likely over Assam & Meghalaya on 27th, 28th September & during 30th September-03rd October; Nagaland, Manipur, Mizoram & Tripura during 28th September-03rd October; Arunachal Pradesh during 01st-03rd October with **very heavy rainfall over Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 02nd & 03rd October.**

South Peninsular India:

Light to moderate rain/thunderstorm at many/some places with isolated **heavy rainfall** likely over Tamil Nadu, Coastal Andhra Pradesh & Yanam, Rayalaseema & South Interior Karnataka on 27th; Kerala & Mahe, Telangana & North Interior Karnataka on 27th & 28th September; Coastal Karnataka on 27th, 28th September & during 01st-03rd October with **very heavy rainfall over Kerala & Mahe, Telangana & North Interior Karnataka on 27th September.**

Strong surface winds (speed reaching 40-50 kmph) very likely over Coastal Andhra Pradesh & Yanam, Rayalaseema during next 5 days.

Strong surface winds (speed reaching 30-40 kmph) very likely over Tamil Nadu on 27th and Kerala & Mahe on 27th & 28th September.

Northwest India:

Thunderstorm with lightning very likely over Uttar Pradesh on 27th & 28th September and East Rajasthan during next 7 days.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Main Weather Observations:

- * Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at most places over Odisha, Jharkhand, East Madhya Pradesh, Konkan & Goa, Marathwada, Vidarbha, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Telangana, Coastal Karnataka, North Interior Karnataka, Kerala & Mahe and Lakshadweep; at many places over Andaman & Nicobar Islands, Gangetic West Bengal, Madhya Maharashtra and South Interior Karnataka; at a few places over Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Bihar, East Uttar Pradesh and Rayalaseema; at isolated places over Sub Himalayan West Bengal & Sikkim, West Uttar Pradesh, West Madhya Pradesh, Gujarat Region, Saurashtra & Kutch and Tamil Nadu, Puducherry & Karaikal; Dry over rest of the country.
- Significant rainfall recorded(in cm) (from 0830 hours IST of yesterday to 0830 hours IST of today): Marathwada: Ahmedpur (dist Latur) 17; Palam (dist Parbhani) 15; Loha (dist Nanded) 14; Chakur (dist Latur) 11; Gangakhed (dist Parbhani), Aundha Nagnath (dist Hingoli), Naigaon Khairgaon (dist Nanded) 10 Each; Beed (dist Beed), Nilanga (dist Latur) 9 Each; Renapur (dist Latur), Nanded - IMD Parttime (dist Nanded), Ardhapur (dist Nanded), Jalkot (dist Latur), Shirur Anantpal (dist Latur), Kandhar (dist Nanded) 8 Each; Dharur (dist Beed), Washi (dist Dharashiv), Udgir - IMD Parttime (dist Latur), Kaij (dist Beed), Patoda (dist Beed), Vasmat (dist Hingoli) 7 Each; Rayalaseema: Aspari (dist Kurnool) 13; Yemmiganur (dist Kurnool) 10; Dhone (dist Nandyal), Manthralayam (dist Kurnool) 9 Each; Gudur (dist Kurnool), Alur (dist Kurnool) 8 Each; Nandyal (dist Nandyal), Banaganapalle (dist Nandyal), C Belagal (dist Kurnool) 7 Each; Telangana: Ghattu (dist Jogulamba Gadwal), Nawabpet (dist Vikarabad) 12 Each; Chinna Chinta Kunt (dist Mahabubnagar), Mominpet (dist Vikarabad), Kondapur (dist Sangareddy), Aiza (dist Jogulamba Gadwal), Kataram (dist J. Bhupalpally) 11 Each; Vicarabad (dist Vikarabad), Gandeed (dist Mahabubnagar), Maldakal (dist Jogulamba Gadwal) 10 Each; Kondurg (dist Rangareddy) 9; Venkatapuram (dist Mulugu), Pargi (dist Vikarabad), Jurala Proj. (dist Jogulamba Gadwal), Aswapuram (dist B. Kothagudem), Waddepalli (dist Jogulamba Gadwal), Itikyal (dist Jogulamba Gadwal), Peddapalle (dist Peddapalle), Atmakur Wnp (dist Wanaparthy), Hanwada (dist Mahabubnagar) 8 Each; Bhadrachalam (dist B. Kothagudem), Burgampadu (dist B. Kothagudem), Marpalle (dist Vikarabad), Banswada (dist Kamareddy), Peddemul (dist Vikarabad), Narva (dist Narayanpet) 7 Each; Jharkhand: Sonua (dist West Singbhum) 12; Odisha: Salebhatta (dist Bolangir) 12; Umarkote (dist Nawarangpur), Patnagarh (dist Bolangir), Aska (dist Ganjam) 9 Each; Agalpur (dist Bolangir), Jhorigam (dist Nawarangpur), Titlagarh (dist Bolangir), Turekela (dist Bolangir), Danagadi (dist Jajpur), Dharakote (dist Ganjam) 8 Each; Gaisilet (dist Bargarh), Paikmal (dist Bargarh), Barpalli (dist Bargarh), Bhawanipatna (dist Kalahandi), Nawana (dist Mayurbhanj), Nawapara (dist Nawapara), Astaranga (dist Puri), Mahanga (dist Cuttack), Betanati (dist Mayurbhanj), Koksara (dist Kalahandi), Mathili (dist Malkangiri), Chandrapur (dist Rayagada), Bijepur (dist Bargarh) 7 Each; Assam & Meghalaya: Chauldhowaghat (dist Lakhimpur) 12; Chouldhuwaghat ARG (dist Lakhimpur) 10; Chhattisgarh: Marri Bangla Deori (dist Balod) 11; Rajnandgaon (dist Rajnandgaon), Chhotedongar (dist Narayanpur), Bade Bacheli (dist Dantewada) 8 Each; Dondilohara (dist Balod), Ambagarh Chowki (dist Mohala Manpur Chowki), Durgkondal (dist Kanker) 7 Each; North Interior Karnataka: Chincholi (dist Kalaburgi) 11; Balaganur (dist Raichur) 10; Hayyal B (dist Yadgir), Lokapur (dist Bagalkote), Jalahalli (dist Raichur), Manvi (dist Raichur) 9 Each; Kembhavi (dist Yadgir), Mahalingapur (dist Bagalkote), Aland (dist Kalaburgi), Gokak (dist Belagavi), Chikodi (dist Belagavi), Bailhongal (dist Belagavi), Muddebihal (dist Vijayapura), Kalaburgi (dist Kalaburgi), Mudgal (dist Raichur) 8 Each; Maski (dist Raichur), Gabbur (dist Raichur), Belagavi AP (dist Belagavi), Jewargi (dist Kalaburgi), Chittapur (dist Kalaburgi), Kaladgi (dist Bagalkote), Shorapur (dist Yadgir), Hukkeri (dist Belagavi), Sedam (dist Kalaburgi), Raddewadgi ARG (dist Kalaburgi), Kakkeri (dist Yadgir), Kittur (dist Belagavi) 7 Each; Konkan & Goa: Mhasla (dist Raigad) 10; Savarde-arg (dist Ratnagiri) 7; Madhya Maharashtra: Jeur - IMD Parttime (dist Sholapur) 10; Pandharpur (dist Sholapur), Sangli (dist Sangli), Kavathe Mahakal (dist Sangli), Miraj (dist Sangli) 7 Each; Vidarbha: Korchi (dist Gadchiroli) 9; Kurkheda (dist Gadchiroli), Deori (dist Gondia) 7 Each; Coastal Andhra Pradesh & Yanam: Kunavaram (dist Alluri Sitharamaraju) 8; Tamil Nadu, Puducherry & Karaikal: Perunchani Dam (dist Kanyakumari), Puthan Dam (dist Kanyakumari) 8 Each; Thirparappu (dist Kanyakumari) 7; Kerala & Mahe: Peermade To (dist Idukki) 7; Gangetic West Bengal: Purihansa (dist Purulia) 7.
- * Heavy Rainfall observed (from 0830 hours IST of yesterday to 0830 hours IST of today):Heavy to very heavy rain at isolated places over Assam & Meghalaya, Odisha, Jharkhand, Marathwada, Telangana and Rayalaseema. Heavy rain at a few places over North Interior Karnataka and at isolated places over Gangetic West Bengal, Konkan & Goa, Madhya Maharashtra, Vidarbha, Chhattisgarh, Coastal Andhra Pradesh & Yanam, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.
- ♦ Minimum Temperature Departures (as on 27-09-2025): markedly above normal(> 5.1°C) at most places over Himachal Pradesh; at few places over Assam & Meghalaya; at isolated places over Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Bihar, West Uttar Pradesh, Uttarakhand and West Madhya Pradesh.



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

appreciably above normal(3.1°C to 5.0°C) at many places over East Madhya Pradesh; at few places over East Uttar Pradesh, West Rajasthan, East Rajasthan and Gujarat Region; at isolated places over Odisha, Haryana-Chandigarh-Delhi, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad and Saurashtra & Kutch. above normal(1.6°C to 3.0°C) at most places over Punjab; at few places over Andaman & Nicobar Islands and Gangetic West Bengal; at isolated places over Madhya Maharashtra, Marathwada, Vidarbha and Tamil Nadu, Puducherry & Karaikal. near normal(-1.5°C to 1.5°C) at many places over Chhattisgarh, Coastal Andhra Pradesh & Yanam and Rayalaseema; at most places over Jharkhand, Konkan & Goa, Coastal Karnataka, South Interior Karnataka, Kerala & Mahe and Lakshadweep; at few places over Arunachal Pradesh, Telangana and North Interior Karnataka. The lowest minimum temperature of 18.5°C is reported at HALFLONG (ASSAM), and JEUR (MAHARASHTRA) over the Plains of India.

♦ Maximum Temperature Departures (as on 26-09-2025): markedly above normal(> 5.1°C) at many places over Assam & Meghalaya; at few places over Arunachal Pradesh, Sub Himalayan West Bengal & Sikkim and Himachal Pradesh; at isolated places over East Uttar Pradesh and Uttarakhand. appreciably above normal(3.1°C to 5.0°C) at many places over Nagaland, Manipur, Mizoram & Tripura and Bihar; at few places over West Uttar Pradesh and Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad; at isolated places over Haryana-Chandigarh-Delhi, Punjab, East Rajasthan and Tamil Nadu, Puducherry & Karaikal. above normal(1.6°C to 3.0°C) at few places over West Madhya Pradesh; at isolated places over Gangetic West Bengal, West Rajasthan, East Madhya Pradesh, Gujarat Region, Saurashtra & Kutch, Vidarbha and Chhattisgarh. near normal(-1.5°C to 1.5°C) at many places over Jharkhand, Konkan & Goa, South Interior Karnataka and Lakshadweep; at most places over Coastal Karnataka; at few places over Andaman & Nicobar Islands and Kerala & Mahe; at isolated places over Odisha, Madhya Maharashtra, Coastal Andhra Pradesh & Yanam and Telangana. The highest maximum temperature of 39.3°C is reported at PILANI (RAJASTHAN).



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)

- The **line of withdrawal of southwest monsoon** continues to pass through 20°N/ 69°E, Veraval, Bharuch, Ujjain, Jhansi, Shahjahanpur and 30°N/81°E.
- Conditions are not favourable for further withdrawal of southwest monsoon during next 7 days.
- The **depression** over south coastal Odisha moved westwards with a speed of 15 kmph during past 6 hours and lay centred at 0830 hrs IST of today, the 27th September 2025, over south interior Odisha, near latitude 19.3°N and longitude 84.2°E, about 50 km east-northeast of Gunupur (Odisha), 70 km west of Gopalpur (Odisha), 130 km south of Phulbani (Odisha), 130 km east-southeast of Bhawanipatna (Odisha) and 230 km east of Jagdalpur (Chhattisgarh). It is very likely to continue to move nearly westwards across south Odisha & Chhattisgarh and weaken gradually into a **well marked low pressure area** during next 24 hours.
- The **trough** now runs from the above **depression** over south interior Odisha to Goa across Telangana and North Interior Karnataka between 3.1 & 4.5 km above mean sea level.
- An upper air cyclonic circulation likely to emerge into north Andaman Sea on 30th September. Under it influence a low pressure area likely to form over north & adjoining central Bay of Bengal around 01st October 2025.


Weather Outlook for subsequent 3 days

- Fairly widespread to widespread rainfall likely over Islands, Northeast, East, West and Central India.
- Isolated to scattered rainfall likely over the South penninsular India and Isolated rainfall over the Western Himalayan region.









27 September (Day 1)

- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Kerala & Mahe, Konkan & Goa, Maharashtra, North Interior Karnataka, Telangana and West Madhya Pradesh.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, East Madhya Pradesh, Gujarat Region, Odisha, South Interior Karnataka, Tamil Nadu Puducherry & Karaikal and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Gangetic West Bengal and Telangana.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gujarat State, Interior Karnataka, Jharkhand, Kerala & Mahe, Konkan & Goa, Madhya Maharashtra, Marathwada, Odisha, Sub Himalayan West Bengal & Sikkim and Tamil Nadu Puducherry & Karaikal.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Rajasthan, Lakshadweep, Nagaland, Manipur, Mizoram and Tripura, Tamil Nadu Puducherry & Karaikal and Uttar Pradesh.
- ♦ Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Bihar, Coastal Karnataka, Gangetic West Bengal, Kerala & Mahe, Lakshadweep and Odisha.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off South Gujarat, Konkan, Goa, Karnataka, Kerala coasts, Lakshadweep area, over Gulf of Mannar & adjoining Comorin area,





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

over many parts of south Bay, most parts central Bay and north Bay of Bengal, along and off Sri Lanka coast, Tamil Nadu, Andhra Pradesh, Odisha, West Bengal, Bangladesh, Myanmar coasts, Andaman Sea.

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail over many parts of south, central adjoining north Bay of Bengal.







28 September (Day 2)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Gujarat Region, Konkan & Goa and Madhya Maharashtra.
- * Heavy to Very Heavy Rainfall very likely at isolated places over Marathwada.
- **Heavy Rainfall** very likely at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya, Coastal Karnataka, Kerala & Mahe, Nagaland, Manipur, Mizoram and Tripura, North Interior Karnataka, Saurashtra & Kutch, Telangana, Vidarbha and West Madhya Pradesh.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Konkan & Goa, Madhya Maharashtra and Saurashtra & Kutch.
- ♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gujarat Region, Jharkhand, Kerala & Mahe, Marathwada, North Interior Karnataka, Odisha, Telangana and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Rajasthan, Nagaland, Manipur, Mizoram and Tripura and Uttar Pradesh.
- ♦ Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh, Coastal Karnataka, Gangetic West Bengal, Kerala & Mahe and Odisha.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off South





National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Gujarat, Konkan, Goa, Karnataka, Kerala coast, Lakshadweep, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central Bay and adjoining north Bay of Bengal, along and off Sri Lanka coast, Tamil Nadu, Andhra Pradesh, south Odisha, Andaman sea.

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off south Gujarat and adjoining north Konkan coasts, over many parts of south and central Bay of Bengal.







29 September (Day 3)

- ♦ Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall very likely at isolated places over Konkan & Goa, Madhya Maharashtra and Saurashtra & Kutch.
- ♦ Heavy to Very Heavy Rainfall very likely at isolated places over Gujarat Region.
- ♦ Heavy Rainfall very likely at isolated places over Andaman & Nicobar Islands, Marathwada and Nagaland, Manipur, Mizoram and Tripura.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh and Saurashtra & Kutch.
- ❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Bihar, Gujarat Region, Jharkhand, Madhya Maharashtra, Marathwada, Odisha, Telangana and West Bengal & Sikkim.
- ♦ Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, East Rajasthan and Nagaland, Manipur, Mizoram and Tripura.
- * Strong Surface Winds very likely at isolated places over Andaman & Nicobar Islands and Andhra Pradesh.

Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.


Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, Konkan coast, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, off north Tamil Nadu coasts, over Andaman Sea




National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off Gujarat and adjoining sea areas, north Konkan and adjoining some parts of northeast and eastcentral Arabian sea, many parts of south and central Bay of Bengal.







30 September (Day 4)


- Heavy to Very Heavy Rainfall likely at isolated places over Saurashtra & Kutch.
- ♦ Heavy Rainfall likely at isolated places over Andaman & Nicobar Islands, Assam & Meghalaya, Chhattisgarh, Gujarat Region, Konkan & Goa, Madhya Maharashtra and Nagaland, Manipur, Mizoram and Tripura.
- ❖ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh and Saurashtra & Kutch.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Gujarat Region, Jharkhand, Odisha, Telangana and West Bengal & Sikkim.
- ❖ Thunderstorm accompanied with Lightning likely at isolated places over Assam & Meghalaya, East Rajasthan and Nagaland, Manipur, Mizoram and Tripura.
- **Strong Surface Winds** likely at isolated places over Andaman & Nicobar Islands and Andhra Pradesh.


Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, Konkan coast, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, Tamil Nadu coasts, over Andaman Sea

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off south Gujarat and adjoining sea areas, north Konkan and adjoining some parts of northeast and eastcentral Arabian sea, many parts of south and central Bay of Bengal.







1 October (Day 5)


- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, Konkan & Goa, Madhya Maharashtra, Nagaland, Manipur, Mizoram and Tripura, Odisha and Saurashtra & Kutch.
- ♦ Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Andaman & Nicobar Islands, Andhra Pradesh and Saurashtra & Kutch.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar, Jharkhand, Odisha, Telangana and West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with Lightning** likely at isolated places over East Rajasthan and Nagaland, Manipur, Mizoram and Tripura.
- Strong Surface Winds likely at isolated places over Andaman & Nicobar Islands and Andhra Pradesh.


Squally wind with speed reaching 45 kmph to 55 kmph gusting to 65 kmph is likely to prevail over some parts of southwest adjoining westcentral Arabian Sea, along and off Somalia coast.

Squally weather with wind speed reaching 40 - 50 kmph gusting to 60 kmph likely to prevail along and off Gujarat, Konkan coast, over Gulf of Mannar & adjoining Comorin area, over most parts of south Bay, central & north Bay of Bengal, along and off Sri Lanka coast, Andhra Pradesh, Tamil Nadu, Odisha, West Bengal, coasts, over Andaman Sea.

Squally weather with wind speed reaching 45 - 55 kmph gusting to 65 kmph likely to prevail along and off south Gujarat and adjoining sea areas, north Konkan and adjoining some parts of northeast and eastcentral Arabian sea, many parts of south, central and north Bay of Bengal.









2 October (Day 6)

- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Coastal Karnataka, Jharkhand, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, Vidarbha and West Bengal & Sikkim.
- **♦ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and West Bengal & Sikkim.
- **Thunderstorm accompanied with Lightning** likely at isolated places over East Rajasthan.

No Fishermen Warning







3 October (Day 7)

- ♦ Heavy Rainfall likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Bihar, Chhattisgarh, Coastal Karnataka, Jharkhand, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, Nagaland, Manipur, Mizoram and Tripura, Odisha, Vidarbha and West Bengal & Sikkim.
- **❖ Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Bihar and West Bengal & Sikkim.
- **Thunderstorm accompanied with Lightning** likely at isolated places over East Rajasthan.

No Fishermen Warning



National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Flash Flood Warnings

24 hours Outlook for the Flash Flood Risk (FFR) till 1130 IST of 28-09-2025 :

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Vidarbha - Akola, Amaravati, Bhandara, Buldhana, Chandrapur, Gadchiroli, Gondiya, Nagpur, Wardha, Washim and Yavatmal districts. Madhya Maharashtra - Ahmadnagar, Jalgaon, Nasik and Solapur districts.

Marathawada - Aurangabad, Bid, Hingoli, Jalna, Latur, Nanded, Osmanabad and Parbhani districts

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.






Table-1

7 D	ays	Rainfall	Forecast
-----	-----	----------	-----------------

S.No. Subdivision 27-Sep 28-Sep 29-Sep 30-Sep 1-Oct 2-Oct 3-Oct Sep Se
1 ANDAMAN & NICOBAR ISLANDS 2 ARUNACHAL PRADESH 3 ASSAM & MEHGHALAYA 4 N. M. M. & T. 5 S.H. WEST BENGAL & SIKKIM 6 GANGETIC WEST BENGAL 7 ODISHA WS WS WS WS WS FWS SCT ISOL ISOL SCT SCT FWS FWS FWS FWS FWS FWS FWS FWS FWS SCT FWS FWS FWS FWS FWS SCT FWS FWS WS WS FWS FWS SCT FWS
2 ARUNACHAL PRADESH 3 ASSAM & MEHGHALAYA 5 CT SCT SCT FWS FWS FWS 4 N. M. M. & T. 5 S.H. WEST BENGAL & SIKKIM 6 GANGETIC WEST BENGAL 7 ODISHA SCT SCT SCT SCT FWS FWS WS WS FWS FWS SCT FWS FWS FWS WS WS FWS FWS SCT FWS
3 ASSAM & MEHGHALAYA SCT SCT SCT FWS FWS FW 4 N. M. M. & T. FWS FWS SCT FWS FWS SCT 5 S.H. WEST BENGAL & SIKKIM 6 GANGETIC WEST BENGAL FWS FWS SCT FWS FWS WS 7 ODISHA SCT SCT SCT FWS FWS WS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS FWS
4 N. M. M. & T. 5 S.H. WEST BENGAL & SIKKIM 6 GANGETIC WEST BENGAL 7 ODISHA FWS FWS SCT FWS FWS SCT FWS FWS SCT FWS FWS WS FWS
5 S.H. WEST BENGAL & SIKKIM 6 GANGETIC WEST BENGAL 7 ODISHA SCT SCT SCT FWS WS W FWS FWS SCT FWS FWS WS W FWS SCT SCT FWS FWS FW
6 GANGETIC WEST BENGAL FWS FWS SCT FWS FWS WS W 7 ODISHA FWS SCT SCT SCT FWS FWS FW
7 ODISHA FWS SCT SCT FWS FWS FW
8 JHARKHAND FWS SCT SCT SCT FWS FWS FW
5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
9 BIHAR SCT ISOL SCT SCT FWS FW
10 EAST UTTAR PRADESH ISOL ISOL SCT SCT ISC
11 WEST UTTAR PRADESH ISOL ISOL ISOL ISOL ISOL ISOL ISOL ISOL
12 UTTARAKHAND ISOL ISOL ISOL ISOL ISOL ISOL ISOL
13 HARYANA, CHD & DELHI DRY DRY DRY DRY DRY DRY DRY
14 PUNJAB DRY DRY DRY DRY DRY DRY DRY DRY
15 HIMACHAL PRADESH DRY DRY DRY DRY DRY DRY DRY
16 JAMMU AND KASHMIR AND LADAKH DRY DRY DRY DRY DRY DRY DRY
17 WEST RAJASTHAN DRY DRY DRY DRY DRY DRY DRY
18 EAST RAJASTHAN ISOL ISOL ISOL ISOL ISOL ISOL ISOL
19 WEST MADHYA PRADESH FWS WS FWS FWS FWS FWS FW
20 EAST MADHYA PRADESH WS FWS FWS FWS FWS FWS FW
21 GUJRAT REGION SCT WS WS FWS SCT SC
22 SAURASHTRA & KUTCH SCT FWS WS FWS SCT SC
23 KONKAN & GOA WS WS WS WS WS WS WS
24 MADHYA MAHARASHTRA FWS WS FWS FWS SCT SC
25 MARATHWADA WS FWS FWS SCT SCT FWS FW
26 VIDARBHA WS FWS SCT FWS FWS W
27 CHATTISGARH FWS SCT FWS FWS FWS FWS FW
28 COASTAL ANDHRA PRADESH FWS SCT SCT SCT SCT SCT SC
29 TELANGANA WS FWS FWS SCT SCT SCT SC
30 RAYALASEEMA FWS SCT ISOL ISOL ISOL ISOL ISOL
31 TAMILNADU & PUDUCHERRY ISOL ISOL ISOL ISOL ISOL ISOL ISOL
32 COSTAL KARNATAKA WS
33 NORTH INTERIOR KARNATAKA WS FWS SCT SCT SCT SCT SC
34 SOUTH INTERIOR KARNATAKA SCT SCT SCT SCT SCT SCT SCT
35 KERALA WS WS FWS FWS FWS FW
36 LAKSHDWEEP WS WS FWS FWS FWS FWS FW

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

Fig. 1: Maximum Temperatures Dated 2025-09-26




Fig. 3: Minimum Temperatures Dated 2025-09-27




Fig. 2: Departure of Maximum Temp. Dated 2025-09-26






Fig. 4: Departure of Minimum Temp. Dated 2025-09-27









National Weather Forecasting Centre Indian Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to

- Extremely heavy rainfall (≥21 cm) at isolated places over north Konkan and Ghat areas of Madhya Maharashtra on 28th & 29th; south Gujarat Region on 28th; Saurashtra & Kutch on 29th September.
- **Very heavy rainfall (12-20 cm)** at isolated places over southwest Madhya Pradesh, Vidarbha, north Konkan, north Madhya Maharashtra, Kerala & Mahe, Telangana & North Interior Karnataka on 27th; Marathawada on 27th & 28th; south Gujarat Region on 29th; Saurashtra & Kutch on 30th September; Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 02nd & 03rd October.

Impact Expected

- · Water logging/ flooding in many parts of low lying area and river banks
- Localized and short term disruption to municipal services (water, electricity, etc.)
- Major disruption of traffic flow. Major roads/local trains affected.
- · Possibility of danger to very old buildings and unmaintained structures, falling of trees etc
- Closure of roads crossing low water bridges.

Action Suggested

- Traffic may be regulated effectively
- People in the affected area may restrict their movement

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Heavy to Very Heavy / Extremely Heavy Rainfall

In **Odisha**, ensure proper drainage to drain out excess water from rice, finger millet, maize, groundnut, cotton, sesame and vegetables. Make arrangement for covering vegetables nurseries like chilli, okra and brinjal with plastic cover or polythene sheet.

In **Maharashtra**, In the districts of **Konkan**, make arrangements to drain out excess water from rice, groundnut, vegetables and orchard; In **Madhya Maharashtra**, keep the harvested produce of black gram, soybean and kidney beans (rajma) at safer places and ensure proper drainage in the fields of rice, pigeon pea, soybean, maize, cotton, sugarcane, vegetables and orchards. In **Marathwada**, drain out excess water from soybean, cotton, pigeon pea, vegetables and orchards. Keep the harvested produce of sapota and custard apple at safer places. In **Vidarbha**, make arrangements to drain out excess water from pigeon pea, cotton, soybean, sorghum, maize and vegetables. Store the harvested green gram and black gram at safe places, if storage is not possible cover it with plastic / tarpaulin sheets.

In **West Madhya Pradesh**, ensure proper drainage in the fields of soybean, maize, cotton, black gram and vegetables. Keep the harvested produce of soybean and other field crops at safer places. Keep the harvested produce at safer places.

In **Gujarat**, keep the harvested produce at safer places. Make necessary arrangements to drainout excess water from the fields of rice, sugarcane, vegetables and fruit orchards in **Gujarat region**; and cotton, pigeon pea, pearl millet and vegetables in **Saurashtra & Kutch**.

In **Telangana**, drain out excess rain water from fields of rice, maize, cotton, soybean, pigeon pea and turmeric. Keep the harvested produce at safer places.

In **North Kerala**, ensure proper drainage in the fields of rice, coconut, banana, cardamom, black pepper and vegetables.





In **North Interior Karnataka**, ensure proper drainage facilities in fields of pigeon pea, groundnut, soybean, maize, cotton, vegetables and fruit orchards.

In **Coastal Andhra Pradesh**, make arrangements to drain out excess water from fields of rice, maize, pigeon pea, green gram, groundnut, sugarcane, cotton, vegetablesand fruit orchards.

Livestock / Fishery

Keep the animals inside the shed during heavy rainfall and provide them balanced feed.

Store feed and fodder in a safe place to prevent spoilage.


Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds / Squally Winds

Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.



LEGENDS



SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

NO WARNING

WATCH (BE UPDATED)

•
ALERT (BE PREPARED TO TAKE ACTION
WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain








Thunderstorm & Lightning Strong surface winds







Cold Wave

Hot & Humid









		LEGENDS		
	WARNING	Probabilistic Forecast		
	WARNING (TAKE ACTION)	Terms Probability of Occurrence (%)		
	ALERT (BE PREPARED)	Unlikely < 25 Likely 25 - 50		
	WATCH (BE UPDATED)	Very Likely 50 - 75		
- 10	NO WARNING (NO ACTION)	Most Likely > 75		
Rain/ Snow	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *			
	(a) Based on Departure from norm			
	Heat Wave: Maximum Temperature Dep Severe Heat Wave: Maximum Tempera			
j+	(b). Based on Actual maximum tem			
Heat Wave	Heat Wave: When actual maximum temperature ≥45°C.			
	Severe Heat Wave: When actual maxim	A 10 2 3 4		
	 (c). Criteria for heat wave for coas When maximum temperature departure is temperature ≥37°C 	tal stations s >4.5°C from normal. Heat Wave may be described provided n		
9.	When maximum temperature remains			
Warm Night	Warm Night: When minimum temperatu Severe Warm Night: When minimum te	· · · · · · · · · · · · · · · · · · ·		
	Severe Warm Night: When minimum te	riperature departure 20.4 O.		
		a station ≤10°C for plains and ≤0°C for hilly region		
	(a). Based on departure Cold Wave: Minimum Temperature Departure	arture from normal -4.5 °C to -8.4 °C		
0	Severe Cold Wave: Minimum Temperature Dep			
Ŋ-	(b) Based on actual Minimum Tem			
Cold Wave	Cold Wave : When Minimum Temperature is ≤ 4.0 °C			
	Severe Cold Wave: When Minimum Te	mperature is ≤ 2.0 °C		
	(c) For Coastal Stations When Minimum Temperature departure	is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C		
		station ≤10°C for plains and ≤0°C for hilly regions		
1-	Based on departure			
Cold Day	Cold Day: Maximum Temperature Depa			
	Severe Cold Day: Maximum Temperatu	re Departure from normal 5 -6.5 °C		
_		s suspended in air and the horizontal visibility		
•	Moderate Fog: When the visibility between Dense Fog: when the visibility between			
Fog	Very Dense Fog: when the visibility < 50			
44	Sudden electrical discharges mani sound (thunder)	fested by a flash of light (Lightning) and a sharp rum		
hunderstorm	oouna (manaor)			
Dust/Sand Storm	An ensemble of particles of dust o turbulent wind.	r sand energetically lifted to great heights by a strong		
	Ice deposits on ground			
~	ice deposits on ground			
55	Air temperature ≤4°C (over Plains)			
55 Frost	Air temperature ≤4°C (over Plains) A strong wind that rises sudden	enly, lasts for atleast 1 minute.		
SS Frost	Air temperature ≤4°C (over Plains)	enly, lasts for atleast 1 minute.		
Frost Squall	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph	enly, lasts for atleast 1 minute.		
€F	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph			
€F	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-4	over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre		
€F	Air temperature ≤4°C (over Plains) A strong wind that rises sudd. Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-4 High to very high: Wind speed 63-117 kmph	over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre		
Squall	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-4 High to very high: Wind speed 63-117 kmph (2) Phenomenal: Wind speed >117 kmph (2)	over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre		
Squall	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-4 High to very high: Wind speed 63-117 kmph (20 kmph) (20	over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre -63 knots) & Wave height >14 metre -64 knots) & Wave height >14 metre		
Squall	Air temperature ≤4°C (over Plains) A strong wind that rises sudd Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Effect of various waves in the sea Rough to very rough: Wind speed 41-4 High to very high: Wind speed 63-117 kmph (2) Phenomenal: Wind speed >117 kmph (2)	over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre ph (34-47 knots) 8-117 kmph (48-63 knots)		
Squall	Air temperature ≤4°C (over Plains) A strong wind that rises sudden Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >87 kmph Very Severe: Wind speed >17 kmph (30 kmph 17 kmph 18 kmph 19 kmp	over specific area 62 kmph (22-33 knots) & Wave height 2.5-6 metre kmph (34-63 knots) & Wave height 6-14 metre >63 knots) & Wave height >14 metre ph (34-47 knots) 8-117 kmph (48-63 knots) eed 118-165 kmph (64 - 89 knots) ind speed 166-220 kmph (90 -119 knots)		