



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Thursday, February 13, 2025 Time of Issue: 1400 hours IST (MID-DAY)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features:

Weather Systems, Forecast and warning:

- * A cyclonic circulation lies over northeast Assam & neighbourhood in lower tropospheric levels. Under its influence,
 - ✓ Scattered to Fairly widespread light to moderate rainfall/snowfall accompanied with thunderstorm & lightning activity likely over Arunachal Pradesh during 13th-15th February with isolated **heavy rainfall** on Arunachal Pradesh on 13th February.
 - ✓ Isolated light rainfall activity likely over Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura & Sub-Himalayan West Bengal & Sikkim during 13th-15th February.

Realized weather during past 24 hours till 0830 hours IST of today

- During Past 24 hours Day temperature has fallen by 1-3°C at many places over plains of Northwest India & Central India and fallen by about 1-2°C at few places over West Bengal State.
- Day temperatures continue to be **appreciably above normal to markedly above normal by 3°C to 6°C)** at many places over central & east India; at isolated places over Western Himalayan region, & northern parts of Peninsular India; **above normal (1°C to 3°C)** at most places over northwest & northeast India.
- During Past 24 hours, Night temperature has fallen by 1-3°C over many parts of plains of Northwest India & Central India while it was raised by about 1-2°C at few places over Bihar and Gangetic West Bengal.
- Night temperatures were **markedly above normal (5.1°C or more)** at isolated places over Assam & Meghalaya, Tripura, Gangetic West Bengal; **appreciably above normal (3.1°C to 5.0°C)** at many places over Bihar; at a few places over Gujarat State; at isolated places over Odisha; **above normal (1.6°C to 3.0°C)** at a few places over Madhya Maharashtra, Konkan & Goa, East Uttar Pradesh; at isolated places over Telangana, Chhattisgarh.
- Minimum temperatures are in the range of 7-15°C over many parts of plains of Northwest India, West India, Madhya Pradesh, Chhattisgarh, Bihar and Jharkhand.
- During the past 24 hours, **minimum temperatures** has fallen by 1-3°C over many over plains of northwest India & central India and raised by about 1-2°C at few places over east India.
- Maximum temperatures are in the range of 33-36°C over most parts of Kerala & Mahe; at many places over Telangana, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamilnadu Puducherry & Karaikal; at some places over North Interior Karnataka.

Temperature and Fog Forecast:

Forecast of temperature:

Minimum Temperature:

No significant change in minimum temperature likely over Western Himalayan Region during next 3 days and gradual rise by 1-2°C during subsequent 2 days. Gradual fall in minimum temperatures by 1-2°C likely over Northwest India and by 3-4°C likely over East India during next 2 days and gradual rise by 2-3°C thereafter during subsequent 3 days. Gradual fall in minimum temperatures by 1-3°C likely over Central India during next 24 hours and gradual rise by 2-4°C thereafter during subsequent 4 days. No significant change in minimum temperature likely over West India during next 3 days and gradual rise by 2-3°C thereafter during subsequent 2 days. No significant change in minimum temperature over remaining parts of the country during next 5 days.

Maximum temperature:

- ❖ Gradual fall in maximum temperatures by 1-2°C likely over Northwest India except Uttar Pradesh and by 2-4°C likely over Uttar Pradesh during next 2 days and gradual rise by 2-3°C thereafter.
- No significant change in maximum temperature likely over West, Central and East India during next 2-3 days and gradual rise by 2-3°C thereafter.

Dense Fog Warnings:

❖ Dense fog conditions very likely to continue to prevail during early morning hours in isolated pockets of Sub-Himalayan West Bengal & Sikkim till 15th February.

Cold Wave Warnings:

❖ Cold Wave conditions very likely in isolated pockets of Himachal Pradesh on 13th & 14th February.







Main Weather Observations:

- Rainfall/Snowfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): at isolated places over Sub-Himalayan West Bengal & Sikkim.
- ❖ Rainfall distribution (from 0830 hours IST of yesterday to 0830 hours IST of today): NIL.
- ❖ Significant amount of rainfall (from 0830 hours IST of yesterday to 0830 hours IST of today): (in cm): Sub-Himalayan West Bengal & Sikkim: Singhik (dist Mangan) 3, Mangan (dist Mangan) 3, Kabi (dist Mangan) 1.
- ❖ Fog reported (upto 0830 hours IST of today): Dense to very dense fog reported in isolated pockets of Coastal Andhra Pradesh; Moderate fog reported in isolated pockets of Sikkim and Gangetic West Bengal.
- ❖ Visibility reported (upto 0830 hours IST of today) (≤ 200 m): Coastal Andhra Pradesh: Vijaywada: 0; Amaravati -200; Sikkim- Gangtok 200; Gangetic West Bengal: Digha 200.
- ❖ Minimum Temperature Departures (as on 13-02-2025): Minimum temperatures are markedly above normal (5.1°C or more) at isolated places over Assam & Meghalaya, Tripura, Gangetic West Bengal; appreciably above normal (3.1°C to 5.0°C) at many places over Bihar; at a few places over Gujarat State; at isolated places over Odisha; above normal (1.6°C to 3.0°C) at a few places over Madhya Maharashtra, Konkan & Goa, East Uttar Pradesh; at isolated places over Telangana, Chhattisgarh. These are appreciably below normal (-3.1°C to -5.0°C) at isolated places over West Madhya Pradesh, Tamilnadu Puducherry & Karaikal; below normal (-1.6°C to -3.0°C) at isolated places over East Madhya Pradesh, West Uttar Pradesh, Jharkhand, Vidarbha, Rayalaseema and near normal over rest parts of the country (Fig. 4). Today, the lowest minimum temperature of 4.4°C is reported at Adampur (Punjab) over the plains of the country.
- ❖ Maximum Temperature Departures (as on 12-02-2025): Maximum temperatures were markedly above normal (5.1°C or more) at isolated places over East Uttar Pradesh; appreciably above normal (3.1°C to 5.0°C) at most places over Jharkhand, Chhattisgarh, East Madhya Pradesh, Vidarbha; at many places over Odisha; at a few places over Bihar, Telangana; at isolated places over Himachal Pradesh, Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Punjab, West Uttar Pradesh, West Madhya Pradesh, Coastal Andhra Pradesh & Yanam, Marathwada, Madhya Maharashtra, Saurashtra & Kutch, North Interior Karnataka and Gangetic West Bengal; above normal (1.6°C to 3.0°C) at most places over Rajasthan, Haryana-Chandigarh-Delhi; at a few places over Tamil Nadu, Puducherry & Karaikal; at isolated places over Konkan & Goa, Lakshadweep, Coastal Karnataka, Gujarat Region, Rayalaseema, Kerala & Mahe, Nagaland, Manipur, Mizoram & Tripura and Uttarakhand. These were markedly below normal (-5.0°C or less) at a few places over Assam & Meghalaya; at isolated places over Arunachal Pradesh and near normal over rest parts of the country (Fig. 2). Yesterday, the highest maximum temperature of 37.8°C was reported at Kurnool (Rayalaseema) over the country.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences


Meteorological Analysis (Based on 0830 hours IST)


*	The cyclonic circulation over northeast Assam & neighbourhood at 1.5 km above mean sea level persists.
*	Subtropical westerly Jet Stream with core winds of the order of 130-140 knots at 12.6 km above mean sea level continues to prevail over the plains of northwest India.
*	The Western Disturbance as a cyclonic circulation over Jammu-Kashmir & neighbourhood at 3.1 km above mean sea level has moved away.





Weather Forecast & Warnings for next 7 days (Upto 0830 hours IST of 20th February, 2025)







13th February (Day 1):

- ❖ Heavy Rainfall/snowfall (≥ 7 cm) very likely at isolated places over Arunachal Pradesh.
- Thunderstorm accompanied with lightning very likely at isolated places over Arunachal Pradesh and Assam & Meghalaya.
- Dense fog conditions very likely in isolated pockets of Sub-Himalayan West Bengal & Sikkim.
- **Cold wave condition** very likely in isolated pockets of Himachal Pradesh.

National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







14th February (Day 2):

- ❖ **Dense fog conditions** very likely in isolated pockets of Sub-Himalayan West Bengal & Sikkim.
- **Cold wave condition** very likely in isolated pockets of Himachal Pradesh.



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







15th February (Day 3):



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







16th February (Day 4):





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







17th February (Day 5):



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences







18th February (Day 6):



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences





19th February (Day 7):

❖ No Weather Warning.

Weather Outlook for subsequent 3 days (During 20th February- 22nd February, 2025)

- ❖ Scattered to fairly widespread rainfall/snowfall likely over Western Himalayan region.
- ❖ **Isolated rainfall** likely over plains of Northwest, adjoining Central, East and Northeast India.


Action may be taken based on **ORANGE** AND **RED** COLOUR warnings.

- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.



Fig. 1: Maximum Temperatures








Fig. 3: Minimum Temperatures





Fig. 4: Departure of Minimum Temperatures





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Agromet advisories for likely impact of Heavy Rainfall

- ➤ In **Arunachal Pradesh**, postpone harvesting of rice during rainfall period and shift the already harvested produce to a well-covered storage facilities to prevent damage. Provide extensive drainage in the fields of rice, mustard, other standing crops, vegetables and horticultural crops. Provide mechanical support to horticultural crops and staking to vegetables.
- ➤ In **Himachal Pradesh**, apply light and frequent irrigation to the standing crops in the evening to protect them from low temperature stress or cold injuries. Use mulching and cover vegetable nurseries and young fruit plants with straw/polythene sheets to maintain optimum soil temperature.

Livestock

- ➤ Keep the animals inside the shed during heavy rainfall period and provide them with balanced feed. Store feed and fodder in a safe place to prevent spoilage.
- ➤ To protect from cold, keep cattle inside the sheds during night and provide dry bedding. Also keep the chicks warm by providing artificial light in the poultry sheds.

Likely Impact of prevailing above-normal temperatures on Agriculture

- Above normal temperatures in parts of Northwest and Central India may lead to forced maturity, sterile spikelets, and chaffy grains, reducing yields during critical growth stages like flowering and grain filling in crops like wheat and barley. Crops like mustard and chickpea may also experience early harvest.
- ➤ Vegetables like onions, garlic, and tomatoes may be affected during bulb formation or flowering, resulting in tip burning, bolting, and mismatched pollination, reducing their quality and yield. Horticultural crops like apples and stone fruits may experience early blooming due to warmer temperatures, resulting in poor fruit setting and quality.
- ➤ Livestock may experience heat stress, requiring adjustments in care and feeding practices, while fisheries face challenges in maintaining water quality.


Agromet Advisories

- > Provide light and life-saving irrigation during sensitive growth stages such as grain filling, flowering, and tuber formation.
- Apply mulching to retain optimum soil moisture and regulate temperature.
- ➤ Chemical sprays like potassium chloride and mineral nutrients are recommended to manage heat stress.





Fig. 5: Accumulated Rainfall (mm) during past 24 hours



30. रायलसीमा

32. तटीय कर्नाटक

35. केरल और माहे

S Dust Raising Winds

36. लक्षद्वीप

33. आतंरिक उत्तरी कर्नाटक

34. आतंरिक दक्षिणी कर्नाटक

31. तमिलनाडु, पुडुचेरी और कराईकल

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



- 1. Andaman & Nicobar Islands
- 2. Arunachal Pradesh
- 3. Assam & Meghalaya
- 4. Nagaland, Manipur, Mizoram & Tripura
- 5. Sub-Himalayan West Bengal & Sikkim
- 6. Gangetic West Bengal
- 7. Odisha
- 8. Jharkhand
- 9. Rihar
- 10. East Uttar Pradesh
- 11. West Uttar Pradesh
- 12. Uttarakhand
- 13. Haryana, Chandigarh & Delhi
- 14. Puniab
- 15. Himachal Pradesh
- 16. Jammu & Kashmir and Ladakh
- 17. West Rajasthan
- 18. East Rajasthan
- 19. West Madhya Pradesh
- 20. East Madhya Pradesh
- 21. Gujarat
- 22. Saurashtra
- 23. Konkan & Goa
- 24. Madhya Maharashtra
- 25. Marathwada
- 26. Vidarbha
- 27. Chhattisgarh
- 28. Coastal Andhra Pradesh & Yanam
- 29. Telangana
- 30. Rayalaseema
- 31. Tamilnadu, Puducherry & Karaikal
- 32. Coastal Karnataka
- 33. North Interior Karnataka
- 34. South Interior Karnataka
- 35. Kerala & Mahe

Most Likely

> 75

36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/A Few Places)
51-75	Fairly Widespread (FWS/Many Places)	1-25	Isolated (ISOL)



Strong Surface Winds





	DEFINITION/CRITERIA
	Heavy: 64.5 to 115.5 mm/cm *
Rain/ Snow *	Very Heavy: 115.6 to 204.4 mm/cm* Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions
	(a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
Heat Wave	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
neat wave	(b). Based on Actual maximum temperature Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
Warm Night	When maximum temperature remains 40°C
	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station $\leq 10^{\circ}\text{C}$ for plains and $\leq 0^{\circ}\text{C}$ for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
Cold Wave	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave: When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions
Cold Day	Based on departure
	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C. Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50- 200 metres
	Very Dense Fog: when the visibility < 50 metres
hunderstorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Squall	Moderate: Wind speed 52-61 kmph
oquan	Severe: Wind speed 62-87 kmph Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Sea State	High to very high: Wind speed 41-62 kmph (22-33 knots) & Wave height 6-14 metre
	Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cualania Starra: Wind annual C2 97 Ironh /24 47 Ironh
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots) Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots) Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)