2026-11-02
Time of Issue: 13:16:00 hours IST
(Mid-Day)

ALL INDIA WEATHER SUMMARY AND FORECAST BULLETIN

Significant Weather Features

Weather Systems, Forecast and Warnings

- The **Severe Cyclonic Storm "Murasu" [Pronunciation: Murasu]"** over Westcentral & adjoining Southwest Bay of Bengal moved west-northwestwards with a speed of 22 kmph during past 06 hours and lay centered at 0830 hours IST of today, the 02nd November, 2026 over the Westcentral Bay of Bengal near Latitude 14.1°N and Longitude 81.4°E, about 160 km east-southeast of Nellore (Andhra Pradesh), 180 km northeast of Chennai (Tamil Nadu), 180 km east-southeast of Kavali (Andhra Pradesh), 210 km southeast of Ongole (Andhra Pradesh) and 240 km south of Machilipatnam (Andhra Pradesh). It is very likely to move northwestwards and cross south Andhra Pradesh coast as a Severe Cyclonic Storm with wind speed of 100 to 110 kmph gusting to 120 kmph between Nellore and Narsapur, to the south of Ongole during midnight (2330 Hrs IST) of today, the 02nd November to early hours (0400 Hrs IST) of tomorrow, the 3rd November, 2026.

Under the influence of above systems, the following weather is likely:

South Peninsular India:

- **Isolated to Scattered** rainfall likely over Tamil Nadu, Puducherry & Karaikal during 2nd-8th November; Coastal Karnataka and Lakshadweep during 2nd-6th November; North Interior Karnataka during 2nd-3rd November and during 5th-8th November; Coastal Andhra Pradesh & Yanam, South Interior Karnataka and Telangana during 5th-8th November; Rayalaseema during 4th-8th November.
- **Fairly Widespread to Widespread** rainfall likely over Kerala & Mahe during 2nd-8th November; Coastal Karnataka and Lakshadweep during 7th-8th November; North Interior Karnataka on 4th November; Coastal Andhra Pradesh & Yanam, South Interior Karnataka and Telangana during 2nd-4th November; Rayalaseema during 2nd-3rd November.
- Isolated thunderstorm, lightning & gusty winds (speed reaching 80-90 kmph) likely over Coastal Andhra Pradesh & Yanam during 2nd-3rd November, with gusty winds (speed reaching 40-50 kmph gusting to 60 kmph) likely over Tamil Nadu, Puducherry & Karaikal during 2nd-4th November; Coastal Andhra Pradesh & Yanam and Rayalaseema on 4th November; Telangana on 2nd November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over Kerala & Mahe and Lakshadweep during 2nd-6th November; Coastal Karnataka on 3rd November; North Interior Karnataka and South Interior Karnataka during 2nd-5th November.
- Isolated **thunderstorm & lightning** likely over Coastal Karnataka on 2nd November and during 4th-5th November.
- Isolated **heavy rainfall** likely over Tamil Nadu, Puducherry & Karaikal on 3rd November and during 5th-7th November; Kerala & Mahe during 2nd-4th November and during 7th-8th November; Coastal Karnataka and South Interior Karnataka during 2nd-5th November; Coastal Andhra Pradesh & Yanam, Rayalaseema and Telangana on 4th November with isolated **very heavy rainfall** also likely over Tamil Nadu, Puducherry & Karaikal and Telangana on 2nd November.
- Isolated **extremely heavy rainfall** likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 2nd-3rd November; Telangana on 3rd November.
- **Thundersquall (wind speed reaching 70-80 kmph gusting to 90 kmph)** likely over Rayalaseema during 2nd-3rd November.
- **Thundersquall (wind speed reaching 50-60 kmph gusting to 70 kmph)** likely over Telangana on 3rd November.
- Strong Surface Winds likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 2nd-4th November.

Central India:

- **Isolated to Scattered** rainfall likely over East Madhya Pradesh, Vidarbha and West Madhya Pradesh during 2nd-5th November; Chhattisgarh on 2nd November and during 5th-6th November.
- **Fairly Widespread to Widespread** rainfall likely over Chhattisgarh during 3rd-4th November.

- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Chhattisgarh during 3rd-4th November, **with gusty winds (speed reaching 30-40 kmph gusting to 50 kmph)** likely over West Madhya Pradesh during 3rd-5th November; East Madhya Pradesh during 2nd-5th November; Vidarbha during 3rd-4th November.
- Isolated **heavy rainfall** likely over Chhattisgarh during 2nd-4th November.

East India:

- **Isolated to Scattered** rainfall likely over Andaman & Nicobar Islands during 2nd-8th November; Gangetic West Bengal and Sub-Himalayan West Bengal & Sikkim during 2nd-3rd November; Jharkhand during 2nd-4th November; Bihar on 2nd November; Odisha during 5th-7th November.
- **Fairly Widespread to Widespread** rainfall likely over Odisha during 2nd-4th November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Odisha during 2nd-4th November.
- Isolated **heavy rainfall** likely over Odisha during 2nd-4th November.

Northeast India:

- **Isolated to Scattered** rainfall likely over Arunachal Pradesh during 2nd-4th November and on 8th November; Assam & Meghalaya during 2nd-4th November and during 7th-8th November; Nagaland, Manipur, Mizoram & Tripura during 2nd-8th November.
- Isolated **thunderstorm & lightning** likely over Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura on 2nd November.
- Isolated **heavy rainfall** likely over Arunachal Pradesh and Assam & Meghalaya on 2nd November.

West India:

- **Isolated to Scattered** rainfall likely over Konkan & Goa, Madhya Maharashtra and Marathawada during 2nd-5th November; Gujarat Region on 2nd November.
- Isolated **thunderstorm, lightning & gusty winds (speed reaching 40-50 kmph gusting to 60 kmph)** likely over Konkan & Goa and Madhya Maharashtra during 2nd-4th November.
- Isolated **thunderstorm & lightning** likely over Marathawada on 2nd November.
- Isolated **heavy rainfall** likely over Madhya Maharashtra on 2nd November.

Wind warnings:

Westcentral Bay of Bengal:

- Gale wind speed reaching 100-110 gusting to 120 kmph is likely to prevail till midnight of 2nd and would decrease gradually after landfall, becoming 70-80 kmph gusting to 90 kmph by morning of 3rd, 45-55 gusting to 65 kmph by 4th November morning and improve thereafter.

Southwest Bay of Bengal:

- Gale wind speed reaching 80-90 gusting to 100 kmph would prevail till 2nd November evening. It would gradually decrease becoming 50-60 gusting to 70 kmph from morning of 03rd November and 40-50 gusting to 60 kmph by 03rd November evening and decrease thereafter.

Along & off Andhra Pradesh coast (Krishna, Bapatla, Prakasham, SPSR Nellore, Guntur, Eluru, NTR, Palnadu and West Godavari districts):

- Squally wind speed reaching 50-60 gusting to 70 kmph is prevailing along and off Andhra Pradesh, coast. It is likely to increase becoming gale wind speed reaching 80-90 gusting to 100 kmph from afternoon of 2nd and 100-110 gusting to 120 kmph by night of 02nd November till early morning of 3rd November. After Landfall, it would decrease gradually becoming 70-80 gusting to 90 kmph by morning of 3rd November, becoming 40-50 kmph gusting to 60 kmph by 3rd evening and decrease further thereafter.

Along & off North Tamil Nadu (Thiruvallur, Ranippettai, Kancheepuram, Chengalpattu & Chennai districts) - Puducherry coasts:

- Squally weather with wind speed reaching 50-60 gusting to 70 kmph is prevailing. It would increase gradually becoming Gale wind speed reaching 60-70 gusting to 80 kmph from 2nd afternoon till early morning of 3rd November. It would decrease becoming 40-50 gusting to 60 kmph till 3rd November evening and decrease thereafter.

Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast (Malkangiri, Koraput, Rayagada, Gajapati and Ganjam districts):

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 2nd November, morning. It is likely to increase becoming 50-60 gusting to 70 kmph from 2nd November, evening to 3rd November noon. It would decrease gradually thereafter.

Telangana (Khammam, Suryapet, Nalgonda, Nagarkurnool, Wanaparthy, Mahabubabad, Warangal, Jangaon, Karimnagar & B. Kothagudem) & Rayalaseema (Chittoor & Tirupathi)

- Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 2nd November afternoon, becoming 55-65 gusting to 75 kmph from 2nd midnight and Gale wind speed reaching 70-80 gusting to 90 kmph from early hours to forenoon of 3rd November. It would decrease gradually thereafter.

Sea condition:

Westcentral Bay of Bengal:

- Very High Sea condition would prevail till 3rd November, morning. Thereafter, it would start improving becoming Very Rough to Rough by 4th morning and improve thereafter.

Southwest Bay of Bengal:

- High sea condition would prevail till 02nd November evening. It would improve gradually thereafter, becoming Very Rough to Rough by 03rd November evening.

Along & off Andhra Pradesh coast:

- High to very high from morning of 02nd November till 3rd November, morning. Thereafter, it would start improving becoming Very Rough to Rough till 4th morning and improve thereafter.

Along & off North Tamil Nadu- Puducherry coasts:

- Sea condition is likely to be Rough to Very Rough till 4th November, morning. It would improve gradually thereafter.

Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast:

- Sea condition is likely to be rough to very rough from 2nd evening till 3rd November morning and rough sea condition till 3rd November, evening and would improve thereafter.

Storm Surge Warning:

- Storm surge of about 1.5-2.0 m height above astronomical tide is very likely to inundate low lying areas of South coastal Andhra Pradesh during the time of landfall. The maximum peak surge is expected over Bapatla and also over Krishna and Prakasam districts.
- The height of storm surge is likely to exceed 0.5 m from evening of today, 2nd November and continue till morning of tomorrow, the 3rd November with a peak surge of 1.0 – 1.5 m above astronomical tides during night of today to early hours of tomorrow.

Fishermen warnings:

- Fishermen are advised not to venture into:
- Southeast Bay of Bengal on 2nd November,
- Southwest Bay of Bengal till morning of 4th November
- Westcentral Bay of Bengal till 4th November afternoon
- Along & off Andhra Pradesh coast from morning of 2nd to 4th November afternoon
- Along & off North Tamil Nadu- Puducherry coasts till 4th November morning.
- Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast from evening of 2nd to 4th November afternoon

Main Weather Observations:

❖ **Rainfall distribution** (from 0830 hours IST of yesterday to 0830 hours IST of today): **at many places** over Coastal Andhra Pradesh & Yanam; **at a few places** over Konkan & Goa, Coastal Karnataka and Kerala & Mahe; **at isolated places** over Andaman & Nicobar Islands, Arunachal Pradesh, Assam & Meghalaya, Nagaland, Manipur, Mizoram & Tripura, Sub Himalayan West Bengal & Sikkim, Gangetic West Bengal, Odisha, Jharkhand, Bihar, Uttarakhand, Himachal Pradesh, Jammu-KashmirLadakh-Gilgit-Baltistan-Muzaffarabad, Saurashtra & Kutch, Madhya Maharashtra, Chhattisgarh, Telangana, Rayalaseema, Tamil Nadu, Puducherry & Karaikal, North Interior Karnataka and South Interior Karnataka; **Dry** over rest of the country.

❖ **Significant rainfall recorded(in cm)** (from 0830 hours IST of yesterday to 0830 hours IST of today): **Assam & Meghalaya**: Dhansiri ARG (dist Karbi Anglong) 11; **Tamil Nadu, Puducherry & Karaikal**: Ennore AWS (dist Tiruvallur) 10; Chennai(n) (dist Chennai), Ayanavaram Taluk Office (dist Chennai) 9 Each; Puzhal ARG (dist Tiruvallur) 8; Dgp Office (dist Chennai), Red Hills (dist Tiruvallur), Perambur (dist Chennai), Mgr Nagar (dist Chennai), Chennai Collectorate Bu (dist Chennai) 7 Each; Anna University (dist Chennai), Anna Uty ARG (dist Chennai) 6 Each; **Madhya Maharashtra**: Baramati (dist Pune) 8; **Kerala & Mahe**: Karumadi AWS (dist Alapuzha) 8; Kayamkulam ARG (dist Alapuzha) 7; Konni (dist Pathanamthitta), Ulanad AWS (dist Pathanamthitta) 6 Each; **Odisha**: Nawana (dist Mayurbhanj) 7; **Coastal Andhra Pradesh & Yanam**: Srungavarapukota (dist Vizianagaram), Amalapuram (dist B R Ambedkar Konaseema), Denkada (dist Vizianagaram), Bheemavaram (dist West Godavari) 6 Each.

❖ **Heavy Rainfall observed** (from 0830 hours IST of yesterday to 0830 hours IST of today):**Heavy rain** at isolated places over Assam & Meghalaya, Odisha, Madhya Maharashtra, Tamil Nadu, Puducherry & Karaikal and Kerala & Mahe.

❖ **Fog Condition Observed (at 0830 hours of today): Very dense fog conditions:** at isolated places over East Uttar Pradesh **Dense fog conditions:** at isolated places over East Madhya Pradesh, Madhya Maharashtra and Tamilnadu Puducherry & Karaikal **Moderate fog conditions:** at isolated places over East Uttar Pradesh and Himachal Pradesh **Shallow fog conditions:** at isolated places over Jharkhand, Bihar, Haryana Chandigarh & Delhi and Punjab


❖ **Visibility reported (at 0830 hours of today):** Gangetic West Bengal: Basirhat (dist North 24 Parganas), Suri (dist Birbhum) Each; Odisha: Bhubaneshwar-cuttack (dist Khordha), Angul (dist Angul), Baripada-obs (dist Mayurbhanj), Sundargarh (dist Sundargarh), Bolangir, Titlagarh (dist Balangir), Koraput (dist Koraput), Phulbani (dist Kandhamal), Chhatrapur (dist Ganjam), Rayagada-obs (dist Rayagada), Boudh (dist Boudh), Malkangiri-obs (dist Malkangiri), Sonepur (dist Subarnapur), Paralakhemundi-obs (dist Gajapati) Each; East Uttar Pradesh: Ballia-obs2 (dist Ballia) 0.0; Tamilnadu Puducherry & Karaikal: Palayamkottai (dist Tirunelveli) 50.0; Madhya Maharashtra : Mahabaleshwar (dist Satara) 50.0; East Madhya Pradesh: Rewa (dist Rewa) 50.0;.

❖ **Minimum Temperature Departures (as on 02-11-2026): below normal(-1.6°C to -3.0°C)** at few places over East Madhya Pradesh and Lakshadweep; at isolated places over Gangetic West Bengal, Odisha, Jharkhand, Bihar, East Uttar Pradesh, Haryana-Chandigarh-Delhi, East Rajasthan, West Madhya Pradesh, Saurashtra & Kutch, Coastal Andhra Pradesh & Yanam, Rayalaseema, Tamil Nadu, Puducherry & Karaikal, South Interior Karnataka and Kerala & Mahe. **appreciably below normal(-5.0°C to -3.1°C)** at few places over Marathwada; at isolated places over West Rajasthan, West Madhya Pradesh and East Madhya Pradesh. **markedly below normal(< -5.0°C)** at isolated places over West Uttar Pradesh, West Madhya Pradesh and East Madhya Pradesh. **The lowest minimum temperature** of 12.5°C was reported at UNA (HIMACHAL PRADESH) over the Plains of India.

❖ **Maximum Temperature Departures (as on 01-11-2026): below normal(-1.6°C to -3.0°C)** at many places over Uttarakhand and Punjab; at few places over West Rajasthan; at isolated places over Bihar and East Rajasthan. **appreciably below normal(-5.0°C to -3.1°C)** at many places over South Interior Karnataka; at few places over Haryana-Chandigarh-Delhi, Madhya Maharashtra, Rayalaseema and North Interior Karnataka; at isolated places over Vidarbha and Telangana. **markedly below normal(< -5.0°C)** at most places over Jharkhand, East Uttar Pradesh, West Uttar Pradesh, West Madhya Pradesh, East Madhya Pradesh, Marathwada and Chhattisgarh. **The highest maximum temperature** of 37.2°C was reported at TIRUPPATTUR (TAMIL NADU).

Meteorological Analysis (Based on 0830 hours IST)

- The **Severe Cyclonic Storm "Murasu" [Pronunciation: Murasu]"** over Westcentral & adjoining Southwest Bay of Bengal moved west-northwestwards with a speed of 22 kmph during past 06 hours and lay centered at 0830 hours IST of today, the 02nd November, 2026 over the Westcentral Bay of Bengal near Latitude 14.1°N and Longitude 81.4°E, about 160 km east-southeast of Nellore (Andhra Pradesh), 180 km northeast of Chennai (Tamil Nadu), 180 km east-southeast of Kavali (Andhra Pradesh), 210 km southeast of Ongole (Andhra Pradesh) and 240 km south of Machilipatnam (Andhra Pradesh). It is very likely to move northwestwards and cross south Andhra Pradesh coast as a Severe Cyclonic Storm with wind speed of 100 to 110 kmph gusting to 120 kmph between Nellore and Narsapur, to the south of Ongole during midnight (2330 Hrs IST) of today, the 02nd November to early hours (0400 Hrs IST) of tomorrow, the 3rd November, 2026.
- The **Western Disturbance** as a trough in middle & upper tropospheric westerlies with its axis at 5.8 km above mean sea level now runs roughly along Long. 72°E to the north of Lat. 30°N.
- The **upper air cyclonic circulation** over Arunachal Pradesh & neighbourhood now lies over northeast Assam & neighbourhood at 0.9 km above mean sea level.
- An **upper air cyclonic circulation** lies over northeast Rajasthan & neighbourhood at 3.1 km above mean sea level.
- An **upper air cyclonic circulation** lies over Eastcentral Arabian Sea adjoining Karnataka-south Maharashtra coasts at 0.9 km above mean sea level.
- An **upper air cyclonic circulation** lies over south Kerala & neighbourhood at 3.1 km above mean sea level.
- The **upper air cyclonic circulation** over Eastcentral Arabian Sea & neighbourhood at 3.1 km above mean sea level persists.
- The **cyclonic circulation** over East Uttar Pradesh & neighbourhood extending upto 1.5 km above mean sea level has become less marked.
- The **upper air cyclonic circulation** over Southeast Arabian Sea & adjoining Lakshadweep extending upto 1.5 km above mean sea level has become less marked.



2 November (Day 1)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Andhra Pradesh.

❖ **Heavy to Very Heavy Rainfall** very likely at isolated places over Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Chhattisgarh, Coastal Karnataka, Kerala & Mahe, Madhya Maharashtra, Odisha and South Interior Karnataka.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Konkan & Goa, Madhya Maharashtra, Odisha, Tamil Nadu Puducherry & Karaikal and Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over East Madhya Pradesh, Interior Karnataka, Kerala & Mahe and Lakshadweep.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Assam & Meghalaya, Coastal Karnataka, Marathwada, Nagaland, Manipur, Mizoram and Tripura and Uttarakhand.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.


❖ **Westcentral Bay of Bengal**: Gale wind speed reaching 100-110 gusting to 120 kmph is likely to prevail till midnight of 2nd November.

❖ **Southwest Bay of Bengal**: Gale wind speed reaching 80-90 gusting to 100 kmph would prevail till 2nd November evening.

❖ **Along & off Andhra Pradesh coast (Krishna, Bapatla, Prakasham, SPSR Nellore, Guntur, Eluru, NTR, Palnadu and West Godavari districts)**: Squally wind speed reaching 50-60 gusting to 70 kmph is prevailing along and off Andhra Pradesh, coast. It is likely to increase becoming gale wind speed reaching 80-90 gusting to 100 kmph from afternoon of 2nd and 100-110 gusting to 120 kmph by night of 02nd November

❖ **Along & off North Tamil Nadu (Thiruvallur, Ranippettai, Kancheepuram, Chengalpattu & Chennai districts) - Puducherry coasts**: Squally weather with wind speed reaching 50-60 gusting to 70 kmph is prevailing. It would increase gradually becoming Gale wind speed reaching 60-70 gusting to 80 kmph from 2nd November afternoon.

❖ **Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast (Malkangiri, Koraput, Rayagada, Gajapati and Ganjam districts)**: Squally weather with wind speed reaching 40-50 gusting to 60 kmph is likely to commence from 2nd November, morning. It is likely to increase becoming 50-60 gusting to 70 kmph from 2nd November evening.



3 November (Day 2)

❖ **Heavy to Very Heavy Rainfall with isolated Extremely Heavy Rainfall** very likely at isolated places over Andhra Pradesh and Telangana.

❖ **Heavy Rainfall** very likely at isolated places over Chhattisgarh, Coastal Karnataka, Kerala & Mahe, Odisha, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.

❖ **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Telangana.

❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Odisha and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Karnataka, Kerala & Mahe, Lakshadweep, Madhya Pradesh and Vidarbha.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.


❖ **Westcentral Bay of Bengal**: Gale wind speed becoming 70-80 kmph gusting to 90 kmph by morning of 3rd November.

❖ **Southwest Bay of Bengal**:Gale wind speed becoming 50-60 gusting to 70 kmph from morning of 03rd November and 40-50 gusting to 60 kmph by 03rd November evening and decrease thereafter.

❖ **Along & off Andhra Pradesh coast (Krishna, Bapatla, Prakasham, SPSR Nellore, Guntur, Eluru, NTR, Palnadu and West Godavari districts)**: Gale wind speed reaching 100-110 gusting to 120 kmph till early morning of 3rd November. After Landfall, it would decrease gradually becoming 70-80 gusting to 90 kmph by morning of 3rd November, becoming 40-50 kmph gusting to 60 kmph by 3rd evening and decrease further thereafter.

❖ **Along & off North Tamil Nadu (Thiruvallur, Ranippettai, Kancheepuram, Chengalpattu & Chennai districts) - Puducherry coasts**:Gale wind speed reaching 60-70 gusting to 80 kmph till early morning of 3rd November. It would decrease becoming 40-50 gusting to 60 kmph till 3rd November evening and decrease thereafter.

❖ **Adjoining Areas of Northwest Bay of Bengal and along & off South Odisha coast (Malkangiri, Koraput, Rayagada, Gajapati and Ganjam districts)**: Squally weather with wind speed reaching 50-60 gusting to 70 kmph till 3rd November noon. It would decrease gradually thereafter.



4 November (Day 3)

❖ **Heavy Rainfall** very likely at isolated places over Andhra Pradesh, Chhattisgarh, Coastal Karnataka, Kerala & Mahe, Odisha, South Interior Karnataka and Telangana.


❖ **Thunderstorm accompanied with lightning & gusty winds(40-50kmph)** very likely at isolated places over Andhra Pradesh, Chhattisgarh, Konkan & Goa, Madhya Maharashtra, Odisha and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** very likely at isolated places over Interior Karnataka, Kerala & Mahe, Lakshadweep, Madhya Pradesh and Vidarbha.

❖ **Thunderstorm accompanied with Lightning** very likely at isolated places over Coastal Karnataka.

❖ **Strong Surface Winds** very likely at isolated places over Andhra Pradesh.

❖ **Westcentral Bay of Bengal**: Squally weather with wind speed becoming 45-55 gusting to 65 kmph by 4th November morning and improve thereafter.




5 November (Day 4)

❖ **Heavy Rainfall** likely at isolated places over Coastal Karnataka, South Interior Karnataka and Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Interior Karnataka, Kerala & Mahe, Lakshadweep and Madhya Pradesh.

❖ **Thunderstorm accompanied with Lightning** likely at isolated places over Coastal Karnataka.

No Fishermen Warning




6 November (Day 5)

❖ **Heavy Rainfall** likely at isolated places over Tamil Nadu Puducherry & Karaikal.

❖ **Thunderstorm accompanied with lightning & gusty winds(30-40kmph)** likely at isolated places over Kerala & Mahe and Lakshadweep.


No Fishermen Warning



7 November (Day 6)

❖ **Heavy Rainfall** likely at isolated places over Kerala & Mahe and Tamil Nadu Puducherry & Karaikal.

No Fishermen Warning



8 November (Day 7)

❖ **Heavy Rainfall** likely at isolated places over Kerala & Mahe.

No Fishermen Warning

Flash Flood Warnings

Flash Flood Risk (FFR) till 1130 IST of 03-11-2026:

Low to Moderate flash flood risk likely over few watersheds & neighbourhoods of following Met Sub-divisions during next 24 hours.

Coastal Andhra Pradesh & Yanam: Anakapalli, Vishakhapatnam, Vizianagaram, Bapatla, Prakasam, Krishna,Guntur Spsr Nellore and Palnadu districts

Rayalaseema: Tirupati, Ysr District and Annamayya District districts

Surface runoff/ Inundation may occur at some fully saturated soils & low-lying areas over Area of Concern (AoC) as shown in map due to expected rainfall occurrence in next 24 hours.




Table-1

7 Days Rainfall Forecast

S.No.	Subdivision	2- Nov	3- Nov	4- Nov	5- Nov	6- Nov	7- Nov	8- Nov
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
1	ANDAMAN & NICOBAR ISLANDS	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
2	ARUNACHAL PRADESH	SCT	ISOL	ISOL	DRY	DRY	DRY	ISOL
3	ASSAM & MEHGHALAYA	ISOL	ISOL	ISOL	DRY	DRY	ISOL	ISOL
4	N. M. M. & T.	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	SCT
5	S.H. WEST BENGAL & SIKKIM	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	ISOL	ISOL	DRY	DRY	DRY	DRY	DRY
7	ODISHA	FWS	FWS	FWS	SCT	SCT	ISOL	DRY
8	JHARKHAND	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
9	BIHAR	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
13	HARYANA, CHD & DELHI	DRY	DRY	DRY	DRY	DRY	DRY	DRY
14	PUNJAB	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15	HIMACHAL PRADESH	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
16	JAMMU AND KASHMIR AND LADAKH	ISOL	DRY	DRY	ISOL	DRY	DRY	DRY
17	WEST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
18	EAST RAJASTHAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
20	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
21	GUJRAT REGION	ISOL	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASHTRA & KUTCH	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
25	MARATHWADA	ISOL	ISOL	ISOL	DRY	DRY	DRY	DRY
26	VIDARBHA	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
27	CHATTISGARH	SCT	FWS	FWS	ISOL	ISOL	DRY	DRY
28	COASTAL ANDHRA PRADESH	WS	WS	FWS	SCT	ISOL	ISOL	ISOL
29	TELANGANA	FWS	WS	FWS	SCT	ISOL	ISOL	ISOL
30	RAYALASEEMA	WS	FWS	SCT	ISOL	ISOL	ISOL	ISOL
31	TAMILNADU & PUDUCHERRY	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
32	COSTAL KARNATAKA	SCT	FWS	FWS	SCT	SCT	SCT	SCT
33	NORTH INTERIOR KARNATAKA	ISOL	SCT	FWS	SCT	ISOL	ISOL	ISOL
34	SOUTH INTERIOR KARNATAKA	FWS	WS	FWS	SCT	SCT	SCT	SCT
35	KERALA	FWS	FWS	FWS	FWS	FWS	FWS	FWS
36	LAKSHDWEEP	SCT	SCT	SCT	SCT	SCT	FWS	FWS

Legend	Category	%Stations
WS	Widespread/Most Places	76-100
FWS	Fairly Widespread/Many Places	51-75
SCT	Scattered/ A Few Places	26-50
ISOL	Isolated Places	1-25
DRY	No Rain	0

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

Fig. 1: Maximum Temperatures Dated 2026-11-01




Fig. 2: Departure of Maximum Temp. Dated 2026-11-01




Fig. 3: Minimum Temperatures Dated 2026-11-02






Fig. 4: Departure of Minimum Temp. Dated 2026-11-02




24 Hr cumulative rainfall recorded over different stations
during 0830 IST of 1-11-2026 to 0830 IST of 2-11-2026
Very Light to Light Rainfall (0.1 - 15.5 mm)
Moderate Rainfall (15.6 - 64.4 mm)
Heavy Rainfall (64.5 - 115.5 mm)
Very Heavy Rainfall (115.6 - 204.4 mm)
Extremely Heavy Rainfall (>=204.5 mm)
Arabian Sea
Bay of Bengal
Indian Ocean
0 250 500 km
40°0.000′
35°0.000′
30°0.000′
25°0.000′
20°0.000′
15°0.000′
10°0.000′
5°0.000′
70°0.000′
75°0.000′
80°0.000′
85°0.000′
90°0.000′
95°0.000′

Impace and Actions

Impact Expected and Action Suggested due to very heavy / heavy rainfall:

- **Isolated extremely heavy rainfall** likely over Coastal Andhra Pradesh & Yanam and Rayalaseema during 2nd-3rd November; Telangana on 3rd November.
- **Isolated very heavy rainfall** also likely over Tamil Nadu, Puducherry & Karaikal and Telangana on 2nd November.

Impact expected:

- Breaking of tree branches, uprooting of small trees like banana, papaya, drum sticks. Strong wind and rain may damage plantation, horticulture and standing crops.
- Partial damage to vulnerable structures due to strong winds and rain.
- Minor damage to kutcha houses/walls, huts and roads due to heavy rain.
- Loose objects may fly.
- Small ships, trawlers and boats may be affected.
- Road and rail traffic may be affected due to heavy rain and squally winds.
- There could be localised landslides, mudslides, landslips, water logging, inundation and flooding over low lying areas.
- Occasional reduction in visibility due to heavy rainfall.
- Helicopter services may get affected.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- Take safe shelters; do not take shelter under trees, as there could be lightning.
- In case of expected lightning, unplug electrical/ electronic appliances, immediately, get out of water bodies and keep away from all the objects that conduct electricity.
- Tourism and recreational activities to be regulated.
- Onshore and offshore activities to be judiciously regulated.
- Helicopter services to be regulated.

Agromet advisories for various parts of the country

Agromet advisories for likely impact of Heavy / Very Heavy/ Extremely Heavy Rainfall

- In **Coastal Andhra Pradesh**, provide adequate drainage in paddy, groundnut, cotton, red gram, sugarcane, maize, vegetable, banana and papaya fields to prevent waterlogging. Lift lodged rice and vegetable plants after rainfall subsides, and raise and tie lodged sugarcane. Protect the harvested produce. Withhold sowing of rabi maize, green gram, black gram, horse gram and sunhemp until optimum soil moisture is attained. Provide mechanical support to banana and papaya plantations and stake young plants and vegetables.
- In **Rayalaseema**, ensure adequate drainage in standing crops and postpone irrigation, fertilizer application and spraying during the rainfall spell. Postpone sowing of bengal gram and other crops.
- In **Telangana**, provide extensive drainage in unharvested rice, maize, cotton, fruits and vegetables field. Postpone harvesting of mature rice, maize, cotton, fruits and vegetables crops and shift the already harvested produce to safer places.
- In **Tamil Nadu**, provide adequate drainage and drain excess water in rice, maize and casuarina and provide mechanical support to banana plantations. Open field drains immediately to prevent root zone waterlogging in sugarcane. Keep the harvested produce to safe and covered places.
- In **Odisha**, drain excess water from paddy, maize, groundnut, pulses, cotton, sugarcane, vegetables and orchards, particularly in low-lying fields. In lodged paddy, tie panicles into bundles and raise them upright after water recedes; harvest mature crops only when fields become workable and protect harvested produce from further rainfall. Provide support to banana and papaya plants, prop sugarcane and stake vegetables and young

fruit plants against lodging.

- In **Chhattisgarh**, ensure extensive drainage in mature paddy, groundnut, sesame, vegetables, unharvested maize and pulses to prevent waterlogging. Protect harvested produce in safe, covered places and cover fruit and vegetable nurseries with polythene sheets or tarpaulins. Stake vine crops and provide support to young plants.
- In **Keralam**, ensure proper drainage in standing crop fields. Undertake rabi rice transplanting only when field conditions are suitable and prepare well-drained planting pits for banana. Provide support to banana and papaya plantations and stake young plants and vegetables wherever required to minimise damage from gusty winds.
- In **Coastal Karnataka**, ensure proper drainage in ginger and other standing crop fields. Provide support to vulnerable horticultural plants and protect harvested produce in covered, dry storage.
- In **South Interior Karnataka**, ensure adequate drainage in paddy, ginger and other standing crops. Postpone harvesting, irrigation, fertilizer application and plant protection operations during rainfall. Provide mechanical support to banana and papaya plantations and stake young plants and vegetables in areas exposed to gusty winds.
- In **Madhya Maharashtra**, harvest rice, groundnut and undertake picking of cotton as early as possible wherever feasible. Keep the harvested produce at safer places. Provide extensive drainage in unharvested and standing crop fields.

Agromet advisories for likely impact of Thunderstorm / Gusty Winds

- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops securely and cover them to minimize the risk of displacement from strong surface winds.
- Provide mechanical support to horticultural crops and staking or support to vegetables and young fruit plants / fruit-bearing plants to avoid lodging due to strong winds.

Advisories for likely impact of Heavy Rainfall for Livestock / Poultry / Fisheries


- Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- Store the feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain excess water, thereby preventing fish from escaping in the event of overflow.

Legends & abbreviations:

- **Region wise classification of meteorological Sub-Divisions:**
- **Northwest India:** Western Himalayan Region (Jammu-Kashmir-Ladakh-Gilgit-Baltistan-Muzaffarabad, Himachal Pradesh and Uttarakhand); Punjab, Haryana Chandigarh & Delhi; West Uttar Pradesh, East Uttar Pradesh, West Rajasthan and East Rajasthan.
- **Central India:** West Madhya Pradesh, East Madhya Pradesh, Vidarbha and Chhattisgarh.
- **East India:** Bihar, Jharkhand, Sub-Himalayan West Bengal & Sikkim; Gangetic West Bengal, Odisha and Andaman & Nicobar Islands.
- **Northeast India:** Arunachal Pradesh, Assam & Meghalaya and Nagaland, Manipur, Mizoram & Tripura.
- **West India:** Gujarat Region, Saurashtra & Kutch, Coastal Maharashtra (Konkan) & Goa, Madhya Maharashtra and Marathawada.
- **South India:** Coastal Andhra Pradesh & Yanam, Telangana, Rayalaseema, Coastal Karnataka, North Interior Karnataka, South Interior Karnataka, Kerala & Mahe, Tamil Nadu, Puducherry & Karaikal and Lakshadweep.

LEGENDS

1 अंडमान और निकोबार द्वीप समुह
2 अरुणाचल प्रदेश
3 असम और मेघालय
4 नागालैंड मनीपुर मीजोरम और त्रिपुरा
5 उप हिमालय पश्चिम बंगाल एंवम् सिक्किम
6 पश्चिम गांगेय बंगाल
7 ओडिसा
8 झारखंड
9 बिहार
10 पूर्वी उत्तर प्रदेश
11 पश्चिम उत्तर प्रदेश
12 उत्तराखंड
13 हरियाणा चंडिगढ़ एंवम् दिल्ली
14 पंजाब
15 हिमाचल प्रदेश
16 जम्मू एवंम कश्मीर एवंम लद्दाख
17 पश्चिम राजस्थान
18 पूर्वी राजस्थान
19 पश्चिम मध्य प्रदेश
20 पूर्वी मध्य प्रदेश
21 गुजरात क्षेत्र
22 सौराष्ट्र एंवम् कच्छ
23 कोंकण एंवम् गोवा
24 मध्य महाराष्ट्र
25 मराठावाडा
26 विदर्भ
27 छत्तीसगढ़
28 तटीय आंध्र प्रदेश एवं यनम
29 तेलंगाना
30 रायलसीमा
31 तमिलनाडु ,पुदुचेरी एवंम कराईकल
32 तटिय कर्नाटक
33 आंतरिक उत्तरी कर्नाटक
34 आंतरिक दक्षिणी कर्नाटक
35 केरल एवंम माहे
36 लक्षद्वीप



1. Andaman & Nicobar Islands
2. Arunachal Pradesh
3. Assam & Meghalaya
4. Nagaland, Manipur, Mizoram & Tripura
5. Sub-Himalayan West Bengal & Sikkim
6. Gangetic West Bengal
7. Orissa
8. Jharkhand
9. Bihar
10. East Uttar Pradesh
11. West Uttar Pradesh
12. Uttarakhand
13. Haryana, Chd & Delhi
14. Punjab
15. Himachal Pradesh
16. Jammu & Kashmir and Ladakh
17. West Rajsthan
18. East Rajasthan
19. West Madhya Pradesh
20. East Madhya Pradesh
21. Gujarat
22. Saurashtra
23. Konkan & Goa
24. Madhya Maharashtra
25. Marathawada
26. Vidharbha
27. Chhattisgarh
28. Coastal Andhra Pradesh & Yanam
29. Telangana
30. Rayalaseema
31. Tamilnadu, Puducherry & Karaikal
32. Coastal Karnataka
33. North Interior Karnataka
34. South Interior Karnataka
35. Kerala & Mahe
36. Lakshadweep

SPATIAL DISTRIBUTION (% of Stations reporting)

% Stations	Category	% Stations	Category
76-100	Widespread (WS/Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)

Subdivision Colour

- NO WARNING
- WATCH (BE UPDATED)
- ALERT (BE PREPARED TO TAKE ACTION)
- WARNING (TAKE ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Heavy Rain
Very Heavy Rain
Extremely Heavy Rain
Heavy Snow
Thunderstorm & Lightning
Hailstrom
Dust Strom
Dust Raising Winds
Strong surface winds
Heat Wave
Hot Day
Warm Night
Cold Wave
Cold Day
Ground Frost
Fog
Hot & Humid

*Red color warning does not mean "Red Alert" Red color warning means "Take Action"
Forecast and warning for any day is valid from 0830 hours IST of day till 0830 hours IST of next day
For more details kindly visit https://mausam.imd.gov.in or contact 011-2434-4599
(Service to the nation since 1875)

LEGENDS

WARNING

WARNING (TAKE ACTION)
ALERT (BE PREPARED)
WATCH (BE UPDATED)
NO WARNING (NO ACTION)

Probabilistic Forecast

Terms	Probability of Occurrence (%)
Unlikely	< 25
Likely	25 - 50
Very Likely	50 - 75
Most Likely	> 75

Rain/ Snow *

- **Heavy:** 64.5 to 115.5 mm/cm *
- **Very Heavy:** 115.6 to 204.4 mm/cm*
- **Extremely Heavy:** > 204.4 mm/cm *

Heat Wave

When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions

(a) Based on Departure from normal

- **Heat Wave:** Maximum Temperature Departure from normal 4.5° C to 6.4° C.
- **Severe Heat Wave:** Maximum Temperature Departure from normal ≥6.5° C

(b). Based on Actual maximum temperature

- **Heat Wave:** When actual maximum temperature ≥45°C.
- **Severe Heat Wave:** When actual maximum temperature ≥47°C

(c). Criteria for heat wave for coastal stations

When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C

Warm Night

When maximum temperature remains 40°C

- **Warm Night:** When minimum temperature departure 4.5 °C to 6.4 °C.
- **Severe Warm Night:** When minimum temperature departure >6.4 °C.

Cold Wave

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions.

(a). Based on departure

- **Cold Wave:** Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
- **Severe Cold Wave:** Minimum Temperature Departure from normal ≤ -6.5 °C

(b) Based on actual Minimum Temperature (for Plains only)

- **Cold Wave :** When Minimum Temperature is ≤ 4.0 °C
- **Severe Cold Wave:** When Minimum Temperature is ≤ 2.0 °C

(c) For Coastal Stations

When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C

Cold Day

When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions

Based on departure

- **Cold Day:** Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
- **Severe Cold Day:** Maximum Temperature Departure from normal ≤ -6.5 °C

Fog

Phenomenon of small droplets suspended in air and the horizontal visibility < 1km

- **Moderate Fog:** When the visibility between 500-200 metres
- **Dense Fog:** when the visibility between 50- 200 metres
- **Very Dense Fog:** when the visibility < 50 metres

Thunderstorm

Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)

Dust/Sand Storm

An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.

Frost

Ice deposits on ground

- Air temperature ≤4°C (over Plains)

Squall

A strong wind that rises suddenly, lasts for atleast 1 minute.

- **Moderate**: Wind speed 52-61 kmph
- **Severe**: Wind speed 62-87 kmph
- **Very Severe**: Wind speed >87 kmph

Sea State

Effect of various waves in the sea over specific area

- **Rough to very rough**: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
- **High to very high**: Wind speed 63-117 kmph (34-63 knots) & Wave height 6-14 metre
- **Phenomenal**: Wind speed >117 kmph (>63 knots) & Wave height >14 metre

Cyclone

- **Cyclonic Storm**: Wind speed 62-87 kmph (34-47 knots)
- **Severe Cyclonic Storm**: Wind speed 88-117 kmph (48-63 knots)
- **Very Severe Cyclonic Storm**: Wind speed 118-165 kmph (64 - 89 knots)
- **Extremely Severe Cyclonic Storm**: Wind speed 166-220 kmph (90 -119 knots)
- **Super Cyclone Strom**: Wind speed >220 kmph (>119 knots)